

Richard Fox

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/953373/publications.pdf>

Version: 2024-02-01

76
papers

10,336
citations

71004

43
h-index

87275

74
g-index

78
all docs

78
docs citations

78
times ranked

12223
citing authors

#	ARTICLE	IF	CITATIONS
1	Traits data for the butterflies and macro-moths of Great Britain and Ireland. <i>Ecology</i> , 2022, 103, e3670.	1.5	7
2	A revised Red List of British butterflies. <i>Insect Conservation and Diversity</i> , 2022, 15, 485-495.	1.4	20
3	Insect responses to global change offer signposts for biodiversity and conservation. <i>Ecological Entomology</i> , 2021, 46, 699-717.	1.1	63
4	Is light pollution driving moth population declines? A review of causal mechanisms across the life cycle. <i>Insect Conservation and Diversity</i> , 2021, 14, 167-187.	1.4	85
5	A window to the world of global insect declines: Moth biodiversity trends are complex and heterogeneous. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	111
6	Species traits influence the process of biodiversity inventorying: a case study using the British butterfly database. <i>Insect Conservation and Diversity</i> , 2021, 14, 748-755.	1.4	5
7	Street lighting has detrimental impacts on local insect populations. <i>Science Advances</i> , 2021, 7, .	4.7	52
8	How complete are insect inventories? An assessment of the british butterfly database highlighting the influence of dynamic distribution shifts on sampling completeness. <i>Biodiversity and Conservation</i> , 2021, 30, 889-902.	1.2	10
9	Is the insect apocalypse upon us? How to find out. <i>Biological Conservation</i> , 2020, 241, 108327.	1.9	167
10	Data-derived metrics describing the behaviour of field-based citizen scientists provide insights for project design and modelling bias. <i>Scientific Reports</i> , 2020, 10, 11009.	1.6	31
11	Opinions of citizen scientists on open access to UK butterfly and moth occurrence data. <i>Biodiversity and Conservation</i> , 2019, 28, 3321-3341.	1.2	11
12	Wildfire alters the structure and seasonal dynamics of nocturnal pollen-transport networks. <i>Functional Ecology</i> , 2019, 33, 1882-1892.	1.7	16
13	Bucking the trend: the diversity of Anthropocene "winners" among British moths. <i>Frontiers of Biogeography</i> , 2019, 11, .	0.8	23
14	Habitat availability explains variation in climate-driven range shifts across multiple taxonomic groups. <i>Scientific Reports</i> , 2019, 9, 15039.	1.6	85
15	Effects of street lighting technologies on the success and quality of pollination in a nocturnally pollinated plant. <i>Ecosphere</i> , 2019, 10, e02550.	1.0	43
16	Insect population trends and the IUCN Red List process. <i>Journal of Insect Conservation</i> , 2019, 23, 269-278.	0.8	49
17	Functional data analysis of multi-species abundance and occupancy data sets. <i>Ecological Indicators</i> , 2019, 104, 156-165.	2.6	6
18	A comprehensive evaluation of predictive performance of 33 species distribution models at species and community levels. <i>Ecological Monographs</i> , 2019, 89, e01370.	2.4	290

#	ARTICLE	IF	CITATIONS
19	Annual estimates of occupancy for bryophytes, lichens and invertebrates in the UK, 1970â€“2015. <i>Scientific Data</i> , 2019, 6, 259.	2.4	39
20	Climate-induced phenology shifts linked to range expansions in species with multiple reproductive cycles per year. <i>Nature Communications</i> , 2019, 10, 4455.	5.8	82
21	Construction, validation, and application of nocturnal pollen transport networks in an agroâ€“ecosystem: a comparison using light microscopy and DNA metabarcoding. <i>Ecological Entomology</i> , 2019, 44, 17-29.	1.1	55
22	Population variability in species can be deduced from opportunistic citizen science records: a case study using British butterflies. <i>Insect Conservation and Diversity</i> , 2018, 11, 131-142.	1.4	9
23	Extinction risk from climate change is reduced by microclimatic buffering. <i>Nature Climate Change</i> , 2018, 8, 713-717.	8.1	245
24	Citizen science and invasive alien species: Predicting the detection of the oak processionary moth <i>Thaumetopoea processionea</i> by moth recorders. <i>Biological Conservation</i> , 2017, 208, 146-154.	1.9	47
25	The dark side of street lighting: impacts on moths and evidence for the disruption of nocturnal pollen transport. <i>Global Change Biology</i> , 2017, 23, 697-707.	4.2	121
26	Climate change, climatic variation and extreme biological responses. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017, 372, 20160144.	1.8	72
27	Using citizen science butterfly counts to predict species population trends. <i>Conservation Biology</i> , 2017, 31, 1350-1361.	2.4	65
28	A national-scale assessment of climate change impacts on species: Assessing the balance of risks and opportunities for multiple taxa. <i>Biological Conservation</i> , 2017, 213, 124-134.	1.9	35
29	Developing a biodiversityâ€“based indicator for largeâ€“scale environmental assessment: a case study of proposed shale gas extraction sites in Britain. <i>Journal of Applied Ecology</i> , 2017, 54, 872-882.	1.9	12
30	Efficient occupancy model-fitting for extensive citizen-science data. <i>PLoS ONE</i> , 2017, 12, e0174433.	1.1	22
31	Uncovering hidden spatial structure in species communities with spatially explicit joint species distribution models. <i>Methods in Ecology and Evolution</i> , 2016, 7, 428-436.	2.2	170
32	Assessing speciesâ€™ habitat associations from occurrence records, standardised monitoring data and expert opinion: A test with British butterflies. <i>Ecological Indicators</i> , 2016, 62, 271-278.	2.6	12
33	Geographical range margins of many taxonomic groups continue to shift polewards. <i>Biological Journal of the Linnean Society</i> , 2015, 115, 586-597.	0.7	105
34	The effectiveness of protected areas in the conservation of species with changing geographical ranges. <i>Biological Journal of the Linnean Society</i> , 2015, 115, 707-717.	0.7	53
35	Microclimate affects landscape level persistence in the British Lepidoptera. <i>Journal of Insect Conservation</i> , 2015, 19, 237-253.	0.8	21
36	Individualistic sensitivities and exposure to climate change explain variation in speciesâ€™ distribution and abundance changes. <i>Science Advances</i> , 2015, 1, e1400220.	4.7	21

#	ARTICLE	IF	CITATIONS
37	A new procedure for extrapolating turnover regionalization at mid-scale small spatial scales, tested on British butterflies. <i>Methods in Ecology and Evolution</i> , 2015, 6, 1287-1297.	2.2	19
38	Pollination by nocturnal Lepidoptera, and the effects of light pollution: a review. <i>Ecological Entomology</i> , 2015, 40, 187-198.	1.1	200
39	High Abundances of Species in Protected Areas in Parts of their Geographic Distributions Colonized during a Recent Period of Climatic Change. <i>Conservation Letters</i> , 2015, 8, 97-106.	2.8	26
40	Are neonicotinoid insecticides driving declines of widespread butterflies?. <i>PeerJ</i> , 2015, 3, e1402.	0.9	85
41	Long-term changes to the frequency of occurrence of British moths are consistent with opposing and synergistic effects of climate and land-use changes. <i>Journal of Applied Ecology</i> , 2014, 51, 949-957.	1.9	175
42	Abundance changes and habitat availability drive species' responses to climate change. <i>Nature Climate Change</i> , 2014, 4, 127-131.	8.1	69
43	Quantifying range-wide variation in population trends from local abundance surveys and widespread opportunistic occurrence records. <i>Methods in Ecology and Evolution</i> , 2014, 5, 751-760.	2.2	56
44	The decline of moths in Great Britain: a review of possible causes. <i>Insect Conservation and Diversity</i> , 2013, 6, 5-19.	1.4	224
45	The utility of distribution data in predicting phenology. <i>Methods in Ecology and Evolution</i> , 2013, 4, 1024-1032.	2.2	19
46	Multi-generational long-distance migration of insects: studying the painted lady butterfly in the Western Palaearctic. <i>Ecography</i> , 2013, 36, 474-486.	2.1	137
47	Species richness declines and biotic homogenisation have slowed down for NW-European pollinators and plants. <i>Ecology Letters</i> , 2013, 16, 870-878.	3.0	305
48	Protected areas facilitate species' range expansions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14063-14068.	3.3	185
49	Climatic Associations of British Species Distributions Show Good Transferability in Time but Low Predictive Accuracy for Range Change. <i>PLoS ONE</i> , 2012, 7, e40212.	1.1	68
50	Temperature-Dependent Alterations in Host Use Drive Rapid Range Expansion in a Butterfly. <i>Science</i> , 2012, 336, 1028-1030.	6.0	154
51	Temporal variation in responses of species to four decades of climate warming. <i>Global Change Biology</i> , 2012, 18, 2439-2447.	4.2	42
52	Does including physiology improve species distribution model predictions of responses to recent climate change?. <i>Ecology</i> , 2011, 92, 2214-2221.	1.5	97
53	A new Red List of British butterflies. <i>Insect Conservation and Diversity</i> , 2011, 4, 159-172.	1.4	49
54	Moths count: recording moths for conservation in the UK. <i>Journal of Insect Conservation</i> , 2011, 15, 55-68.	0.8	42

#	ARTICLE	IF	CITATIONS
55	British butterfly distributions and the 2010 target. <i>Journal of Insect Conservation</i> , 2011, 15, 291-299.	0.8	16
56	Moths. , 2010, , 448-470.		4
57	British butterfly distributions and the 2010 target. , 2010, , 5-13.		0
58	Moths count: recording moths for conservation in the UK. , 2010, , 29-42.		0
59	Assisted colonization in a changing climate: a test study using two U.K. butterflies. <i>Conservation Letters</i> , 2009, 2, 46-52.	2.8	133
60	Surrogacy and persistence in reserve selection: landscape prioritization for multiple taxa in Britain. <i>Journal of Applied Ecology</i> , 2009, 46, 82-91.	1.9	33
61	Dynamic distribution modelling: predicting the present from the past. <i>Ecography</i> , 2009, 32, 5-12.	2.1	41
62	DIRECT AND INDIRECT EFFECTS OF CLIMATE AND HABITAT FACTORS ON BUTTERFLY DIVERSITY. <i>Ecology</i> , 2007, 88, 605-611.	1.5	356
63	Government targets for protected area management: will threatened butterflies benefit?. <i>Biodiversity and Conservation</i> , 2007, 16, 3719-3736.	1.2	11
64	The effects of visual apparency on bias in butterfly recording and monitoring. <i>Biological Conservation</i> , 2006, 128, 486-492.	1.9	83
65	Rapid declines of common, widespread British moths provide evidence of an insect biodiversity crisis. <i>Biological Conservation</i> , 2006, 132, 279-291.	1.9	435
66	The distributions of a wide range of taxonomic groups are expanding polewards. <i>Global Change Biology</i> , 2006, 12, 450-455.	4.2	1,214
67	Impacts of climate warming and habitat loss on extinctions at species' low-latitude range boundaries. <i>Global Change Biology</i> , 2006, 12, 1545-1553.	4.2	271
68	Species richness changes lag behind climate change. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006, 273, 1465-1470.	1.2	288
69	Prioritizing multiple-use landscapes for conservation: methods for large multi-species planning problems. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 1885-1891.	1.2	465
70	Spatial patterns in species distributions reveal biodiversity change. <i>Nature</i> , 2004, 432, 393-396.	13.7	214
71	Long-term population trends in widespread British moths. <i>Journal of Insect Conservation</i> , 2004, 8, 119-136.	0.8	29
72	Long-term population trends in widespread British moths. <i>Journal of Insect Conservation</i> , 2004, 8, 119-136.	0.8	131

#	ARTICLE	IF	CITATIONS
73	Comparative Losses of British Butterflies, Birds, and Plants and the Global Extinction Crisis. <i>Science</i> , 2004, 303, 1879-1881.	6.0	764
74	Responses of butterflies to twentieth century climate warming: implications for future ranges. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2002, 269, 2163-2171.	1.2	363
75	Impacts of landscape structure on butterfly range expansion. <i>Ecology Letters</i> , 2001, 4, 313-321.	3.0	176
76	Rapid responses of British butterflies to opposing forces of climate and habitat change. <i>Nature</i> , 2001, 414, 65-69.	13.7	1,096