

# Francisco I Ramirez-Perez

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9536594/francisco-i-ramirez-perez-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32  
papers

666  
citations

12  
h-index

25  
g-index

36  
ext. papers

843  
ext. citations

4.9  
avg, IF

3.59  
L-index

#	Paper	IF	Citations
32	SGLT2 inhibition attenuates arterial dysfunction and decreases vascular F-actin content and expression of proteins associated with oxidative stress in aged mice.. <i>GeroScience</i> , <b>2022</b> , 1	8.9	2
31	Mutation of the 5' untranslated region stem-loop mRNA structure reduces type I collagen deposition and arterial stiffness in male obese mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2021</b> , 321, H435-H445	5.2	1
30	OR17-06 Transglutaminase 2 Inhibition Reduces Aortic Stiffness in Western Diet-Fed Female Mice. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
29	LIMK (LIM Kinase) Inhibition Prevents Vasoconstriction- and Hypertension-Induced Arterial Stiffening and Remodeling. <i>Hypertension</i> , <b>2020</b> , 76, 393-403	8.5	7
28	Exposure to adropin improves insulin-induced dilation in arteries from type 2 diabetic mice. <i>FASEB Journal</i> , <b>2020</b> , 34, 1-1	0.9	
27	TRAF3IP2 ablation protects against obesity-associated glycemic dysregulation, elevated blood pressure, and endothelial dysfunction. <i>FASEB Journal</i> , <b>2020</b> , 34, 1-1	0.9	
26	TRAF3IP2 (TRAF3 Interacting Protein 2) Mediates Obesity-Associated Vascular Insulin Resistance and Dysfunction in Male Mice. <i>Hypertension</i> , <b>2020</b> , 76, 1319-1329	8.5	6
25	Western diet induces renal artery endothelial stiffening that is dependent on the epithelial Na channel. <i>American Journal of Physiology - Renal Physiology</i> , <b>2020</b> , 318, F1220-F1228	4.3	9
24	Diet-Induced Obesity Promotes Kidney Endothelial Stiffening and Fibrosis Dependent on the Endothelial Mineralocorticoid Receptor. <i>Hypertension</i> , <b>2019</b> , 73, 849-858	8.5	28
23	IGF-1 Deficiency Promotes Pathological Remodeling of Cerebral Arteries: A Potential Mechanism Contributing to the Pathogenesis of Intracerebral Hemorrhages in Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2019</b> , 74, 446-454	6.4	23
22	Chronic Elevation of Endothelin-1 Alone May Not Be Sufficient to Impair Endothelium-Dependent Relaxation. <i>Hypertension</i> , <b>2019</b> , 74, 1409-1419	8.5	6
21	LIM Kinase Inhibition Diminishes Hypertension and Vasoconstriction-Induced Inward Remodeling in Mouse and Human Resistance Arteries. <i>FASEB Journal</i> , <b>2019</b> , 33, 517.7	0.9	
20	Age-Related Changes in Skeletal Muscle and Small Mesenteric Arterial Function in Spontaneously Hypertensive Rats. <i>FASEB Journal</i> , <b>2019</b> , 33, lb456	0.9	
19	Sexual Dimorphism in Obesity-Associated Endothelial ENaC Activity and Stiffening in Mice. <i>Endocrinology</i> , <b>2019</b> , 160, 2918-2928	4.8	10
18	Glycemic control by the SGLT2 inhibitor empagliflozin decreases aortic stiffness, renal resistivity index and kidney injury. <i>Cardiovascular Diabetology</i> , <b>2018</b> , 17, 108	8.7	72
17	Regular exercise reduces adipose tissue inflammation and improves glycemic control in Western diet-fed mice despite hyperendothelinemia. <i>FASEB Journal</i> , <b>2018</b> , 32, lb570	0.9	
16	Absence of Endothelial Estrogen Receptor Alpha Decreases Arterial Stiffness and Induces Hypertrophic Remodeling in Angiotensin II infused Female Mice. <i>FASEB Journal</i> , <b>2018</b> , 32, lb277	0.9	

15	Absence of Endothelial ER $\alpha$ Results in Arterial Remodeling and Decreased Stiffness in Western Diet-Fed Male Mice. <i>Endocrinology</i> , <b>2017</b> , 158, 1875-1885	4.8	6
14	Uric acid promotes vascular stiffness, maladaptive inflammatory responses and proteinuria in western diet fed mice. <i>Metabolism: Clinical and Experimental</i> , <b>2017</b> , 74, 32-40	12.7	36
13	Amiloride Improves Endothelial Function and Reduces Vascular Stiffness in Female Mice Fed a Western Diet. <i>Frontiers in Physiology</i> , <b>2017</b> , 8, 456	4.6	29
12	Endothelial Estrogen Receptor- $\alpha$ Does Not Protect Against Vascular Stiffness Induced by Western Diet in Female Mice. <i>Endocrinology</i> , <b>2016</b> , 157, 1590-600	4.8	15
11	Dipeptidyl peptidase-4 inhibition with linagliptin prevents western diet-induced vascular abnormalities in female mice. <i>Cardiovascular Diabetology</i> , <b>2016</b> , 15, 94	8.7	29
10	Endothelial Mineralocorticoid Receptor Mediates Diet-Induced Aortic Stiffness in Females. <i>Circulation Research</i> , <b>2016</b> , 118, 935-943	15.7	109
9	Maternal Hyperleptinemia Is Associated with Male Offspring's Altered Vascular Function and Structure in Mice. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155377	3.7	12
8	Arterial Stiffening in Western Diet-Fed Mice Is Associated with Increased Vascular Elastin, Transforming Growth Factor- $\beta$ and Plasma Neuraminidase. <i>Frontiers in Physiology</i> , <b>2016</b> , 7, 285	4.6	24
7	Regular Exercise Reduces Endothelial Cortical Stiffness in Western Diet-Fed Female Mice. <i>Hypertension</i> , <b>2016</b> , 68, 1236-1244	8.5	25
6	Low-Dose Mineralocorticoid Receptor Blockade Prevents Western Diet-Induced Arterial Stiffening in Female Mice. <i>Hypertension</i> , <b>2015</b> , 66, 99-107	8.5	107
5	Effects of the use of assisted reproductive technologies and an obesogenic environment on resistance artery function and diabetes biomarkers in mice offspring. <i>PLoS ONE</i> , <b>2014</b> , 9, e112651	3.7	8
4	Lysophosphatidic acid induces integrin activation in vascular smooth muscle and alters arteriolar myogenic vasoconstriction. <i>Frontiers in Physiology</i> , <b>2014</b> , 5, 413	4.6	11
3	Mice Produced by the Use of Assisted Reproductive Technologies from Dams Provided a High-Fat and -Fructose Diet Have Reduced Arterial Vasodilation Responses to Acetylcholine. <i>FASEB Journal</i> , <b>2013</b> , 27, lb683	0.9	
2	Topical application of Serotonin + L-NAME in vivo induces inward remodeling of the rat cremasteric 1A arteriole via a mechanism that is antagonized by the addition of cystamine, a competitive inhibitor of transglutaminase II. <i>FASEB Journal</i> , <b>2013</b> , 27, lb657	0.9	
1	An experimental and theoretical approach to the study of the photoacoustic signal produced by cancer cells. <i>AIP Advances</i> , <b>2012</b> , 2, 011102	1.5	11