

Francine Z Marques

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9536887/francine-z-marques-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

2,533

citations

27

h-index

49

g-index

106

ext. papers

3,401

ext. citations

6.3

avg, IF

5.42

L-index

#	Paper	IF	Citations
86	Gut Microbiota and Their Metabolites in Stroke: A Double-Edged Sword.. <i>Stroke</i> , 2022 , STROKEAHA1210368002		
85	Characterization of Cardiac Sympathetic Nervous System and Inflammatory Activation in HFpEF Patients.. <i>JACC Basic To Translational Science</i> , 2022 , 7, 116-127	8.7	0
84	Manipulating Microbiota to Treat Atopic Dermatitis: Functions and Therapies. <i>Pathogens</i> , 2022 , 11, 642	4.5	2
83	Reporting guidelines for human microbiome research: the STORMS checklist. <i>Nature Medicine</i> , 2021 , 27, 1885-1892	50.5	19
82	Renal ACE2 (Angiotensin-Converting Enzyme 2) Expression Is Modulated by Dietary Fiber Intake, Gut Microbiota, and Their Metabolites. <i>Hypertension</i> , 2021 , 77, e53-e55	8.5	3
81	Microbial Interventions to Control and Reduce Blood Pressure in Australia (MICRoBIA): rationale and design of a double-blinded randomised cross-over placebo controlled trial. <i>Trials</i> , 2021 , 22, 496	2.8	2
80	Dietary Interventions Reduce Traditional and Novel Cardiovascular Risk Markers by Altering the Gut Microbiome and Their Metabolites. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 691564	5.4	5
79	Diet-related gut microbial metabolites and sensing in hypertension. <i>Journal of Human Hypertension</i> , 2021 , 35, 162-169	2.6	10
78	Plasma lipocalin-2/NGAL is stable over 12 weeks and is not modulated by exercise or dieting. <i>Scientific Reports</i> , 2021 , 11, 4056	4.9	3
77	The Gut Microbiome of Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2021 , 10, e020654	6	11
76	Deficiency of MicroRNA-181a Results in Transcriptome-Wide Cell-Specific Changes in the Kidney and Increases Blood Pressure. <i>Hypertension</i> , 2021 , 78, 1322-1334	8.5	1
75	Rodent models of hypertension. <i>British Journal of Pharmacology</i> , 2021 ,	8.6	3
74	Essential Hypertension Is Associated With Changes in Gut Microbial Metabolic Pathways: A Multisite Analysis of Ambulatory Blood Pressure. <i>Hypertension</i> , 2021 , 78, 804-815	8.5	7
73	The Gut Microbiota and Their Metabolites in Human Arterial Stiffness. <i>Heart Lung and Circulation</i> , 2021 , 30, 1716-1725	1.8	3
72	Lack of Strategic Funding and Long-Term Job Security Threaten to Have Profound Effects on Cardiovascular Researcher Retention in Australia. <i>Heart Lung and Circulation</i> , 2020 , 29, 1588-1595	1.8	1
71	Neural suppression of miRNA-181a in the kidney elevates renin expression and exacerbates hypertension in Schlager mice. <i>Hypertension Research</i> , 2020 , 43, 1152-1164	4.7	4
70	The Emerging Role of Gut Dysbiosis in Cardio-metabolic Risk Factors for Heart Failure. <i>Current Hypertension Reports</i> , 2020 , 22, 38	4.7	15

69	Deficiency of Prebiotic Fiber and Insufficient Signaling Through Gut Metabolite-Sensing Receptors Leads to Cardiovascular Disease. <i>Circulation</i> , 2020 , 141, 1393-1403	16.7	58
68	Impact, Strategies, and Opportunities for Early and Midcareer Cardiovascular Researchers During the COVID-19 Pandemic. <i>Circulation</i> , 2020 , 141, 1838-1840	16.7	3
67	Microbial Peer Pressure: The Role of the Gut Microbiota in Hypertension and Its Complications. <i>Hypertension</i> , 2020 , 76, 1674-1687	8.5	19
66	Hypotensive Effects of Ganaxolone are Associated with an Upregulation of GABAA Receptor Subunit Expression in Male Hypertensive Schlager Mice. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
65	Highlights from the International Society of Hypertension's New Investigators Network during 2019. <i>Journal of Hypertension</i> , 2020 , 38, 968-973	1.9	0
64	Manipulation of the gut microbiota by the use of prebiotic fibre does not override a genetic predisposition to heart failure. <i>Scientific Reports</i> , 2020 , 10, 17919	4.9	3
63	The role of the gut microbiome in sex differences in arterial pressure. <i>Biology of Sex Differences</i> , 2019 , 10, 22	9.3	27
62	The effect of diet on hypertensive pathology: is there a link via gut microbiota-driven immunometabolism?. <i>Cardiovascular Research</i> , 2019 , 115, 1435-1447	9.9	31
61	Circulating microRNAs, Vascular Risk, and Physical Activity in Spinal Cord-Injured Subjects. <i>Journal of Neurotrauma</i> , 2019 , 36, 845-852	5.4	14
60	Guidelines for Transparency on Gut Microbiome Studies in Essential and Experimental Hypertension. <i>Hypertension</i> , 2019 , 74, 1279-1293	8.5	24
59	Mechanisms Responsible for Genetic Hypertension in Schlager BPH/2 Mice. <i>Frontiers in Physiology</i> , 2019 , 10, 1311	4.6	10
58	The gut microbiota and blood pressure in experimental models. <i>Current Opinion in Nephrology and Hypertension</i> , 2019 , 28, 97-104	3.5	28
57	Renal nerves contribute to hypertension in Schlager BPH/2J mice. <i>Hypertension Research</i> , 2019 , 42, 306-318	11.8	10
56	A polymorphism in the noradrenaline transporter gene is associated with increased blood pressure in patients with resistant hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1571-1577	1.9	13
55	Beyond gut feelings: how the gut microbiota regulates blood pressure. <i>Nature Reviews Cardiology</i> , 2018 , 15, 20-32	14.8	177
54	Regulation of the human placental (pro)renin receptor-prorenin-angiotensin system by microRNAs. <i>Molecular Human Reproduction</i> , 2018 , 24, 453-464	4.4	12
53	Involvement of human monogenic cardiomyopathy genes in experimental polygenic cardiac hypertrophy. <i>Physiological Genomics</i> , 2018 , 50, 680-687	3.6	3
52	Circadian Differences in the Contribution of the Brain Renin-Angiotensin System in Genetically Hypertensive Mice. <i>Frontiers in Physiology</i> , 2018 , 9, 231	4.6	7

51	Age-Related Differential Structural and Transcriptomic Responses in the Hypertensive Heart. <i>Frontiers in Physiology</i> , 2018 , 9, 817	4.6	6
50	Population-Based Gut Microbiome Associations With Hypertension. <i>Circulation Research</i> , 2018 , 123, 1185-1187	16.7	10
49	Missing Heritability of Hypertension and Our Microbiome. <i>Circulation</i> , 2018 , 138, 1381-1383	16.7	10
48	Fetal growth restriction shortens cardiac telomere length, but this is attenuated by exercise in early life. <i>Physiological Genomics</i> , 2018 , 50, 956-963	3.6	1
47	A polymorphism in the norepinephrine transporter gene is associated with affective and cardiovascular disease through a microRNA mechanism. <i>Molecular Psychiatry</i> , 2017 , 22, 134-141	15.1	30
46	Experimental and Human Evidence for Lipocalin-2 (Neutrophil Gelatinase-Associated Lipocalin [NGAL]) in the Development of Cardiac Hypertrophy and heart failure. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	32
45	High-Fiber Diet and Acetate Supplementation Change the Gut Microbiota and Prevent the Development of Hypertension and Heart Failure in Hypertensive Mice. <i>Circulation</i> , 2017 , 135, 964-977	16.7	415
44	Positive allosteric modulation of GABAA receptors attenuates high blood pressure in Schlager hypertensive mice. <i>Journal of Hypertension</i> , 2017 , 35, 546-557	1.9	3
43	N-Acetylcysteine Attenuates the Development of Renal Fibrosis in Transgenic Mice with Dilated Cardiomyopathy. <i>Scientific Reports</i> , 2017 , 7, 17718	4.9	4
42	[PS 01-07] THE EFFECT OF GENES INVOLVED IN MONOGENIC HUMAN CARDIOMYOPATHIES IN A POLYGENIC MODEL OF CARDIAC HYPERTROPHY. <i>Journal of Hypertension</i> , 2016 , 34, e98	1.9	
41	MPS 13-02 DIETARY FIBRE INTAKE PREVENTS HYPERTENSION AND IMPROVES RENAL FUNCTION IN A MINERALOCORTICOID-EXCESS MODEL. <i>Journal of Hypertension</i> , 2016 , 34, e408	1.9	
40	Telomere dynamics during aging in polygenic left ventricular hypertrophy. <i>Physiological Genomics</i> , 2016 , 48, 42-9	3.6	13
39	Tripartite motif-containing 55 identified as functional candidate for spontaneous cardiac hypertrophy in the rat locus cardiac mass 22. <i>Journal of Hypertension</i> , 2016 , 34, 950-8	1.9	4
38	The transcardiac gradient of cardio-microRNAs in the failing heart. <i>European Journal of Heart Failure</i> , 2016 , 18, 1000-8	12.3	107
37	Epigenetic changes in leukocytes after 8 weeks of resistance exercise training. <i>European Journal of Applied Physiology</i> , 2016 , 116, 1245-53	3.4	36
36	The emerging role of non-coding RNA in essential hypertension and blood pressure regulation. <i>Journal of Human Hypertension</i> , 2015 , 29, 459-67	2.6	33
35	Signatures of miR-181a on the Renal Transcriptome and Blood Pressure. <i>Molecular Medicine</i> , 2015 , 21, 739-748	6.2	35
34	microRNAs in Essential Hypertension and Blood Pressure Regulation. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 888, 215-35	3.6	22

33	Changes in the leukocyte methylome and its effect on cardiovascular-related genes after exercise. <i>Journal of Applied Physiology</i> , 2015 , 118, 475-88	3.7	54
32	Further evidence for the association between a polymorphism in the promoter region of SLC6A3/DAT1 and ADHD: findings from a sample of adults. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 401-8	5.1	20
31	Exercise: putting action into our epigenome. <i>Sports Medicine</i> , 2014 , 44, 189-209	10.6	88
30	Measurement of absolute copy number variation reveals association with essential hypertension. <i>BMC Medical Genomics</i> , 2014 , 7, 44	3.7	19
29	Acute exercise leads to regulation of telomere-associated genes and microRNA expression in immune cells. <i>PLoS ONE</i> , 2014 , 9, e92088	3.7	63
28	Small molecules, big effects: the role of microRNAs in regulation of cardiomyocyte death. <i>Cell Death and Disease</i> , 2014 , 5, e1325	9.8	41
27	Leukocyte telomere length variation due to DNA extraction method. <i>BMC Research Notes</i> , 2014 , 7, 877	2.3	34
26	A novel interaction between sympathetic overactivity and aberrant regulation of renin by miR-181a in BPH/2J genetically hypertensive mice. <i>Hypertension</i> , 2013 , 62, 775-81	8.5	56
25	Longer leukocyte telomeres are associated with ultra-endurance exercise independent of cardiovascular risk factors. <i>PLoS ONE</i> , 2013 , 8, e69377	3.7	69
24	Diurnal difference in sympathetic stimulation and microRNA regulation of renin in Schlager hypertensive mice. <i>FASEB Journal</i> , 2013 , 27, 695.13	0.9	
23	Neurogenic hypertension: revelations from genome-wide gene expression profiling. <i>Current Hypertension Reports</i> , 2012 , 14, 485-91	4.7	8
22	Is there a role for rare variants in DRD4 gene in the susceptibility for ADHD? Searching for an effect of allelic heterogeneity. <i>Molecular Psychiatry</i> , 2012 , 17, 520-6	15.1	23
21	Letter by Marques and Morris regarding article, "Signature microRNA expression profile of essential hypertension and its novel link to human cytomegalovirus infection". <i>Circulation</i> , 2012 , 125, e337; author reply e338-9	16.7	3
20	Fetal sex affects expression of renin-angiotensin system components in term human decidua. <i>Endocrinology</i> , 2012 , 153, 462-8	4.8	38
19	ADRA2A polymorphisms and ADHD in adults: possible mediating effect of personality. <i>Psychiatry Research</i> , 2011 , 186, 345-50	9.9	16
18	Molecular characterization of renin-angiotensin system components in human intrauterine tissues and fetal membranes from vaginal delivery and cesarean section. <i>Placenta</i> , 2011 , 32, 214-21	3.4	48
17	Gene expression profiling reveals renin mRNA overexpression in human hypertensive kidneys and a role for microRNAs. <i>Hypertension</i> , 2011 , 58, 1093-8	8.5	171
16	Global identification of the genes and pathways differentially expressed in hypothalamus in early and established neurogenic hypertension. <i>Physiological Genomics</i> , 2011 , 43, 766-71	3.6	24

15	Genes influencing circadian differences in blood pressure in hypertensive mice. <i>PLoS ONE</i> , 2011 , 6, e192037	22
14	Resveratrol, by modulating RNA processing factor levels, can influence the alternative splicing of pre-mRNAs. <i>PLoS ONE</i> , 2011 , 6, e28926	3-7 29
13	Commentary on resveratrol and hormesis: resveratrol--a hormetic marvel in waiting?. <i>Human and Experimental Toxicology</i> , 2010 , 29, 1026-8	3-4 6
12	Meta-analysis of genome-wide gene expression differences in onset and maintenance phases of genetic hypertension. <i>Hypertension</i> , 2010 , 56, 319-24	8-5 50
11	The molecular basis of longevity, and clinical implications. <i>Maturitas</i> , 2010 , 65, 87-91	5 25
10	Response to methylphenidate is not influenced by DAT1 polymorphisms in a sample of Brazilian adult patients with ADHD. <i>Journal of Neural Transmission</i> , 2010 , 117, 269-76	4-3 21
9	Pharmacogenetics of the Androgen Metabolic Pathway 2010 , 109-121	
8	Hormesis as a pro-healthy aging intervention in human beings?. <i>Dose-Response</i> , 2009 , 8, 28-33	2-3 9
7	Resveratrol: cellular actions of a potent natural chemical that confers a diversity of health benefits. <i>International Journal of Biochemistry and Cell Biology</i> , 2009 , 41, 2125-8	5-6 122
6	The GNB3 C825T polymorphism and depression among subjects with alcohol dependence. <i>Journal of Neural Transmission</i> , 2007 , 114, 469-72	4-3 7
5	Tobacco smoking and the ADRA2A C-1291G polymorphism. <i>Journal of Neural Transmission</i> , 2007 , 114, 1503-6	4-3 15
4	Serotonin transporter gene polymorphism and the phenotypic heterogeneity of adult ADHD. <i>Journal of Neural Transmission</i> , 2007 , 114, 1631-6	4-3 20
3	MAOA-uVNTR polymorphism in a Brazilian sample: further support for the association with impulsive behaviors and alcohol dependence. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 305-8	3-5 81
2	Influence of the serotonin transporter gene on comorbid disorders among alcohol-dependent individuals. <i>Psychiatric Genetics</i> , 2006 , 16, 125-31	2-9 23
1	Polymorphisms in the DBH and DRD2 gene regions and smoking behavior. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 93-7	5-1 31