Yoshiaki Minakata

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/953712/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of Individualized Target Setting on Step Count in Japanese Patients with Chronic Obstructive Pulmonary Disease: A Pilot Study. Advances in Respiratory Medicine, 2022, 90, 1-8.	1.0	3
2	A case of primary racemose hemangioma in which the disappearance of an endobronchial lesion was confirmed after bronchial artery embolization. Clinical Case Reports (discontinued), 2021, 9, 1964-1967.	0.5	1
3	Longitudinal Relationship Between Growth Differentiation Factor 11 and Physical Activity in Chronic Obstructive Pulmonary Disease. International Journal of COPD, 2021, Volume 16, 999-1006.	2.3	2
4	Reference Equations for Assessing the Physical Activity of Japanese Patients with Chronic Obstructive Pulmonary Disease. International Journal of COPD, 2021, Volume 16, 3041-3053.	2.3	4
5	Data Reproducibility and Effectiveness of Bronchodilators for Improving Physical Activity in COPD Patients. Journal of Clinical Medicine, 2020, 9, 3497.	2.4	4
6	A Non-Interventional, Cross-Sectional Study to Evaluate Factors Relating to Daily Step Counts and Physical Activity in Japanese Patients with Chronic Obstructive Pulmonary Disease: STEP COPD. International Journal of COPD, 2020, Volume 15, 3385-3396.	2.3	9
7	Effect of tiotropium/olodaterol on sedentary and active time in patients with COPD: post hoc analysis of the VESUTO [®] study. International Journal of COPD, 2019, Volume 14, 1789-1801.	2.3	16
8	Simple standard equation for daily step count in Japanese patients with chronic obstructive pulmonary disease. International Journal of COPD, 2019, Volume 14, 1967-1977.	2.3	8
9	Clinical benefit of two-times-per-day aclidinium bromide compared with once-a-day tiotropium bromide hydrate in COPD: a multicentre, open-label, randomised study. BMJ Open, 2019, 9, e024114.	1.9	7
10	Progress of Physical Activity Study in Patients with Chronic Obstructive Pulmonary Disease. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 2554-2560.	0.0	0
11	Primary pulmonary melanoma diagnosed by semiâ€rigid thoracoscopy. Thoracic Cancer, 2018, 9, 1528-1529.	1.9	4
12	Verification of a Motion Sensor for Evaluating Physical Activity in COPD Patients. Canadian Respiratory Journal, 2018, 2018, 1-8.	1.6	25
13	Efficacy of tiotropium/olodaterol on lung volume, exercise capacity, and physical activity. International Journal of COPD, 2018, Volume 13, 1407-1419.	2.3	26
14	Improved quality of life in asthma patients under long-term therapy: Assessed by AHQ-Japan. International Journal of Clinical Practice, 2017, 71, e12898.	1.7	5
15	Study Design of VESUTO®: Efficacy of Tiotropium/Olodaterol on Lung Hyperinflation, Exercise Capacity, and Physical Activity in Japanese Patients with Chronic Obstructive Pulmonary Disease. Advances in Therapy, 2017, 34, 1622-1635.	2.9	6
16	2. Importance and Improvement of Physical Activity in Patients with COPD. The Journal of the Japanese Society of Internal Medicine, 2016, 105, 963-969.	0.0	0
17	Chylothorax Associated with Chronic Lymphocytic Leukemia. Internal Medicine, 2016, 55, 3641-3644.	0.7	6
18	Differences in physical activity according to mMRC grade in patients with COPD. International Journal of COPD, 2016, Volume 11, 2203-2208.	2.3	31

Υοςηιακι Μινακατά

#	Article	IF	CITATIONS
19	Walking Pattern in COPD Patients. Rehabilitation Nursing, 2016, 41, 211-217.	0.5	О
20	Effects of pharmacologic treatment based on airflow limitation and breathlessness on daily physical activity in patients with chronic obstructive pulmonary disease. International Journal of COPD, 2015, 10, 1275.	2.3	20
21	Progression of Irreversible Airflow Limitation in Asthma: Correlation with Severe Exacerbations. Journal of Allergy and Clinical Immunology: in Practice, 2015, 3, 759-764.e1.	3.8	47
22	Cigarette smoke augments MUC5AC production via the TLR3-EGFR pathway in airway epithelial cells. Respiratory Investigation, 2015, 53, 137-148.	1.8	30
23	Changes in forced expiratory volume in 1 second over time in patients with controlled asthma at baseline. Respiratory Medicine, 2014, 108, 976-982.	2.9	19
24	TLR3 Activation Augments Matrix Metalloproteinase Production through Reactive Nitrogen Species Generation in Human Lung Fibroblasts. Journal of Immunology, 2014, 192, 4977-4988.	0.8	24
25	Reduced level of physical activity in Japanese patients with chronic obstructive pulmonary disease. Respiratory Investigation, 2014, 52, 41-48.	1.8	32
26	Ongoing Allergic Rhinitis Impairs Asthma Control by Enhancing the Lower Airway Inflammation. Journal of Allergy and Clinical Immunology: in Practice, 2014, 2, 172-178.e1.	3.8	40
27	25-Hydroxycholesterol promotes fibroblast-mediated tissue remodeling through NF-κB dependent pathway. Experimental Cell Research, 2013, 319, 1176-1186.	2.6	29
28	Difference in time-course of improvement in asthma control measures between budesonide and budesonide/formoterol. Pulmonary Pharmacology and Therapeutics, 2013, 26, 189-194.	2.6	19
29	Persistent elevation of exhaled nitric oxide and modification of corticosteroid therapy in asthma. Respiratory Investigation, 2013, 51, 84-91.	1.8	11
30	Relationship between alveolar nitric oxide concentration in exhaled air and small airway function in COPD. Journal of Breath Research, 2013, 7, 046002.	3.0	23
31	Stratifying a Risk for an Increased Variation of Airway Caliber among the Clinically Stable Asthma. Allergology International, 2013, 62, 343-349.	3.3	4
32	Predictors for Identifying the Efficacy of Systemic Steroids on Sustained Exhaled Nitric Oxide Elevation in Severe Asthma. Allergology International, 2013, 62, 359-365.	3.3	21
33	Inhibitory effects of theophylline on the peroxynitrite-augmented release of matrix metalloproteinases by lung fibroblasts. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2012, 302, L764-L774.	2.9	20
34	Efficacy of Noninvasive Positive Pressure Ventilation in Elderly Patients with Acute Hypercapnic Respiratory Failure. Respiration, 2012, 83, 377-382.	2.6	11
35	Validation of the Triaxial Accelerometer for the Evaluation of Physical Activity in Japanese Patients with COPD. Internal Medicine, 2012, 51, 369-375.	0.7	12
36	25-hydroxycholesterol enhances cytokine release and toll-like receptor 3 response in airway epithelial cells. Respiratory Research, 2012, 13, 63.	3.6	53

Υοςηιακι Μινακατά

#	Article	IF	CITATIONS
37	Increase of 27-Hydroxycholesterol in the Airways of Patients With COPD. Chest, 2012, 142, 329-337.	0.8	25
38	Validation of a Compact Motion Sensor for the Measurement of Physical Activity in Patients with Chronic Obstructive Pulmonary Disease. Respiration, 2012, 83, 300-307.	2.6	46
39	Increased 25â€hydroxycholesterol concentrations in the lungs of patients with chronic obstructive pulmonary disease. Respirology, 2012, 17, 533-540.	2.3	44
40	Cigarette smoke augments the expression and responses of tollâ€ i ke receptor 3 in human macrophages. Respirology, 2012, 17, 1018-1025.	2.3	27
41	Exhaled Nitric Oxide Cutoff Values for Asthma Diagnosis According to Rhinitis and Smoking Status in Japanese Subjects. Allergology International, 2011, 60, 331-336.	3.3	56
42	Improvement of Airflow Limitation by Fluticasone Propionate/Salmeterol in Chronic Obstructive Pulmonary Disease: What is the Specific Marker?. Frontiers in Pharmacology, 2011, 2, 36.	3.5	30
43	Increase of nitrosative stress in patients with eosinophilic pneumonia. Respiratory Research, 2011, 12, 81.	3.6	15
44	High COPD Prevalence in Patients with Liver Disease. Internal Medicine, 2010, 49, 2687-2691.	0.7	22
45	Oxidative Stress Enhances Toll-Like Receptor 3 Response to Double-Stranded RNA in Airway Epithelial Cells. American Journal of Respiratory Cell and Molecular Biology, 2010, 42, 651-660.	2.9	57
46	Epidemiology and Early Detection of COPD. Health Evaluation and Promotion, 2010, 37, 657-659.	0.0	0
47	Clinical Application of Exhaled Breath Condensate Analysis in Asthma: Prediction of FEV ₁ Improvement by Steroid Therapy. Respiration, 2009, 78, 393-398.	2.6	18
48	The Possible Role of Hematopoietic Cell Kinase in the Pathophysiology of COPD. Chest, 2009, 135, 94-101.	0.8	15
49	Activation of Toll-Like Receptor 3 Augments Myofibroblast Differentiation. American Journal of Respiratory Cell and Molecular Biology, 2009, 40, 654-662.	2.9	64
50	The regulation of amiloride-sensitive epithelial sodium channels by tumor necrosis factor-alpha in injured lungs and alveolar type II cells. Respiratory Physiology and Neurobiology, 2009, 166, 16-23.	1.6	36
51	Oxidative stress augments toll-like receptor 8 mediated neutrophilic responses in healthy subjects. Respiratory Research, 2009, 10, 50.	3.6	37
52	Molecular Mechanism of the Additive Effects of Leukotriene Modifier in Asthmatic Patients Receiving Steroid Therapy. Allergology International, 2009, 58, 89-96.	3.3	2
53	Validation of symptomâ€based COPD questionnaires in Japanese subjects. Respirology, 2008, 13, 420-426	2.3	22
54	Peroxynitrite augments fibroblast-mediated tissue remodeling via myofibroblast differentiation. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2008, 295, L800-L808.	2.9	32

Υοςηιακί Μινακατά

#	Article	IF	CITATIONS
55	Peak Expiratory Flow Variability Adjusted by Forced Expiratory Volume in One Second is a Good Index for Airway Responsiveness in Asthmatics. Internal Medicine, 2008, 47, 1107-1112.	0.7	10
56	Prevalence of COPD in Primary Care Clinics: Correlation with Non-Respiratory Diseases. Internal Medicine, 2008, 47, 77-82.	0.7	19
57	Efficacy and Safety of Formoterol in Japanese Patients with COPD. Internal Medicine, 2008, 47, 217-223.	0.7	7
58	Overexpression of CD-11b and CXCR1 on Circulating Neutrophils. Chest, 2007, 132, 890-899.	0.8	35
59	The Influence of Free 3-Nitrotyrosine and Saliva on the Quantitative Analysis of Protein-Bound 3-Nitrotyrosine in Sputum. Analytical Chemistry Insights, 2007, 2, 117739010700200.	2.7	5
60	Airway cytokine expression measured by means of protein array in exhaled breath condensate: Correlation with physiologic properties in asthmatic patients. Journal of Allergy and Clinical Immunology, 2006, 118, 84-90.	2.9	107
61	Two Cases of Asthma in Handicapped Elderly Persons in Which Assisted Inhalation Therapy Was Effective. Allergology International, 2006, 55, 347-351.	3.3	2
62	IMPORTANCE OF ASSISTANCE BY CAREGIVERS FOR INHALED CORTICOSTEROID THERAPY IN ELDERLY PATIENTS WITH ASTHMA. Journal of the American Geriatrics Society, 2006, 54, 1626-1627.	2.6	10
63	Angioimmunoblastic lymphadenopathy with dysproteinaemia accompanied by pleural effusion. Respirology, 2005, 10, 124-127.	2.3	8
64	A Case of Primary Lung Cancer Producing Alpha-Fetoprotein. Canadian Respiratory Journal, 2004, 11, 504-506.	1.6	22
65	Effect of a leukotriene receptor antagonist on the prevention of recurrent asthma attacks after an emergency room visit. Allergology International, 2004, 53, 341-347.	3.3	3
66	Neutrophil Reactive Oxgen Species (H2O2 production) in Bronchoalveolar Lavage Fluid and Lung Oxygenation in Patients with Acute Lung Injury or Acute Respiratory Distress Syndrome. Nihon Kyukyu Igakukai Zasshi, 2004, 15, 161-168.	0.0	0
67	THE IMPACT OF PHORBOL ESTER ON THE REGULATION OF AMILORIDE-SENSITIVE EPITHELIAL SODIUM CHANNEL IN ALVEOLAR TYPE II EPITHELIAL CELLS. Experimental Lung Research, 2002, 28, 543-562.	1.2	8
68	Severe gustatory disorder caused by cisplatin and etoposide. International Journal of Clinical Oncology, 2002, 7, 124-127.	2.2	14
69	Change in Cytokeratin 19 Fragment Level According to the Severity of Pulmonary Alveolar Proteinosis Internal Medicine, 2001, 40, 1024-1027.	0.7	7