

Emiliano Calvo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9537323/publications.pdf>

Version: 2024-02-01

190
papers

10,232
citations

66234

42
h-index

38300

95
g-index

194
all docs

194
docs citations

194
times ranked

14722
citing authors

#	ARTICLE	IF	CITATIONS
1	Nivolumab alone and nivolumab plus ipilimumab in recurrent small-cell lung cancer (CheckMate 032): a multicentre, open-label, phase 1/2 trial. <i>Lancet Oncology</i> , The, 2016, 17, 883-895.	5.1	1,091
2	Tumor Mutational Burden and Efficacy of Nivolumab Monotherapy and in Combination with Ipilimumab in Small-Cell Lung Cancer. <i>Cancer Cell</i> , 2018, 33, 853-861.e4.	7.7	725
3	Nivolumab monotherapy in recurrent metastatic urothelial carcinoma (CheckMate 032): a multicentre, open-label, two-stage, multi-arm, phase 1/2 trial. <i>Lancet Oncology</i> , The, 2016, 17, 1590-1598.	5.1	594
4	HER kinase inhibition in patients with HER2- and HER3-mutant cancers. <i>Nature</i> , 2018, 554, 189-194.	13.7	572
5	Dose- and Schedule-Dependent Inhibition of the Mammalian Target of Rapamycin Pathway With Everolimus: A Phase I Tumor Pharmacodynamic Study in Patients With Advanced Solid Tumors. <i>Journal of Clinical Oncology</i> , 2008, 26, 1603-1610.	0.8	519
6	CheckMate-032 Study: Efficacy and Safety of Nivolumab and Nivolumab Plus Ipilimumab in Patients With Metastatic Esophagogastric Cancer. <i>Journal of Clinical Oncology</i> , 2018, 36, 2836-2844.	0.8	459
7	Phase I Dose-Escalation Study of JNJ-42756493, an Oral Pan- α -Fibroblast Growth Factor Receptor Inhibitor, in Patients With Advanced Solid Tumors. <i>Journal of Clinical Oncology</i> , 2015, 33, 3401-3408.	0.8	324
8	Clinical Challenges of Immune Checkpoint Inhibitors. <i>Cancer Cell</i> , 2020, 38, 326-333.	7.7	286
9	Safety and Efficacy of Nivolumab Monotherapy in Recurrent or Metastatic Cervical, Vaginal, or Vulvar Carcinoma: Results From the Phase I/II CheckMate 358 Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 2825-2834.	0.8	280
10	Noninfectious Pneumonitis after Everolimus Therapy for Advanced Renal Cell Carcinoma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 182, 396-403.	2.5	202
11	First-in-Human Dose Study of the Novel Transforming Growth Factor- β 2 Receptor I Kinase Inhibitor LY2157299 Monohydrate in Patients with Advanced Cancer and Glioma. <i>Clinical Cancer Research</i> , 2015, 21, 553-560.	3.2	199
12	Ramucirumab plus pembrolizumab in patients with previously treated advanced non-small-cell lung cancer, gastro-oesophageal cancer, or urothelial carcinomas (JVDF): a multicohort, non-randomised, open-label, phase 1a/b trial. <i>Lancet Oncology</i> , The, 2019, 20, 1109-1123.	5.1	193
13	Nivolumab Alone and With Ipilimumab in Previously Treated Metastatic Urothelial Carcinoma: CheckMate 032 Nivolumab 1 mg/kg Plus Ipilimumab 3 mg/kg Expansion Cohort Results. <i>Journal of Clinical Oncology</i> , 2019, 37, 1608-1616.	0.8	185
14	Multicenter Phase I Study of Erdafitinib (JNJ-42756493), Oral Pan-Fibroblast Growth Factor Receptor Inhibitor, in Patients with Advanced or Refractory Solid Tumors. <i>Clinical Cancer Research</i> , 2019, 25, 4888-4897.	3.2	181
15	Nivolumab Monotherapy and Nivolumab Plus Ipilimumab in Recurrent Small Cell Lung Cancer: Results From the CheckMate 032 Randomized Cohort. <i>Journal of Thoracic Oncology</i> , 2020, 15, 426-435.	0.5	181
16	Phase I Study of the Indoleamine 2,3-Dioxygenase 1 (IDO1) Inhibitor Navoximod (GDC-0919) Administered with PD-L1 Inhibitor (Atezolizumab) in Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2019, 25, 3220-3228.	3.2	179
17	Carlumab, an anti-C-C chemokine ligand 2 monoclonal antibody, in combination with four chemotherapy regimens for the treatment of patients with solid tumors: an open-label, multicenter phase 1b study. <i>Targeted Oncology</i> , 2015, 10, 111-123.	1.7	158
18	Ethnic Differences in Response to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors. <i>Journal of Clinical Oncology</i> , 2006, 24, 2158-2163.	0.8	143

#	ARTICLE	IF	CITATIONS
19	Phase Ia and Ib studies of the novel carcinoembryonic antigen (CEA) T-cell bispecific (CEA CD3 TCB) antibody as a single agent and in combination with atezolizumab: Preliminary efficacy and safety in patients with metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2017, 35, 3002-3002.	0.8	129
20	Ramucirumab Plus Pembrolizumab in Patients with Previously Treated Advanced or Metastatic Biliary Tract Cancer: Nonrandomized, Open-Label, Phase I Trial (JVDF). <i>Oncologist</i> , 2018, 23, 1407-e136.	1.9	127
21	Front-Line Paclitaxel/Cisplatin-Based Chemotherapy in Brain Metastases from Non-Small-Cell Lung Cancer. <i>Oncology</i> , 2003, 64, 28-35.	0.9	126
22	Everolimus in metastatic renal cell carcinoma: Subgroup analysis of patients with 1 or 2 previous vascular endothelial growth factor receptor-tyrosine kinase inhibitor therapies enrolled in the phase III RECORD-1 study. <i>European Journal of Cancer</i> , 2012, 48, 333-339.	1.3	117
23	A Phase I Pharmacokinetic and Pharmacodynamic Study of Dalotuzumab (MK-0646), an Anti-Insulin-like Growth Factor-1 Receptor Monoclonal Antibody, in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2011, 17, 6304-6312.	3.2	113
24	Phase 1 study of intravenous administration of the chimeric adenovirus enadenotucirev in patients undergoing primary tumor resection. , 2017, 5, 71.		113
25	Randomized phase II trial of carboplatin versus paclitaxel and carboplatin in platinum-sensitive recurrent advanced ovarian carcinoma: a GEICO (Grupo Espa�ol de Investigaci�n en C�ncer de Ovario) study. <i>Annals of Oncology</i> , 2005, 16, 749-755.	0.6	106
26	Pharmacokinetic, pharmacodynamic and biomarker evaluation of transforming growth factor-�2 receptor I kinase inhibitor, galunisertib, in phase 1 study in patients with advanced cancer. <i>Investigational New Drugs</i> , 2015, 33, 357-370.	1.2	90
27	Rational Approaches for Combination Therapy Strategies Targeting the MAP Kinase Pathway in Solid Tumors. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 3-16.	1.9	81
28	Antitumor activity of lurbinectedin (PM01183) and doxorubicin in relapsed small-cell lung cancer: results from a phase I study. <i>Annals of Oncology</i> , 2017, 28, 2559-2566.	0.6	80
29	Prioritizing Phase I Treatment Options Through Preclinical Testing on Personalized Tumorgraft. <i>Journal of Clinical Oncology</i> , 2012, 30, e45-e48.	0.8	79
30	Administration of CI-1033, an Irreversible Pan-erbB Tyrosine Kinase Inhibitor, Is Feasible on a 7-Day On, 7-Day Off Schedule. <i>Clinical Cancer Research</i> , 2004, 10, 7112-7120.	3.2	76
31	A phase 1 dose escalation study of the oncolytic adenovirus enadenotucirev, administered intravenously to patients with epithelial solid tumors (EVOLVE). , 2019, 7, 20.		68
32	Adverse event management in patients with advanced cancer receiving oral everolimus: focus on breast cancer. <i>Annals of Oncology</i> , 2014, 25, 763-773.	0.6	67
33	Blocking TIM-3 in Treatment-refractory Advanced Solid Tumors: A Phase Ia/b Study of LY3321367 with or without an Anti-PD-L1 Antibody. <i>Clinical Cancer Research</i> , 2021, 27, 2168-2178.	3.2	67
34	Novel Agents That Target Tublin and Related Elements. <i>Seminars in Oncology</i> , 2006, 33, 421-435.	0.8	64
35	Activity of a multitargeted chemo-switch regimen (sorafenib, gemcitabine, and metronomic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 2010, 11, 350-357.	5.1	64
36	Improvement in survival end points of patients with metastatic renal cell carcinoma through sequential targeted therapy. <i>Cancer Treatment Reviews</i> , 2016, 50, 109-117.	3.4	64

#	ARTICLE	IF	CITATIONS
37	Phase I Expansion and Pharmacodynamic Study of the Oral MEK Inhibitor RO4987655 (CH4987655) in Selected Patients with Advanced Cancer with <i>RAS</i> "RAF" Mutations. <i>Clinical Cancer Research</i> , 2014, 20, 4251-4261.	3.2	60
38	Nivolumab (nivo) ± ipilimumab (ipi) in advanced small-cell lung cancer (SCLC): First report of a randomized expansion cohort from CheckMate 032.. <i>Journal of Clinical Oncology</i> , 2017, 35, 8503-8503.	0.8	60
39	Efficacy and Safety of Everolimus in Elderly Patients With Metastatic Renal Cell Carcinoma: An Exploratory Analysis of the Outcomes of Elderly Patients in the RECORD-1 Trial. <i>European Urology</i> , 2012, 61, 826-833.	0.9	59
40	Preclinical analyses and phase I evaluation of LY2603618 administered in combination with Pemetrexed and cisplatin in patients with advanced cancer. <i>Investigational New Drugs</i> , 2014, 32, 955-968.	1.2	55
41	Simple and rapid determination of irinotecan and its metabolite SN-38 in plasma by high-performance liquid-chromatography: application to clinical pharmacokinetic studies. <i>Biomedical Applications</i> , 2000, 740, 159-168.	1.7	52
42	Phase II study of eribulin mesylate (E7389) in patients with metastatic castration-resistant prostate cancer stratified by prior taxane therapy. <i>Annals of Oncology</i> , 2012, 23, 1241-1249.	0.6	51
43	A phase II study to evaluate LY2603618 in combination with gemcitabine in pancreatic cancer patients. <i>BMC Cancer</i> , 2017, 17, 137.	1.1	47
44	Phase I Dose-Escalation Trial of the Oral Investigational Hedgehog Signaling Pathway Inhibitor TAK-441 in Patients with Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2015, 21, 1002-1009.	3.2	39
45	First-in-Human Study of PF-06647020 (Cofetuzumab Pelidotin), an Antibody-Drug Conjugate Targeting Protein Tyrosine Kinase 7, in Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2021, 27, 4511-4520.	3.2	39
46	Preclinical Characterization and Phase I Trial Results of a Bispecific Antibody Targeting PD-L1 and 4-1BB (GEN1046) in Patients with Advanced Refractory Solid Tumors. <i>Cancer Discovery</i> , 2022, 12, 1248-1265.	7.7	36
47	Irinotecan, Oxaliplatin, and 5-Fluorouracil/Leucovorin Combination Chemotherapy in Advanced Colorectal Carcinoma: A Phase II Study. <i>Clinical Colorectal Cancer</i> , 2002, 2, 104-110.	1.0	35
48	A randomized, phase 2 evaluation of the CHK1 inhibitor, LY2603618, administered in combination with pemetrexed and cisplatin in patients with advanced nonsquamous non-small cell lung cancer. <i>Lung Cancer</i> , 2017, 108, 212-216.	0.9	35
49	Simultaneous online SPE-HPLC-MS/MS analysis of docetaxel, temsirolimus and sirolimus in whole blood and human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 921-922, 35-42.	1.2	34
50	Phase I Study of CHK1 Inhibitor LY2603618 in Combination with Gemcitabine in Patients with Solid Tumors. <i>Oncology</i> , 2016, 91, 251-260.	0.9	34
51	The Current and Evolving Landscape of First-Line Treatments for Advanced Renal Cell Carcinoma. <i>Oncologist</i> , 2019, 24, 338-348.	1.9	34
52	Safety and activity of nivolumab monotherapy in advanced and metastatic (A/M) gastric or gastroesophageal junction cancer (GC/GEC): Results from the CheckMate-032 study.. <i>Journal of Clinical Oncology</i> , 2016, 34, 6-6.	0.8	33
53	Reproductive performance of lactating dairy cows treated with cloprostenol at the time of insemination. <i>Theriogenology</i> , 2004, 62, 677-689.	0.9	32
54	Bosutinib plus capecitabine for selected advanced solid tumours: results of a phase 1 dose-escalation study. <i>British Journal of Cancer</i> , 2014, 111, 2058-2066.	2.9	31

#	ARTICLE	IF	CITATIONS
55	Controversies in renal cell carcinoma: Treatment choice after progression on vascular endothelial growth factor-targeted therapy. <i>European Journal of Cancer</i> , 2014, 50, 1321-1329.	1.3	31
56	What is the optimal therapy for patients with metastatic renal cell carcinoma who progress on an initial VEGFr-TKI?. <i>Cancer Treatment Reviews</i> , 2013, 39, 366-374.	3.4	29
57	Assessment of erlotinib pharmacodynamics in tumors and skin of patients with head and neck cancer. <i>Annals of Oncology</i> , 2007, 18, 761-767.	0.6	28
58	First clinical symptom as a prognostic factor in systemic sclerosis: results of a retrospective nationwide cohort study. <i>Clinical Rheumatology</i> , 2018, 37, 999-1009.	1.0	27
59	Everolimus in metastatic renal cell carcinoma patients intolerant to previous VEGFr-TKI therapy: a RECORD-1 subgroup analysis. <i>British Journal of Cancer</i> , 2012, 106, 1475-1480.	2.9	26
60	Cervical Phrenic Nerve Block for Intractable Hiccups in Cancer Patients. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1175-1176.	3.0	24
61	A first-in-human phase I trial of LY2780301, a dual p70 S6 kinase and Akt Inhibitor, in patients with advanced or metastatic cancer. <i>Investigational New Drugs</i> , 2015, 33, 710-719.	1.2	24
62	Simple and sensitive determination of 5-fluorouracil in plasma by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1999, 736, 97-102.	1.7	23
63	A Phase I Clinical Trial and Independent Patient-Derived Xenograft Study of Combined Targeted Treatment with Dacomitinib and Figitumumab in Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2017, 23, 1177-1185.	3.2	23
64	New approach to cancer therapy based on a molecularly defined cancer classification. <i>Ca-A Cancer Journal for Clinicians</i> , 2014, 64, 70-74.	157.7	22
65	Phase I clinical and pharmacokinetic study of PM01183 (a tetrahydroisoquinoline, Lurbinectedin) in combination with gemcitabine in patients with advanced solid tumors. <i>Investigational New Drugs</i> , 2017, 35, 198-206.	1.2	22
66	Comparison of unidimensional and bidimensional measurements in metastatic non-small cell lung cancer. <i>British Journal of Cancer</i> , 2002, 87, 158-160.	2.9	21
67	Combined Irinotecan, Oxaliplatin and 5-Fluorouracil in Patients with Advanced Colorectal Cancer. <i>Oncology</i> , 2002, 63, 254-265.	0.9	21
68	Clinical experience with monoclonal antibodies to epidermal growth factor receptor. <i>Current Oncology Reports</i> , 2005, 7, 96-103.	1.8	21
69	Ramucirumab in Combination with Pembrolizumab in Treatment-Naïve Advanced Gastric or GEJ Adenocarcinoma: Safety and Antitumor Activity from the Phase 1a/b JVDF Trial. <i>Cancers</i> , 2020, 12, 2985.	1.7	21
70	T-cell“engaging Therapy for Solid Tumors. <i>Clinical Cancer Research</i> , 2021, 27, 1595-1603.	3.2	21
71	Analysis of CXCL12 3'UTR G>A polymorphism in colorectal cancer. <i>Oncology Reports</i> , 2007, 18, 1583-7.	1.2	20
72	MA09.05 Nivolumab Alone or with Ipilimumab in Recurrent Small Cell Lung Cancer (SCLC): 2-Year Survival and Updated Analyses from the Checkmate 032 Trial. <i>Journal of Thoracic Oncology</i> , 2017, 12, S393-S394.	0.5	20

#	ARTICLE	IF	CITATIONS
73	Design and conduct of early clinical studies of immunotherapy agent combinations: recommendations from the task force on Methodology for the Development of Innovative Cancer Therapies. <i>Annals of Oncology</i> , 2018, 29, 2175-2182.	0.6	20
74	Systemic phenotype of sarcoidosis associated with radiological stages. Analysis of 1230 patients. <i>European Journal of Internal Medicine</i> , 2019, 69, 77-85.	1.0	20
75	Interim safety and clinical activity in patients (pts) with advanced gastric or gastroesophageal junction (G/GEJ) adenocarcinoma from a multicohort phase 1 study of ramucirumab (R) plus pembrolizumab (P).. <i>Journal of Clinical Oncology</i> , 2017, 35, 102-102.	0.8	20
76	Phase I/II, multicenter, open-label study of intratumoral/intralesional administration of the retinoic acid-inducible gene I (RIG-I) activator MK-4621 in patients with advanced or recurrent tumors. <i>Annals of Oncology</i> , 2018, 29, viii712.	0.6	19
77	Coexistence of immune-mediated diseases in sarcoidosis. Frequency and clinical significance in 1737 patients. <i>Joint Bone Spine</i> , 2021, 88, 105236.	0.8	19
78	Progress Against Solid Tumors in Danger: The Metastatic Breast Cancer Example. <i>Journal of Clinical Oncology</i> , 2012, 30, 3444-3447.	0.8	18
79	Phase IIa study of BMS-690514, an EGFR, HER-2 and -4 and VEGFR-1 to -3 oral tyrosine kinase inhibitor, in patients with advanced or metastatic solid tumours. <i>European Journal of Cancer</i> , 2013, 49, 1815-1824.	1.3	18
80	Novel carcinoembryonic antigen T-cell bispecific (CEA-TCB) antibody: Preliminary clinical data as a single agent and in combination with atezolizumab in patients with metastatic colorectal cancer (mCRC). <i>Annals of Oncology</i> , 2017, 28, iii151.	0.6	18
81	Adoptive cell therapy for solid tumors: Chimeric antigen receptor T cells and beyond. <i>Current Opinion in Pharmacology</i> , 2021, 59, 70-84.	1.7	18
82	PF-06647020 (PF-7020), an antibody-drug conjugate (ADC) targeting protein tyrosine kinase 7 (PTK7), in patients (pts) with advanced solid tumors: Results of a phase I dose escalation and expansion study.. <i>Journal of Clinical Oncology</i> , 2018, 36, 5565-5565.	0.8	18
83	Docetaxel Plus Vinorelbine as Salvage Chemotherapy in Advanced Breast Cancer: A Phase II Study. <i>Breast Cancer Research and Treatment</i> , 2002, 76, 47-56.	1.1	17
84	Fixed higher dose schedule of suramin plus hydrocortisone in patients with hormone refractory prostate carcinoma. <i>Cancer</i> , 2001, 92, 2435-2443.	2.0	16
85	Pharmacokinetics, metabolism, and excretion of 14C-labeled belinostat in patients with recurrent or progressive malignancies. <i>Investigational New Drugs</i> , 2016, 34, 193-201.	1.2	16
86	Phase Ib Study of Ribociclib plus Fulvestrant and Ribociclib plus Fulvestrant plus PI3K Inhibitor (Alpelisib or Buparlisib) for HR+ Advanced Breast Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 418-428.	3.2	16
87	Phase I Trial of Cemiplimab, Radiotherapy, Cyclophosphamide, and Granulocyte Macrophage Colony-Stimulating Factor in Patients with Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma. <i>Oncologist</i> , 2021, 26, e1508-e1513.	1.9	16
88	Satraplatin, an Oral Platinum, Administered on a Five-day Every-Five-Week Schedule: a Pharmacokinetic and Food Effect Study. <i>Clinical Cancer Research</i> , 2009, 15, 3866-3871.	3.2	15
89	Cost-effectiveness evaluation of sunitinib as first-line targeted therapy for metastatic renal cell carcinoma in Spain. <i>Clinical and Translational Oncology</i> , 2011, 13, 869-877.	1.2	15
90	ESMO Clinical Research Observatory (ECRO): improving the efficiency of clinical research through rationalisation of bureaucracy. <i>ESMO Open</i> , 2020, 5, e000662.	2.0	15

#	ARTICLE	IF	CITATIONS
91	A phase 1 study evaluating safety and pharmacokinetics of losatuxizumab vedotin (ABBV-221), an anti-EGFR antibody-drug conjugate carrying monomethyl auristatin E, in patients with solid tumors likely to overexpress EGFR. <i>Investigational New Drugs</i> , 2020, 38, 1483-1494.	1.2	15
92	Multiple roles and therapeutic implications of Akt signaling in cancer. <i>OncoTargets and Therapy</i> , 2009, 2, 135.	1.0	14
93	Phase I study of cetuximab, erlotinib, and bevacizumab in patients with advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 63, 1065-1071.	1.1	14
94	New designs in early clinical drug development. <i>Annals of Oncology</i> , 2019, 30, 1460-1465.	0.6	14
95	1025MO First-in-human (FIH) phase I study of RO7122290 (RO), a novel FAP-targeted 4-1BB agonist, administered as single agent and in combination with atezolizumab (ATZ) to patients with advanced solid tumours. <i>Annals of Oncology</i> , 2020, 31, S707.	0.6	14
96	An Indirect Comparison of Everolimus Versus Axitinib in US Patients With Advanced Renal Cell Carcinoma in Whom Prior Sunitinib Therapy Failed. <i>Clinical Therapeutics</i> , 2015, 37, 2552-2559.	1.1	13
97	Effect of veliparib (ABT-888) on cardiac repolarization in patients with advanced solid tumors: a randomized, placebo-controlled crossover study. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 78, 1003-1011.	1.1	13
98	Non-clear cell advanced kidney cancer. <i>Anti-Cancer Drugs</i> , 2011, 22, S9-S14.	0.7	12
99	Comparison of radiological criteria for hyperprogressive disease in response to immunotherapy. <i>Cancer Treatment Reviews</i> , 2020, 91, 102116.	3.4	12
100	A first-in-class, first-in-human phase I study of enadenotucirev, an oncolytic Ad11/Ad3 chimeric group B adenovirus, administered intravenously in patients with metastatic epithelial tumors.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3103-3103.	0.8	12
101	iRECIST and atypical patterns of response to immuno-oncology drugs. , 2022, 10, e004849.		12
102	Paclitaxel, cisplatin, and gemcitabine combination chemotherapy within a multidisciplinary therapeutic approach in metastatic nonsmall cell lung carcinoma. <i>Cancer</i> , 2000, 89, 2622-2629.	2.0	11
103	SARS-CoV-2 vaccination and phase 1 cancer clinical trials. <i>Lancet Oncology</i> , The, 2021, 22, 298-301.	5.1	11
104	Preliminary results from a phase 1 study of the antibody-drug conjugate ABBV-221 in patients with solid tumors likely to express EGFR.. <i>Journal of Clinical Oncology</i> , 2017, 35, 2510-2510.	0.8	11
105	Recommendations from the Spanish Oncology Genitourinary Group for the treatment of metastatic renal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 63, 1-13.	1.1	10
106	A Phase I Dose-Escalation Study of SR271425, an Intravenously Dosed Thioxanthone Analog, Administered Weekly in Patients With Refractory Solid Tumors. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2009, 32, 9-14.	0.6	10
107	Previously treated advanced NSCLC cohort from a multi-disease phase 1 study of ramucirumab (R) plus pembrolizumab (P): Efficacy and safety data. <i>Annals of Oncology</i> , 2017, 28, ii32-ii33.	0.6	10
108	A phase 1b study of afatinib in combination with standard-dose cetuximab in patients with advanced solid tumours. <i>European Journal of Cancer</i> , 2018, 104, 1-8.	1.3	10

#	ARTICLE	IF	CITATIONS
109	Increased vulnerability of clinical research units during the COVID-19 crisis and their protection. <i>Cancer</i> , 2020, 126, 3907-3911.	2.0	10
110	A first-in-human phase 1 and pharmacological study of TAS-119, a novel selective Aurora A kinase inhibitor in patients with advanced solid tumours. <i>British Journal of Cancer</i> , 2021, 124, 391-398.	2.9	10
111	Nivolumab monotherapy in metastatic urothelial carcinoma: Longer-term efficacy and safety results from the CheckMate 032 study. <i>Journal of Clinical Oncology</i> , 2018, 36, 414-414.	0.8	10
112	Haemoglobin-fortified cereal: an alternative weaning food with high iron bioavailability. <i>European Journal of Clinical Nutrition</i> , 1989, 43, 237-43.	1.3	10
113	Nivolumab (N) alone or in combination with ipilimumab (I) in patients (pts) with platinum-pretreated metastatic urothelial carcinoma (mUC), including the nivolumab 1 mg/kg + ipilimumab 3 mg/kg expansion from CheckMate 032. <i>Annals of Oncology</i> , 2018, 29, viii725.	0.6	9
114	Efficacy and safety of lurbinectedin and doxorubicin in relapsed small cell lung cancer. Results from an expansion cohort of a phase I study. <i>Investigational New Drugs</i> , 2021, 39, 1275-1283.	1.2	9
115	Efficacy of sequential treatment with sunitinib-everolimus in an orthotopic mouse model of renal cell carcinoma. <i>Anticancer Research</i> , 2012, 32, 2399-406.	0.5	9
116	Effect of Epidermal Growth Factor Receptor Mutations on the Response to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors: Target-Based Populations for Target-Based Drugs. <i>Clinical Lung Cancer</i> , 2004, 6, S35-S42.	1.1	8
117	A phase 1 study of PF-06647020, an antibody-drug conjugate (ADC) targeting protein tyrosine kinase 7 (PTK7), in patients with advanced solid tumors including platinum resistant ovarian cancer (OVCA). <i>Annals of Oncology</i> , 2016, 27, vi570.	0.6	8
118	Phase I study of cemiplimab, a human monoclonal anti-PD-1, in patients with unresectable locally advanced or metastatic cutaneous squamous cell carcinoma (CSCC): Longer follow-up efficacy and safety data. <i>Annals of Oncology</i> , 2018, 29, x25.	0.6	8
119	749P Nivolumab (N) alone or in combination with ipilimumab (I) in patients (pts) with platinum-pretreated metastatic urothelial carcinoma (mUC): Extended follow-up from CheckMate 032. <i>Annals of Oncology</i> , 2020, 31, S582-S583.	0.6	8
120	First-in-Human Study of Abbv-621, a TRAIL Receptor Agonist Fusion Protein, in Patients (Pts) with Relapsed/Refractory (RR) Acute Myeloid Leukemia (AML) and Diffuse Large B-Cell Lymphoma (DLBCL). <i>Blood</i> , 2019, 134, 3924-3924.	0.6	8
121	Pharmacogenomics, Pharmacokinetics, and Pharmacodynamics in the Era of Targeted Therapies. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2016, 36, e175-e184.	1.8	8
122	A Phase 1 Study of Enadenotucirev, an Oncolytic Ad11/Ad3 Chimeric Group B Adenovirus, Administered Intravenously - Analysis of Dose Expansion and Repeat Cycle Cohorts in Patients with Metastatic Colorectal Cancer (Mcr). <i>Annals of Oncology</i> , 2014, 25, iv367.	0.6	7
123	Immunotherapy-based combinations: current status and perspectives. <i>Current Opinion in Oncology</i> , 2017, 29, 382-394.	1.1	7
124	P1.12-20 Overall Survival with Lurbinectedin Plus Doxorubicin in Relapsed SCLC. Results from an Expansion Cohort of a Phase Ib Trial. <i>Journal of Thoracic Oncology</i> , 2018, 13, S581.	0.5	7
125	First-in-human, open-label, phase 1/2 study of the monoclonal antibody programmed cell death protein-1 (PD-1) inhibitor cetrelimab (JNJ-63723283) in patients with advanced cancers. <i>Cancer Chemotherapy and Pharmacology</i> , 2022, 89, 499-514.	1.1	7
126	Enteric plexus and interstitial cells of Cajal: interrelationship in the stomach of <i>Podarcis hispanica</i> (Reptilia). An ultrastructural study. <i>Histology and Histopathology</i> , 2001, 16, 869-81.	0.5	7

#	ARTICLE	IF	CITATIONS
127	Comparative lactogenic antibody responses of cattle from European field trials with a new enteric disease vaccine. <i>Veterinary Record</i> , 2003, 152, 751-752.	0.2	6
128	Molecular biology of testicular germ cell tumors. <i>Clinical and Translational Oncology</i> , 2006, 8, 846-850.	1.2	6
129	Modulation of Fexofenadine Pharmacokinetics by Osimertinib in Patients With Advanced EGFR-Mutated Non-Small Cell Lung Cancer. <i>Journal of Clinical Pharmacology</i> , 2019, 59, 1099-1109.	1.0	6
130	718P A phase II study of patients with advanced or metastatic renal cell carcinoma (mRCC) receiving pazopanib after previous checkpoint inhibitor treatment. <i>Annals of Oncology</i> , 2020, 31, S564.	0.6	6
131	Design and Conduct of Early Clinical Studies of Immunotherapy: Recommendations from the Task Force on Methodology for the Development of Innovative Cancer Therapies 2019 (MDICT). <i>Clinical Cancer Research</i> , 2020, 26, 2461-2465.	3.2	6
132	First-in-human phase I study of budigalimab, an anti-PD-1 inhibitor, in patients with non-small cell lung cancer and head and neck squamous cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 417-431.	2.0	6
133	Safety, pharmacokinetics, and efficacy of budigalimab with rovalpituzumab tesirine in patients with small cell lung cancer. <i>Cancer Treatment and Research Communications</i> , 2021, 28, 100405.	0.7	6
134	Eftozanermin alfa (ABBV-621) monotherapy in patients with previously treated solid tumors: findings of a phase I, first-in-human study. <i>Investigational New Drugs</i> , 2022, 40, 762-772.	1.2	6
135	Nivolumab (NIVO) in patients (pts) with advanced (adv) chemotherapy-refractory (CT-Rx) esophagogastric (EG) cancer according to microsatellite instability (MSI) status: checkmate 032. <i>Annals of Oncology</i> , 2017, 28, v229-v230.	0.6	5
136	Hepatic safety analysis of trabectedin: results of a pharmacokinetic study with trabectedin in patients with hepatic impairment and experience from a phase 3 clinical trial. <i>Investigational New Drugs</i> , 2018, 36, 476-486.	1.2	5
137	Early-phase clinical drug development of novel agents: a changing paradigm. <i>Annals of Oncology</i> , 2019, 30, 1033-1037.	0.6	5
138	Randomised Phase II study comparing alternating cycles of sunitinib and everolimus vs standard sequential administration in first-line metastatic renal carcinoma (SUNRISES study). <i>BJU International</i> , 2020, 126, 559-567.	1.3	5
139	Activity of lurbinectedin (PM01183) as single agent and in combination in patients with endometrial cancer. <i>Journal of Clinical Oncology</i> , 2017, 35, 5586-5586.	0.8	5
140	Paclitaxel, Cisplatin, and Vinorelbine Combination Chemotherapy in Metastatic Non-Small-Cell Lung Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2004, 27, 299-303.	0.6	4
141	Phase I dose-escalation study of vinflunine hard capsules administered twice a day for 2 consecutive days every week in patients with advanced/metastatic solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 69, 1467-1475.	1.1	4
142	Clinical and pathologic features of patients with non-epithelial ovarian cancer: retrospective analysis of a single institution 15-year experience. <i>Clinical and Translational Oncology</i> , 2017, 19, 173-179.	1.2	4
143	Activity of lurbinectedin as single agent and in combination in patients with advanced small cell lung cancer (SCLC). <i>Annals of Oncology</i> , 2017, 28, v539-v540.	0.6	4
144	540P Safety and efficacy from the SURPASS trial with ADP-A2M4CD8, a SPEAR T-cell therapy incorporating a CD8 \pm co-receptor and an affinity optimized TCR targeting MAGE-A4. <i>Annals of Oncology</i> , 2021, 32, S604-S605.	0.6	4

#	ARTICLE	IF	CITATIONS
145	Doxorubicin plus lurbinectedin in patients with advanced endometrial cancer: results from an expanded phase I study. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 1428-1436.	1.2	4
146	Nutritional significance of interactions between iron and food components. <i>Archivos Latinoamericanos De Nutricion</i> , 1983, 33, 33-41.	0.3	4
147	Systemic Chemotherapy for Metastatic Colorectal Cancer: Reasons to Combine. <i>Clinical Colorectal Cancer</i> , 2002, 2, 170-172.	1.0	3
148	Approaches to optimize the use of monoclonal antibodies to epidermal growth factor receptor. <i>Current Oncology Reports</i> , 2005, 7, 123-128.	1.8	3
149	Updated recommendations from the Spanish Oncology Genitourinary Group on the treatment of advanced renal cell carcinoma. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 1-10.	2.7	3
150	Update from the Spanish Oncology Genitourinary Group on the treatment of advanced renal cell carcinoma: focus on special populations. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 11-20.	2.7	3
151	The future of oncology therapeutics. <i>Expert Review of Anticancer Therapy</i> , 2017, 17, 563-565.	1.1	3
152	Somatic BRCA2 bi-allelic loss in the primary prostate cancer was associated to objective response to PARPi in a sporadic CRPC patient. <i>Annals of Oncology</i> , 2017, 28, 1158-1159.	0.6	3
153	Interim results of a phase 1/2 study of JNJ-63723283, an anti-PD-1 monoclonal antibody, in patients with advanced cancers.. <i>Journal of Clinical Oncology</i> , 2018, 36, 58-58.	0.8	3
154	Immune profiling and clinical outcomes in patients treated with ramucirumab and pembrolizumab in phase I study JVDF.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3089-3089.	0.8	3
155	Role of von Willebrand factor levels in the prognosis of stage IV colorectal cancer: Do we have enough evidence?. <i>World Journal of Gastroenterology</i> , 2005, 11, 6072.	1.4	3
156	Adjuvant Chemotherapy for Completely Resected Non-Small-Cell Lung Cancer. <i>New England Journal of Medicine</i> , 2001, 344, 689-690.	13.9	2
157	Acute severe hypothyroidism induced by sunitinib. <i>Radiotherapy and Oncology</i> , 2008, 89, 124-125.	0.3	2
158	Safety and efficacy of anti-PD-1 inhibitor ABBV-181 in lung and head and neck carcinoma. <i>Annals of Oncology</i> , 2019, 30, v523-v524.	0.6	2
159	Dosage of anti-PD-1 monoclonal antibodies: a cardinal open question. <i>Clinical and Translational Oncology</i> , 2021, 23, 1511-1519.	1.2	2
160	Clinical pharmacology assessment of PF-06647020 (PF-7020), an antibody-drug conjugate (ADC) targeting protein tyrosine kinase 7 (PTK7), in adult patients (pts) with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2018, 36, 2574-2574.	0.8	2
161	Evolving development of PD-1 therapy: Cetrelimab (JNJ-63723283) from monotherapy to combination with erdafitinib.. <i>Journal of Clinical Oncology</i> , 2020, 38, 3055-3055.	0.8	2
162	T cell engagers in solid tumors kick the door down. <i>Cancer Cell</i> , 2021, 39, 1461-1463.	7.7	2

#	ARTICLE	IF	CITATIONS
163	Differences in the <i>Candida albicans</i> antigenic expression after heat shock and infection. <i>Revista Iberoamericana De Micologia</i> , 2001, 18, 6-11.	0.4	2
164	Perfusión de extremidad aislada en sarcomas de partes blandas irresecables: un nuevo estándar. <i>Revista Española De Cirugía Ortopédica Y Traumatología</i> , 2004, 48, 57-64.	0.1	1
165	Phase I study of carboplatin in combination with PM00104 (Zalypsis®) in patients with advanced solid tumors. <i>Investigational New Drugs</i> , 2014, 32, 644-652.	1.2	1
166	Afatinib (A) plus cetuximab (C) in the treatment of patients (pts) with NSCLC: The story so far. <i>Annals of Oncology</i> , 2017, 28, ii30-ii31.	0.6	1
167	Updated results of the PARP1/2 inhibitor pamiparib in combination with low-dose (ld) temozolomide (TMZ) in patients (pts) with locally advanced or metastatic solid tumours. <i>Annals of Oncology</i> , 2019, 30, v166-v167.	0.6	1
168	First-in-human study of ABBV-621 in patients (pts) with previously treated solid tumours: Dose-optimization cohorts. <i>Annals of Oncology</i> , 2019, 30, v169-v170.	0.6	1
169	Phase I open-label study evaluating the safety, pharmacokinetics, and preliminary efficacy of ABBV-181 and rovalpituzumab tesirine (ROVA-T) in patients with small cell lung cancer. <i>Annals of Oncology</i> , 2019, 30, v715-v716.	0.6	1
170	Are we ready to accept intermediate outcome measures in clinical cancer trials?. <i>Annals of Oncology</i> , 2020, 31, 973-975.	0.6	1
171	535MO BGB-A333, an anti-PD-L1 monoclonal antibody, in combination with tislelizumab in patients with urothelial carcinoma. <i>Annals of Oncology</i> , 2020, 31, S468-S469.	0.6	1
172	592P A predictive score of antitumour activity of novel agents in cancer patients treated in early phase studies. <i>Annals of Oncology</i> , 2020, 31, S497.	0.6	1
173	560P Safety and efficacy of Debio 1143, an antagonist of inhibitor of apoptosis proteins (IAPs), in combination with nivolumab in a phase Ib/III trial in patients (pts) failing prior PD-1/PD-L1 treatment. <i>Annals of Oncology</i> , 2020, 31, S483.	0.6	1
174	MO24-1 Phase I/IIa trial evaluating safety and clinical activity of DuoBody®-PD-L1-4-1BB (GEN1046) in advanced solid tumors. <i>Annals of Oncology</i> , 2021, 32, S313.	0.6	1
175	555TiP A first-in-human trial of the integrin beta-6-targeted antibody-drug conjugate, SGN-B6A, in patients with advanced solid tumors. <i>Annals of Oncology</i> , 2021, 32, S613.	0.6	1
176	Phase I study of PM00104 in combination with carboplatin (C) in patients (pts) with advanced solid tumors. <i>Journal of Clinical Oncology</i> , 2011, 29, e13085-e13085.	0.8	1
177	OC-0560: RT-activated hafnium oxide nanoparticles in cisplatin-ineligible locally advanced HNSCC patients. <i>Radiotherapy and Oncology</i> , 2020, 152, S312.	0.3	1
178	Hepatic artery chemotherapy and colorectal liver metastases. <i>Lancet, The</i> , 2003, 361, 1743.	6.3	0
179	Reply to A. Ocana et al. <i>Journal of Clinical Oncology</i> , 2013, 31, 1253-1254.	0.8	0
180	A mechanism of action study of intra-tumoral or intravenous dosing of enadenotucirev, an oncolytic adenovirus in patients with colon, lung, bladder and renal carcinoma undergoing resection of primary tumor. <i>Annals of Oncology</i> , 2016, 27, vi372.	0.6	0

#	ARTICLE	IF	CITATIONS
181	A Literature Review of Health Economic Assessments, Health Care Resource Utilization (HCRU), and Health Related Quality-of-Life (HRQOL) in Patients with Gastric Cancer (GC). <i>Value in Health</i> , 2017, 20, A437-A438.	0.1	0
182	Real-world productivity, healthcare resource utilization (HRU), and quality of life (QOL) in patients with advanced gastric cancer (GC) in Korea and Japan. <i>Annals of Oncology</i> , 2017, 28, x60-x61.	0.6	0
183	Efficacy and safety of pazopanib in patients with advanced and/or metastatic renal cell carcinoma (mRCC) after previous checkpoint inhibitor treatment. <i>European Urology Supplements</i> , 2018, 17, e2957.	0.1	0
184	EP-1705: Radiotherapy: a promising alternative treatment for painful osteoarticular degenerative diseases. <i>Radiotherapy and Oncology</i> , 2018, 127, S914-S915.	0.3	0
185	OC-043 HNSCC in elderly frail patients treated by hafnium oxide nanoparticles activated by IMRT. <i>Radiotherapy and Oncology</i> , 2019, 132, 22-23.	0.3	0
186	Safety, tolerability and activity of autologous T-cells with enhanced T-cell receptors specific to NY ESO 1/LAGE 1a (GSK3377794) alone, or in combination with pembrolizumab, in advanced non-small cell lung cancer: A phase Ib/IIa randomised pilot study. <i>Annals of Oncology</i> , 2019, 30, v657-v658.	0.6	0
187	587P Toxicity and antitumor activity of novel agents in elderly cancer patients in phase I studies. <i>Annals of Oncology</i> , 2020, 31, S495.	0.6	0
188	Toxicity and antitumor activity of novel agents in elderly patients with cancer included in phase 1 studies. <i>Investigational New Drugs</i> , 2021, 39, 1694-1701.	1.2	0
189	OC-0515 NBTXR3 activated by radiotherapy in cisplatin-ineligible locally advanced HNSCC patients. <i>Radiotherapy and Oncology</i> , 2021, 161, S399.	0.3	0
190	Phase I Study of Novel Radioenhancer NBTXR3 Activated by Radiotherapy in Cisplatin-Ineligible Locally Advanced HNSCC Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021, 111, e392.	0.4	0