## Yi-Chun Tsai

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9538049/yi-chun-tsai-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63	860	17	28
papers	citations	h-index	g-index
74	1,152 ext. citations	5	3.97
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
63	Role of Fracture Risk Assessment Tool and Bone Turnover Markers in Predicting All-Cause and Cardiovascular Mortality in Hemodialysis Patients <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 891363	4.9	O
62	Tumor Necrosis Factor Receptor Superfamily Member 21 Induces Endothelial-Mesenchymal Transition in Coronary Artery Endothelium of Type 2 Diabetes Mellitus. <i>Biomedicines</i> , <b>2022</b> , 10, 1282	4.8	0
61	Association between Flow-Mediated Dilation and Skin Perfusion Pressure with Peripheral Artery Disease in Hemodialysis Patients <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	2
60	Simultaneous derivatization and liquid-solid phase transition microextraction of six biogenic amines in foods followed by narrowbore liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , <b>2021</b> , 1659, 462629	4.5	1
59	Gut Microbiota and Non-Alcoholic Fatty Liver Disease Severity in Type 2 Diabetes Patients. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	4
58	Gut microbiota compositions and metabolic functions in type 2 diabetes differ with glycemic durability to metformin monotherapy. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 174, 108731	7.4	2
57	The Relationship between Subtypes of Health Literacy and Self-Care Behavior in Chronic Kidney Disease. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	2
56	Hypoxia-Induced Epithelial-to-Mesenchymal Transition in Proximal Tubular Epithelial Cells through miR-545-3p-TNFSF10. <i>Biomolecules</i> , <b>2021</b> , 11,	5.9	1
55	Comparative effectiveness of bisoprolol and carvedilol among patients receiving maintenance hemodialysis. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 983-990	4.5	3
54	The Association of Targeted Gut Microbiota with Body Composition in Type 2 Diabetes Mellitus. <i>International Journal of Medical Sciences</i> , <b>2021</b> , 18, 511-519	3.7	4
53	The interaction between self-care behavior and disease knowledge on the decline in renal function in chronic kidney disease. <i>Scientific Reports</i> , <b>2021</b> , 11, 401	4.9	6
52	Associations between Metabolic Syndrome and Obesity-Related Indices and Bone Mineral Density T-Score in Hemodialysis Patients. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	1
51	Mobile Health, Disease Knowledge, and Self-Care Behavior in Chronic Kidney Disease: A Prospective Cohort Study. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	1
50	Taiwan mini-frontier of primary aldosteronism: Updating treatment and comorbidities detection. Journal of the Formosan Medical Association, <b>2021</b> , 120, 1811-1820	3.2	0
49	Melamine exposure threshold in early chronic kidney disease patients - A benchmark dose approach. <i>Environment International</i> , <b>2021</b> , 156, 106652	12.9	1
48	Melamine and oxalate coexposure induces early kidney tubular injury through mitochondrial aberrations and oxidative stress. <i>Ecotoxicology and Environmental Safety</i> , <b>2021</b> , 225, 112756	7	0
47	Autocrine Exosomal Fibulin-1 as a Target of MiR-1269b Induces Epithelial-Mesenchymal Transition in Proximal Tubule in Diabetic Nephropathy <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 78971	<i>ē</i> ∙7	O

46	A probabilistic approach for benchmark dose of melamine exposure for a marker of early renal dysfunction in patients with calcium urolithiasis. <i>Ecotoxicology and Environmental Safety</i> , <b>2020</b> , 200, 110	0741	1
45	High Glucose Induces Mesangial Cell Apoptosis through miR-15b-5p and Promotes Diabetic Nephropathy by Extracellular Vesicle Delivery. <i>Molecular Therapy</i> , <b>2020</b> , 28, 963-974	11.7	22
44	Interrelationship of environmental melamine exposure, biomarkers of oxidative stress and early kidney injury. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 396, 122726	12.8	14
43	Predictive modeling of blood pressure during hemodialysis: a comparison of linear model, random forest, support vector regression, XGBoost, LASSO regression and ensemble method. <i>Computer Methods and Programs in Biomedicine</i> , <b>2020</b> , 195, 105536	6.9	21
42	Using CHADS and CHADS-VASc scores for mortality prediction in patients with chronic kidney disease. <i>Scientific Reports</i> , <b>2020</b> , 10, 18942	4.9	5
41	Eblocker dialyzability and the risk of mortality and cardiovascular events in patients undergoing hemodialysis. <i>Nephrology Dialysis Transplantation</i> , <b>2020</b> , 35, 1959-1965	4.3	2
40	Increased Aortic Arch Calcification and Cardiomegaly is Associated with Rapid Renal Progression and Increased Cardiovascular Mortality in Chronic Kidney Disease. <i>Scientific Reports</i> , <b>2019</b> , 9, 5354	4.9	9
39	Indoxyl Sulfate Induces Apoptosis Through Oxidative Stress and Mitogen-Activated Protein Kinase Signaling Pathway Inhibition in Human Astrocytes. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	20
38	Urinary Melamine Levels and Progression of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2019</b> , 14, 1133-1141	6.9	12
37	Investigation of Acoustic Cardiographic Parameters before and after Hemodialysis. <i>Disease Markers</i> , <b>2019</b> , 2019, 5270159	3.2	2
36	Exploring the Benefit of 2-Methylbutyric Acid in Patients Undergoing Hemodialysis Using a Cardiovascular Proteomics Approach. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	9
35	Angiopoietin-2, Renal Deterioration, Major Adverse Cardiovascular Events and All-Cause Mortality in Patients with Diabetic Nephropathy. <i>Kidney and Blood Pressure Research</i> , <b>2018</b> , 43, 545-554	3.1	15
34	Interaction of melamine and di-(2-ethylhexyl) phthalate exposure on markers of early renal damage in children: The 2011 Taiwan food scandal. <i>Environmental Pollution</i> , <b>2018</b> , 235, 453-461	9.3	29
33	Independent Association of Overhydration with All-Cause and Cardiovascular Mortality Adjusted for Global Left Ventricular Longitudinal Systolic Strain and E/ETRatio in Maintenance Hemodialysis Patients. <i>Kidney and Blood Pressure Research</i> , <b>2018</b> , 43, 1322-1332	3.1	5
32	FP418ANGIOPOIETIN2 INDUCES MESANGIAL CELLS APOPTOSIS VIA SOC5STAT3 SIGNALING IN DIABETIC NEPHROPATHY MICROENVIRONMENT. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i176-i1	7 <del>6</del> 3	
31	SP497SHORTER TIME BETWEEN SYMPTOMS ONSET AND ANTIBIOTICS ADMINISTRATION IMPROVING OUTCOMES OF PERITONEAL DIALYSIS PERITONITIS. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i516-i516	4.3	
30	The Interaction of miR-378i-Skp2 Regulates Cell Senescence in Diabetic Nephropathy. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	16
29	Angpt2 Induces Mesangial Cell Apoptosis through the MicroRNA-33-5p-SOCS5 Loop in Diabetic Nephropathy. <i>Molecular Therapy - Nucleic Acids</i> , <b>2018</b> , 13, 543-555	10.7	17

28	Risk of incident gout in kidney transplant recipients: A retrospective cohort study. <i>International Journal of Rheumatic Diseases</i> , <b>2018</b> , 21, 1993-2001	2.3	1
27	Association between albumin and C-reactive protein and ankle-brachial index in haemodialysis. <i>Nephrology</i> , <b>2018</b> , 23 Suppl 4, 5-10	2.2	2
26	The interaction between N-terminal pro-brain natriuretic peptide and fluid status in adverse clinical outcomes of late stages of chronic kidney disease. <i>PLoS ONE</i> , <b>2018</b> , 13, e0202733	3.7	10
25	Heart Rate Variability Predicts Major Adverse Cardiovascular Events and Hospitalization in Maintenance Hemodialysis Patients. <i>Kidney and Blood Pressure Research</i> , <b>2017</b> , 42, 76-88	3.1	16
24	Prognostic Significance of Left Ventricular Mass Index and Renal Function Decline Rate in Chronic Kidney Disease G3 and G4. <i>Scientific Reports</i> , <b>2017</b> , 7, 42578	4.9	1
23	Urinary melamine excretion and increased markers of renal tubular injury in patients with calcium urolithiasis: A cross-sectional study. <i>Environmental Pollution</i> , <b>2017</b> , 231, 1284-1290	9.3	22
22	The interaction between fluid status and angiopoietin-2 in adverse renal outcomes of chronic kidney disease. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173906	3.7	5
21	Association of physical activity with cardiovascular and renal outcomes and quality of life in chronic kidney disease. <i>PLoS ONE</i> , <b>2017</b> , 12, e0183642	3.7	29
20	Body Mass Index, Left Ventricular Mass Index and Cardiovascular Events in Chronic Kidney Disease. <i>American Journal of the Medical Sciences</i> , <b>2016</b> , 351, 91-6	2.2	4
19	Intake of phthalate-tainted foods and microalbuminuria in children: The 2011 Taiwan food scandal. <i>Environment International</i> , <b>2016</b> , 89-90, 129-37	12.9	47
19		12.9 3·7	8
	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic		
18	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165400  MP283ASSOCIATED FACTORS OF PHYSICAL FUNCTION IN LATE CHRONIC KIDNEY DISEASE.	3.7	
18 17	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165400  MP283ASSOCIATED FACTORS OF PHYSICAL FUNCTION IN LATE CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, i433-i433  Interankle systolic blood pressure difference and renal outcomes in patients with chronic kidney	3·7 4·3	8
18 17 16	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165400  MP283ASSOCIATED FACTORS OF PHYSICAL FUNCTION IN LATE CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, i433-i433  Interankle systolic blood pressure difference and renal outcomes in patients with chronic kidney disease. <i>Nephrology</i> , <b>2016</b> , 21, 379-86  Association of Brachial-Ankle Pulse Wave Velocity and Cardiomegaly With Aortic Arch Calcification	3·7 4·3 2.2	8
18 17 16	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165400  MP283ASSOCIATED FACTORS OF PHYSICAL FUNCTION IN LATE CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, i433-i433  Interankle systolic blood pressure difference and renal outcomes in patients with chronic kidney disease. <i>Nephrology</i> , <b>2016</b> , 21, 379-86  Association of Brachial-Ankle Pulse Wave Velocity and Cardiomegaly With Aortic Arch Calcification in Patients on Hemodialysis. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3643  Heart Rate Variability Change Before and After Hemodialysis is Associated with Overall and	3.7 4.3 2.2	8 4 8
18 17 16 15	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. PLoS ONE, 2016, 11, e0165400  MP283ASSOCIATED FACTORS OF PHYSICAL FUNCTION IN LATE CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2016, 31, i433-i433  Interankle systolic blood pressure difference and renal outcomes in patients with chronic kidney disease. Nephrology, 2016, 21, 379-86  Association of Brachial-Ankle Pulse Wave Velocity and Cardiomegaly With Aortic Arch Calcification in Patients on Hemodialysis. Medicine (United States), 2016, 95, e3643  Heart Rate Variability Change Before and After Hemodialysis is Associated with Overall and Cardiovascular Mortality in Hemodialysis. Scientific Reports, 2016, 6, 20597  Angiopoietin-2, Angiopoietin-1 and subclinical cardiovascular disease in Chronic Kidney Disease.	3.7 4.3 2.2 1.8 4.9	8 4 8 21

## LIST OF PUBLICATIONS

10	Angiopoietin-2 as a Prognostic Biomarker of Major Adverse Cardiovascular Events and All-Cause Mortality in Chronic Kidney Disease. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135181	3.7	17	
9	Association of fluid overload with kidney disease progression in advanced CKD: a prospective cohort study. <i>American Journal of Kidney Diseases</i> , <b>2014</b> , 63, 68-75	7.4	68	
8	Liver function tests may be useful tools for advanced cancer patient care: a preliminary single-center result. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2014</b> , 30, 146-52	2.4	6	
7	Fluid overload, pulse wave velocity, and ratio of brachial pre-ejection period to ejection time in diabetic and non-diabetic chronic kidney disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e111000	3.7	8	
6	Association of angiopoietin-2 with renal outcome in chronic kidney disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e10886	523.7	18	
5	Multiple hypovascular tumors in kidney: a rare case report and differential diagnosis. <i>Case Reports in Medicine</i> , <b>2013</b> , 2013, 595193	0.7	2	
4	Is fluid overload more important than diabetes in renal progression in late chronic kidney disease?. <i>PLoS ONE</i> , <b>2013</b> , 8, e82566	3.7	20	
3	Association of symptoms of depression with progression of CKD. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 60, 54-61	7.4	97	
2	Association of hsCRP, white blood cell count and ferritin with renal outcome in chronic kidney disease patients. <i>PLoS ONE</i> , <b>2012</b> , 7, e52775	3.7	18	
1	Quality of life predicts risks of end-stage renal disease and mortality in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 1621-6	4.3	67	