

Junko Aida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9538149/publications.pdf>

Version: 2024-02-01

92
papers

2,157
citations

186265

28
h-index

265206

42
g-index

93
all docs

93
docs citations

93
times ranked

3146
citing authors

#	ARTICLE	IF	CITATIONS
1	Telomere lengths in Barrett's esophagus as a precancerous lesion. <i>Esophagus</i> , 2022, 19, 287-293.	1.9	0
2	Telomere shortening in the oral epithelium in relation to alcohol intake, alcohol dehydrogenase (ADH1B), and acetaldehyde dehydrogenase (ALDH2) genotypes and clinicopathologic features. <i>Journal of Oral Pathology and Medicine</i> , 2020, 49, 82-90.	2.7	5
3	Correlation Between Telomere Attrition of Zona Fasciculata and Adrenal Weight Reduction in Older Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e200-e210.	3.6	6
4	Solid-type poorly differentiated adenocarcinoma of the stomach: clinicopathological and molecular characteristics and histogenesis. <i>Gastric Cancer</i> , 2019, 22, 314-322.	5.3	16
5	Enhanced morphological and functional differences of pancreatic cancer with epithelial or mesenchymal characteristics in 3D culture. <i>Scientific Reports</i> , 2019, 9, 10871.	3.3	29
6	Correlation Between Differentiation of Adrenocortical Zones and Telomere Lengths Measured by Q-FISH. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5642-5650.	3.6	6
7	Abnormal immunolabelling of SMAD 4 in cell block specimens to distinguish malignant and benign pancreatic cells. <i>Cytopathology</i> , 2019, 30, 201-208.	0.7	4
8	Association Between Pancreatic Cystic Lesions and High-grade Intraepithelial Neoplasia and Aging. <i>Pancreas</i> , 2019, 48, 1079-1085.	1.1	6
9	Electron microscopic analysis of different cell types in human pancreatic cancer spheres. <i>Oncology Letters</i> , 2018, 15, 2485-2490.	1.8	24
10	Stemness and anti-cancer drug resistance in $\text{ATP-binding cassette subfamily G member 2}$ highly expressed pancreatic cancer is induced in 3D culture conditions. <i>Cancer Science</i> , 2018, 109, 1135-1146.	3.9	26
11	Reduced expression of the H19 long non-coding RNA inhibits pancreatic cancer metastasis. <i>Laboratory Investigation</i> , 2018, 98, 814-824.	3.7	50
12	In vivo imaging of T cell lymphoma infiltration process at the colon. <i>Scientific Reports</i> , 2018, 8, 3978.	3.3	6
13	Prognostication of superficial Barrett's carcinoma: a Japanese multicenter study. <i>Human Pathology</i> , 2018, 76, 156-166.	2.0	2
14	Clinicopathological characteristics of distant metastases of adenocarcinoma, squamous cell carcinoma and urothelial carcinoma: An autopsy study of older Japanese patients. <i>Geriatrics and Gerontology International</i> , 2018, 18, 211-215.	1.5	3
15	Telomere length of gallbladder epithelium is shortened in patients with congenital biliary dilatation: measurement by quantitative fluorescence in situ hybridization. <i>Journal of Gastroenterology</i> , 2018, 53, 291-301.	5.1	7
16	Loss of Notch1 predisposes oro-esophageal epithelium to tumorigenesis. <i>Experimental Cell Research</i> , 2018, 372, 129-140.	2.6	20
17	Pancreatic cancer stem cells: features and detection methods. <i>Pathology and Oncology Research</i> , 2018, 24, 797-805.	1.9	72
18	Quantitative fluorescence in situ hybridization for investigation of telomere length dynamics in the pituitary gland using samples from 128 autopsied patients. <i>Tissue and Cell</i> , 2018, 53, 1-7.	2.2	2

#	ARTICLE	IF	CITATIONS
19	Changes in telomere length with aging in human neurons and glial cells revealed by quantitative fluorescence <i>in situ</i> hybridization analysis. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1507-1512.	1.5	17
20	Measurement of telomere length in cells from pleural effusion: Asbestos exposure causes telomere shortening in pleural mesothelial cells. <i>Pathology International</i> , 2018, 68, 503-508.	1.3	8
21	<i>H19</i> long non-coding RNA contributes to sphere formation and invasion through regulation of CD24 and integrin expression in pancreatic cancer cells. <i>Oncotarget</i> , 2018, 9, 34719-34734.	1.8	22
22	Columnar Metaplasia in Three Types of Surgical Mouse Models of Esophageal Reflux. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 115-123.	4.5	11
23	The Prevalence and Clinicopathological Characteristics of High-Grade Pancreatic Intraepithelial Neoplasia. <i>Pancreas</i> , 2017, 46, 658-664.	1.1	56
24	Tu1194 How to Decide the Circumferential Distribution of the Location of a Small Lesion in the Lower Esophagus?. <i>Gastrointestinal Endoscopy</i> , 2017, 85, AB577.	1.0	0
25	A newly developed continuous zoom-focus endocytoscope. <i>Endoscopy</i> , 2017, 49, 176-180.	1.8	31
26	Morphological Markers of Chromosomal Instability. , 2017, , .		5
27	Presence of columnar-lined esophagus is negatively associated with the presence of esophageal varices in Japanese alcoholic men. <i>World Journal of Gastroenterology</i> , 2017, 23, 7150-7159.	3.3	3
28	Abstract 3403: Telomere shortening in pancreatic cancer is correlated to KRAS mutation. , 2017, , .		0
29	Abstract 3484: A long non-coding RNA, H19, as a novel therapeutic target for pancreatic cancer metastasis. , 2017, , .		1
30	Telomere attrition and restoration in the normal teleost <i>Oryzias latipes</i> are linked to growth rate and telomerase activity at each life stage. <i>Aging</i> , 2016, 8, 62-75.	3.1	39
31	Clinicopathological Features of 15 Occult and 178 Clinical Pancreatic Ductal Adenocarcinomas in 8339 Autopsied Elderly Patients. <i>Pancreas</i> , 2016, 45, 234-240.	1.1	13
32	Tu1241 Circumferential Distribution of Mild Esophageal Mucosal Break (Los Angeles Classification) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.0	0
33	Mitotic index and multipolar mitosis in routine histologic sections as prognostic markers of pancreatic cancers: A clinicopathological study. <i>Pancreatology</i> , 2016, 16, 127-132.	1.1	18
34	Changes of telomere status with aging: An update. <i>Geriatrics and Gerontology International</i> , 2016, 16, 30-42.	1.5	37
35	Telomere attrition and diabetes mellitus. <i>Geriatrics and Gerontology International</i> , 2016, 16, 66-74.	1.5	72
36	Telomere attrition in beta and alpha cells with age. <i>Age</i> , 2016, 38, 61.	3.0	10

#	ARTICLE	IF	CITATIONS
37	Endocytoscopic observation of various types of esophagitis. Esophagus, 2016, 13, 200-207.	1.9	9
38	Clinicopathologic characteristics of esophageal primary malignant melanoma. Esophagus, 2016, 13, 17-24.	1.9	2
39	The management of difficult intubation in infants: a retrospective review of anesthesia record database. JA Clinical Reports, 2015, 1, 18.	0.7	5
40	Gradual Telomere Shortening and Increasing Chromosomal Instability among PanIN Grades and Normal Ductal Epithelia with and without Cancer in the Pancreas. PLoS ONE, 2015, 10, e0117575.	2.5	45
41	Gastric metastasis from esophageal squamous cell carcinoma producing granulocyte colony-stimulating factor: report of a case and literature review. International Cancer Conference Journal, 2015, 4, 229-235.	0.5	0
42	Is Carcinoma in Columnar-lined Esophagus Always Located Adjacent to Intestinal Metaplasia?. American Journal of Surgical Pathology, 2015, 39, 188-196.	3.7	24
43	Donor age and operational tolerance in living donor liver transplantation. Pediatric Transplantation, 2015, 19, 244-245.	1.0	2
44	Telomere Length of Human Adult Bronchial Epithelium and Bronchogenic Squamous Cell Carcinoma Measured Using Tissue Quantitative Fluorescence in situ Hybridization. Respiration, 2015, 90, 321-326.	2.6	3
45	Abstract 1415: Telomere shortening in centroacinar-acinar region of the pancreas: relationships with aging, cancers and tissue stem cells. , 2015, , .		0
46	Q-FISH Measurement of Hepatocyte Telomere Lengths in Donor Liver and Graft after Pediatric Living-Donor Liver Transplantation: Donor Age Affects Telomere Length Sustainability. PLoS ONE, 2014, 9, e93749.	2.5	16
47	Maternal grafts protect daughter recipients from acute cellular rejection after pediatric living donor liver transplantation for biliary atresia. Transplant International, 2014, 27, 383-390.	1.6	20
48	Arm-specific telomere dynamics of each individual chromosome in induced pluripotent stem cells revealed by quantitative fluorescence in situ hybridization. Tissue and Cell, 2014, 46, 470-476.	2.2	4
49	Gastric High-grade Dysplasia Can Be Associated With Submucosal Invasion. American Journal of Surgical Pathology, 2014, 38, 1545-1550.	3.7	30
50	Quantitative fluorescence in situ hybridization measurement of telomere length in skin with/without sun exposure or actinic keratosis. Human Pathology, 2014, 45, 473-480.	2.0	29
51	Histopathological diagnosis of adenocarcinoma in Barrett's esophagus. Digestive Endoscopy, 2014, 26, 322-330.	2.3	16
52	Telomere lengths at birth in trisomies 18 and 21 measured by Q-FISH. Gene, 2014, 533, 199-207.	2.2	16
53	Primary mucoepidermoid carcinoma of the esophagus: review of the literature. Esophagus, 2014, 11, 81-88.	1.9	8
54	Short telomeres and chromosome instability prior to histologic malignant progression and cytogenetic aneuploidy in papillary urothelial neoplasms. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 135-145.	1.6	10

#	ARTICLE	IF	CITATIONS
55	Î2-Cell Telomere Attrition in Diabetes: Inverse Correlation Between HbA1c and Telomere Length. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 2771-2777.	3.6	43
56	Significant association between hypolipoproteinemia(a) and lifetime risk of cancer: An autopsy study from a community-based Geriatric Hospital. Cancer Epidemiology, 2014, 38, 550-555.	1.9	10
57	Determination of Telomere Length by the Quantitative Fluorescence <i>in Situ<i> Hybridization (Q-FISH) Method. American Journal of Analytical Chemistry, 2014, 05, 775-783.	0.9	11
58	Frequent microsatellite instability in papillary and solid-type, poorly differentiated adenocarcinomas of the stomach. Gastric Cancer, 2013, 16, 505-512.	5.3	55
59	Investigation of telomere length dynamics in induced pluripotent stem cells using quantitative fluorescence in situ hybridization. Tissue and Cell, 2013, 45, 407-413.	2.2	8
60	Histology of symptomatic gastroesophageal reflux disease: Is it predictive of response to proton pump inhibitors?. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 479-487.	2.8	9
61	Telomere Shortening in the Esophagus of Japanese Alcoholics: Relationships with Chromoendoscopic Findings, ALDH2 and ADH1B Genotypes and Smoking History. PLoS ONE, 2013, 8, e63860.	2.5	14
62	Columnar metaplasia in a surgical mouse model of gastroéesophageal reflux disease is not derived from bone marrowéderived cell. Cancer Science, 2013, 104, 1154-1161.	3.9	9
63	Association of telomere shortening in myocardium with heart weight gain and cause of death. Scientific Reports, 2013, 3, 2401.	3.3	34
64	Telomere length dynamics in the human pituitary gland: robust preservation throughout adult life to centenarian age. Age, 2012, 34, 795-804.	3.0	19
65	Hepatocellular Telomere Length in Biliary Atresia Measured by QéFISH. World Journal of Surgery, 2012, 36, 908-916.	1.6	19
66	Short telomeres in an oral precancerous lesion: QéFISH analysis of leukoplakia. Journal of Oral Pathology and Medicine, 2012, 41, 372-378.	2.7	36
67	Palisade Vessels as a New Histologic Marker of Esophageal Origin in ER Specimens From Columnar-Lined Esophagus. American Journal of Surgical Pathology, 2011, 35, 1140-1145.	3.7	30
68	Clinicopathologic characteristics of basaloid squamous carcinoma of the esophagus. Esophagus, 2011, 8, 169-177.	1.9	12
69	Alcoholics show reduced telomere length in the oesophagus. Journal of Pathology, 2011, 223, 410-416.	4.5	27
70	Accelerated in vivo epidermal telomere loss in Werner syndrome. Aging, 2011, 3, 417-429.	3.1	36
71	Chromosomal instability and telomere lengths of each chromosomal arm measured by Q-FISH in human fibroblast strains prior to replicative senescence. Mechanisms of Ageing and Development, 2010, 131, 614-624.	4.6	25
72	QéFISH analysis of telomere and chromosome instability in the oesophagus with and without squamous cell carcinoma <i>in situ</i>. Journal of Pathology, 2010, 221, 201-209.	4.5	42

#	ARTICLE	IF	CITATIONS
73	Role of methylation of the <i>hMLH1</i> gene promoter in the development of gastric and colorectal carcinoma in the elderly. <i>Geriatrics and Gerontology International</i> , 2010, 10, S207-12.	1.5	26
74	Changes of telomere length with aging. <i>Geriatrics and Gerontology International</i> , 2010, 10, S197-206.	1.5	89
75	Telomere lengths in the oral epithelia with and without carcinoma. <i>European Journal of Cancer</i> , 2010, 46, 430-438.	2.8	58
76	Differences in the Definitions Used for Esophageal and Gastric Diseases in Different Countries. <i>Digestion</i> , 2009, 80, 248-257.	2.3	71
77	Cardiac rather than intestinal-type background in endoscopic resection specimens of minute Barrett adenocarcinoma. <i>Human Pathology</i> , 2009, 40, 65-74.	2.0	219
78	Intestinal or gastric? The unsolved dilemma of Barrett's metaplasia—reply. <i>Human Pathology</i> , 2009, 40, 1207-1208.	2.0	0
79	Cardiac rather than intestinal-type background in endoscopic resection specimens of minute Barrett adenocarcinoma—reply. <i>Human Pathology</i> , 2009, 40, 1209-1210.	2.0	4
80	Prostate Cancer-Producing Granulocyte Colony-Stimulating Factor. <i>Urologia Internationalis</i> , 2009, 82, 113-115.	1.3	7
81	Telomere shortening in Barrett's mucosa and esophageal adenocarcinoma and its association with loss of heterozygosity. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 538-544.	1.5	29
82	The normal anatomy around the oesophagogastric junction: A histopathologic view and its correlation with endoscopy. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2008, 22, 569-583.	2.4	29
83	Oestrogen receptor β 1 but not oestrogen receptor β 2 is of prognostic value in apocrine carcinoma of the breast. <i>Apmis</i> , 2008, 116, 923-930.	2.0	27
84	Basal cells have longest telomeres measured by tissue Q-FISH method in lingual epithelium. <i>Experimental Gerontology</i> , 2008, 43, 833-839.	2.8	48
85	Luminal and cancer cells in the breast show more rapid telomere shortening than myoepithelial cells and fibroblasts. <i>Human Pathology</i> , 2008, 39, 1647-1655.	2.0	38
86	Telomere length variations in 6 mucosal cell types of gastric tissue observed using a novel quantitative fluorescence in situ hybridization method. <i>Human Pathology</i> , 2007, 38, 1192-1200.	2.0	44
87	Microsatellite-unstable mucinous colorectal carcinoma occurring in the elderly: Comparison with medullary type poorly differentiated adenocarcinoma. <i>Pathology International</i> , 2007, 57, 205-212.	1.3	22
88	Xanthogranulomatous pyelonephritis with a renocolic fistula caused by a parapelvic cyst. <i>International Journal of Urology</i> , 2006, 13, 433-435.	1.0	22
89	Telomere shortening with aging in the human pancreas. <i>Experimental Gerontology</i> , 2006, 41, 882-886.	2.8	55
90	Age-related alteration in the association of microsatellite instability with absent hMLH1 expression and histological types of colorectal carcinoma. <i>Pathology International</i> , 2006, 56, 597-603.	1.3	7

#	ARTICLE	IF	CITATIONS
91	Telomere Metabolism and Diagnostic Demonstration of Telomere Measurement in the Human Esophagus for Distinguishing Benign from Malignant Tissue by Tissue Quantitative Fluorescence in situ Hybridization. Oncology, 2006, 71, 430-436.	1.9	11
92	Lewy bodies in the sinoatrial nodal ganglion: Clinicopathological studies. Pathology International, 2004, 54, 682-687.	1.3	39