

Anders LewÃ©n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9538862/publications.pdf>

Version: 2024-02-01

90
papers

4,647
citations

117625

34
h-index

102487

66
g-index

91
all docs

91
docs citations

91
times ranked

4442
citing authors

#	ARTICLE	IF	CITATIONS
1	Free Radical Pathways in CNS Injury. <i>Journal of Neurotrauma</i> , 2000, 17, 871-890.	3.4	717
2	Evidence of Phosphorylation of Akt and Neuronal Survival after Transient Focal Cerebral Ischemia in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 1442-1450.	4.3	265
3	Overexpression of Copper/Zinc Superoxide Dismutase in Transgenic Rats Protects Vulnerable Neurons against Ischemic Damage by Blocking the Mitochondrial Pathway of Caspase Activation. <i>Journal of Neuroscience</i> , 2002, 22, 209-217.	3.6	254
4	Neurochemical monitoring using intracerebral microdialysis in patients with subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 1996, 84, 606-616.	1.6	228
5	Effects of Global Ischemia Duration on Neuronal, Astroglial, Oligodendroglial, and Microglial Reactions in the Vulnerable Hippocampal CA1 Subregion in Rats. <i>Journal of Neurotrauma</i> , 2002, 19, 85-98.	3.4	190
6	Distinct Cellular Patterns of Upregulated Chemokine Expression Supporting a Prominent Inflammatory Role in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2008, 25, 959-974.	3.4	146
7	Akt Phosphorylation and Neuronal Survival after Traumatic Brain Injury in Mice. <i>Neurobiology of Disease</i> , 2002, 9, 294-304.	4.4	128
8	Copper/Zinc Superoxide Dismutase Attenuates Neuronal Cell Death by Preventing Extracellular Signal-Regulated Kinase Activation after Transient Focal Cerebral Ischemia in Mice. <i>Journal of Neuroscience</i> , 2002, 22, 7923-7930.	3.6	114
9	Overexpression of SOD1 protects vulnerable motor neurons after spinal cord injury by attenuating mitochondrial cytochrome c release. <i>FASEB Journal</i> , 2002, 16, 1997-1999.	0.5	109
10	Glycerol as a marker for post-traumatic membrane phospholipid degradation in rat brain. <i>NeuroReport</i> , 1997, 8, 1457-1460.	1.2	98
11	Cerebral Glutamine and Glutamate Levels in Relation to Compromised Energy Metabolism: A Microdialysis Study in Subarachnoid Hemorrhage Patients. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1309-1317.	4.3	93
12	Involvement of Reactive Oxygen Species in Membrane Phospholipid Breakdown and Energy Perturbation After Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 1998, 15, 521-530.	3.4	90
13	Traumatic brain injury in rat produces changes of β^2 -amyloid precursor protein immunoreactivity. <i>NeuroReport</i> , 1995, 6, 357-360.	1.2	87
14	T Lymphocyte Trafficking: A Novel Target for Neuroprotection in Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2007, 24, 1295-1307.	3.4	87
15	Increased Cytochrome c-Mediated DNA Fragmentation and Cell Death in Manganese-Superoxide Dismutase-Deficient Mice After Exposure to Subarachnoid Hemolysate. <i>Stroke</i> , 2001, 32, 506-515.	2.0	86
16	Changes in microtubule-associated protein 2 and amyloid precursor protein immunoreactivity following traumatic brain injury in rat: influence of MK-801 treatment. <i>Brain Research</i> , 1996, 719, 161-171.	2.2	85
17	Oxidative Cellular Damage and the Reduction of APE/Ref-1 Expression after Experimental Traumatic Brain Injury. <i>Neurobiology of Disease</i> , 2001, 8, 380-390.	4.4	83
18	Oxidative Stress-Dependent Release of Mitochondrial Cytochrome c after Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 914-920.	4.3	82

#	ARTICLE	IF	CITATIONS
19	Copper-Zinc Superoxide Dismutase Affects Akt Activation After Transient Focal Cerebral Ischemia in Mice. <i>Stroke</i> , 2003, 34, 1513-1518.	2.0	77
20	Oxygen Free Radical-Dependent Activation of Extracellular Signal-Regulated Kinase Mediates Apoptosis-Like Cell Death after Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2004, 21, 1168-1182.	3.4	75
21	Expression of serine/threonine kinase receptors in traumatic brain injury. <i>NeuroReport</i> , 1997, 8, 475-479.	1.2	56
22	Standardized experimental brain death model for studies of intracranial dynamics, organ preservation, and organ transplantation in the pig*. <i>Critical Care Medicine</i> , 2011, 39, 512-517.	0.9	56
23	Traumatic axonal injury in the mouse is accompanied by a dynamic inflammatory response, astroglial reactivity and complex behavioral changes. <i>Journal of Neuroinflammation</i> , 2013, 10, 44.	7.2	55
24	Temporal Neurophysiological Dynamics in Traumatic Brain Injury: Role of Pressure Reactivity and Optimal Cerebral Perfusion Pressure for Predicting Outcome. <i>Journal of Neurotrauma</i> , 2019, 36, 1818-1827.	3.4	50
25	Brain tissue oxygen monitoring: a study of in vitro accuracy and stability of Neurovent-PTO and Licox sensors. <i>Acta Neurochirurgica</i> , 2010, 152, 681-688.	1.7	48
26	Interstitial F2-Isoprostane 8-Iso-PGF2± As a Biomarker of Oxidative Stress after Severe Human Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2012, 29, 766-775.	3.4	47
27	Paradoxical Increase in Neuronal DNA Fragmentation after Neuroprotective Free Radical Scavenger Treatment in Experimental Traumatic Brain Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 344-350.	4.3	46
28	Effect of hypotension severity on hippocampal CA1 neurons in a rat global ischemia model. <i>Brain Research</i> , 2000, 877, 281-287.	2.2	41
29	Decompressive craniectomy in traumatic brain injury: usage and clinical outcome in a single centre. <i>Acta Neurochirurgica</i> , 2018, 160, 229-237.	1.7	41
30	An evaluation of three measures of intracranial compliance in traumatic brain injury patients. <i>Intensive Care Medicine</i> , 2012, 38, 1061-1068.	8.2	40
31	Vimentin and GFAP responses in astrocytes after contusion trauma to the murine brain. <i>Restorative Neurology and Neuroscience</i> , 2010, 28, 311-321.	0.7	39
32	Temporal Dynamics of ICP, CPP, PRx, and CPPopt in High-Grade Aneurysmal Subarachnoid Hemorrhage and the Relation to Clinical Outcome. <i>Neurocritical Care</i> , 2021, 34, 390-402.	2.4	38
33	MAP2 and neurogranin as markers for dendritic lesions in CNS injury. An immunohistochemical study in the rat. <i>Apmis</i> , 2000, 108, 98-106.	2.0	36
34	The Multivariate Concentric Square Field Test Reveals Behavioral Profiles of Risk Taking, Exploration, and Cognitive Impairment in Mice Subjected to Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2010, 27, 1643-1655.	3.4	36
35	Neuronal, but Not Microglial, Accumulation of Extravasated Serum Proteins after Intracerebral Hemolysate Exposure is Accompanied by Cytochrome c Release and DNA Fragmentation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 921-928.	4.3	35
36	Early low cerebral blood flow and high cerebral lactate: prediction of delayed cerebral ischemia in subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , 2018, 128, 1762-1770.	1.6	35

#	ARTICLE	IF	CITATIONS
37	Correlation of Hippocampal Morphological Changes and Morris Water Maze Performance after Cortical Contusion Injury in Rats. <i>Neurosurgery</i> , 2005, 57, 154-163.	1.1	33
38	The Neurological Wake-up Test Does not Alter Cerebral Energy Metabolism and Oxygenation in Patients with Severe Traumatic Brain Injury. <i>Neurocritical Care</i> , 2014, 20, 413-426.	2.4	32
39	Monitoring of Protein Biomarkers of Inflammation in Human Traumatic Brain Injury Using Microdialysis and Proximity Extension Assay Technology in Neurointensive Care. <i>Journal of Neurotrauma</i> , 2019, 36, 2872-2885.	3.4	32
40	Up-regulation of intercellular adhesion molecule 1 in cerebral microvessels after cortical contusion trauma in a rat model. <i>Acta Neuropathologica</i> , 1997, 94, 16-20.	7.7	31
41	The Nitron Free Radical Scavenger NXY-059 Is Neuroprotective when Administered after Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 2008, 25, 1449-1457.	3.4	31
42	Should the Neurointensive Care Management of Traumatic Brain Injury Patients be Individualized According to Autoregulation Status and Injury Subtype?. <i>Neurocritical Care</i> , 2014, 21, 259-265.	2.4	31
43	Introduction of the Uppsala Traumatic Brain Injury register for regular surveillance of patient characteristics and neurointensive care management including secondary insult quantification and clinical outcome. <i>Uppsala Journal of Medical Sciences</i> , 2013, 118, 169-180.	0.9	30
44	Cerebral Microdialysis for Protein Biomarker Monitoring in the Neurointensive Care Setting – A Technical Approach. <i>Frontiers in Neurology</i> , 2014, 5, 245.	2.4	30
45	Refined Microdialysis Method for Protein Biomarker Sampling in Acute Brain Injury in the Neurointensive Care Setting. <i>Analytical Chemistry</i> , 2014, 86, 8671-8679.	6.5	30
46	Brain Tissue Oxygenation and Cerebral Perfusion Pressure Thresholds of Ischemia in a Standardized Pig Brain Death Model. <i>Neurocritical Care</i> , 2012, 16, 462-469.	2.4	29
47	Bedside Xenon-CT Shows Lower CBF in SAH Patients with Impaired CBF Pressure Autoregulation as Defined by Pressure Reactivity Index (PRx). <i>Neurocritical Care</i> , 2016, 25, 47-55.	2.4	26
48	Mild Hyperventilation in Traumatic Brain Injury – Relation to Cerebral Energy Metabolism, Pressure Autoregulation, and Clinical Outcome. <i>World Neurosurgery</i> , 2020, 133, e567-e575.	1.3	26
49	Blood Pressure Variability and Optimal Cerebral Perfusion Pressure – New Therapeutic Targets in Traumatic Brain Injury. <i>Neurosurgery</i> , 2020, 86, E300-E309.	1.1	26
50	Promising clinical outcome of elderly with TBI after modern neurointensive care. <i>Acta Neurochirurgica</i> , 2016, 158, 125-133.	1.7	25
51	High Arterial Glucose is Associated with Poor Pressure Autoregulation, High Cerebral Lactate/Pyruvate Ratio and Poor Outcome Following Traumatic Brain Injury. <i>Neurocritical Care</i> , 2019, 31, 526-533.	2.4	23
52	Brain Tissue Oxygenation and Cerebral Metabolic Patterns in Focal and Diffuse Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2014, 5, 64.	2.4	22
53	Effect of HHH-Therapy on Regional CBF after Severe Subarachnoid Hemorrhage Studied by Bedside Xenon-Enhanced CT. <i>Neurocritical Care</i> , 2018, 28, 143-151.	2.4	22
54	Genetically modified bone morphogenetic protein signalling Alters traumatic brain injury-induced gene expression responses in the adult mouse. <i>Journal of Neuroscience Research</i> , 2006, 84, 47-57.	2.9	21

#	ARTICLE	IF	CITATIONS
55	The influence of hyperthermia on intracranial pressure, cerebral oximetry and cerebral metabolism in traumatic brain injury. <i>Upsala Journal of Medical Sciences</i> , 2017, 122, 177-184.	0.9	21
56	Autoregulatory or Fixed Cerebral Perfusion Pressure Targets in Traumatic Brain Injury: Determining Which Is Better in an Energy Metabolic Perspective. <i>Journal of Neurotrauma</i> , 2021, 38, 1969-1978.	3.4	21
57	Fine Tuning of Traumatic Brain Injury Management in Neurointensive Care—Indicative Observations and Future Perspectives. <i>Frontiers in Neurology</i> , 2021, 12, 638132.	2.4	20
58	Diffuse traumatic axonal injury in mice induces complex behavioural alterations that are normalized by neutralization of interleukin-1 β . <i>European Journal of Neuroscience</i> , 2016, 43, 1016-1033.	2.6	19
59	Monitoring of Cerebral Blood Flow and Metabolism Bedside in Patients with Subarachnoid Hemorrhage—A Xenon-CT and Microdialysis Study. <i>Frontiers in Neurology</i> , 2014, 5, 89.	2.4	18
60	Increased risk of critical CBF levels in SAH patients with actual CPP below calculated optimal CPP. <i>Acta Neurochirurgica</i> , 2017, 159, 1065-1071.	1.7	18
61	Clinical outcome and prognostic factors in elderly traumatic brain injury patients receiving neurointensive care. <i>Acta Neurochirurgica</i> , 2019, 161, 1243-1254.	1.7	17
62	Arterial lactate in traumatic brain injury—Relation to intracranial pressure dynamics, cerebral energy metabolism and clinical outcome. <i>Journal of Critical Care</i> , 2020, 60, 218-225.	2.2	15
63	Acute neurosurgery for traumatic brain injury by general surgeons in Swedish county hospitals: A regional study. <i>Acta Neurochirurgica</i> , 2014, 156, 177-185.	1.7	13
64	High Intravascular Signal Arterial Transit Time Artifacts Have Negligible Effects on Cerebral Blood Flow and Cerebrovascular Reserve Capacity Measurement Using Single Postlabel Delay Arterial Spin-Labeling in Patients with Moyamoya Disease. <i>American Journal of Neuroradiology</i> , 2020, 41, 430-436.	2.4	13
65	Decompressive Craniectomy in Traumatic Brain Injury—Craniectomy-Related and Cranioplasty-Related Complications in a Single Center. <i>World Neurosurgery</i> , 2021, 148, e508-e517.	1.3	12
66	Post-traumatic hydrocephalus—incidence, risk factors, treatment, and clinical outcome. <i>British Journal of Neurosurgery</i> , 2022, 36, 400-406.	0.8	12
67	Cerebral Pressure Autoregulation in Brain Injury and Disorders—A Review on Monitoring, Management, and Future Directions. <i>World Neurosurgery</i> , 2022, 158, 118-131.	1.3	12
68	Updated periodic evaluation of standardized neurointensive care shows that it is possible to maintain a high level of favorable outcome even with increasing mean age. <i>Acta Neurochirurgica</i> , 2015, 157, 417-425.	1.7	10
69	ICP, CPP, and PRx in traumatic brain injury and aneurysmal subarachnoid hemorrhage: association of insult intensity and duration with clinical outcome. <i>Journal of Neurosurgery</i> , 2023, 138, 446-453.	1.6	10
70	Pre-injury antithrombotic agents predict intracranial hemorrhagic progression, but not worse clinical outcome in severe traumatic brain injury. <i>Acta Neurochirurgica</i> , 2021, 163, 1403-1413.	1.7	9
71	Outcome from spontaneous subarachnoid haemorrhage—results from 2007—2011 and comparison with our previous series. <i>Upsala Journal of Medical Sciences</i> , 2014, 119, 38-43.	0.9	8
72	Hemodynamic Disturbances in the Early Phase After Subarachnoid Hemorrhage: Regional Cerebral Blood Flow Studied by Bedside Xenon-enhanced CT. <i>Journal of Neurosurgical Anesthesiology</i> , 2018, 30, 49-58.	1.2	8

#	ARTICLE	IF	CITATIONS
73	Initial In-Vitro Trial for Intra-Cranial Pressure Monitoring Using Subdermal Proximity-Coupled Split-Ring Resonator. , 2018, , .		8
74	Intracranial pressure variability: relation to clinical outcome, intracranial pressureâ€œvolume index, cerebrovascular reactivity and blood pressure variability. Journal of Clinical Monitoring and Computing, 2020, 34, 733-741.	1.6	8
75	Intracranial Pressure Dynamics and Cerebral Vasomotor Reactivity in Coronavirus Disease 2019 Patient With Acute Encephalitis. , 2020, 2, e0197.		8
76	Low intracranial pressure variability is associated with delayed cerebral ischemia and unfavorable outcome in aneurysmal subarachnoid hemorrhage. Journal of Clinical Monitoring and Computing, 2022, 36, 569-578.	1.6	8
77	Intracranial pressure- and cerebral perfusion pressure threshold-insults in relation to cerebral energy metabolism in aneurysmal subarachnoid hemorrhage. Acta Neurochirurgica, 2022, 164, 1001-1014.	1.7	8
78	The Correlation between Cerebral Blood Flow Measured by Bedside Xenon-CT and Brain Chemistry Monitored by Microdialysis in the Acute Phase following Subarachnoid Hemorrhage. Frontiers in Neurology, 2017, 8, 369.	2.4	7
79	Temporal effects of barbiturate coma on intracranial pressure and compensatory reserve in children with traumatic brain injury. Acta Neurochirurgica, 2021, 163, 489-498.	1.7	7
80	Cerebral Blood Flow and Oxygen Delivery in Aneurysmal Subarachnoid Hemorrhage: Relation to Neurointensive Care Targets. Neurocritical Care, 2022, 37, 281-292.	2.4	7
81	Positive correlation between occlusion rate and nidus size of proton beam treated brain arteriovenous malformations (AVMs). Acta OncolÃ³gica, 2016, 55, 105-112.	1.8	6
82	Females Exhibit Better Cerebral Pressure Autoregulation, Less Mitochondrial Dysfunction, and Reduced Excitotoxicity after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2022, 39, 1507-1517.	3.4	6
83	Dual lumen balloon catheter â€œ An effective substitute for two single lumen catheters in treatment of vascular targets with challenging anatomy. Journal of Clinical Neuroscience, 2018, 51, 91-99.	1.5	5
84	Variable Temporal Cerebral Blood Flow Response to Acetazolamide in Moyamoya Patients Measured Using Arterial Spin Labeling. Frontiers in Neurology, 2021, 12, 615017.	2.4	4
85	Pre-injury chronic alcohol abuse predicts intracranial hemorrhagic progression, unfavorable clinical outcome, and mortality in severe traumatic brain injury. Brain Injury, 2021, 35, 1569-1576.	1.2	4
86	Prognosis in moderate-severe traumatic brain injury in a Swedish cohort and external validation of the IMPACT models. Acta Neurochirurgica, 2022, 164, 615-624.	1.7	4
87	Infratentorial Traumatic Brain Hemorrhage: May Outcome Be Predicted by Initial GCS?. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 49, 1076-1082.	2.4	3
88	Intracranial pressure elevations in diffuse axonal injury: association with nonhemorrhagic MR lesions in central mesencephalic structures. Journal of Neurosurgery, 2019, 131, 604-611.	1.6	3
89	Neurointensive care of traumatic brain injury in the elderlyâ€œage-specific secondary insult levels and optimal physiological levels to target need to be defined. Acta Neurochirurgica, 2022, 164, 117-128.	1.7	2
90	In Reply to the Letter to the Editor Regarding â€œDecompressive Craniectomy in Traumatic Brain Injuryâ€œ Craniectomy-Related and Cranioplasty-Related Complications in a Single Centerâ€œ World Neurosurgery, 2021, 154, 203.	1.3	0