

Patrick Lemaire

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9538888/publications.pdf>

Version: 2024-02-01

72
papers

7,317
citations

109321

35
h-index

82547

72
g-index

78
all docs

78
docs citations

78
times ranked

7210
citing authors

#	ARTICLE	IF	CITATIONS
1	Methods for the Study of Apical During Ascidian. <i>Methods in Molecular Biology</i> , 2022, 2438, 377-413.	0.9	0
2	Protein kinases and protein phosphatases encoded in the <i>Ciona robusta</i> genome. <i>Genesis</i> , 2022, 60, e23471.	1.6	2
3	Mechanical and genetic control of ascidian endoderm invagination during gastrulation. <i>Seminars in Cell and Developmental Biology</i> , 2021, 120, 108-118.	5.0	5
4	ANISEED 2019: 4D exploration of genetic data for an extended range of tunicates. <i>Nucleic Acids Research</i> , 2020, 48, D668-D675.	14.5	30
5	A genome database for a Japanese population of the larvacean <i>Oikopleura dioica</i> . <i>Development Growth and Differentiation</i> , 2020, 62, 450-461.	1.5	13
6	A Nodal/Eph signalling relay drives the transition from apical constriction to apico-basal shortening in ascidian endoderm invagination. <i>Development (Cambridge)</i> , 2020, 147, .	2.5	9
7	Contact area-dependent cell communication and the morphological invariance of ascidian embryogenesis. <i>Science</i> , 2020, 369, .	12.6	89
8	Assaying Chromatin Accessibility Using ATAC-Seq in Invertebrate Chordate Embryos. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 7, 372.	3.7	12
9	MorphoNet: an interactive online morphological browser to explore complex multi-scale data. <i>Nature Communications</i> , 2019, 10, 2812.	12.8	35
10	High-Throughput Protein Production Combined with High- Throughput SELEX Identifies an Extensive Atlas of <i>Ciona robusta</i> Transcription Factor DNA-Binding Specificities. <i>Methods in Molecular Biology</i> , 2019, 2025, 487-517.	0.9	15
11	Transcriptional regulation of the <i>Ciona Gsx</i> gene in the neural plate. <i>Developmental Biology</i> , 2019, 448, 88-100.	2.0	5
12	Evolution of embryonic cis-regulatory landscapes between divergent <i>Phallusia</i> and <i>Ciona</i> ascidians. <i>Developmental Biology</i> , 2019, 448, 71-87.	2.0	29
13	Convergent Acquisition of Nonembryonic Development in Styelid Ascidians. <i>Molecular Biology and Evolution</i> , 2018, 35, 1728-1743.	8.9	35
14	ANISEED 2017: extending the integrated ascidian database to the exploration and evolutionary comparison of genome-scale datasets. <i>Nucleic Acids Research</i> , 2018, 46, D718-D725.	14.5	90
15	A phylogenomic framework and timescale for comparative studies of tunicates. <i>BMC Biology</i> , 2018, 16, 39.	3.8	133
16	Genome-wide survey of miRNAs and their evolutionary history in the ascidian, <i>Halocynthia roretzi</i> . <i>BMC Genomics</i> , 2017, 18, 314.	2.8	13
17	ANISEED 2015: a digital framework for the comparative developmental biology of ascidians. <i>Nucleic Acids Research</i> , 2016, 44, D808-D818.	14.5	68
18	Guidelines for the nomenclature of genetic elements in tunicate genomes. <i>Genesis</i> , 2015, 53, 1-14.	1.6	59

#	ARTICLE	IF	CITATIONS
19	Tunicates: exploring the sea shores and roaming the open ocean. A tribute to Thomas Huxley. <i>Open Biology</i> , 2015, 5, 150053.	3.6	16
20	Thaliaceans, The Neglected Pelagic Relatives of Ascidians: A Developmental and Evolutionary Enigma. <i>Quarterly Review of Biology</i> , 2015, 90, 117-145.	0.1	25
21	A pipeline for the systematic identification of non-redundant full-ORF cDNAs for polymorphic and evolutionary divergent genomes: Application to the ascidian <i>Ciona intestinalis</i> . <i>Developmental Biology</i> , 2015, 404, 149-163.	2.0	20
22	An Otx/Nodal Regulatory Signature for Posterior Neural Development in Ascidians. <i>PLoS Genetics</i> , 2014, 10, e1004548.	3.5	42
23	DNA-Binding Specificities of Human Transcription Factors. <i>Cell</i> , 2013, 152, 327-339.	28.9	1,085
24	Highly conserved elements discovered in vertebrates are present in non-syntenic loci of tunicates, act as enhancers and can be transcribed during development. <i>Nucleic Acids Research</i> , 2013, 41, 3600-3618.	14.5	24
25	Antagonizing Retinoic Acid and FGF/MAPK Pathways Control Posterior Body Patterning in the Invertebrate Chordate <i>Ciona intestinalis</i> . <i>PLoS ONE</i> , 2012, 7, e46193.	2.5	48
26	Time-Lapse Imaging of Live <i>Phallusia</i> Embryos for Creating 3D Digital Replicas. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.prot065847-pdb.prot065847.	0.3	12
27	Imaging of Fixed <i>Ciona</i> Embryos for Creating 3D Digital Replicas. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.prot065854.	0.3	5
28	Evolutionary crossroads in developmental biology: the tunicates. <i>Development (Cambridge)</i> , 2011, 138, 2143-2152.	2.5	157
29	Creating 3D Digital Replicas of Ascidian Embryos from Stacks of Confocal Images. <i>Cold Spring Harbor Protocols</i> , 2011, 2011, pdb.prot065862.	0.3	7
30	A cis-Regulatory Signature in Ascidians and Flies, Independent of Transcription Factor Binding Sites. <i>Current Biology</i> , 2010, 20, 792-802.	3.9	58
31	Sequential Activation of Apical and Basolateral Contractility Drives Ascidian Endoderm Invagination. <i>Current Biology</i> , 2010, 20, 1499-1510.	3.9	188
32	The ANISEED database: Digital representation, formalization, and elucidation of a chordate developmental program. <i>Genome Research</i> , 2010, 20, 1459-1468.	5.5	105
33	Highly Divergent Gene Expression Programs Can Lead to Similar Chordate Larval Body Plans. <i>Current Biology</i> , 2009, 19, 2014-2019.	3.9	26
34	Similar regulatory logic in <i>Ciona intestinalis</i> for two Wnt pathway modulators, ROR and SFRP-1/5. <i>Developmental Biology</i> , 2009, 329, 364-373.	2.0	9
35	Unfolding a chordate developmental program, one cell at a time: Invariant cell lineages, short-range inductions and evolutionary plasticity in ascidians. <i>Developmental Biology</i> , 2009, 332, 48-60.	2.0	127
36	Control of gastrula cell motility by the <i>Goosecoid</i> / <i>Mix.1</i> / <i>Siamois</i> network: Basic patterns and paradoxical effects. <i>Developmental Dynamics</i> , 2008, 237, 1307-1320.	1.8	22

#	ARTICLE	IF	CITATIONS
37	Functional analysis of <i>synaptotagmin</i> gene regulatory regions in two distantly related ascidian species. <i>Development Growth and Differentiation</i> , 2008, 50, 543-552.	1.5	4
38	Ascidians and the Plasticity of the Chordate Developmental Program. <i>Current Biology</i> , 2008, 18, R620-R631.	3.9	112
39	Improved genome assembly and evidence-based global gene model set for the chordate <i>Ciona intestinalis</i> : new insight into intron and operon populations. <i>Genome Biology</i> , 2008, 9, R152.	9.6	192
40	A combinatorial code of maternal GATA, Ets and β -catenin-TCF transcription factors specifies and patterns the early ascidian ectoderm. <i>Development (Cambridge)</i> , 2007, 134, 4023-4032.	2.5	116
41	Divergent functions of two ancient <i>Hydra Brachyury</i> paralogues suggest specific roles for their C-terminal domains in tissue fate induction. <i>Development (Cambridge)</i> , 2007, 134, 4187-4197.	2.5	53
42	A Multicassette Gateway Vector Set for High Throughput and Comparative Analyses in <i>Ciona</i> and Vertebrate Embryos. <i>PLoS ONE</i> , 2007, 2, e916.	2.5	113
43	DEVELOPMENTAL BIOLOGY: How Many Ways to Make a Chordate?. <i>Science</i> , 2006, 312, 1145-1146.	12.6	12
44	Cellular morphogenesis in ascidians: how to shape a simple tadpole. <i>Current Opinion in Genetics and Development</i> , 2006, 16, 399-405.	3.3	40
45	A Quantitative Approach to the Study of Cell Shapes and Interactions during Early Chordate Embryogenesis. <i>Current Biology</i> , 2006, 16, 345-358.	3.9	135
46	Ci-FoxA-a is the earliest zygotic determinant of the ascidian anterior ectoderm and directly activates Ci-sFRP1/5. <i>Development (Cambridge)</i> , 2006, 133, 2835-2844.	2.5	53
47	Formation of the Ascidian Epidermal Sensory Neurons: Insights into the Origin of the Chordate Peripheral Nervous System. <i>PLoS Biology</i> , 2006, 4, e225.	5.6	124
48	Neural induction in <i>Xenopus</i> requires early FGF signalling in addition to BMP inhibition. <i>Development (Cambridge)</i> , 2005, 132, 299-310.	2.5	249
49	Making very similar embryos with divergent genomes: conservation of regulatory mechanisms of Otx between the ascidians <i>Halocynthia roretzi</i> and <i>Ciona intestinalis</i> . <i>Development (Cambridge)</i> , 2005, 132, 1663-1674.	2.5	73
50	THE NEUROBIOLOGY OF THE ASCIDIAN TADPOLE LARVA: Recent Developments in an Ancient Chordate. <i>Annual Review of Neuroscience</i> , 2004, 27, 453-485.	10.7	97
51	Neural Tissue in Ascidian Embryos Is Induced by FGF9/16/20, Acting via a Combination of Maternal GATA and Ets Transcription Factors. <i>Cell</i> , 2003, 115, 615-627.	28.9	290
52	Evolution of Brachyury proteins: identification of a novel regulatory domain conserved within Bilateria. <i>Developmental Biology</i> , 2003, 260, 352-361.	2.0	54
53	A conserved role for the MEK signalling pathway in neural tissue specification and posteriorisation in the invertebrate chordate, the ascidian <i>Ciona intestinalis</i> . <i>Development (Cambridge)</i> , 2003, 130, 147-159.	2.5	106
54	The Draft Genome of <i>Ciona intestinalis</i> : Insights into Chordate and Vertebrate Origins. <i>Science</i> , 2002, 298, 2157-2167.	12.6	1,539

#	ARTICLE	IF	CITATIONS
55	Cytoplasmic intermediate filament protein expression in tunicate development: a specific marker for the test cells. <i>European Journal of Cell Biology</i> , 2002, 81, 302-311.	3.6	21
56	CrÃme de la Kremen of Wnt signalling inhibition. <i>Nature Cell Biology</i> , 2002, 4, E172-E172.	10.3	24
57	Induction of anterior neural fates in the ascidian <i>Ciona intestinalis</i> . <i>Mechanisms of Development</i> , 2001, 100, 189-203.	1.7	157
58	The human chordin gene encodes several differentially expressed spliced variants with distinct BMP opposing activities. <i>Mechanisms of Development</i> , 2001, 106, 85-96.	1.7	28
59	Siamois functions in the early blastula to induce Spemann's organiser. <i>Mechanisms of Development</i> , 2001, 108, 71-79.	1.7	15
60	Role of Goosecoid, Xnot and Wnt antagonists in the maintenance of the notochord genetic programme in <i>Xenopus</i> gastrulae. <i>Development (Cambridge)</i> , 2001, 128, 3783-3793.	2.5	42
61	A two-step model for the fate determination of presumptive endodermal blastomeres in <i>Xenopus</i> embryos. <i>Current Biology</i> , 1999, 9, 869-879.	3.9	119
62	Antagonist activity of DWnt-4 and wingless in the <i>Drosophila</i> embryonic ventral ectoderm and in heterologous <i>Xenopus</i> assays. <i>Mechanisms of Development</i> , 1999, 85, 123-131.	1.7	27
63	Embryonic induction: Is the Nieuwkoop centre a useful concept?. <i>Current Biology</i> , 1998, 8, R918-R921.	3.9	15
64	Developmental signalling: A careful balancing act. <i>Current Biology</i> , 1998, 8, R228-R231.	3.9	21
65	Chapter 3 Myogenesis in <i>Xenopus</i> Embryos. <i>Methods in Cell Biology</i> , 1997, 52, 53-66.	1.1	3
66	Esx1, a Novel X Chromosome-Linked Homeobox Gene Expressed in Mouse Extraembryonic Tissues and Male Germ Cells. <i>Developmental Biology</i> , 1997, 188, 85-95.	2.0	101
67	The vertebrate organizer: structure and molecules. <i>Trends in Genetics</i> , 1996, 12, 525-531.	6.7	167
68	The coming of age of ventralising homeobox genes in amphibian development. <i>BioEssays</i> , 1996, 18, 701-704.	2.5	15
69	Expression cloning of Siamois, a <i>xenopus</i> homeobox gene expressed in dorsal-vegetal cells of blastulae and able to induce a complete secondary axis. <i>Cell</i> , 1995, 81, 85-94.	28.9	507
70	Vertebrate embryonic inductions. <i>BioEssays</i> , 1994, 16, 617-620.	2.5	15
71	The community effect, dorsalization and mesoderm induction. <i>Current Opinion in Genetics and Development</i> , 1993, 3, 662-667.	3.3	30
72	No muscles, but what a brain. <i>Nature</i> , 1992, 359, 586-587.	27.8	3