

Mary A Cotter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9541413/mary-a-cotter-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

2,408
citations

27
h-index

48
g-index

64
ext. papers

2,543
ext. citations

4.6
avg, IF

4.73
L-index

#	Paper	IF	Citations
60	Neutrophils Infiltrate the Spinal Cord Parenchyma of Rats with Experimental Diabetic Neuropathy. <i>Journal of Diabetes Research</i> , 2017 , 2017, 4729284	3.9	13
59	Microvascular dysfunction and efficacy of PDE5 inhibitors in BPH-LUTS. <i>Nature Reviews Urology</i> , 2014 , 11, 231-41	5.5	26
58	Pathogenesis of diabetic neuropathy: focus on neurovascular mechanisms. <i>European Journal of Pharmacology</i> , 2013 , 719, 180-186	5.3	106
57	Vasa nervorum in rat major pelvic ganglion are innervated by nitrergic nerve fibers. <i>Journal of Sexual Medicine</i> , 2013 , 10, 2967-74	1.1	2
56	CD11b+ bone marrow-derived monocytes are the major leukocyte subset responsible for retinal capillary leukostasis in experimental diabetes in mouse and express high levels of CCR5 in the circulation. <i>American Journal of Pathology</i> , 2012 , 181, 719-27	5.8	50
55	The endothelium of basilar artery of diabetic rat treated with epoetin delta. <i>Angiology</i> , 2010 , 61, 405-14	2.1	0
54	Sciatic nerve of diabetic rat treated with epoetin delta: effects on C-fibers and blood vessels including pericytes. <i>Angiology</i> , 2010 , 61, 651-68	2.1	10
53	Poly(ADP-ribose) polymerase inhibition reverses nitrergic neurovascular dysfunctions in penile erectile tissue from streptozotocin-diabetic mice. <i>Journal of Sexual Medicine</i> , 2010 , 7, 3396-403	1.1	7
52	Pro-inflammatory mechanisms in diabetic neuropathy: focus on the nuclear factor kappa B pathway. <i>Current Drug Targets</i> , 2008 , 9, 60-7	3	128
51	Treatment with the xanthine oxidase inhibitor, allopurinol, improves nerve and vascular function in diabetic rats. <i>European Journal of Pharmacology</i> , 2007 , 561, 63-71	5.3	64
50	Erectile dysfunction and diabetes mellitus: mechanistic considerations from studies in experimental models. <i>Current Diabetes Reviews</i> , 2007 , 3, 149-58	2.7	27
49	The neurocytokine, interleukin-6, corrects nerve dysfunction in experimental diabetes. <i>Experimental Neurology</i> , 2007 , 207, 23-9	5.7	19
48	The calpain inhibitor, A-705253, corrects penile nitrergic nerve dysfunction in diabetic mice. <i>European Journal of Pharmacology</i> , 2006 , 538, 148-53	5.3	24
47	Alteration of aortic function from streptozotocin-diabetic rats with Kilham's virus is associated with inducible nitric oxide synthase. <i>Veterinary Journal</i> , 2006 , 172, 455-9	2.5	1
46	Effects of eugenol on nerve and vascular dysfunction in streptozotocin-diabetic rats. <i>Planta Medica</i> , 2006 , 72, 494-500	3.1	54
45	Effects of poly(ADP-ribose) polymerase inhibition on dysfunction of non-adrenergic non-cholinergic neurotransmission in gastric fundus in diabetic rats. <i>Nitric Oxide - Biology and Chemistry</i> , 2006 , 15, 344-50	5	21
44	IkappaB kinase 2 inhibition corrects defective nitrergic erectile mechanisms in diabetic mouse corpus cavernosum. <i>Urology</i> , 2006 , 68, 214-8	1.6	13

43	Inhibitors of advanced glycation end product formation and neurovascular dysfunction in experimental diabetes. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1043, 784-92	6.5	80
42	Effects of the peroxyntirite decomposition catalyst, FeTMPyP, on function of corpus cavernosum from diabetic mice. <i>European Journal of Pharmacology</i> , 2004 , 502, 143-8	5.3	46
41	Effects of proinsulin C-peptide in experimental diabetic neuropathy: vascular actions and modulation by nitric oxide synthase inhibition. <i>Diabetes</i> , 2003 , 52, 1812-7	0.9	84
40	The effects of 5-hydroxytryptamine 5-HT ₂ receptor antagonists on nerve conduction velocity and endoneurial perfusion in diabetic rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2003 , 367, 607-14	3.4	10
39	Effects of alpha-lipoic acid on impaired gastric fundus innervation in diabetic rats. <i>Free Radical Biology and Medicine</i> , 2003 , 35, 160-8	7.8	13
38	Angiotensin converting enzyme inhibition partially prevents deficits in water maze performance, hippocampal synaptic plasticity and cerebral blood flow in streptozotocin-diabetic rats. <i>Brain Research</i> , 2003 , 966, 274-82	3.7	68
37	Protein kinase C beta inhibition and aorta and corpus cavernosum function in streptozotocin-diabetic mice. <i>European Journal of Pharmacology</i> , 2003 , 475, 99-106	5.3	31
36	An in vitro study of corpus cavernosum and aorta from mice lacking the inducible nitric oxide synthase gene. <i>Nitric Oxide - Biology and Chemistry</i> , 2003 , 9, 194-200	5	11
35	Looking to the future: diabetic neuropathy and effects of rosuvastatin on neurovascular function in diabetes models. <i>Diabetes Research and Clinical Practice</i> , 2003 , 61 Suppl 1, S35-9	7.4	44
34	Effects of rosuvastatin on nitric oxide-dependent function in aorta and corpus cavernosum of diabetic mice: relationship to cholesterol biosynthesis pathway inhibition and lipid lowering. <i>Diabetes</i> , 2003 , 52, 2396-402	0.9	65
33	Effects of protein kinase C beta inhibition on neurovascular dysfunction in diabetic rats: interaction with oxidative stress and essential fatty acid dysmetabolism. <i>Diabetes/Metabolism Research and Reviews</i> , 2002 , 18, 315-23	7.5	68
32	Effects of the protein kinase C beta inhibitor LY333531 on neural and vascular function in rats with streptozotocin-induced diabetes. <i>Clinical Science</i> , 2002 , 103, 311-21	6.5	92
31	Effects of trientine, a metal chelator, on defective endothelium-dependent relaxation in the mesenteric vasculature of diabetic rats. <i>Free Radical Research</i> , 2002 , 36, 1091-9	4	18
30	Effects of diabetes and evening primrose oil treatment on responses of aorta, corpus cavernosum and mesenteric vasculature in rats. <i>Life Sciences</i> , 2002 , 71, 1863-77	6.8	26
29	The effect of cannabinoids on capsaicin-evoked calcitonin gene-related peptide (CGRP) release from the isolated paw skin of diabetic and non-diabetic rats. <i>Neuropharmacology</i> , 2002 , 42, 966-75	5.5	72
28	Corpus cavernosum dysfunction in diabetic rats: effects of combined alpha-lipoic acid and gamma-linolenic acid treatment. <i>Diabetes/Metabolism Research and Reviews</i> , 2001 , 17, 380-6	7.5	27
27	Neurovascular interactions between aldose reductase and angiotensin-converting enzyme inhibition in diabetic rats. <i>European Journal of Pharmacology</i> , 2001 , 417, 223-30	5.3	10
26	Diabetes causes an early reduction in autonomic ganglion blood flow in rats. <i>Journal of Diabetes and Its Complications</i> , 2001 , 15, 198-202	3.2	33

25	Effect of alpha-lipoic acid on vascular responses and nociception in diabetic rats. <i>Free Radical Biology and Medicine</i> , 2001 , 31, 125-35	7.8	78
24	The effects of treatment with alpha-lipoic acid or evening primrose oil on vascular hemostatic and lipid risk factors, blood flow, and peripheral nerve conduction in the streptozotocin-diabetic rat. <i>Metabolism: Clinical and Experimental</i> , 2001 , 50, 868-75	12.7	75
23	ATP-sensitive K(+) channel effects on nerve function, Na(+), K(+) ATPase, and glutathione in diabetic rats. <i>European Journal of Pharmacology</i> , 2000 , 397, 335-41	5.3	23
22	Pentoxifylline effects on nerve conduction velocity and blood flow in diabetic rats. <i>International Journal of Experimental Diabetes Research</i> , 2000 , 1, 49-58		8
21	Nitric Oxide, Peripheral Neuropathy, and Diabetes 2000 , 307-326		1
20	Effects of aldose reductase inhibition on responses of the corpus cavernosum and mesenteric vascular bed of diabetic rats. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 35, 606-13	3.1	33
19	Effects of chelator treatment on aorta and corpus cavernosum from diabetic rats. <i>Free Radical Biology and Medicine</i> , 1999 , 27, 536-43	7.8	33
18	Effects of the diacylglycerol complexing agent, cremophor, on nerve-conduction velocity and perfusion in diabetic rats. <i>Journal of Diabetes and Its Complications</i> , 1999 , 13, 2-9	3.2	18
17	Effects of antioxidants on nerve and vascular dysfunction in experimental diabetes. <i>Diabetes Research and Clinical Practice</i> , 1999 , 45, 137-46	7.4	128
16	Correction of neurovascular deficits in diabetic rats by beta2-adrenoceptor agonist and alpha1-adrenoceptor antagonist treatment: interactions with the nitric oxide system. <i>European Journal of Pharmacology</i> , 1998 , 343, 217-23	5.3	24
15	Neurovascular effects of L-carnitine treatment in diabetic rats. <i>European Journal of Pharmacology</i> , 1997 , 319, 239-44	5.3	12
14	Effects of diabetes on reactivity of sciatic vasa nervorum in rats. <i>Journal of Diabetes and Its Complications</i> , 1997 , 11, 47-55	3.2	33
13	Nerve function and regeneration in diabetic and galactosaemic rats: antioxidant and metal chelator effects. <i>European Journal of Pharmacology</i> , 1996 , 314, 33-9	5.3	21
12	Reversal of defective peripheral nerve conduction velocity, nutritive endoneurial blood flow, and oxygenation by a novel aldose reductase inhibitor, WAY-121,509, in streptozotocin-induced diabetic rats. <i>Journal of Diabetes and Its Complications</i> , 1996 , 10, 43-53	3.2	20
11	Impaired myelinated fiber regeneration following freeze-injury in rats with streptozotocin-induced diabetes: involvement of the polyol pathway. <i>Brain Research</i> , 1995 , 703, 105-10	3.7	12
10	Nerve function in galactosaemic rats: effects of evening primrose oil and doxazosin. <i>European Journal of Pharmacology</i> , 1995 , 281, 303-9	5.3	4
9	The relationship of vascular changes to metabolic factors in diabetes mellitus and their role in the development of peripheral nerve complications. <i>Diabetes/metabolism Reviews</i> , 1994 , 10, 189-224		165
8	Contraction and relaxation of aortas from galactosaemic rats and the effects of aldose reductase inhibition. <i>European Journal of Pharmacology</i> , 1993 , 243, 47-53	5.3	17

7	The effects of evening primrose oil on nerve function and capillarization in streptozotocin-diabetic rats: modulation by the cyclo-oxygenase inhibitor flurbiprofen. <i>British Journal of Pharmacology</i> , 1993 , 109, 972-9	8.6	36
6	Dissociation between biochemical and functional effects of the aldose reductase inhibitor, ponalrestat, on peripheral nerve in diabetic rats. <i>British Journal of Pharmacology</i> , 1992 , 107, 939-44	8.6	29
5	Fast to slow phenotypic changes in rabbit muscle can be induced without increases in neural activity. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , 1988 , 73, 793-6		8
4	Recovery from immobilization-induced atrophy of rabbit soleus muscles can be accelerated by chronic low-frequency stimulation. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , 1988 , 73, 797-800		6
3	Rapid fast to slow fiber transformation in response to chronic stimulation of immobilized muscles of the rabbit. <i>Experimental Neurology</i> , 1986 , 93, 531-45	5.7	6
2	Effect of diabetes on motor conduction velocity in different branches of the rat sciatic nerve. <i>Experimental Neurology</i> , 1986 , 92, 757-61	5.7	16
1	The effects of different patterns of muscle activity on capillary density, mechanical properties and structure of slow and fast rabbit muscles. <i>Pflugers Archiv European Journal of Physiology</i> , 1976 , 361, 241-50	4.6	212