

Yan Yao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9541483/yan-yao-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28
papers

349
citations

12
h-index

18
g-index

29
ext. papers

458
ext. citations

4
avg, IF

3.02
L-index

#	Paper	IF	Citations
28	Paracrine action of mesenchymal stem cells revealed by single cell gene profiling in infarcted murine hearts. <i>PLoS ONE</i> , 2015 , 10, e0129164	3.7	57
27	Serum uric acid and risk of left atrial thrombus in patients with nonvalvular atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1415-21	3.8	39
26	SIRT7 antagonizes human stem cell aging as a heterochromatin stabilizer. <i>Protein and Cell</i> , 2020 , 11, 483-504	5.04	37
25	TBX5 mutations contribute to early-onset atrial fibrillation in Chinese and Caucasians. <i>Cardiovascular Research</i> , 2016 , 109, 442-50	9.9	27
24	Association between high-sensitivity C-reactive protein, lipoprotein-associated phospholipase A2 and carotid atherosclerosis: A cross-sectional study. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5145-5150	5.6	19
23	Plasma homocysteine levels predict early recurrence after catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2017 , 19, 66-71	3.9	18
22	Elevated homocysteine increases the risk of left atrial/left atrial appendage thrombus in non-valvular atrial fibrillation with low CHA2DS2-VASc score. <i>Europace</i> , 2018 , 20, 1093-1098	3.9	16
21	Genome-Wide Association and Functional Studies Identify and as Novel Susceptibility Genes for Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 964-975	9.4	15
20	Longitudinal association between serum uric acid levels and multiterritorial atherosclerosis. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 4970-4979	5.6	13
19	Homocysteine in non-valvular atrial fibrillation: Role and clinical implications. <i>Clinica Chimica Acta</i> , 2017 , 475, 85-90	6.2	12
18	Effect of advanced age on plasma homocysteine levels and its association with ischemic stroke in non-valvular atrial fibrillation. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 743-749	1.7	12
17	Association of miR-197-5p, a Circulating Biomarker for Heart Failure, with Myocardial Fibrosis and Adverse Cardiovascular Events among Patients with Stage C or D Heart Failure. <i>Cardiology</i> , 2018 , 141, 212-225	1.6	12
16	Integrative Analysis of miRNA and mRNA Expression Profiles Associated With Human Atrial Aging. <i>Frontiers in Physiology</i> , 2019 , 10, 1226	4.6	10
15	Syndecan-1 as an independent risk factor for the incidence of adverse cardiovascular events in patients having stage C and D heart failure with non-ischemic dilated cardiomyopathy. <i>Clinica Chimica Acta</i> , 2019 , 490, 63-68	6.2	8
14	FOXO3-engineered human mesenchymal progenitor cells efficiently promote cardiac repair after myocardial infarction. <i>Protein and Cell</i> , 2021 , 12, 145-151	7.2	8
13	Ideal cardiovascular health metrics and the risk of non-alcoholic fatty liver disease: A cross-sectional study in northern China. <i>Liver International</i> , 2019 , 39, 950-955	7.9	7
12	Association of lipoprotein-associated phospholipase A2 mass with asymptomatic cerebral artery stenosis. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 2329-2336	5.6	7

11	Association between Nonalcoholic Fatty Liver Disease and Carotid Artery Disease in a Community-Based Chinese Population: A Cross-Sectional Study. <i>Chinese Medical Journal</i> , 2018 , 131, 2269-2276	2.9	7
10	MicroRNA-146b-5p promotes atrial fibrosis in atrial fibrillation by repressing TIMP4. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 10543-10553	5.6	5
9	Inhibiting microRNA-155 attenuates atrial fibrillation by targeting CACNA1C. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 155, 58-65	5.8	4
8	Atrial tachycardia eliminated at the ventricular side in patients with congenitally corrected transposition of the great arteries: Electrophysiological findings and anatomical concerns. <i>Heart Rhythm</i> , 2020 , 17, 1337-1345	6.7	3
7	Left ventricular synchronization and systolic function estimated by speckle tracking echocardiography pre-and post-radiofrequency ablation in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014 , 172, 217-9	3.2	3
6	Long-term outcome of patients with atrial myxoma after surgical intervention: analysis of 403 cases. <i>Journal of Geriatric Cardiology</i> , 2019 , 16, 338-343	1.7	3
5	Effect of Body Mass Index on the Associations between Parity and Metabolic Syndrome and its Components among Northern Chinese Women. <i>Biomedical and Environmental Sciences</i> , 2020 , 33, 11-18	1.1	2
4	Identify Unsuitable Patients with Left Main Coronary Artery Disease in Intermediate SYNTAX Scores Treated by Percutaneous Coronary Intervention. <i>Heart Surgery Forum</i> , 2017 , 20, E258-E262	0.7	1
3	Multiple Recurrent Cardiac Myxomas With Protein Kinase A Regulatory Subunit 1 Gene Mutation. <i>Annals of Thoracic Surgery</i> , 2019 , 107, e83-e85	2.7	1
2	Protocol of Jidong Women Health Cohort Study: Rationale, Design, and Baseline Characteristics. <i>Biomedical and Environmental Sciences</i> , 2019 , 32, 144-152	1.1	
1	Association between Parity, Carotid Plaques, and Intima Media Thickness in Northern Chinese Women. <i>Biomedical and Environmental Sciences</i> , 2021 , 34, 416-420	1.1	