

Shu-hua Yi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9542544/publications.pdf>

Version: 2024-02-01

58
papers

1,798
citations

236612

25
h-index

288905

40
g-index

75
all docs

75
docs citations

75
times ranked

1899
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantification of Alpine Grassland Fractional Vegetation Cover Retrieval Uncertainty Based on Multiscale Remote Sensing Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022, 19, 1-5.	1.4	1
2	A non-destructive method for rapid acquisition of grassland aboveground biomass for satellite ground verification using UAV RGB images. <i>Global Ecology and Conservation</i> , 2022, 33, e01999.	1.0	11
3	Mapping Grassland Classes Using Unmanned Aerial Vehicle and MODIS NDVI Data for Temperate Grassland in Inner Mongolia, China. <i>Remote Sensing</i> , 2022, 14, 2094.	1.8	9
4	Effects of plateau pikas' foraging and burrowing activities on vegetation biomass and soil organic carbon of alpine grasslands. <i>Plant and Soil</i> , 2021, 458, 201-216.	1.8	21
5	Using UAVs to assess the relationship between alpine meadow bare patches and disturbance by pikas in the source region of Yellow River on the Qinghai-Tibetan Plateau. <i>Global Ecology and Conservation</i> , 2021, 26, e01517.	1.0	13
6	Applications of UAVs in Cold Region Ecological and Environmental Studies. <i>Remote Sensing</i> , 2021, 13, 2472.	1.8	0
7	Mapping of Kobresia pygmaea Community Based on Unmanned Aerial Vehicle Technology and Gaofen Remote Sensing Data in Alpine Meadow Grassland: A Case Study in Eastern of Qinghai's Tibetan Plateau. <i>Remote Sensing</i> , 2021, 13, 2483.	1.8	16
8	Characteristics and controls of vegetation and diversity changes monitored with an unmanned aerial vehicle (UAV) in the foreland of the Urumqi Glacier No. 1, Tianshan, China. <i>Science of the Total Environment</i> , 2021, 771, 145433.	3.9	15
9	Characteristics and controlling factors of alpine grassland vegetation patch patterns on the central Qinghai-Tibetan plateau. <i>Ecological Indicators</i> , 2021, 125, 107570.	2.6	8
10	The Similarity between Species Composition of Vegetation and Soil Seed Bank of Grasslands in Inner Mongolia, China: Implications for the Asymmetric Response to Precipitation. <i>Plants</i> , 2021, 10, 1890.	1.6	4
11	Improving the estimation of alpine grassland fractional vegetation cover using optimized algorithms and multi-dimensional features. <i>Plant Methods</i> , 2021, 17, 96.	1.9	15
12	Pikas burrowing activity promotes vegetation species diversity in alpine grasslands on the Qinghai-Tibetan Plateau. <i>Global Ecology and Conservation</i> , 2021, 31, e01806.	1.0	3
13	Ecological carrying capacity of alpine grassland in the Qinghai-Tibet Plateau based on the structural dynamics method. <i>Environment, Development and Sustainability</i> , 2021, 23, 12550-12578.	2.7	20
14	Responses of Boreal Forest Ecosystems and Permafrost to Climate Change and Disturbances: A Modeling Perspective. , 2021, , 849-892.		0
15	Predicting the Distribution of <i>Oxytropis ochrocephala</i> Bunge in the Source Region of the Yellow River (China) Based on UAV Sampling Data and Species Distribution Model. <i>Remote Sensing</i> , 2021, 13, 5129.	1.8	6
16	Effects of topography and land-use patterns on the spatial heterogeneity of terracette landscapes in the Loess Plateau, China. <i>Ecological Indicators</i> , 2020, 109, 105839.	2.6	10
17	Summer Mass Balance and Surface Velocity Derived by Unmanned Aerial Vehicle on Debris-Covered Region of Baishui River Glacier No. 1, Yulong Snow Mountain. <i>Remote Sensing</i> , 2020, 12, 3280.	1.8	21
18	Modeling Alpine Grassland Above Ground Biomass Based on Remote Sensing Data and Machine Learning Algorithm: A Case Study in East of the Tibetan Plateau, China. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 2986-2995.	2.3	29

#	ARTICLE	IF	CITATIONS
19	Effects of Patchiness on Surface Soil Moisture of Alpine Meadow on the Northeastern Qinghai-Tibetan Plateau: Implications for Grassland Restoration. <i>Remote Sensing</i> , 2020, 12, 4121.	1.8	11
20	Quantifying the Dynamics of Livestock Distribution by Unmanned Aerial Vehicles (UAVs): A Case Study of Yak Grazing at the Household Scale. <i>Rangeland Ecology and Management</i> , 2020, 73, 642-648.	1.1	14
21	Modeling the carbon dynamics of alpine grassland in the Qinghai-Tibetan Plateau under scenarios of 1.5 and 2°C global warming. <i>Advances in Climate Change Research</i> , 2019, 10, 80-91.	2.1	16
22	Effect of plateau pika disturbance and patchiness on ecosystem carbon emissions in alpine meadow in the northeastern part of Qinghai-Tibetan Plateau. <i>Biogeosciences</i> , 2019, 16, 1097-1109.	1.3	22
23	Role of permafrost in resilience of social-ecological system and its spatio-temporal dynamics in the source regions of Yangtze and Yellow Rivers. <i>Journal of Mountain Science</i> , 2019, 16, 179-194.	0.8	5
24	Evaluation of the Accuracy of the Field Quadrat Survey of Alpine Grassland Fractional Vegetation Cover Based on the Satellite Remote Sensing Pixel Scale. <i>ISPRS International Journal of Geo-Information</i> , 2019, 8, 497.	1.4	11
25	Effects of small-scale patchiness of alpine grassland on ecosystem carbon and nitrogen accumulation and estimation in northeastern Qinghai-Tibetan Plateau. <i>Geoderma</i> , 2018, 318, 52-63.	2.3	33
26	The impacts of climate change and human activities on alpine vegetation and permafrost in the Qinghai-Tibet Engineering Corridor. <i>Ecological Indicators</i> , 2018, 93, 24-35.	2.6	99
27	PIC v1.3: comprehensive R package for computing permafrost indices with daily weather observations and atmospheric forcing over the Qinghai-Tibet Plateau. <i>Geoscientific Model Development</i> , 2018, 11, 2475-2491.	1.3	7
28	The physical properties of coarse-fragment soils and their effects on permafrost dynamics: a case study on the central Qinghai-Tibetan Plateau. <i>Cryosphere</i> , 2018, 12, 3067-3083.	1.5	18
29	Estimation of Grassland Canopy Height and Aboveground Biomass at the Quadrat Scale Using Unmanned Aerial Vehicle. <i>Remote Sensing</i> , 2018, 10, 851.	1.8	76
30	Diverse Responses of Vegetation Phenology to Climate Change in Different Grasslands in Inner Mongolia during 2000-2016. <i>Remote Sensing</i> , 2018, 10, 17.	1.8	65
31	Unmanned aerial vehicle methods makes species composition monitoring easier in grasslands. <i>Ecological Indicators</i> , 2018, 95, 825-830.	2.6	36
32	The contribution of plateau pika disturbance and erosion on patchy alpine grassland soil on the Qinghai-Tibetan Plateau: Implications for grassland restoration. <i>Geoderma</i> , 2017, 297, 1-9.	2.3	79
33	FragMAP: a tool for long-term and cooperative monitoring and analysis of small-scale habitat fragmentation using an unmanned aerial vehicle. <i>International Journal of Remote Sensing</i> , 2017, 38, 2686-2697.	1.3	48
34	Reply to Li's comments on "Plateau pikas burrowing activity accelerates ecosystem carbon emission from alpine grassland on the Qinghai-Tibetan Plateau". <i>Ecological Engineering</i> , 2017, 108, 330.	1.6	0
35	Vegetation Changes in the Permafrost Regions of the Qinghai-Tibetan Plateau from 1982-2012: Different Responses Related to Geographical Locations and Vegetation Types in High-Altitude Areas. <i>PLoS ONE</i> , 2017, 12, e0169732.	1.1	6
36	The burying and grazing effects of plateau pika on alpine grassland are small: a pilot study in a semiarid basin on the Qinghai-Tibet Plateau. <i>Biogeosciences</i> , 2016, 13, 6273-6284.	1.3	38

#	ARTICLE	IF	CITATIONS
37	Improving estimates of fractional vegetation cover based on UAV in alpine grassland on the Qinghai-Tibetan Plateau. <i>International Journal of Remote Sensing</i> , 2016, 37, 1922-1936.	1.3	82
38	The role of permafrost and soil water in distribution of alpine grassland and its NDVI dynamics on the Qinghai-Tibetan Plateau. <i>Global and Planetary Change</i> , 2016, 147, 40-53.	1.6	72
39	Validation of the Accuracy of Different Precipitation Datasets over Tianshan Mountainous Area. <i>Advances in Meteorology</i> , 2015, 2015, 1-10.	0.6	12
40	Plateau pikas burrowing activity accelerates ecosystem carbon emission from alpine grassland on the Qinghai-Tibetan Plateau. <i>Ecological Engineering</i> , 2015, 84, 287-291.	1.6	41
41	Responses of ecosystem respiration to short-term experimental warming in the alpine meadow ecosystem of a permafrost site on the Qinghai-Tibetan Plateau. <i>Cold Regions Science and Technology</i> , 2015, 115, 77-84.	1.6	25
42	Responses of Alpine Grassland to Climate Warming and Permafrost Thawing in Two Basins with Different Precipitation Regimes on the Qinghai-Tibetan Plateaus. <i>Arctic, Antarctic, and Alpine Research</i> , 2015, 47, 125-131.	0.4	35
43	Effects of gravel on soil and vegetation properties of alpine grassland on the Qinghai-Tibetan plateau. <i>Ecological Engineering</i> , 2015, 74, 351-355.	1.6	54
44	Freeze/thaw processes in complex permafrost landscapes of northern Siberia simulated using the TEM ecosystem model: impact of thermokarst ponds and lakes. <i>Geoscientific Model Development</i> , 2014, 7, 1671-1689.	1.3	39
45	Responses of alpine grassland on Qinghai-Tibetan plateau to climate warming and permafrost degradation: a modeling perspective. <i>Environmental Research Letters</i> , 2014, 9, 074014.	2.2	68
46	Understanding the impact of mountain landscapes on water balance in the upper Heihe River watershed in northwestern China. <i>Journal of Arid Land</i> , 2013, 5, 366-383.	0.9	24
47	Coupling a glacier melt model to the Variable Infiltration Capacity (VIC) model for hydrological modeling in north-western China. <i>Environmental Earth Sciences</i> , 2013, 68, 87-101.	1.3	74
48	Diurnal Characteristics of Ecosystem Respiration of Alpine Meadow on the Qinghai-Tibetan Plateau: Implications for Carbon Budget Estimation. <i>Scientific World Journal</i> , The, 2013, 2013, 1-5.	0.8	7
49	Effects of environmental factors on the distribution of plant communities in a semi-arid region of the Qinghai-Tibet Plateau. <i>Ecological Research</i> , 2012, 27, 667-675.	0.7	22
50	Effects of permafrost degradation on alpine grassland in a semi-arid basin on the Qinghai-Tibetan Plateau. <i>Environmental Research Letters</i> , 2011, 6, 045403.	2.2	87
51	Study on estimation model of vegetation cover in the upstream regions of Shule River Basin based on hyperspectral. , 2011, , .		0
52	Increasing contamination might have delayed spring phenology on the Tibetan Plateau. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, E94; author reply E95.	3.3	38
53	A dynamic organic soil biogeochemical model for simulating the effects of wildfire on soil environmental conditions and carbon dynamics of black spruce forests. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	56
54	Interactions between soil thermal and hydrological dynamics in the response of Alaska ecosystems to fire disturbance. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	72

#	ARTICLE	IF	CITATIONS
55	Characteristics of organic soil in black spruce forests: Implications for the application of land surface and ecosystem models in cold regions. <i>Geophysical Research Letters</i> , 2009, 36, .	1.5	46
56	Impacts of peat and vegetation on permafrost degradation under climate warming. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	94
57	Modifications of a land surface scheme for improved simulation of ground freeze-thaw in northern environments. <i>Geophysical Research Letters</i> , 2006, 33, .	1.5	49
58	An Improved Method for Monitoring Multiscale Plant Species Diversity of Alpine Grassland Using UAV: A Case Study in the Source Region of the Yellow River, China. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	2