

Giampiero Mazzaglia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9542732/giampiero-mazzaglia-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

5,269
citations

35
h-index

70
g-index

133
ext. papers

8,318
ext. citations

5.2
avg, IF

4.65
L-index

#	Paper	IF	Citations
115	Occupational Exposure in the Lombardy Region (Italy) to SARS-CoV-2 Infection: Results from the MUSTANG-OCCUPATION-COVID-19 Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	9
114	COVID-19 Outbreak Impact on Anticoagulants Utilization: An Interrupted Time-Series Analysis Using Health Care Administrative Databases. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1115-1118	7	0
113	Costs and effects of cardiovascular risk reclassification using the ankle-brachial index (ABI) in addition to the Framingham risk scoring in women. <i>Atherosclerosis</i> , 2021 , 317, 59-66	3.1	2
112	Trends in cardiovascular diseases burden and vascular risk factors in Italy: The Global Burden of Disease study 1990-2017. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 385-396	3.9	10
111	Global, regional, and national burden of stroke and its risk factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , 2021 , 20, 795-820	24.1	229
110	Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2982-3021	15.1	922
109	Use of antipsychotics in children and adolescents: a picture from the ARITMO population-based European cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e117	5.1	9
108	The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 245-266	18.8	297
107	Cost-Effectiveness and Budget Impact of Emicizumab Prophylaxis in Haemophilia A Patients with Inhibitors. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 216-228	7	26
106	Magnitude and time-course of excess mortality during COVID-19 outbreak: population-based empirical evidence from highly impacted provinces in northern Italy. <i>ERJ Open Research</i> , 2020 , 6,	3.5	13
105	Potential effects of vaccinations on the prevention of COVID-19: rationale, clinical evidence, risks, and public health considerations. <i>Expert Review of Vaccines</i> , 2020 , 19, 919-936	5.2	30
104	Study Design and Evaluation of Risk Minimization Measures: A Review of Studies Submitted to the European Medicines Agency for Cardiovascular, Endocrinology, and Metabolic Drugs. <i>Drug Safety</i> , 2018 , 41, 191-202	5.1	19
103	Antibiotic-Induced Liver Injury in Paediatric Outpatients: A Case-Control Study in Primary Care Databases. <i>Drug Safety</i> , 2017 , 40, 305-315	5.1	20
102	Use of azithromycin and risk of ventricular arrhythmia. <i>Cmaj</i> , 2017 , 189, E560-E568	3.5	36
101	Drug-induced progressive multifocal leukoencephalopathy in multiple sclerosis: European regulators perspective. <i>Clinical Pharmacology and Therapeutics</i> , 2017 , 102, 283-289	6.1	16
100	Drug utilization research and risk management 2016 , 392-398		
99	Effects of a computerized decision support system in improving pharmacological management in high-risk cardiovascular patients: A cluster-randomized open-label controlled trial. <i>Health Informatics Journal</i> , 2016 , 22, 232-47	3	6

98	Prescribing pattern of antipsychotic drugs during the years 1996-2010: a population-based database study in Europe with a focus on torsadogenic drugs. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 487-97	3.8	23
97	Global cardiovascular risk evaluation: pattern of algorithm use and risk modification in real life. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 581-6	1.9	2
96	Automatic identification of type 2 diabetes, hypertension, ischaemic heart disease, heart failure and their levels of severity from Italian General Practitioners' electronic medical records: a validation study. <i>BMJ Open</i> , 2016 , 6, e012413	3	17
95	Development and Validation of a Score for Adjusting Health Care Costs in General Practice. <i>Value in Health</i> , 2015 , 18, 884-95	3.3	5
94	Risk of atrial fibrillation among bisphosphonate users: a multicenter, population-based, Italian study. <i>Osteoporosis International</i> , 2015 , 26, 1499-506	5.3	20
93	Useful Interplay Between Spontaneous ADR Reports and Electronic Healthcare Records in Signal Detection. <i>Drug Safety</i> , 2015 , 38, 1201-10	5.1	34
92	The role of electronic healthcare record databases in paediatric drug safety surveillance: a retrospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 304-14	3.8	21
91	Using real-world healthcare data for pharmacovigilance signal detection - the experience of the EU-ADR project. <i>Expert Review of Clinical Pharmacology</i> , 2015 , 8, 95-102	3.8	21
90	Signal detection of potentially drug-induced acute liver injury in children using a multi-country healthcare database network. <i>Drug Safety</i> , 2014 , 37, 99-108	5.1	20
89	Oral bisphosphonates do not increase the risk of severe upper gastrointestinal complications: a nested case-control study. <i>BMC Gastroenterology</i> , 2014 , 14, 5	3	6
88	Systemic antibiotic prescribing to paediatric outpatients in 5 European countries: a population-based cohort study. <i>BMC Pediatrics</i> , 2014 , 14, 174	2.6	63
87	Risk of upper gastrointestinal bleeding from different drug combinations. <i>Gastroenterology</i> , 2014 , 147, 784-792.e9; quiz e13-4	13.3	90
86	Effectiveness of oral bisphosphonates for primary prevention of osteoporotic fractures: evidence from the AIFA-BEST observational study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1129-37	2.8	15
85	Drug utilization, safety, and effectiveness of exenatide, sitagliptin, and vildagliptin for type 2 diabetes in the real world: data from the Italian AIFA Anti-diabetics Monitoring Registry. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 1346-53	4.5	34
84	User-only design to assess drug effectiveness in clinical practice: application to bisphosphonates and secondary prevention of fractures. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 859-67	2.6	18
83	Idiopathic acute liver injury in paediatric outpatients: incidence and signal detection in two European countries. <i>Drug Safety</i> , 2013 , 36, 1007-16	5.1	17
82	Cyclo-oxygenase-2 inhibitors or nonselective NSAIDs plus gastroprotective agents: what to prescribe in daily clinical practice?. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 178-89	6.1	12
81	Replication of the OMOP experiment in Europe: evaluating methods for risk identification in electronic health record databases. <i>Drug Safety</i> , 2013 , 36 Suppl 1, S159-69	5.1	31

80	Assessing the risk of osteonecrosis of the jaw due to bisphosphonate therapy in the secondary prevention of osteoporotic fractures. <i>Osteoporosis International</i> , 2013 , 24, 697-705	5.3	27
79	Chronic disease prevalence from Italian administrative databases in the VALORE project: a validation through comparison of population estimates with general practice databases and national survey. <i>BMC Public Health</i> , 2013 , 13, 15	4.1	64
78	Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 184-92	8.6	61
77	Identification of acute myocardial infarction from electronic healthcare records using different disease coding systems: a validation study in three European countries. <i>BMJ Open</i> , 2013 , 3,	3	85
76	Epidemiology of gout and hyperuricaemia in Italy during the years 2005-2009: a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 694-700	2.4	185
75	Burden of community-acquired pneumonia in Italian general practice. <i>European Respiratory Journal</i> , 2013 , 42, 1739-42	13.6	25
74	Drug-induced acute myocardial infarction: identifying prime suspects from electronic healthcare records-based surveillance system. <i>PLoS ONE</i> , 2013 , 8, e72148	3.7	35
73	Risk of severe upper gastrointestinal complications among oral bisphosphonate users. <i>PLoS ONE</i> , 2013 , 8, e73159	3.7	5
72	Prescription of nonselective NSAIDs, coxibs and gastroprotective agents in the era of rofecoxib withdrawal - a 617,400-patient study. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 790-9	6.1	11
71	Assessing 5-year incidence rates and determinants of osteoporotic fractures in primary care. <i>Bone</i> , 2012 , 50, 85-90	4.7	35
70	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study. <i>Drug Safety</i> , 2012 , 35, 159-71	5.1	37
69	The risk of new onset heart failure associated with dopamine agonist use in Parkinson's disease. <i>Pharmacological Research</i> , 2012 , 65, 358-64	10.2	43
68	Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 611-21	2.6	63
67	Adherence to gastroprotection during cyclooxygenase 2 inhibitor treatment and the risk of upper gastrointestinal tract events: a population-based study. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2792-802		15
66	Using electronic health care records for drug safety signal detection: a comparative evaluation of statistical methods. <i>Medical Care</i> , 2012 , 50, 890-7	3.1	64
65	Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1-11	2.6	198
64	A national survey on aspirin patterns of use and persistence in community outpatients in Italy. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011 , 18, 695-703		12
63	Suboptimal gastroprotective coverage of NSAID use and the risk of upper gastrointestinal bleeding and ulcers: an observational study using three European databases. <i>Gut</i> , 2011 , 60, 1650-9	19.2	46

62	EU-ADR healthcare database network vs. spontaneous reporting system database: preliminary comparison of signal detection. <i>Studies in Health Technology and Informatics</i> , 2011 , 166, 25-30	0.5	32
61	A national survey of the management of atrial fibrillation with antithrombotic drugs in Italian primary care. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 968-75	7	35
60	Timing of stroke in elderly people exposed to typical and atypical antipsychotics: a replication cohort study after the paper of Kleijer, et al. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1131-2	4.6	16
59	Safety profile of the fluoroquinolones: analysis of adverse drug reactions in relation to prescription data using four regional pharmacovigilance databases in Italy. <i>Drug Safety</i> , 2010 , 33, 789-99	5.1	22
58	Venous thromboembolism in medical patients treated in the setting of primary care: a nationwide case-control study in Italy. <i>Thrombosis Research</i> , 2010 , 126, 367-72	8.2	5
57	Opportunistic prostate-specific antigen screening in Italy: 6 years of monitoring from the Italian general practice database. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 413-6	2	17
56	Prescribing pattern of antipsychotic drugs in the Italian general population 2000-2005: a focus on elderly with dementia. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 22-8	2.2	19
55	Is suboptimal prescribing a risk factor for poor health outcomes in community-dwelling elders? The ICARe Dicomano study. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 954-60	2.6	24
54	Incidence of psoriasis and association with comorbidities in Italy: a 5-year observational study from a national primary care database. <i>European Journal of Dermatology</i> , 2010 , 20, 593-8	0.8	47
53	Design and evaluation of a semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European EU-ADR project. <i>Studies in Health Technology and Informatics</i> , 2010 , 160, 1085-9	0.5	13
52	Different models for oral anticoagulation management may be applied provided that minimal assistance criteria are fulfilled: an Italian experience. <i>Seminars in Thrombosis and Hemostasis</i> , 2009 , 35, 568-73	5.3	2
51	Blood pressure control and drug therapy in patients with diagnosed hypertension: a survey in Italian general practice. <i>Journal of Human Hypertension</i> , 2009 , 23, 758-63	2.6	24
50	Adherence to antihypertensive medications and cardiovascular morbidity among newly diagnosed hypertensive patients. <i>Circulation</i> , 2009 , 120, 1598-605	16.7	429
49	Epidemiology of suboptimal prescribing in older, community dwellers: a two-wave, population-based survey in Dicomano, Italy. <i>Drugs and Aging</i> , 2009 , 26, 1029-38	4.7	25
48	Hepatitis status and mortality in hemodialysis population. <i>Renal Failure</i> , 2009 , 31, 6-12	2.9	8
47	Pharmacological treatment after acute myocardial infarction from 2001 to 2006: a survey in Italian primary care. <i>Journal of Cardiovascular Medicine</i> , 2009 , 10, 714-8	1.9	9
46	Association between satisfaction and stress with aspects of job and practice management among primary care physicians. <i>Quality in Primary Care</i> , 2009 , 17, 215-23		3
45	A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. <i>Studies in Health Technology and Informatics</i> , 2009 , 150, 190-4	0.5	16

44	Detection and awareness of moderate to advanced CKD by primary care practitioners: a cross-sectional study from Italy. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 444-53	7.4	78
43	Prevalence and antihyperglycemic prescribing trends for patients with type 2 diabetes in Italy: a 4-year retrospective study from national primary care data. <i>Pharmacological Research</i> , 2008 , 57, 358-63	10.2	27
42	Care available to severely disabled older persons living at home in Florence, Italy. <i>Aging Clinical and Experimental Research</i> , 2008 , 20, 31-9	4.8	9
41	Risk of stroke with typical and atypical anti-psychotics: a retrospective cohort study including unexposed subjects. <i>Journal of Psychopharmacology</i> , 2008 , 22, 39-46	4.6	74
40	Prevalence and treatment of hypertensive patients with multiple concomitant cardiovascular risk factors in The Netherlands and Italy. <i>Journal of Human Hypertension</i> , 2008 , 22, 704-13	2.6	8
39	Out of hospital sudden cardiac death in Italy: a population-based case-control study. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 595-600	1.9	15
38	Discontinuity and failures of therapy with bisphosphonates: joint assessment of predictors with multi-state models. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 260-9	2.6	14
37	Monitoring statin safety in primary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 652-7	2.6	7
36	Co-prescriptions with itraconazole and fluconazole as a signal for possible risk of drug-drug interactions: a four-year analysis from Italian general practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 422-8	2.6	8
35	Screening of older community-dwelling people at risk for death and hospitalization: the Assistenza Socio-Sanitaria in Italia project. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1955-60	5.6	43
34	Prescribing patterns of antiepileptic drugs in Italy: a nationwide population-based study in the years 2000-2005. <i>European Journal of Neurology</i> , 2007 , 14, 1317-21	6	70
33	Antibiotic prescribing for acute and recurrent cystitis in primary care: a 4 year descriptive study. <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 57, 551-6	5.1	26
32	Predictive validity of measures of comorbidity in older community dwellers: the Insufficienza Cardiaca negli Anziani Residenti a Dicomano Study. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 210-6	5.6	78
31	L-carnitine infusions may suppress serum C-reactive protein and improve nutritional status in maintenance hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2005 , 15, 225-30	3	52
30	Incidence of diabetes in a general practice population: a database cohort study on the relationship with haloperidol, olanzapine, risperidone or quetiapine exposure. <i>International Clinical Psychopharmacology</i> , 2005 , 20, 33-7	2.2	28
29	Patterns of persistence with antihypertensive medications in newly diagnosed hypertensive patients in Italy: a retrospective cohort study in primary care. <i>Journal of Hypertension</i> , 2005 , 23, 2093-100	1.9	145
28	Antipsychotic prescribing pattern among Italian general practitioners: a population-based study during the years 1999-2002. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 47-53	2.8	48
27	Adverse drug events in emergency department population: a prospective Italian study. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 333-40	2.6	44

26	Cholesterol control in stroke prevention in Italy: a cross-sectional study in family practice. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 159-63		1
25	Cholesterol control in stroke prevention in Italy: a cross-sectional study in family practice. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 159-163		2
24	Computerized general practice databases provide quick and cost-effective information on the prevalence of angina pectoris. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005 , 6, 49-51		11
23	Homecare for patients with heart failure in Italy. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005 , 6, 573-7		1
22	Oral anticoagulant therapy in Italy: prescribing prevalence and clinical reasons. <i>Pharmacological Research</i> , 2004 , 50, 601-3	10.2	9
21	Management of patients with suspected angina, but without known myocardial infarction: a cross-sectional survey. <i>British Journal of General Practice</i> , 2004 , 54, 429-33	1.6	7
20	Effects of an automated electronic reminder in changing the antiplatelet drug-prescribing behavior among Italian general practitioners in diabetic patients: an intervention trial. <i>Diabetes Care</i> , 2003 , 26, 1497-500	14.6	76
19	Secondary prevention of stroke in Italy: a cross-sectional survey in family practice. <i>Stroke</i> , 2003 , 34, 1010-4		61
18	Exploring patient- and doctor-related variables associated with antibiotic prescribing for respiratory infections in primary care. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 651-7	2.8	44
17	Effects of manidipine and nifedipine on blood pressure and renal function in patients with chronic renal failure: a multicenter randomized controlled trial. <i>Renal Failure</i> , 2003 , 25, 681-9	2.9	18
16	Prevalence estimates for chronic diseases in Italy: exploring the differences between self-report and primary care databases. <i>Journal of Public Health</i> , 2003 , 25, 254-7	3.5	121
15	Alcohol consumption and stroke: difficulties in assessing the relationships. <i>Addiction</i> , 2002 , 97, 230-1	4.6	
14	Antibiotic prescribing for dental conditions: a community-based study in southern Italy. <i>Journal of Chemotherapy</i> , 2002 , 14, 65-70	2.3	4
13	Exploring the variability in antibiotic prescribing profiles among paediatricians from two different areas of Italy. <i>Pharmacological Research</i> , 2002 , 45, 369-74	10.2	10
12	Exploring the relationship between alcohol consumption and non-fatal or fatal stroke: a systematic review. <i>Addiction</i> , 2001 , 96, 1743-56	4.6	73
11	Prescribing habits of general practitioners in choosing an empirical antibiotic regimen for lower respiratory tract infections in adults in Sicily. <i>Pharmacological Research</i> , 1999 , 40, 47-52	10.2	12
10	Hypertension in dialysis patients. <i>Mineral and Electrolyte Metabolism</i> , 1999 , 25, 84-9		6
9	Pattern of antimicrobial drug prescribing and prescriptive behaviour for acute otitis media among physicians in Sicily. <i>Pharmacological Research</i> , 1998 , 37, 421-6	10.2	

8	Adult acute upper respiratory tract infections in Sicily: pattern of antibiotic drug prescription in primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 1998 , 41, 259-66	5.1	22
7	Glossitis, stomatitis, and black tongue with lansoprazole plus clarithromycin and other antibiotics. <i>Annals of Pharmacotherapy</i> , 1997 , 31, 1548	2.9	8
6	Inhibition of nitric oxide formation reduces voluntary ethanol consumption in the rat. <i>Psychopharmacology</i> , 1996 , 125, 398-401	4.7	36
5	Food deprivation increases brain nitric oxide synthase and depresses brain serotonin levels in rats. <i>Neuropharmacology</i> , 1994 , 33, 83-6	5.5	84
4	Mediation by nitric oxide formation in the preoptic area of endotoxin and tumour necrosis factor-induced inhibition of water intake in the rat. <i>British Journal of Pharmacology</i> , 1994 , 111, 1328-32	8.6	23
3	Nitric oxide (NO) mediates antidipsogenic action of Escherichia coli endotoxin (LPS) and tumor necrosis factor (TNF-alpha) in the rat. <i>Pharmacological Research</i> , 1992 , 26 Suppl 2, 166-7	10.2	1
2	Cloricromene antagonizes antidipsogenic effects induced by endotoxin, but not by TNF alpha, in the rat. <i>Life Sciences</i> , 1992 , 51, 2041-8	6.8	7
1	Magnitude and time-course of excess mortality during COVID-19 outbreak: population-based empirical evidence from highly impacted provinces in northern Italy		1