

Emilie Glavind

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9543027/publications.pdf>

Version: 2024-02-01

12
papers

165
citations

1307366

7
h-index

1199470

12
g-index

12
all docs

12
docs citations

12
times ranked

297
citing authors

#	ARTICLE	IF	CITATIONS
1	Experimental nonalcoholic steatohepatitis compromises ureagenesis, an essential hepatic metabolic function. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G295-G301.	1.6	44
2	Treatment of prolonged voiding dysfunction after tension-free vaginal tape procedure. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2007, 86, 357-360.	1.3	28
3	Alcoholic Hepatitis Markedly Decreases the Capacity for Urea Synthesis. <i>PLoS ONE</i> , 2016, 11, e0158388.	1.1	20
4	Mass spectrometry characterization of circulating human serum albumin microheterogeneity in patients with alcoholic hepatitis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 122, 141-147.	1.4	16
5	Non-alcoholic steatohepatitis weakens the acute phase response to endotoxin in rats. <i>Liver International</i> , 2014, 34, 1584-1592.	1.9	13
6	Low Interleukin-22 Binding Protein Is Associated With High Mortality in Alcoholic Hepatitis and Modulates Interleukin-22 Receptor Expression. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00197.	1.3	8
7	Time course of compromised urea synthesis in patients with alcoholic hepatitis. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 592-597.	0.6	7
8	Risk of recurrent acute fatty liver of pregnancy: survey from a social media group. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100085.	1.3	7
9	Niemann-Pick type C2 protein supplementation in experimental non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2018, 13, e0192728.	1.1	7
10	Long-term subjective results of tension-free vaginal tape operation for female urinary stress incontinence. <i>International Urogynecology Journal</i> , 2012, 23, 585-588.	0.7	6
11	The macrophage activation marker soluble CD163 is elevated and associated with liver disease phenotype in patients with Wilson's disease. <i>Orphanet Journal of Rare Diseases</i> , 2020, 15, 173.	1.2	6
12	Long-Term Ethanol Exposure Decreases the Endotoxin-Induced Hepatic Acute Phase Response in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 562-570.	1.4	3