

Bilge Evren

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9543426/bilge-evren-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

1,126
citations

19
h-index

31
g-index

66
ext. papers

1,286
ext. citations

4.6
avg, IF

4.39
L-index

#	Paper	IF	Citations
61	Relationship of relapse with impulsivity, novelty seeking and craving in male alcohol-dependent inpatients. <i>Drug and Alcohol Review</i> , 2012 , 31, 81-90	3.2	91
60	Self-mutilation in substance-dependent patients and relationship with childhood abuse and neglect, alexithymia and temperament and character dimensions of personality. <i>Drug and Alcohol Dependence</i> , 2005 , 80, 15-22	4.9	85
59	The severity of Internet addiction risk and its relationship with the severity of borderline personality features, childhood traumas, dissociative experiences, depression and anxiety symptoms among Turkish university students. <i>Psychiatry Research</i> , 2014 , 219, 577-82	9.9	70
58	Lifetime PTSD and quality of life among alcohol-dependent men: impact of childhood emotional abuse and dissociation. <i>Psychiatry Research</i> , 2011 , 186, 85-90	9.9	54
57	Childhood abuse and neglect as a risk factor for alexithymia in adult male substance dependent inpatients. <i>Journal of Psychoactive Drugs</i> , 2009 , 41, 85-92	3.6	48
56	Relationship of Internet addiction with impulsivity and severity of psychopathology among Turkish university students. <i>Psychiatry Research</i> , 2013 , 210, 1086-91	9.9	47
55	Temperament and character model of personality profile of alcohol- and drug-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2007 , 48, 283-8	7.3	44
54	Psychometric validation of the Turkish nine-item Internet Gaming Disorder Scale-Short Form (IGDS9-SF). <i>Psychiatry Research</i> , 2018 , 265, 349-354	9.9	44
53	Dissociation and alexithymia among men with alcoholism. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 40-7	6.2	42
52	The impact of sensation seeking on the relationship between attention deficit/hyperactivity symptoms and severity of Internet addiction risk. <i>Psychiatry Research</i> , 2015 , 228, 156-61	9.9	35
51	Relationship of alexithymia and temperament and character dimensions with lifetime post-traumatic stress disorder in male alcohol-dependent inpatients. <i>Psychiatry and Clinical Neurosciences</i> , 2010 , 64, 111-9	6.2	32
50	The relationship of suicide attempt history with childhood abuse and neglect, alexithymia and temperament and character dimensions of personality in substance dependents. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 263-9	2.3	32
49	Relationship of internet addiction severity with probable ADHD and difficulties in emotion regulation among young adults. <i>Psychiatry Research</i> , 2018 , 269, 494-500	9.9	29
48	Relationship of alexithymia and dissociation with severity of borderline personality features in male substance-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2012 , 53, 854-9	7.3	28
47	Self-mutilation among male patients with alcohol dependency: the role of dissociation. <i>Comprehensive Psychiatry</i> , 2008 , 49, 489-95	7.3	27
46	The mediator roles of trait anxiety, hostility, and impulsivity in the association between childhood trauma and dissociation in male substance-dependent inpatients. <i>Comprehensive Psychiatry</i> , 2013 , 54, 158-66	7.3	25
45	High risk of Internet addiction and its relationship with lifetime substance use, psychological and behavioral problems among 10(th) grade adolescents. <i>Psychiatria Danubina</i> , 2014 , 26, 330-9	1.8	25

44	Energy-drink consumption and its relationship with substance use and sensation seeking among 10th grade students in Istanbul. <i>Asian Journal of Psychiatry</i> , 2015 , 15, 44-50	6.7	20
43	History of suicide attempt in male substance-dependent inpatients and relationship to borderline personality features, anger, hostility and aggression. <i>Psychiatry Research</i> , 2011 , 190, 126-31	9.9	20
42	Relationship of self-mutilative behaviours with severity of borderline personality, childhood trauma and impulsivity in male substance-dependent inpatients. <i>Psychiatry Research</i> , 2012 , 200, 20-5	9.9	18
41	Self-mutilative behaviours in male alcohol-dependent inpatients and relationship with posttraumatic stress disorder. <i>Psychiatry Research</i> , 2011 , 186, 91-6	9.9	15
40	Lifetime posttraumatic stress disorder in Turkish alcohol-dependent inpatients: relationship with depression, anxiety and erectile dysfunction. <i>Psychiatry and Clinical Neurosciences</i> , 2006 , 60, 77-84	6.2	15
39	The impact of depression, anxiety, neuroticism, and severity of Internet addiction symptoms on the relationship between probable ADHD and severity of insomnia among young adults. <i>Psychiatry Research</i> , 2019 , 271, 726-731	9.9	15
38	Psychometric properties of the Turkish versions of the Drug Use Disorders Identification Test (DUDIT) and the Drug Abuse Screening Test (DAST-10) in the prison setting. <i>Journal of Psychoactive Drugs</i> , 2014 , 46, 140-6	3.6	14
37	Self-mutilative behaviors in male substance-dependent inpatients and relationship with anger and aggression: mediator effect of childhood trauma. <i>Comprehensive Psychiatry</i> , 2012 , 53, 252-8	7.3	14
36	Predictors of Outcome During a 6-Month Follow-Up Among Heroin Dependent Patients Receiving Buprenorphine/Naloxone Maintenance Treatment. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 311-322	3.3	13
35	Relationships of Internet addiction and Internet gaming disorder symptom severities with probable attention deficit/hyperactivity disorder, aggression and negative affect among university students. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2019 , 11, 413-421	3.1	12
34	The severity of attention deficit hyperactivity symptoms and its relationship with lifetime substance use and psychological variables among 10th grade students in Istanbul. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1665-70	7.3	12
33	The validity and reliability of the Turkish version of the Buss-Perry Aggression Questionnaire in male substance dependent inpatients / Buss-Perry Agresyon İhtek versiyonunun yatarak tedavi gnen erkek alkol/madde baħlkrda geħliĐve gĐenirliĐ 2011 , 283-295		12
32	Characteristics of schizophrenic patients with a history of suicide attempt. <i>International Journal of Psychiatry in Clinical Practice</i> , 2004 , 8, 227-34	2.4	12
31	The relationship of social anxiety disorder symptoms with probable attention deficit hyperactivity disorder in Turkish university students; impact of negative affect and personality traits of neuroticism and extraversion. <i>Psychiatry Research</i> , 2017 , 254, 158-163	9.9	11
30	Prevalence of Lifetime Tobacco, Alcohol and Drug Use Among 10th Grade Students in Istanbul. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 201-210	3.3	11
29	Interaction of life quality with alexithymia, temperament and character in male alcohol-dependent inpatients. <i>Drug and Alcohol Review</i> , 2010 , 29, 177-83	3.2	11
28	Mediating role of childhood emotional abuse on the relationship between severity of ADHD and PTSD symptoms in a sample of male inpatients with alcohol use disorder. <i>Psychiatry Research</i> , 2016 , 239, 320-4	9.9	11
27	Neuroticism and introversion mediates the relationship between probable ADHD and symptoms of Internet gaming disorder: results of an online survey. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 90-96	1.2	10

26	Tobacco use among 10th grade students in Istanbul and related variables. <i>Asian Journal of Psychiatry</i> , 2014 , 8, 69-75	6.7	10
25	Relationships of personality dimensions with impulsivity in alcohol-dependent inpatient men. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 316-22	2.3	10
24	Psychometric Properties of the Turkish PTSD-Short Scale in a Sample of Undergraduate Students. <i>Journal of Microbiology and Biotechnology</i> , 2016 , 26, 294-302	3.3	9
23	Severity of Impulsivity and Aggression at a 12-Month Follow-Up Among Male Heroin Dependent Patients. <i>Journal of Microbiology and Biotechnology</i> , 2014 , 24, 158-167	3.3	9
22	Alexithymia and personality dimensions in relation to depression and anxiety in male alcohol-dependent inpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 2009 , 13, 3-10	2.4	9
21	Relationship Between Alexithymia and Aggression in a Sample of Men with Substance Dependence. <i>Journal of Microbiology and Biotechnology</i> , 2015 , 25, 233-242	3.3	8
20	Relationship of PTSD With impulsivity Dimensions While Controlling the Effect of Anxiety and Depression in a Sample of Inpatients With Alcohol Use Disorder. <i>Journal of Dual Diagnosis</i> , 2018 , 14, 40-49	2.4	8
19	Relationship of Probable Attention Deficit Hyperactivity Disorder with Severity of Psychopathology and Impulsivity in a Sample of Male Patients with Opioid Use Disorder. <i>Psychiatry Investigation</i> , 2018 , 15, 164-171	3.1	7
18	Childhood trauma and psychopathology among alcohol-dependent men: no interaction with temperament and character. <i>Psychopathology</i> , 2011 , 44, 34-9	3.4	6
17	Relationship Between Alexithymia and Social Anxiety in Female Outpatients with Dermatological Disorder Presenting for Psychiatric Consultation. <i>Journal of Clinical Psychology in Medical Settings</i> , 2007 , 14, 258-265	2	6
16	The psychometric properties of the Turkish version of the Internet Gaming Disorder Scale 2017 , 316-324		6
15	Relationship of attention-deficit/hyperactivity disorder symptom severity with severity of alcohol-related problems in a sample of inpatients with alcohol use disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2016 , 12, 1661-7	3.1	6
14	Non-suicidal self-harm behavior within the previous year among 10th-grade adolescents in Istanbul and related variables. <i>Nordic Journal of Psychiatry</i> , 2014 , 68, 481-7	2.3	5
13	Psychometric properties of the Turkish version of the Adult ADHD Self-Report Scale (ASRS-v1.1) in a sample of Inpatients with alcohol use disorder 2016 , 109-119		5
12	Differences between genders according to psychological and behavioral variables among 10th grade students in Istanbul. <i>Anadolu Psikiyatri Dergisi</i> , 2015 , 16, 77	0.9	3
11	The relationship of internet addiction symptom severity with posttraumatic stress disorder symptoms and impulsivity among Turkish university students. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 83-89	1.2	3
10	Emotion dysregulation and internalizing symptoms affect relationships between ADHD symptoms and borderline personality features among male patients with substance use disorders. <i>Journal of Theoretical Social Psychology</i> , 2019 , 29, 696-706	1.2	2
9	Psychometric properties of the Turkish version of Drug Use Disorders Identification Test Extended (Turkish DUDIT-E) in substance-dependent adults under probation. <i>Journal of Theoretical Social Psychology</i> , 2017 , 27, 70-75	1.2	2

8	Relationships of personality dimensions with impulsivity in heroin dependent inpatient men. <i>Anadolu Psikiyatri Dergisi</i> , 2014 , 15, 9	0.9	2
7	Partial mediator role of physical abuse on the relationship between attention-deficit/hyperactivity disorder symptoms and severity of dissociative experiences in a sample of inpatients with alcohol use disorder. <i>Indian Journal of Psychiatry</i> , 2017 , 59, 306-312	2.2	2
6	Relationship of self-mutilative behaviour with history of childhood trauma and adult ADHD symptoms in a sample of inpatients with alcohol use disorder. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2017 , 9, 231-238	3.1	1
5	Relationship of probable ADHD with novelty seeking, severity of psychopathology and borderline personality disorder in a sample of patients with opioid use disorder. <i>Journal of Theoretical Social Psychology</i> , 2018 , 28, 48-55	1.2	1
4	Validation study of the Turkish version of the obsessive-compulsive drinking scale in male alcohol dependent inpatients / Obsesif-kompulsif içme ölçeğinin Türk klinik yatarak tedavi gören erkek alkol bağımlılarda geçerlilik ve güvenilirlik araştırması 2011 , 1-12		1
3	Severity of Internet gaming disorder symptoms might be related with the body mass index. <i>Journal of Theoretical Social Psychology</i> , 2018 , 28, 446-447	1.2	1
2	Psychometric Properties of the Turkish Versions of the Cannabis Use Problems Identification Test (CUPIT) and the Adult Cannabis Problems Questionnaire (CPQ). <i>Journal of Psychoactive Drugs</i> , 2017 , 49, 83-89	3.6	
1	The Mediating Effects of Self-Esteem and Harm Avoidance on the Association between Social Anxiety Symptoms and Adult Attention Deficit Hyperactivity Disorder Symptom Severity in Turkish Inpatients with Alcohol Use Disorder. <i>Iranian Journal of Psychiatry</i> , 2021 , 16, 281-289	1.9	