Maria Fiorenza Caboni

List of Publications by Citations

Source: https://exaly.com/author-pdf/9543872/maria-fiorenza-caboni-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147 papers

4,425 citations

38 h-index

g-index

149 ext. papers

5,011 ext. citations

4.9 avg, IF

5.47 L-index

#	Paper	IF	Citations
147	Antioxidant phenols in barley (Hordeum vulgare L.) flour: comparative spectrophotometric study among extraction methods of free and bound phenolic compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 5195-200	5·7	182
146	Effect of different cooking methods on some lipid and protein components of hamburgers. <i>Meat Science</i> , 1997 , 45, 365-75	6.4	161
145	Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food. <i>Journal of Chromatography A</i> , 2001 , 917, 239-44	4.5	141
144	Phenolic Compounds in the Potato and Its Byproducts: An Overview. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	134
143	Human milk fat globules from different stages of lactation: a lipid composition analysis and microstructure characterization. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 7158-67	5.7	116
142	Determination of the major phenolic compounds in pomegranate juices by HPLCDADESI-MS. Journal of Agricultural and Food Chemistry, 2013 , 61, 5328-37	5.7	108
141	Classification of Pecorino cheeses using electronic nose combined with artificial neural network and comparison with GC-MS analysis of volatile compounds. <i>Food Chemistry</i> , 2011 , 129, 1315-9	8.5	100
140	Photoxidation of cholesterol and lipids of turkey meat during storage under commercial retail conditions. <i>Food Chemistry</i> , 2005 , 91, 705-713	8.5	93
139	Phenolic compounds and saponins in quinoa samples (Chenopodium quinoa Willd.) grown under different saline and nonsaline irrigation regimens. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4620-7	5.7	91
138	Simultaneous determination of phenolic compounds and saponins in quinoa (Chenopodium quinoa Willd) by a liquid chromatography-diode array detection-electrospray ionization-time-of-flight mass spectrometry methodology. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10815-25	5.7	88
137	Free and bound phenolic compounds in barley (Hordeum vulgare L.) flours. evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry. <i>Journal of Chromatography A</i> , 2004 , 1057, 1-13	4·5 2	85
136	Preliminary characterisation of virgin olive oils obtained from different cultivars in Sardinia. <i>European Food Research and Technology</i> , 2006 , 222, 354-361	3.4	74
135	HPLC-DAD-ESI-QTOF-MS and HPLC-FLD-MS as valuable tools for the determination of phenolic and other polar compounds in the edible part and by-products of avocado. <i>LWT - Food Science and Technology</i> , 2016 , 73, 505-513	5.4	71
134	Identification of buckwheat phenolic compounds by reverse phase high performance liquid chromatographyBlectrospray ionization-time of flight-mass spectrometry (RP-HPLCESI-TOF-MS). <i>Journal of Cereal Science</i> , 2010 , 52, 170-176	3.8	68
133	Influence of pearling process on phenolic and saponin content in quinoa (Chenopodium quinoa Willd). <i>Food Chemistry</i> , 2014 , 157, 174-8	8.5	66
132	Effect of processing and storage on the chemical quality markers of spray-dried whole egg. <i>Food Chemistry</i> , 2005 , 92, 293-303	8.5	65
131	Buckwheat honeys: screening of composition and properties. <i>Food Chemistry</i> , 2013 , 141, 2802-11	8.5	64

(2010-2008)

130	Development of a rapid method to determine phenolic and other polar compounds in walnut by capillary electrophoresis-electrospray ionization time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1209, 238-45	4.5	63
129	Sugar cane and sugar beet molasses, antioxidant-rich alternatives to refined sugar. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 12508-15	5.7	61
128	Pomegranate seeds as a source of nutraceutical oil naturally rich in bioactive lipids. <i>Food Research International</i> , 2014 , 65, 445-452	7	57
127	Rocket salad (Diplotaxis and Eruca spp.) sensory analysis and relation with glucosinolate and phenolic content. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 2858-64	4.3	57
126	Determination and changes of free amino acids in royal jelly during storage. <i>Apidologie</i> , 2003 , 34, 129-1	37 .3	57
125	Determination of free and bound phenolic compounds in buckwheat spaghetti by RP-HPLC-ESI-TOF-MS: effect of thermal processing from farm to fork. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 7700-7	5.7	56
124	Determination of glucosinolates and phenolic compounds in rocket salad by HPLC-DADMS: Evaluation of Eruca sativa Mill. and Diplotaxis tenuifolia L. genetic resources. <i>Food Chemistry</i> , 2012 , 133, 1025-1033	8.5	55
123	Effect of feeding fat sources on the quality and composition of lipids of precooked ready-to-eat fried chicken patties. <i>Food Chemistry</i> , 2007 , 101, 1327-1337	8.5	55
122	Evaluation of lipid oxidation in spaghetti pasta enriched with long chain nB polyunsaturated fatty acids under different storage conditions. <i>Food Chemistry</i> , 2009 , 114, 472-477	8.5	51
121	Establishment of ultrasound-assisted extraction of phenolic compounds from industrial potato by-products using response surface methodology. <i>Food Chemistry</i> , 2018 , 269, 258-263	8.5	50
120	Determination of lipid and phenolic fraction in two hazelnut (Corylus avellana L.) cultivars grown in Poland. <i>Food Chemistry</i> , 2015 , 168, 615-22	8.5	49
119	Identification of plant sterols in hexaploid and tetraploid wheats using gas chromatography with mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 2245-52	2.2	47
118	Free and bound minor polar compounds in oats: Different extraction methods and analytical determinations. <i>Journal of Cereal Science</i> , 2011 , 54, 211-217	3.8	46
117	Proteins and proteolysis in pre-term and term human milk and possible implications for infant formulae. <i>International Dairy Journal</i> , 2010 , 20, 715-723	3.5	45
116	FT-NIR and FT-MIR spectroscopy to discriminate competitors, non compliance and compliance grated Parmigiano Reggiano cheese. <i>Food Research International</i> , 2013 , 52, 214-220	7	44
115	Composition and microstructure of colostrum and mature bovine milk fat globule membrane. <i>Food Chemistry</i> , 2015 , 185, 362-70	8.5	43
114	Development of Functional Spaghetti Enriched with Long Chain Omega-3 Fatty Acids. <i>Cereal Chemistry</i> , 2008 , 85, 146-151	2.4	43
113	Chromatographic techniques for the determination of alkyl-phenols, tocopherols and other minor polar compounds in raw and roasted cold pressed cashew nut oils. <i>Journal of Chromatography A</i> , 2010 , 1217, 7411-7	4.5	41

112	Preliminary chemical characterization of Tunisian monovarietal virgin olive oils and comparison with Sicilian ones. <i>European Journal of Lipid Science and Technology</i> , 2007 , 109, 1208-1217	3	39
111	Role of cereal type and processing in whole grain in vivo protection from oxidative stress. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 1609-18	2.8	38
110	High-performance liquid chromatography separation and light-scattering detection of phospholipids from cooked beef. <i>Journal of Chromatography A</i> , 1994 , 683, 59-65	4.5	38
109	A chemometric approach to determine the phenolic compounds in different barley samples by two different stationary phases: a comparison between C18 and pentafluorophenyl core shell columns. <i>Journal of Chromatography A</i> , 2014 , 1355, 134-42	4.5	35
108	Separation and analysis of phospholipids in different foods with a light-scattering detector. <i>JAOCS, Journal of the American Oil ChemistsoSociety</i> , 1996 , 73, 1561-1566	1.8	35
107	Furosine: a suitable marker for assessing the freshness of royal jelly. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 2825-9	5.7	34
106	Classification of Pecorino cheeses produced in Italy according to their ripening time and manufacturing technique using Fourier transform infrared spectroscopy. <i>Journal of Dairy Science</i> , 2010 , 93, 4490-6	4	33
105	Effects of different roasting conditions on physical-chemical properties of Polish hazelnuts (Corylus avellana L. var. Kataloßki). <i>LWT - Food Science and Technology</i> , 2017 , 77, 440-448	5.4	32
104	Cholesterol Oxidation in Baked Foods Containing Fresh and Powdered Eggs. <i>Journal of Food Science</i> , 1995 , 60, 913-915	3.4	32
103	A study on cashew nut oil composition. <i>JAOCS, Journal of the American Oil ChemistsoSociety</i> , 1993 , 70, 1017-1020	1.8	32
102	Olive oil industry by-products. Effects of a polyphenol-rich extract on the metabolome and response to inflammation in cultured intestinal cell. <i>Food Research International</i> , 2018 , 113, 392-400	7	31
101	Characterization of total, free and esterified phytosterols in tetraploid and hexaploid wheats. Journal of Agricultural and Food Chemistry, 2009 , 57, 2267-73	5.7	31
100	Determination of imidazole antimycotics in creams by supercritical fluid extraction and derivative UV spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998 , 18, 235-40	3.5	31
99	Discrimination of grated cheeses by Fourier transform infrared spectroscopy coupled with chemometric techniques. <i>International Dairy Journal</i> , 2012 , 23, 115-120	3.5	30
98	Evaluation of cholesterol and lipid oxidation in raw and cooked minced beef stored under oxygen-enriched atmosphere. <i>Meat Science</i> , 2008 , 80, 681-5	6.4	30
97	Analysis of fatty acid steryl esters in tetraploid and hexaploid wheats: identification and comparison between chromatographic methods. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 7465-72	5.7	30
96	Dodecenyl succinylated alginate (DSA) as a novel dual-function emulsifier for improved fish oil-in-water emulsions. <i>Food Hydrocolloids</i> , 2015 , 46, 10-18	10.6	29
95	Development of functional spaghetti enriched in bioactive compounds using barley coarse fraction obtained by air classification. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 9127-34	5.7	29

(2011-2015)

94	Analysis of oligomer proanthocyanidins in different barley genotypes using high-performance liquid chromatography-fluorescence detection-mass spectrometry and near-infrared methodologies. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 4130-7	5.7	28
93	CAPILLARY GAS CHROMATOGRAPHY ANALYSIS OF LIPID COMPOSITION AND EVALUATION OF PHENOLIC COMPOUNDS BY MICELLAR ELECTROKINETIC CHROMATOGRAPHY IN ITALIAN WALNUT (JUGLANS REGIAL.): IRRIGATION AND FERTILIZATION INFLUENCE. <i>Journal of Food Quality</i>	2.7	28
92	Determination of (E)-10-hydroxy-2-decenoic acid content in pure royal jelly: a comparison between a new CZE method and HPLC. <i>Journal of Separation Science</i> , 2007 , 30, 1061-9	3.4	28
91	Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier. <i>Journal of Supercritical Fluids</i> , 2000 , 19, 45-50	4.2	28
90	Cholesterol photosensitised oxidation of beef meat under standard and modified atmosphere at retail conditions. <i>Meat Science</i> , 2009 , 81, 224-9	6.4	27
89	Distribution of bound hydroxycinnamic acids and their glycosyl esters in barley (Hordeum vulgare L.) air-classified flour: comparative study between reversed phase-high performance chromatography-mass spectrometry (RP-HPLC/MS) and spectrophotometric analysis. <i>Journal of</i>	5.7	27
88	Routine high-performance liquid chromatographic determination of free 7-ketocholesterol in some foods by two different analytical methods. <i>JAOCS, Journal of the American Oil ChemistsoSociety</i> , 1995 , 72, 1523-1527	1.8	27
87	Pulsed electric field (PEF) as pre-treatment to improve the phenolic compounds recovery from brewers' spent grains. <i>Innovative Food Science and Emerging Technologies</i> , 2020 , 64, 102402	6.8	27
86	Bioactive lipids in the butter production chain from Parmigiano Reggiano cheese area. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 3625-33	4.3	26
85	Determination of free flavan-3-ol content in barley (Hordeum vulgare L.) air-classified flours: comparative study of HPLC-DAD/MS and spectrophotometric determinations. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6944-8	5.7	26
84	Effect of nitrogen fertilisation rates on the content of fatty acids, sterols, tocopherols and phenolic compounds, and on the oxidative stability of walnuts. <i>LWT - Food Science and Technology</i> , 2013 , 50, 732-	- 7 3∕8	25
83	Air classification of barley flours to produce phenolic enriched ingredients: Comparative study among MEKC-UV, RP-HPLC-DAD-MS and spectrophotometric determinations. <i>LWT - Food Science and Technology</i> , 2011 , 44, 1555-1561	5.4	25
82	High-performance liquid chromatography determination of phenyllactic acid in MRS broth. <i>Journal of Chromatography A</i> , 2006 , 1131, 281-4	4.5	25
81	A rapid method to discriminate season of production and feeding regimen of butters based on infrared spectroscopy and artificial neural networks. <i>Journal of Food Engineering</i> , 2012 , 109, 525-530	6	24
80	Accelerated oxidation: Comparative study of a new reactor with oxidation stability instrument. European Journal of Lipid Science and Technology, 2009 , 111, 933-940	3	24
79	High performance liquid chromatographic separation of cholesterol oxidation products. <i>Chromatographia</i> , 1997 , 46, 151-155	2.1	24
78	Olive oil by-product as functional ingredient in bakery products. Influence of processing and evaluation of biological effects. <i>Food Research International</i> , 2020 , 131, 108940	7	23
77	Development of a CE-ESI-microTOF-MS method for a rapid identification of phenolic compounds in buckwheat. <i>Electrophoresis</i> , 2011 , 32, 669-73	3.6	22

76	Cholesterol photosensitised oxidation of horse meat slices stored under different packaging films. <i>Meat Science</i> , 2010 , 85, 500-5	6.4	22
75	Optimization of a solid phase extraction method and hydrophilic interaction liquid chromatography coupled to mass spectrometry for the determination of phospholipids in virgin olive oil. <i>Food Research International</i> , 2013 , 54, 2083-2090	7	21
74	Effect of Fermentation with Different Lactic Acid Bacteria Starter Cultures on Biogenic Amine Content and Ripening Patterns in Dry Fermented Sausages. <i>Nutrients</i> , 2018 , 10,	6.7	21
73	Determination of free and bound phenolic compounds and their antioxidant activity in buckwheat bread loaf, crust and crumb. <i>LWT - Food Science and Technology</i> , 2018 , 87, 217-224	5.4	20
72	Storage stability assessment of freeze-dried royal jelly by furosine determination. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 4440-3	5.7	20
71	Use of air classification technology as green process to produce functional barley flours naturally enriched of alkylresorcinols, Eglucans and phenolic compounds. <i>Food Research International</i> , 2015 , 73, 88-96	7	18
70	Biocatalytic synthesis of ultra-long-chain fatty acid sugar alcohol monoesters. <i>Green Chemistry</i> , 2015 , 17, 3475-3489	10	18
69	Counteraction of oxidative damage by pomegranate juice: influence of the cultivar. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 3565-73	4.3	18
68	Optimization of Sonotrode Ultrasonic-Assisted Extraction of Proanthocyanidins from Brewers' Spent Grains. <i>Antioxidants</i> , 2019 , 8,	7.1	16
67	Comparison of the Lipid Content, Fatty Acid Profile and Sterol Composition in Local Italian and Commercial Royal Jelly Samples. <i>JAOCS, Journal of the American Oil ChemistsoSociety</i> , 2014 , 91, 875-88	4 ^{1.8}	16
66	Molecular characterization of phospholipids by high-performance liquid chromatography combined with an evaporative light scattering detector, high-performance liquid chromatography combined with mass spectrometry, and gas chromatography combined with a flame ionization detector in	5.7	16
65	different oat varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10963-9 Influence of storage conditions on cholesterol oxidation in dried egg pasta. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3586-90	5.7	16
64	Effect of fermentation on the content of bioactive compounds in tofu-type products. <i>Journal of Functional Foods</i> , 2016 , 27, 131-139	5.1	15
63	Psidium guajava L. leaves as source of proanthocyanidins: Optimization of the extraction method by RSM and study of the degree of polymerization by NP-HPLC-FLD-ESI-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 133, 1-7	3.5	15
62	Phytosterol supplementation reduces metabolic activity and slows cell growth in cultured rat cardiomyocytes. <i>British Journal of Nutrition</i> , 2011 , 106, 540-8	3.6	15
61	Characterisation of the phospholipid fraction of hulled and naked tetraploid and hexaploid wheats. <i>Journal of Cereal Science</i> , 2010 , 51, 120-126	3.8	15
60	Analysis of phospholipids in cow's milk by high-temperature injection gas chromatography and high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 1984 , 315, 223-31	4.5	15
59	Organic honey supplementation reverses pesticide-induced genotoxicity by modulating DNA damage response. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 2243-2255	5.9	15

(2016-2015)

58	Determination of free and bound phenolic compounds in soy isoflavone concentrate using a PFP fused core column. <i>Food Chemistry</i> , 2015 , 185, 239-44	8.5	14	
57	Dietary fiber and flavan-3-ols in shortbread biscuits enriched with barley flours co-products. <i>International Journal of Food Sciences and Nutrition</i> , 2011 , 62, 262-9	3.7	14	
56	Facile synthesis of phosphatidyl saccharides for preparation of anionic nanoliposomes with enhanced stability. <i>PLoS ONE</i> , 2013 , 8, e73891	3.7	14	
55	(Ultra) High Pressure Homogenization Potential on the Shelf-Life and Functionality of Kiwifruit Juice. <i>Frontiers in Microbiology</i> , 2019 , 10, 246	5.7	12	
54	Recovery of Oligomeric Proanthocyanidins and Other Phenolic Compounds with Established Bioactivity from Grape Seed By-Products. <i>Molecules</i> , 2019 , 24,	4.8	12	
53	Effect of early lactation stage on goat colostrum: Assessment of lipid and oligosaccharide compounds. <i>International Dairy Journal</i> , 2018 , 77, 65-72	3.5	12	
52	CZE separation of strawberry anthocyanins with acidic buffer and comparison with HPLC. <i>Journal of Separation Science</i> , 2008 , 31, 3257-64	3.4	12	
51	Determination of bioactive compounds in cream obtained as a by-product during cheese-making: Influence of cows' diet on lipid quality. <i>International Dairy Journal</i> , 2015 , 42, 16-25	3.5	11	
50	Chemical composition and antioxidant activity of the volatile fraction extracted from air-dried fruits of Tunisian Eryngium maritimum L. ecotypes. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 635-643	4.3	11	
49	A novel array of interface-confined molecules: Assembling natural segments for delivery of multi-functionalities. <i>Journal of Colloid and Interface Science</i> , 2017 , 508, 230-236	9.3	11	
48	Influence of drying temperatures on the quality of pasta formulated with different egg products. <i>European Food Research and Technology</i> , 2017 , 243, 817-825	3.4	11	
47	Effect of the addition of air-classified barley flours on the lipid stability of bakery products. <i>European Food Research and Technology</i> , 2010 , 231, 309-319	3.4	11	
46	Cholesterol and lipid oxidation in raw and pan-fried minced beef stored under aerobic packaging. <i>Journal of the Science of Food and Agriculture</i> , 2010 , 90, 1050-5	4.3	11	
45	Changes of the lipid fraction during fruit development in hazelnuts (Corylus avellana L.) grown in Poland. <i>European Journal of Lipid Science and Technology</i> , 2015 , 117, 710-717	3	10	
44	Quality parameter assessment of grated ParmigianoReggiano cheese by waveguide spectroscopy. Journal of Food Engineering, 2012 , 113, 201-209	6	10	
43	Gas Chromatographic Analysis of Cholesterol Oxidation Products on a Thermostable Medium Polarity Capillary Column. <i>Journal of High Resolution Chromatography</i> , 1998 , 21, 509-512		10	
42	Effect of processing technology on the quality and composition of lipids of precooked chicken patties. <i>International Journal of Food Science and Technology</i> , 2008 , 43, 296-308	3.8	10	
41	Influence of duration of gestation on fatty acid profiles of human milk. <i>European Journal of Lipid Science and Technology</i> , 2016 , 118, 1775-1787	3	10	

40	Fermented Nut-Based Vegan Food: Characterization of a Home made Product and Scale-Up to an Industrial Pilot-Scale Production. <i>Journal of Food Science</i> , 2018 , 83, 711-722	3.4	9
39	Determination of lipid composition of the two principal cherimoya cultivars grown in Andalusian Region. <i>LWT - Food Science and Technology</i> , 2016 , 65, 390-397	5.4	9
38	Analysis of glycerophospho- and sphingolipids by CE. <i>Electrophoresis</i> , 2014 , 35, 779-92	3.6	9
37	Traditional foods for health: screening of the antioxidant capacity and phenolic content of selected Black Sea area local foods. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 3595-603	4.3	9
36	The influence of dietary lipid source on quality characteristics of raw and processed chicken meat. <i>European Food Research and Technology</i> , 2009 , 229, 339-348	3.4	9
35	Cholesterol oxidation in pasta produced with eggs of different origin. <i>European Food Research and Technology</i> , 2004 , 218, 410-414	3.4	9
34	Distribution of Free and Bound Phenolic Compounds in Buckwheat Milling Fractions. <i>Foods</i> , 2019 , 8,	4.9	9
33	Enzymatic alkylsuccinylation of tyrosol: Synthesis, characterization and property evaluation as a dual-functional antioxidant. <i>Food Chemistry</i> , 2018 , 246, 108-114	8.5	9
32	Evaluation of different extraction approaches for the determination of phenolic compounds and their metabolites in plasma by nanoLC-ESI-TOF-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 3081-90	4.4	8
31	Comparison of Cholesterol Oxidation Product Preparation Methods for Subsequent Gas Chromatographic Analysis. <i>Journal of AOAC INTERNATIONAL</i> , 2004 , 87, 474-480	1.7	8
30	In vitro Effects of 5.alphaCholestane-3.beta.,5,6.betatriol on Cultured Rat Cardiomyocytes. Journal of Agricultural and Food Chemistry, 1994 , 42, 2367-2371	5.7	8
29	Effect of Different Egg Products on Lipid Oxidation of Biscuits. <i>Foods</i> , 2020 , 9,	4.9	8
28	Lipid characterization of Eryngium maritimum seeds grown in Tunisia. <i>Industrial Crops and Products</i> , 2017 , 105, 47-52	5.9	7
27	Synthetic ultra-long chain fatty acyl based amphiphilic lipids as a dual function excipient for the production of surfactant-free solid lipid nanoparticles (SF-SLNs): a physico-chemical study. <i>Green Chemistry</i> , 2016 , 18, 3962-3971	10	7
26	Kernel Components of Technological Value 2012 , 85-124		7
25	Composition of phospholipid fraction in raw chicken meat and pre-cooked chicken patties: influence of feeding fat sources and processing technology. <i>European Food Research and Technology</i> , 2010 , 231, 117-126	3.4	7
24	Value-addition of Beef Meat By-products: Lipid Characterization by Chromatographic Techniques. <i>Journal of Oleo Science</i> , 2018 , 67, 143-150	1.6	7
23	Estimation of the main compositional features of grated Parmigiano Reggiano cheese by a simple capacitive technique. <i>Journal of Food Engineering</i> , 2015 , 149, 181-187	6	6

(2020-2020)

22	Influence of different baking powders on physico-chemical, sensory and volatile compounds in biscuits and their impact on textural modifications during soaking. <i>Journal of Food Science and Technology</i> , 2020 , 57, 3864-3873	3.3	6
21	Phenolic Compounds and Saponins in Plants Grown Under Different Irrigation Regimes 2014 , 37-52		6
20	Monitoring of compositional changes during berry ripening in grape seed extracts of cv. Sangiovese (Vitis vinifera L.). <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3058-3064	4.3	6
19	Determination of cholesterol oxidation products in the supercritical carbon dioxide extract of egg yolk powder: Comparison with conventional liquid solvent extraction methods. <i>European Food Research and Technology</i> , 2002 , 215, 72-75	3.4	6
18	Extraction and purification of free cholesterol from some egg-containing food by on-line supercritical fluid extraction B olid-phase extraction. <i>European Food Research and Technology</i> , 2001 , 212, 244-246	3.4	6
17	Study of the Effect of Tyrosyl Oleate on Lipid Oxidation in a Typical Italian Bakery Product. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 12555-12560	5.7	5
16	Effect of Harvesting Time on Volatile Compounds Composition of Bergamot (Citrus Bergamia) Essential Oil. <i>Flavour and Fragrance Journal</i> , 2019 , 34, 426-435	2.5	4
15	Chemical and physical changes during storage of differently packed biscuits formulated with sunflower oil. <i>Journal of Food Science and Technology</i> , 2019 , 56, 4714-4721	3.3	4
14	Prediction of seasonal variation of butters by computing the fatty acids composition with artificial neural networks. <i>European Journal of Lipid Science and Technology</i> , 2011 , 113, 1412-1419	3	4
13	Influence of infant cereal formulation on phenolic compounds and formation of Maillard reaction products. <i>Journal of Food Composition and Analysis</i> , 2021 , 104, 104187	4.1	4
12	Aspartic-Acid-Based Ampholytic Amphiphiles: Synthesis, Characterization, and pH-Dependent Properties at Air/Water and Oil/Water Interfaces. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 2321-2330	5.7	3
11	Survival of the functional yeast Kluyveromyces marxianus B0399 in fermented milk with added sorbic acid. <i>Journal of Dairy Science</i> , 2016 , 99, 120-9	4	3
10	Lipid fraction of creams collected in the Parmigiano-Reggiano cheese production area in response to extruded linseed supplementation of dairy cowsIdiets: GC-FID and FT-MIR evaluation. <i>International Journal of Dairy Technology</i> , 2014 , 67, 510-520	3.7	3
9	HR-MAS NMR metabolic profiling, furosine and (E)-10-Hydroxy-2-decenoic acid for qualitative and geographical discrimination of royal jelly. <i>Journal of Apicultural Research</i> , 2013 , 52, 141-148	2	3
8	EFFECT OF DIFFERENT STORAGE CONDITIONS ON THE LIPID FRACTION OF A VEGETABLE CREAM. Journal of Food Quality, 2008 , 31, 446-464	2.7	3
7	Glycidols Esters, 2-Chloropropane-1,3-Diols, and 3-Chloropropane-1,2-Diols Contents in Real Olive Oil Samples and their Relation with Diacylglycerols. <i>JAOCS, Journal of the American Oil Chemistso Society</i> , 2020 , 97, 15-23	1.8	3
6	Use of Sieving As a Valuable Technology to Produce Enriched Buckwheat Flours: A Preliminary Study. <i>Antioxidants</i> , 2019 , 8,	7.1	3
5	Characterization of Defatted Products Obtained from the Parmigiano-Reggiano Manufacturing Chain: Determination of Peptides and Amino Acids Content and Study of the Digestibility and Bioactive Properties. <i>Foods</i> , 2020 , 9,	4.9	2

4	Water-mediated catalyst-free synthesis of lysine-based ampholytic amphiphiles for multipurpose applications: Characterization and pH-responsive emulsifying properties. <i>Journal of Colloid and Interface Science</i> , 2019 , 554, 404-416	9.3	2
3	Enzymatic Digestion of Calf Fleshing Meat By-Products: Antioxidant and Anti-Tyrosinase Activity of Protein Hydrolysates, and Identification of Fatty Acids. <i>Foods</i> , 2021 , 10,	4.9	2
2	Caffeoyl maleic fatty alcohol monoesters: Synthesis, characterization and antioxidant assessment. Journal of Colloid and Interface Science, 2019 , 536, 399-407	9.3	2
1	Study of the Effect of NaCl on Lipolysis in Parmigiano Reggiano Cheese. <i>ACS Food Science & Technology</i> , 2021 , 1, 54-59		1