

Richard J Hopkins

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9543873/publications.pdf>

Version: 2024-02-01

47
papers

2,104
citations

257450

24
h-index

233421

45
g-index

47
all docs

47
docs citations

47
times ranked

2501
citing authors

#	ARTICLE	IF	CITATIONS
1	Understanding mosquito host-choice behaviour: a new and low-cost method of identifying the sex of human hosts from mosquito blood meals. <i>Parasites and Vectors</i> , 2021, 14, 75.	2.5	4
2	Multimodal synergisms in host stimuli drive landing response in malaria mosquitoes. <i>Scientific Reports</i> , 2021, 11, 7379.	3.3	8
3	Reservoirs of plant virus disease: Occurrence of wheat dwarf virus and barley/cereal yellow dwarf viruses in Sweden. <i>Plant Pathology</i> , 2021, 70, 1552-1561.	2.4	8
4	Malaria hotspots explained from the perspective of ecological theory underlying insect foraging. <i>Scientific Reports</i> , 2020, 10, 21449.	3.3	8
5	You Can't See the Woods for the Trees: Invasive <i>Acer negundo</i> L. in Urban Riparian Forests Harms Biodiversity and Limits Recreation Activity. <i>Sustainability</i> , 2019, 11, 5838.	3.2	22
6	What are the effects of control of mosquitoes and other nematoceran Diptera using the microbial agent <i>Bacillus thuringiensis israelensis</i> (Bti) on aquatic and terrestrial ecosystems? A systematic review protocol. <i>Environmental Evidence</i> , 2019, 8, .	2.7	8
7	Thus far but no further: predatory mites do not migrate effectively into strawberry plantations. <i>Experimental and Applied Acarology</i> , 2019, 77, 359-373.	1.6	4
8	Parasitism of Two <i>Spodoptera</i> spp. by <i>Microplitis prodeniae</i> (Hymenoptera: Braconidae). <i>Journal of Economic Entomology</i> , 2018, 111, 1131-1136.	1.8	2
9	Shady business: understanding the spatial ecology of exophilic <i>Anopheles</i> mosquitoes. <i>Malaria Journal</i> , 2018, 17, 351.	2.3	13
10	The role of grass volatiles on oviposition site selection by <i>Anopheles arabiensis</i> and <i>Anopheles coluzzii</i> . <i>Malaria Journal</i> , 2017, 16, 65.	2.3	34
11	A Place to Grow? Host Choice and Larval Performance of <i>Microplitis similis</i> (Hymenoptera: Braconidae). <i>Journal of Economic Entomology</i> , 2017, 110, 642-648.	1.4	1
12	Variation in Leaf Surface Hydrophobicity of Wetland Plants: the Role of Plant Traits in Water Retention. <i>Wetlands</i> , 2017, 37, 997-1002.	1.5	20
13	Factors influencing the ownership and utilization of long-lasting insecticidal nets for malaria prevention in Ethiopia. <i>Malaria Journal</i> , 2017, 16, 262.	2.3	38
14	Grass Pollen Affects Survival and Development of Larval <i>Anopheles arabiensis</i> (Diptera: Culicidae). <i>Journal of Insect Science</i> , 2017, 17, .	1.5	12
15	High Biodiversity of Green Infrastructure Does Not Contribute to Recreational Ecosystem Services. <i>Sustainability</i> , 2017, 9, 334.	3.2	32
16	Bacterial associations reveal spatial population dynamics in <i>Anopheles gambiae</i> mosquitoes. <i>Scientific Reports</i> , 2016, 6, 22806.	3.3	114
17	Imperfection works: Survival, transmission and persistence in the system of <i>Heliiothis virescens</i> ascovirus 3h (HvAV-3h), <i>Microplitis similis</i> and <i>Spodoptera exigua</i> . <i>Scientific Reports</i> , 2016, 6, 21296.	3.3	28
18	The importance of accounting for larval detectability in mosquito habitat-association studies. <i>Malaria Journal</i> , 2016, 15, 253.	2.3	7

#	ARTICLE	IF	CITATIONS
19	Assessing and managing intensification in smallholder dairy systems for food and nutrition security in Sub-Saharan Africa. <i>Regional Environmental Change</i> , 2016, 16, 2257-2267.	2.9	28
20	Plant-Mediated Effects on Mosquito Capacity to Transmit Human Malaria. <i>PLoS Pathogens</i> , 2016, 12, e1005773.	4.7	54
21	24-h sheltering behaviour of individually kept horses during Swedish summer weather. <i>Acta Veterinaria Scandinavica</i> , 2015, 57, 45.	1.6	12
22	Daytime shelter use of individually kept horses during Swedish summer1. <i>Journal of Animal Science</i> , 2015, 93, 802-810.	0.5	17
23	Selecting the right parasitoid for the environment in classical biological control programmes: the case of <i>Diadegma semiclausum</i> (Hymenoptera: Ichneumonidae) and <i>Plutella xylostella</i> (Lepidoptera: Plutellidae) in the Kofele highland of Ethiopia. <i>Biocontrol Science and Technology</i> , 2013, 23, 1284-1295.	1.3	9
24	The impact of global warming on plant diseases and insect vectors in Sweden. <i>European Journal of Plant Pathology</i> , 2011, 129, 9-19.	1.7	111
25	Identification of mosquito repellent odours from <i>Ocimum forskolei</i> . <i>Parasites and Vectors</i> , 2011, 4, 183.	2.5	58
26	Evaluating the enemies hypothesis in a clover-cabbage intercrop: effects of generalist and specialist natural enemies on the turnip root fly (<i>Delia floralis</i>). <i>Agricultural and Forest Entomology</i> , 2010, 12, 123-132.	1.3	39
27	Patch size effects are more important than genetic diversity for plant-herbivore interactions in <i>Brassica</i> crops. <i>Ecological Entomology</i> , 2010, 35, 299-306.	2.2	28
28	Scale-dependent responses in cabbage herbivores affect attack rates in spatially heterogeneous systems. <i>Basic and Applied Ecology</i> , 2009, 10, 228-236.	2.7	26
29	Effects of plant competition and herbivore density on the development of the turnip root fly (<i>Delia</i>)	1.1	4
30	Role of Glucosinolates in Insect-Plant Relationships and Multitrophic Interactions. <i>Annual Review of Entomology</i> , 2009, 54, 57-83.	11.8	771
31	Combined Effect of Intercropping and Turnip Root Fly (<i>Delia floralis</i>) Larval Feeding on the Glucosinolate Concentrations in Cabbage Roots and Foliage. <i>Journal of Chemical Ecology</i> , 2008, 34, 1368-1376.	1.8	11
32	The effect of repellents <i>Ocimum forskolei</i> and deet on the response of <i>Anopheles stephensi</i> to host odours. <i>Medical and Veterinary Entomology</i> , 2006, 20, 373-376.	1.5	9
33	Differential wound induction of the myrosinase system in oilseed rape (<i>Brassica napus</i>): contrasting insect damage with mechanical damage. <i>Plant Science</i> , 2005, 168, 715-722.	3.6	31
34	Ethnobotanical survey and testing of plants traditionally used against hematophagous insects in Eritrea. <i>Journal of Ethnopharmacology</i> , 2004, 95, 95-101.	4.1	30
35	Infestation by cabbage aphid (<i>Brevicoryne brassicae</i>) on oilseed rape (<i>Brassica napus</i>) causes a long lasting induction of the myrosinase system. <i>Entomologia Experimentalis Et Applicata</i> , 2003, 109, 55-62.	1.4	36
36	Reduced realised fecundity in the pine looper <i>Bupalus piniarius</i> caused by host plant defoliation. <i>Ecological Entomology</i> , 2001, 26, 417-424.	2.2	14

#	ARTICLE	IF	CITATIONS
37	The effect of host acceptability on oviposition and egg accumulation by the small white butterfly, <i>Pieris rapae</i> . <i>Physiological Entomology</i> , 2001, 26, 149-157.	1.5	13
38	The pollen beetle, <i>Meligethes aeneus</i> , changes egg production rate to match host quality. <i>Oecologia</i> , 1999, 120, 274-278.	2.0	23
39	The pollen beetle,. <i>Oecologia</i> , 1999, 120, 274.	2.0	33
40	Title is missing!. <i>Journal of Chemical Ecology</i> , 1998, 24, 2003-2019.	1.8	50
41	Glucosinolate Content and Susceptibility for Insect Attack of Three Populations of <i>Sinapis alba</i> . <i>Journal of Chemical Ecology</i> , 1998, 24, 1203-1216.	1.8	67
42	Leaf Surface Compounds and Oviposition Preference of Turnip Root Fly <i>Delia floralis</i> : The Role of Glucosinolate and Nonglucosinolate Compounds. <i>Journal of Chemical Ecology</i> , 1997, 23, 629-643.	1.8	38
43	Low oviposition stimuli reduce egg production in the pollen beetle <i>Meligethes aeneus</i> . <i>Physiological Entomology</i> , 1996, 21, 118-122.	1.5	42
44	Oviposition and chemosensory stimulation of the root flies <i>Delia radicum</i> and <i>D. floralis</i> in response to plants and leaf surface extracts from resistant and susceptible <i>Brassica</i> genotypes. <i>Entomologia Experimentalis Et Applicata</i> , 1996, 78, 61-75.	1.4	44
45	Changes in the dry matter, sugar, plant fibre and lignin contents of swede, rape and kale roots in response to turnip root fly (<i>Delia floralis</i>) larval damage. <i>Journal of the Science of Food and Agriculture</i> , 1995, 69, 321-328.	3.5	28
46	Relationships between turnip root fly (<i>Delia floralis</i>) larval development and the sugar content of swede (<i>Brassica napus</i> ssp. <i>rapifera</i>) roots. <i>Annals of Applied Biology</i> , 1993, 122, 405-415.	2.5	22
47	Glucosinolate responses of swede, kale, forage and oilseed rape to root damage by turnip root fly (<i>Delia floralis</i>) larvae. <i>Journal of the Science of Food and Agriculture</i> , 1992, 60, 1-9.	3.5	93