

Cyril B Zipfel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9544005/publications.pdf>

Version: 2024-02-01

150
papers

28,998
citations

10070

75
h-index

8212

153
g-index

188
all docs

188
docs citations

188
times ranked

18139
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of immune receptor kinase plasma membrane nanoscale organization by a plant peptide hormone and its receptors. <i>ELife</i> , 2022, 11, .	2.8	44
2	Direct inhibition of phosphate transport by immune signaling in <i>Arabidopsis</i> . <i>Current Biology</i> , 2022, 32, 488-495.e5.	1.8	24
3	Evolution of chlorophyll degradation is associated with plant transition to land. <i>Plant Journal</i> , 2022, 109, 1473-1488.	2.8	10
4	Genotyping-by-sequencing-based identification of <i>Arabidopsis</i> pattern recognition receptor RLP32 recognizing proteobacterial translation initiation factor IF1. <i>Nature Communications</i> , 2022, 13, 1294.	5.8	20
5	<i>Pseudomonas syringae</i> addresses distinct environmental challenges during plant infection through the coordinated deployment of polysaccharides. <i>Journal of Experimental Botany</i> , 2022, 73, 2206-2221.	2.4	8
6	A conserved module regulates receptor kinase signalling in immunity and development. <i>Nature Plants</i> , 2022, 8, 356-365.	4.7	27
7	Ca ²⁺ signals in plant immunity. <i>EMBO Journal</i> , 2022, 41, e110741.	3.5	82
8	Concerted actions of PRR- and NLR-mediated immunity. <i>Essays in Biochemistry</i> , 2022, 66, 501-511.	2.1	16
9	Perception of a divergent family of phyto cytokines by the <i>Arabidopsis</i> receptor kinase MIK2. <i>Nature Communications</i> , 2021, 12, 705.	5.8	71
10	A novel allele of the <i>Arabidopsis thaliana</i> MACPF protein CAD1 results in deregulated immune signaling. <i>Genetics</i> , 2021, 217, .	1.2	9
11	A membrane-bound ankyrin repeat protein confers race-specific leaf rust disease resistance in wheat. <i>Nature Communications</i> , 2021, 12, 956.	5.8	63
12	The transcriptional landscape of <i>Arabidopsis thaliana</i> pattern-triggered immunity. <i>Nature Plants</i> , 2021, 7, 579-586.	4.7	172
13	Wheat Pm4 resistance to powdery mildew is controlled by alternative splice variants encoding chimeric proteins. <i>Nature Plants</i> , 2021, 7, 327-341.	4.7	85
14	An evergreen mind and a heart for the colors of fall. <i>Journal of Experimental Botany</i> , 2021, 72, 4625-4633.	2.4	4
15	The <i>Arabidopsis</i> immune receptor EFR increases resistance to the bacterial pathogens <i>Xanthomonas</i> and <i>Xylella</i> in transgenic sweet orange. <i>Plant Biotechnology Journal</i> , 2021, 19, 1294-1296.	4.1	26
16	Plant immunity: Crosstalk between plant immune receptors. <i>Current Biology</i> , 2021, 31, R796-R798.	1.8	24
17	Importance of tyrosine phosphorylation for transmembrane signaling in plants. <i>Biochemical Journal</i> , 2021, 478, 2759-2774.	1.7	11
18	Family-wide evaluation of RAPID ALKALINIZATION FACTOR peptides. <i>Plant Physiology</i> , 2021, 187, 996-1010.	2.3	59

#	ARTICLE	IF	CITATIONS
19	Molecular mechanisms of early plant pattern-triggered immune signaling. <i>Molecular Cell</i> , 2021, 81, 3449-3467.	4.5	171
20	Activation loop phosphorylation of a non-RD receptor kinase initiates plant innate immune signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	12
21	The <i>Arabidopsis</i> pattern recognition receptor EFR enhances fire blight resistance in apple. <i>Horticulture Research</i> , 2021, 8, 204.	2.9	13
22	Bacterial rhamnolipids and their 3-hydroxyalkanoate precursors activate <i>Arabidopsis</i> innate immunity through two independent mechanisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	25
23	Large-scale identification of ubiquitination sites on membrane-associated proteins in <i>Arabidopsis thaliana</i> seedlings. <i>Plant Physiology</i> , 2021, 185, 1483-1488.	2.3	29
24	The fungal subtilase AsES elicits a PTI-like defence response in <i>Arabidopsis thaliana</i> plants independently of its enzymatic activity. <i>Molecular Plant Pathology</i> , 2020, 21, 147-159.	2.0	10
25	<i>CrRLK1L</i> receptor-like kinases <i>HERK1</i> and <i>ANJEA</i> are female determinants of pollen tube reception. <i>EMBO Reports</i> , 2020, 21, e48466.	2.0	62
26	A receptor-like protein mediates plant immune responses to herbivore-associated molecular patterns. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 31510-31518.	3.3	86
27	Lumi-Map, a Real-Time Luciferase Bioluminescence Screen of Mutants Combined with MutMap, Reveals <i>Arabidopsis</i> Genes Involved in PAMP-Triggered Immunity. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 1366-1380.	1.4	8
28	The calcium-permeable channel OSCA1.3 regulates plant stomatal immunity. <i>Nature</i> , 2020, 585, 569-573.	13.7	208
29	Carbonic anhydrases CA1 and CA4 function in atmospheric CO ₂ -modulated disease resistance. <i>Planta</i> , 2020, 251, 75.	1.6	18
30	Update on Receptors and Signaling. <i>Plant Physiology</i> , 2020, 182, 1527-1530.	2.3	20
31	Chitin perception in plasmodesmata characterizes submembrane immune-signaling specificity in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9621-9629.	3.3	60
32	Low-cost and High-throughput RNA-seq Library Preparation for Illumina Sequencing from Plant Tissue. <i>Bio-protocol</i> , 2020, 10, e3799.	0.2	5
33	Expression of the <i>Arabidopsis thaliana</i> immune receptor <i>EFR</i> in <i>Medicago truncatula</i> reduces infection by a root pathogenic bacterium, but not nitrogen-fixing rhizobial symbiosis. <i>Plant Biotechnology Journal</i> , 2019, 17, 569-579.	4.1	42
34	Mechanisms of RALF peptide perception by a heterotypic receptor complex. <i>Nature</i> , 2019, 572, 270-274.	13.7	186
35	Widely Conserved Attenuation of Plant MAMP-Induced Calcium Influx by Bacteria Depends on Multiple Virulence Factors and May Involve Desensitization of Host Pattern Recognition Receptors. <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 608-621.	1.4	9
36	A <i>Lotus japonicus</i> cytoplasmic kinase connects Nod factor perception by the NFR5 LysM receptor to nodulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14339-14348.	3.3	28

#	ARTICLE	IF	CITATIONS
37	TTL Proteins Scaffold Brassinosteroid Signaling Components at the Plasma Membrane to Optimize Signal Transduction in Arabidopsis. <i>Plant Cell</i> , 2019, 31, 1807-1828.	3.1	47
38	Quantitative phosphoproteomic analysis reveals common regulatory mechanisms between effector- and PAMP-triggered immunity in plants. <i>New Phytologist</i> , 2019, 221, 2160-2175.	3.5	102
39	Comparing Arabidopsis receptor kinase and receptor protein-mediated immune signaling reveals BIK1-dependent differences. <i>New Phytologist</i> , 2019, 221, 2080-2095.	3.5	73
40	The grapevine (<i>Vitis vinifera</i>) LysM receptor kinases VvLYK1 and VvLYK2 mediate chito oligosaccharide-triggered immunity. <i>Plant Biotechnology Journal</i> , 2019, 17, 812-825.	4.1	44
41	An apoplastic peptide activates salicylic acid signalling in maize. <i>Nature Plants</i> , 2018, 4, 172-180.	4.7	97
42	A Regulatory Module Controlling Homeostasis of a Plant Immune Kinase. <i>Molecular Cell</i> , 2018, 69, 493-504.e6.	4.5	161
43	Vacuole Integrity Maintained by DUF300 Proteins Is Required for Brassinosteroid Signaling Regulation. <i>Molecular Plant</i> , 2018, 11, 553-567.	3.9	18
44	An extracellular network of Arabidopsis leucine-rich repeat receptor kinases. <i>Nature</i> , 2018, 553, 342-346.	13.7	241
45	REM1.3's phospho-status defines its plasma membrane nanodomain organization and activity in restricting PVX cell-to-cell movement. <i>PLoS Pathogens</i> , 2018, 14, e1007378.	2.1	73
46	Phosphocode-dependent functional dichotomy of a common co-receptor in plant signalling. <i>Nature</i> , 2018, 561, 248-252.	13.7	126
47	Plant G-protein activation: connecting to plant receptor kinases. <i>Cell Research</i> , 2018, 28, 697-698.	5.7	12
48	The plant cell wall integrity maintenance and immune signaling systems cooperate to control stress responses in <i>Arabidopsis thaliana</i> . <i>Science Signaling</i> , 2018, 11, .	1.6	178
49	Transgenic Expression of <i>EFR</i> and <i>Bs2</i> Genes for Field Management of Bacterial Wilt and Bacterial Spot of Tomato. <i>Phytopathology</i> , 2018, 108, 1402-1411.	1.1	67
50	The receptor kinase FER is a RALF-regulated scaffold controlling plant immune signaling. <i>Science</i> , 2017, 355, 287-289.	6.0	541
51	Protein phosphatase AP2C1 negatively regulates basal resistance and defense responses to <i>Pseudomonas syringae</i> . <i>Journal of Experimental Botany</i> , 2017, 68, erw485.	2.4	41
52	Cellulose-Derived Oligomers Act as Damage-Associated Molecular Patterns and Trigger Defense-Like Responses. <i>Plant Physiology</i> , 2017, 173, 2383-2398.	2.3	198
53	Autophosphorylation-based Calcium (Ca ²⁺) Sensitivity Priming and Ca ²⁺ /Calmodulin Inhibition of Arabidopsis thaliana Ca ²⁺ -dependent Protein Kinase 28 (CPK28). <i>Journal of Biological Chemistry</i> , 2017, 292, 3988-4002.	1.6	48
54	Function, Discovery, and Exploitation of Plant Pattern Recognition Receptors for Broad-Spectrum Disease Resistance. <i>Annual Review of Phytopathology</i> , 2017, 55, 257-286.	3.5	535

#	ARTICLE	IF	CITATIONS
55	Plant signalling in symbiosis and immunity. <i>Nature</i> , 2017, 543, 328-336.	13.7	576
56	The Arabidopsis Leucine-Rich Repeat Receptor Kinase BIR3 Negatively Regulates BAK1 Receptor Complex Formation and Stabilizes BAK1. <i>Plant Cell</i> , 2017, 29, 2285-2303.	3.1	94
57	Phospholipase C2 Affects MAMP-Triggered Immunity by Modulating ROS Production. <i>Plant Physiology</i> , 2017, 175, 970-981.	2.3	57
58	Complex regulation of plant sex by peptides. <i>Science</i> , 2017, 358, 1544-1545.	6.0	10
59	Tyrosine-610 in the Receptor Kinase BAK1 Does Not Play a Major Role in Brassinosteroid Signaling or Innate Immunity. <i>Frontiers in Plant Science</i> , 2017, 8, 1273.	1.7	5
60	Enhanced Bacterial Wilt Resistance in Potato Through Expression of Arabidopsis EFR and Introgression of Quantitative Resistance from <i>Solanum commersonii</i> . <i>Frontiers in Plant Science</i> , 2017, 8, 1642.	1.7	54
61	Arabidopsis leucine-rich repeat receptor-like kinase NLR1 is required for induction of innate immunity to parasitic nematodes. <i>PLoS Pathogens</i> , 2017, 13, e1006284.	2.1	135
62	The Arabidopsis leucine-rich repeat receptor kinase MIK2/LRR-KISS connects cell wall integrity sensing, root growth and response to abiotic and biotic stresses. <i>PLoS Genetics</i> , 2017, 13, e1006832.	1.5	187
63	Plant immune and growth receptors share common signalling components but localise to distinct plasma membrane nanodomains. <i>ELife</i> , 2017, 6, .	2.8	206
64	The Arabidopsis Protein Phosphatase PP2C38 Negatively Regulates the Central Immune Kinase BIK1. <i>PLoS Pathogens</i> , 2016, 12, e1005811.	2.1	113
65	Regulation of pattern recognition receptor signalling in plants. <i>Nature Reviews Immunology</i> , 2016, 16, 537-552.	10.6	1,031
66	High levels of cyclic di-GMP in plant-associated <i>Pseudomonas</i> correlate with evasion of plant immunity. <i>Molecular Plant Pathology</i> , 2016, 17, 521-531.	2.0	42
67	Detection of the plant parasite <i>Cuscuta reflexa</i> by a tomato cell surface receptor. <i>Science</i> , 2016, 353, 478-481.	6.0	108
68	LRR-RLK family from two Citrus species: genome-wide identification and evolutionary aspects. <i>BMC Genomics</i> , 2016, 17, 623.	1.2	35
69	Bacteria establish an aqueous living space in plants crucial for virulence. <i>Nature</i> , 2016, 539, 524-529.	13.7	358
70	Fungal pathogenesis: Host modulation every which way. <i>Nature Microbiology</i> , 2016, 1, 16075.	5.9	1
71	The Arabidopsis Malectin-Like/LRR-RLK IOS1 is Critical for BAK1-Dependent and BAK1-Independent Pattern-Triggered Immunity. <i>Plant Cell</i> , 2016, 28, tpc.00313.2016.	3.1	126
72	Altered glycosylation of exported proteins, including surface immune receptors, compromises calcium and downstream signaling responses to microbe-associated molecular patterns in <i>Arabidopsis thaliana</i> . <i>BMC Plant Biology</i> , 2016, 16, 31.	1.6	16

#	ARTICLE	IF	CITATIONS
73	PP2A-3 interacts with ACR4 and regulates formative cell division in the <i>Arabidopsis</i> root. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1447-1452.	3.3	43
74	The <i>Arabidopsis</i> NADPH oxidases <i>RbohD</i> and <i>RbohF</i> display differential expression patterns and contributions during plant immunity. Journal of Experimental Botany, 2016, 67, 1663-1676.	2.4	161
75	NbCSPR underlies age-dependent immune responses to bacterial cold shock protein in <i>Nicotiana benthamiana</i> . Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3389-3394.	3.3	85
76	Class uncorrected errors as misconduct. Nature, 2016, 531, 173-173.	13.7	11
77	Immunoprecipitation of Plasma Membrane Receptor-Like Kinases for Identification of Phosphorylation Sites and Associated Proteins. Methods in Molecular Biology, 2016, 1363, 133-144.	0.4	30
78	Standards for plant synthetic biology: a common syntax for exchange of <i>scp</i> DNA parts. New Phytologist, 2015, 208, 13-19.	3.5	263
79	Incorporating prior knowledge improves detection of differences in bacterial growth rate. BMC Systems Biology, 2015, 9, 60.	3.0	9
80	Peptidoglycan Perception in Plants. PLoS Pathogens, 2015, 11, e1005275.	2.1	35
81	Flg22-Triggered Immunity Negatively Regulates Key BR Biosynthetic Genes. Frontiers in Plant Science, 2015, 6, 981.	1.7	25
82	Broad application of a simple and affordable protocol for isolating plant RNA. BMC Research Notes, 2015, 8, 154.	0.6	10
83	Engineering insect-free cereals. Nature Biotechnology, 2015, 33, 262-263.	9.4	2
84	Transgenic Expression of the Dicotyledonous Pattern Recognition Receptor EFR in Rice Leads to Ligand-Dependent Activation of Defense Responses. PLoS Pathogens, 2015, 11, e1004809.	2.1	103
85	The Phylogenetically-Related Pattern Recognition Receptors EFR and XA21 Recruit Similar Immune Signaling Components in Monocots and Dicots. PLoS Pathogens, 2015, 11, e1004602.	2.1	87
86	<i>Arabidopsis</i> <i>EFu</i> receptor enhances bacterial disease resistance in transgenic wheat. New Phytologist, 2015, 206, 606-613.	3.5	150
87	Regulation of the NADPH Oxidase RBOHD During Plant Immunity. Plant and Cell Physiology, 2015, 56, 1472-1480.	1.5	480
88	A new receptor for LPS. Nature Immunology, 2015, 16, 340-341.	7.0	11
89	Importance of tyrosine phosphorylation in receptor kinase complexes. Trends in Plant Science, 2015, 20, 269-272.	4.3	53
90	Opposing effects on two phases of defense responses from concerted actions of HSC70 and BON1 in <i>Arabidopsis</i> . Plant Physiology, 2015, 169, pp.00970.2015.	2.3	26

#	ARTICLE	IF	CITATIONS
91	The calcium-dependent protein kinase CPK28 negatively regulates the BIK1-mediated PAMP-induced calcium burst. <i>Plant Signaling and Behavior</i> , 2015, 10, e1018497.	1.2	73
92	Targeting of plant pattern recognition receptor-triggered immunity by bacterial type-III secretion system effectors. <i>Current Opinion in Microbiology</i> , 2015, 23, 14-22.	2.3	229
93	Trade-off between growth and immunity: role of brassinosteroids. <i>Trends in Plant Science</i> , 2015, 20, 12-19.	4.3	216
94	The grapevine flagellin receptor Vv<sc>FLS</sc>2 differentially recognizes flagellinâ€derived epitopes from the endophytic growthâ€promoting bacterium <i>Burkholderia phytofirmans</i> and plant pathogenic bacteria. <i>New Phytologist</i> , 2014, 201, 1371-1384.	3.5	147
95	A receptor-like protein mediates the response to pectin modification by activating brassinosteroid signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 15261-15266.	3.3	143
96	Arabidopsis poly(A) polymerase <sc>PAPS</sc>1 limits founderâ€cell recruitment to organ primordia and suppresses the salicylic acidâ€independent immune response downstream of <sc>EDS</sc>1/<sc>PAD</sc>4. <i>Plant Journal</i> , 2014, 77, 688-699.	2.8	36
97	Mapping mutations in plant genomes with the user-friendly web application CandiSNP. <i>Plant Methods</i> , 2014, 10, 41.	1.9	23
98	Antagonistic Regulation of Growth and Immunity by the Arabidopsis Basic Helix-Loop-Helix Transcription Factor HOMOLOG OF BRASSINOSTEROID ENHANCED EXPRESSION2 INTERACTING WITH INCREASED LEAF INCLINATION1 BINDING bHLH1. <i>Plant Physiology</i> , 2014, 164, 1443-1455.	2.3	117
99	A Bacterial Tyrosine Phosphatase Inhibits Plant Pattern Recognition Receptor Activation. <i>Science</i> , 2014, 343, 1509-1512.	6.0	152
100	The Leucine-Rich Repeat Receptor Kinase BIR2 Is a Negative Regulator of BAK1 in Plant Immunity. <i>Current Biology</i> , 2014, 24, 134-143.	1.8	219
101	The Leucine-Rich Repeat Receptor-Like Kinase BRASSINOSTEROID INSENSITIVE1-ASSOCIATED KINASE1 and the Cytochrome P450 PHYTOALEXIN DEFICIENT3 Contribute to Innate Immunity to Aphids in Arabidopsis. <i>Plant Physiology</i> , 2014, 164, 2207-2219.	2.3	132
102	The Calcium-Dependent Protein Kinase CPK28 Buffers Plant Immunity and Regulates BIK1 Turnover. <i>Cell Host and Microbe</i> , 2014, 16, 605-615.	5.1	208
103	Negative control of <sc>BAK</sc>1 by protein phosphatase 2A during plant innate immunity. <i>EMBO Journal</i> , 2014, 33, 2069-2079.	3.5	138
104	Methods to Study PAMP-Triggered Immunity in <i>Brassica</i> Species. <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 286-295.	1.4	60
105	Direct Regulation of the NADPH Oxidase RBOHD by the PRR-Associated Kinase BIK1 during Plant Immunity. <i>Molecular Cell</i> , 2014, 54, 43-55.	4.5	744
106	Plant PRRs and the Activation of Innate Immune Signaling. <i>Molecular Cell</i> , 2014, 54, 263-272.	4.5	798
107	Plant pattern-recognition receptors. <i>Trends in Immunology</i> , 2014, 35, 345-351.	2.9	847
108	Structural Basis for flg22-Induced Activation of the <i>Arabidopsis</i> FLS2-BAK1 Immune Complex. <i>Science</i> , 2013, 342, 624-628.	6.0	604

#	ARTICLE	IF	CITATIONS
109	The Variable Domain of a Plant Calcium-dependent Protein Kinase (CDPK) Confers Subcellular Localization and Substrate Recognition for NADPH Oxidase. <i>Journal of Biological Chemistry</i> , 2013, 288, 14332-14340.	1.6	129
110	Combined roles of ethylene and endogenous peptides in regulating plant immunity and growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5748-5749.	3.3	23
111	Specialized Roles of the Conserved Subunit OST3/6 of the Oligosaccharyltransferase Complex in Innate Immunity and Tolerance to Abiotic Stresses. <i>Plant Physiology</i> , 2013, 162, 24-38.	2.3	48
112	<i>Arabidopsis</i> RECEPTOR-LIKE PROTEIN30 and Receptor-Like Kinase SUPPRESSOR OF BIR1-1/EVERSHED Mediate Innate Immunity to Necrotrophic Fungi. <i>Plant Cell</i> , 2013, 25, 4227-4241.	3.1	265
113	<i>Pseudomonas</i> HopU1 modulates plant immune receptor levels by blocking the interaction of their mRNAs with GRP7. <i>EMBO Journal</i> , 2013, 32, 701-712.	3.5	145
114	The transcriptional regulator BZR1 mediates trade-off between plant innate immunity and growth. <i>ELife</i> , 2013, 2, e00983.	2.8	208
115	The Shoot Apical Meristem Regulatory Peptide CLV3 Does Not Activate Innate Immunity. <i>Plant Cell</i> , 2012, 24, 3186-3192.	3.1	35
116	Tackling Drought Stress: RECEPTOR-LIKE KINASES Present New Approaches. <i>Plant Cell</i> , 2012, 24, 2262-2278.	3.1	155
117	ASPARTATE OXIDASE Plays an Important Role in <i>Arabidopsis</i> Stomatal Immunity. <i>Plant Physiology</i> , 2012, 159, 1845-1856.	2.3	129
118	Effector Biology of Plant-Associated Organisms: Concepts and Perspectives. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 2012, 77, 235-247.	2.0	355
119	Brassinosteroids inhibit pathogen-associated molecular pattern-triggered immune signaling independent of the receptor kinase BAK1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 303-308.	3.3	303
120	Receptor Kinase Interactions: Complexity of Signalling. <i>Signaling and Communication in Plants</i> , 2012, , 145-172.	0.5	3
121	Plant pattern recognition receptor complexes at the plasma membrane. <i>Current Opinion in Plant Biology</i> , 2012, 15, 349-357.	3.5	626
122	Activation of plant pattern-recognition receptors by bacteria. <i>Current Opinion in Microbiology</i> , 2011, 14, 54-61.	2.3	264
123	The Receptor-Like Kinase SERK3/BAK1 Is Required for Basal Resistance against the Late Blight Pathogen <i>Phytophthora infestans</i> in <i>Nicotiana benthamiana</i> . <i>PLoS ONE</i> , 2011, 6, e16608.	1.1	170
124	The <i>Arabidopsis</i> Leucine-Rich Repeat Receptor-Like Kinases BAK1/SERK3 and BKK1/SERK4 Are Required for Innate Immunity to Hemibiotrophic and Biotrophic Pathogens. <i>Plant Cell</i> , 2011, 23, 2440-2455.	3.1	578
125	β -N-Acetylhexosaminidases HEXO1 and HEXO3 Are Responsible for the Formation of Paucimannosidic N-Glycans in <i>Arabidopsis thaliana</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 10793-10802.	1.6	69
126	Cell Wall Damage-Induced Lignin Biosynthesis Is Regulated by a Reactive Oxygen Species- and Jasmonic Acid-Dependent Process in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2011, 156, 1364-1374.	2.3	382

#	ARTICLE	IF	CITATIONS
127	Cautionary Notes on the Use of C-Terminal BAK1 Fusion Proteins for Functional Studies. <i>Plant Cell</i> , 2011, 23, 3871-3878.	3.1	60
128	Hierarchy and Roles of Pathogen-Associated Molecular Pattern-Induced Responses in <i>Nicotiana benthamiana</i> . <i>Plant Physiology</i> , 2011, 156, 687-699.	2.3	185
129	Phosphorylation-Dependent Differential Regulation of Plant Growth, Cell Death, and Innate Immunity by the Regulatory Receptor-Like Kinase BAK1. <i>PLoS Genetics</i> , 2011, 7, e1002046.	1.5	439
130	Interfamily transfer of a plant pattern-recognition receptor confers broad-spectrum bacterial resistance. <i>Nature Biotechnology</i> , 2010, 28, 365-369.	9.4	464
131	Lazarus1, a DUF300 Protein, Contributes to Programmed Cell Death Associated with <i>Arabidopsis</i> <i>acd11</i> and the Hypersensitive Response. <i>PLoS ONE</i> , 2010, 5, e12586.	1.1	25
132	Pathogen-Associated Molecular Pattern-Triggered Immunity: Veni, Vidiâ€¦?. <i>Plant Physiology</i> , 2010, 154, 551-554.	2.3	206
133	Direct transcriptional control of the <i>Arabidopsis</i> immune receptor FLS2 by the ethylene-dependent transcription factors EIN3 and EIL1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14502-14507.	3.3	218
134	Specific ER quality control components required for biogenesis of the plant innate immune receptor EFR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 15973-15978.	3.3	241
135	Early molecular events in PAMP-triggered immunity. <i>Current Opinion in Plant Biology</i> , 2009, 12, 414-420.	3.5	424
136	Control of the pattern-recognition receptor EFR by an ER protein complex in plant immunity. <i>EMBO Journal</i> , 2009, 28, 3428-3438.	3.5	267
137	Recent Advances in PAMP-Triggered Immunity against Bacteria: Pattern Recognition Receptors Watch over and Raise the Alarm. <i>Plant Physiology</i> , 2009, 150, 1638-1647.	2.3	308
138	Pattern-recognition receptors in plant innate immunity. <i>Current Opinion in Immunology</i> , 2008, 20, 10-16.	2.4	555
139	Plant Immunity: AvrPto Targets the Frontline. <i>Current Biology</i> , 2008, 18, R218-R220.	1.8	48
140	News from the frontline: recent insights into PAMP-triggered immunity in plants. <i>Current Opinion in Plant Biology</i> , 2008, 11, 389-395.	3.5	267
141	A Genome-Wide Functional Investigation into the Roles of Receptor-Like Proteins in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2008, 147, 503-517.	2.3	266
142	A flagellin-induced complex of the receptor FLS2 and BAK1 initiates plant defence. <i>Nature</i> , 2007, 448, 497-500.	13.7	1,619
143	Perception of the Bacterial PAMP EF-Tu by the Receptor EFR Restricts <i>Agrobacterium</i> -Mediated Transformation. <i>Cell</i> , 2006, 125, 749-760.	13.5	1,658
144	Transgeneration memory of stress in plants. <i>Nature</i> , 2006, 442, 1046-1049.	13.7	557

#	ARTICLE	IF	CITATIONS
145	Plants and animals: a different taste for microbes?. <i>Current Opinion in Plant Biology</i> , 2005, 8, 353-360.	3.5	349
146	The N Terminus of Bacterial Elongation Factor Tu Elicits Innate Immunity in Arabidopsis Plants. <i>Plant Cell</i> , 2004, 16, 3496-3507.	3.1	780
147	The Transcriptional Innate Immune Response to flg22. Interplay and Overlap with Avr Gene-Dependent Defense Responses and Bacterial Pathogenesis. <i>Plant Physiology</i> , 2004, 135, 1113-1128.	2.3	562
148	Bacterial disease resistance in Arabidopsis through flagellin perception. <i>Nature</i> , 2004, 428, 764-767.	13.7	1,487
149	TTL Proteins Scaffold Brassinosteroid Signaling Components at the Plasma Membrane to Optimize Signal Transduction in Plant Cells. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
150	Perception of a conserved family of plant signalling peptides by the receptor kinase HSL3. <i>ELife</i> , 0, 11, .	2.8	20