

Guo-Qiang Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9544179/guo-qiang-chen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

201
papers

15,317
citations

48
h-index

122
g-index

211
ext. papers

17,170
ext. citations

7.3
avg, IF

5.37
L-index

#	Paper	IF	Citations
201	induced antitumor immunity and synergized with anti-programmed cell death 1 to reduce tumor burden in mice.. <i>Gut Microbes</i> , 2022 , 14, 2046246	8.8	4
200	The phosphatase PTEN links platelets with immune regulatory functions of mouse T follicular helper cells.. <i>Nature Communications</i> , 2022 , 13, 2762	17.4	0
199	FAM122A is required for hematopoietic stem cell function. <i>Leukemia</i> , 2021 , 35, 2130-2134	10.7	1
198	Loss of lncRNA SNHG8 promotes epithelial-mesenchymal transition by destabilizing CDH1 mRNA. <i>Science China Life Sciences</i> , 2021 , 64, 1858-1867	8.5	0
197	Reply to: Binding site for MDL-801 on SIRT6. <i>Nature Chemical Biology</i> , 2021 , 17, 522-523	11.7	2
196	Glucose limitation activates AMPK coupled SENP1-Sirt3 signalling in mitochondria for T cell memory development. <i>Nature Communications</i> , 2021 , 12, 4371	17.4	7
195	FAM122A promotes acute myeloid leukemia cell growth through inhibiting PP2A activity and sustaining MYC expression. <i>Haematologica</i> , 2021 , 106, 903-907	6.6	2
194	ANP32B-mediated repression of p53 contributes to maintenance of normal and CML stem cells. <i>Blood</i> , 2021 ,	2.2	1
193	KAT6A Acetylation of SMAD3 Regulates Myeloid-Derived Suppressor Cell Recruitment, Metastasis, and Immunotherapy in Triple-Negative Breast Cancer. <i>Advanced Science</i> , 2021 , 8, e2100014	13.6	4
192	WWP1 targeting MUC1 for ubiquitin-mediated lysosomal degradation to suppress carcinogenesis. <i>Signal Transduction and Targeted Therapy</i> , 2021 , 6, 297	21	1
191	Hypoxia regulates overall mRNA homeostasis by inducing Met-linked linear ubiquitination of AGO2 in cancer cells. <i>Nature Communications</i> , 2021 , 12, 5416	17.4	4
190	Targeting USP47 overcomes tyrosine kinase inhibitor resistance and eradicates leukemia stem/progenitor cells in chronic myelogenous leukemia. <i>Nature Communications</i> , 2021 , 12, 51	17.4	15
189	MDH1-mediated malate-aspartate NADH shuttle maintains the activity levels of fetal liver hematopoietic stem cells. <i>Blood</i> , 2020 , 136, 553-571	2.2	6
188	P53 suppresses SENP3 phosphorylation to mediate G2 checkpoint. <i>Cell Discovery</i> , 2020 , 6, 21	22.3	5
187	FBXO22 degrades nuclear PTEN to promote tumorigenesis. <i>Nature Communications</i> , 2020 , 11, 1720	17.4	18
186	Unraveling allosteric landscapes of allosterome with ASD. <i>Nucleic Acids Research</i> , 2020 , 48, D394-D401	20.1	16
185	A tentative discussion of medical education and cultures of science. <i>Cultures of Science</i> , 2020 , 3, 227-231	0.5	0

184	FAM122A supports the growth of hepatocellular carcinoma cells and its deletion enhances Doxorubicin-induced cytotoxicity. <i>Experimental Cell Research</i> , 2020 , 387, 111714	4.2	5
183	FAM122A Inhibits Erythroid Differentiation through GATA1. <i>Stem Cell Reports</i> , 2020 , 15, 721-734	8	0
182	FAM122A maintains DNA stability possibly through the regulation of topoisomerase III β expression. <i>Experimental Cell Research</i> , 2020 , 396, 112242	4.2	1
181	Biomimetic, Hypoxia-Responsive Nanoparticles Overcome Residual Chemoresistant Leukemic Cells with Co-Targeting of Therapy-Induced Bone Marrow Niches. <i>Advanced Functional Materials</i> , 2020 , 30, 2000309	15.6	13
180	SUMO-Specific Protease 1 Is Critical for Myeloid-Derived Suppressor Cell Development and Function. <i>Cancer Research</i> , 2019 , 79, 3891-3902	10.1	7
179	AlloDriver: a method for the identification and analysis of cancer driver targets. <i>Nucleic Acids Research</i> , 2019 , 47, W315-W321	20.1	22
178	2-Bromopalmitate targets retinoic acid receptor alpha and overcomes all-trans retinoic acid resistance of acute promyelocytic leukemia. <i>Haematologica</i> , 2019 , 104, 102-112	6.6	4
177	SENP1-Sirt3 Signaling Controls Mitochondrial Protein Acetylation and Metabolism. <i>Molecular Cell</i> , 2019 , 75, 823-834.e5	17.6	48
176	Erlotinib overcomes paclitaxel-resistant cancer stem cells by blocking the EGFR-CREB/GR β L-6 axis in MUC1-positive cervical cancer. <i>Oncogenesis</i> , 2019 , 8, 70	6.6	18
175	PTEN β and PTEN α promote carcinogenesis through WDR5 and H3K4 trimethylation. <i>Nature Cell Biology</i> , 2019 , 21, 1436-1448	23.4	21
174	Metabolic Imaging Reveals a Unique Preference of Symmetric Cell Division and Homing of Leukemia-Initiating Cells in an Endosteal Niche. <i>Cell Metabolism</i> , 2019 , 29, 950-965.e6	24.6	27
173	Phenotype and target-based chemical biology investigations in cancers. <i>National Science Review</i> , 2019 , 6, 1111-1127	10.8	5
172	Mitotic Phosphorylation of SENP3 Regulates DeSUMOylation of Chromosome-Associated Proteins and Chromosome Stability. <i>Cancer Research</i> , 2018 , 78, 2171-2178	10.1	11
171	SUMOylation of the m6A-RNA methyltransferase METTL3 modulates its function. <i>Nucleic Acids Research</i> , 2018 , 46, 5195-5208	20.1	120
170	Identifying the SUMO1 modification of FAM122A leading to the degradation of PP2A-C β by ubiquitin-proteasome system. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 500, 676-681 ^{3,4}	3.4	3
169	ent-Jungermannone C Triggers Reactive Oxygen Species-Dependent Cell Differentiation in Leukemia Cells. <i>Journal of Natural Products</i> , 2018 , 81, 298-306	4.9	7
168	PPM1K Regulates Hematopoiesis and Leukemogenesis through CDC20-Mediated Ubiquitination of MEIS1 and p21. <i>Cell Reports</i> , 2018 , 23, 1461-1475	10.6	21
167	Vacuolar Protein Sorting 33B Is a Tumor Suppressor in Hepatocarcinogenesis. <i>Hepatology</i> , 2018 , 68, 2239-2253 ¹⁸	12.5	18

166	AlloFinder: a strategy for allosteric modulator discovery and allosterome analyses. <i>Nucleic Acids Research</i> , 2018 , 46, W451-W458	20.1	55
165	Leukaemic alterations of IKZF1 prime stemness and malignancy programs in human lymphocytes. <i>Cell Death and Disease</i> , 2018 , 9, 526	9.8	3
164	Nuclear PTEN safeguards pre-mRNA splicing to link Golgi apparatus for its tumor suppressive role. <i>Nature Communications</i> , 2018 , 9, 2392	17.4	33
163	MUC1 induces M2 type macrophage influx during postpartum mammary gland involution and triggers breast cancer. <i>Oncotarget</i> , 2018 , 9, 3446-3458	3.3	4
162	MicroRNA-630 inhibits breast cancer progression by directly targeting BMI1. <i>Experimental Cell Research</i> , 2018 , 362, 378-385	4.2	15
161	Sin1 (Stress-Activated Protein Kinase-Interacting Protein) Regulates Ischemia-Induced Microthrombosis Through Integrin β _b -Mediated Outside-In Signaling and Hypoxia Responses in Platelets. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2793-2805	9.4	7
160	JAM3 maintains leukemia-initiating cell self-renewal through LRP5/AKT/ β -catenin/CCND1 signaling. <i>Journal of Clinical Investigation</i> , 2018 , 128, 1737-1751	15.9	17
159	LILRB4 signalling in leukaemia cells mediates T cell suppression and tumour infiltration. <i>Nature</i> , 2018 , 562, 605-609	50.4	81
158	Identification of a cellularly active SIRT6 allosteric activator. <i>Nature Chemical Biology</i> , 2018 , 14, 1118-1126	26.7	116
157	MiR-133b targets Sox9 to control pathogenesis and metastasis of breast cancer. <i>Cell Death and Disease</i> , 2018 , 9, 752	9.8	41
156	CD244 maintains the proliferation ability of leukemia initiating cells through SHP-2/p27 signaling. <i>Haematologica</i> , 2017 , 102, 707-718	6.6	15
155	VHL deficiency augments anthracycline sensitivity of clear cell renal cell carcinomas by down-regulating ALDH2. <i>Nature Communications</i> , 2017 , 8, 15337	17.4	30
154	Proteome-Scale Investigation of Protein Allosteric Regulation Perturbed by Somatic Mutations in 7,000 Cancer Genomes. <i>American Journal of Human Genetics</i> , 2017 , 100, 5-20	11	58
153	Pyruvate kinase M2 phosphorylates H2AX and promotes genomic instability in human tumor cells. <i>Oncotarget</i> , 2017 , 8, 109120-109134	3.3	18
152	MicroRNA-494 inhibits breast cancer progression by directly targeting PAK1. <i>Cell Death and Disease</i> , 2017 , 8, e2529	9.8	60
151	Peptidomimetic inhibitors of APC-Asef interaction block colorectal cancer migration. <i>Nature Chemical Biology</i> , 2017 , 13, 994-1001	11.7	62
150	DNMT1-maintained hypermethylation of Krüppel-like factor 5 involves in the progression of clear cell renal cell carcinoma. <i>Cell Death and Disease</i> , 2017 , 8, e2952	9.8	13
149	MUC1 induces acquired chemoresistance by upregulating ABCB1 in EGFR-dependent manner. <i>Cell Death and Disease</i> , 2017 , 8, e2980	9.8	40

148	APC/C is essential for hematopoiesis and impaired in aplastic anemia. <i>Oncotarget</i> , 2017 , 8, 63360-63369	3.3	0
147	Downregulation of AIF by HIF-1 contributes to hypoxia-induced epithelial-mesenchymal transition of colon cancer. <i>Carcinogenesis</i> , 2016 , 37, 1079-1088	4.6	17
146	CD274 promotes cell cycle entry of leukemia-initiating cells through JNK/Cyclin D2 signaling. <i>Journal of Hematology and Oncology</i> , 2016 , 9, 124	22.4	15
145	A Novel Role for Pyruvate Kinase M2 as a Corepressor for P53 during the DNA Damage Response in Human Tumor Cells. <i>Journal of Biological Chemistry</i> , 2016 , 291, 26138-26150	5.4	22
144	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
143	ASD v3.0: unraveling allosteric regulation with structural mechanisms and biological networks. <i>Nucleic Acids Research</i> , 2016 , 44, D527-35	20.1	95
142	Inhibition of Snail Family Transcriptional Repressor 2 (SNAI2) Enhances Multidrug Resistance of Hepatocellular Carcinoma Cells. <i>PLoS ONE</i> , 2016 , 11, e0164752	3.7	7
141	FAM122A, a new endogenous inhibitor of protein phosphatase 2A. <i>Oncotarget</i> , 2016 , 7, 63887-63900	3.3	14
140	MiR-630 suppresses breast cancer progression by targeting metadherin. <i>Oncotarget</i> , 2016 , 7, 1288-99	3.3	40
139	Sorting protein VPS33B regulates exosomal autocrine signaling to mediate hematopoiesis and leukemogenesis. <i>Journal of Clinical Investigation</i> , 2016 , 126, 4537-4553	15.9	48
138	Vps33b regulates Vwf-positive vesicular trafficking in megakaryocytes. <i>Journal of Pathology</i> , 2016 , 240, 108-19	9.4	18
137	Molecular Mechanism of Z α -Antitrypsin Deficiency. <i>Journal of Biological Chemistry</i> , 2016 , 291, 15674-86	5.4	21
136	Oridonin stabilizes retinoic acid receptor alpha through ROS-activated NF- κ B signaling. <i>BMC Cancer</i> , 2015 , 15, 248	4.8	16
135	Natural products against hematological malignancies and identification of their targets. <i>Science China Life Sciences</i> , 2015 , 58, 1191-201	8.5	7
134	AIF inhibits tumor metastasis by protecting PTEN from oxidation. <i>EMBO Reports</i> , 2015 , 16, 1563-80	6.5	34
133	ANGPTL2/LILRB2 signaling promotes the propagation of lung cancer cells. <i>Oncotarget</i> , 2015 , 6, 21004-15	3.3	40
132	Characterization of Sin1 Isoforms Reveals an mTOR-Dependent and Independent Function of Sin1 β . <i>PLoS ONE</i> , 2015 , 10, e0135017	3.7	17
131	ASD v2.0: updated content and novel features focusing on allosteric regulation. <i>Nucleic Acids Research</i> , 2014 , 42, D510-6	20.1	80

130	Cbx4 governs HIF-1 α to potentiate angiogenesis of hepatocellular carcinoma by its SUMO E3 ligase activity. <i>Cancer Cell</i> , 2014 , 25, 118-31	24.3	139
129	Important role of SUMOylation of Spliceosome factors in prostate cancer cells. <i>Journal of Proteome Research</i> , 2014 , 13, 3571-82	5.6	51
128	Polycomb chromobox 4 enhances migration and pulmonary metastasis of hepatocellular carcinoma cell line MHCC97L. <i>Science China Life Sciences</i> , 2014 , 57, 610-7	8.5	12
127	Sumoylation of hypoxia inducible factor-1 α and its significance in cancer. <i>Science China Life Sciences</i> , 2014 , 57, 657-64	8.5	14
126	Leukemia propagating cells rebuild an evolving niche in response to therapy. <i>Cancer Cell</i> , 2014 , 25, 778-93	24.3	126
125	Profilin 1 is essential for retention and metabolism of mouse hematopoietic stem cells in bone marrow. <i>Blood</i> , 2014 , 123, 992-1001	2.2	32
124	Paired immunoglobulin-like receptor B regulates platelet activation. <i>Blood</i> , 2014 , 124, 2421-30	2.2	35
123	Microtubule-associated protein 1 light chain 3 interacts with and contributes to growth inhibiting effect of PML. <i>PLoS ONE</i> , 2014 , 9, e113089	3.7	9
122	Phosphoproteomics study on the activated PKC β induced cell death. <i>Journal of Proteome Research</i> , 2013 , 12, 4280-301	5.6	7
121	PKC β enhances C/EBP β degradation via inducing its phosphorylation and cytoplasmic translocation. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 433, 220-5	3.4	5
120	Targeting peroxiredoxins against leukemia. <i>Experimental Cell Research</i> , 2013 , 319, 170-6	4.2	24
119	Hypoxia-inducible factor 1 α mediates the down-regulation of superoxide dismutase 2 in von Hippel-Lindau deficient renal clear cell carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 435, 46-51	3.4	23
118	MiR-124 targets Slug to regulate epithelial-mesenchymal transition and metastasis of breast cancer. <i>Carcinogenesis</i> , 2013 , 34, 713-22	4.6	162
117	Metalloproteinase-1 regulates invasion and migration of gastric cancer cells partially through integrin β . <i>Carcinogenesis</i> , 2013 , 34, 2851-60	4.6	28
116	Preventive and therapeutic effects of adenanthin on experimental autoimmune encephalomyelitis by inhibiting NF- κ B signaling. <i>Journal of Immunology</i> , 2013 , 191, 2115-25	5.3	17
115	Fev regulates hematopoietic stem cell development via ERK signaling. <i>Blood</i> , 2013 , 122, 367-75	2.2	32
114	PLZF mediates the PTEN/AKT/FOXO3a signaling in suppression of prostate tumorigenesis. <i>PLoS ONE</i> , 2013 , 8, e77922	3.7	28
113	Oridonin Upregulates All-Trans Retinoic Acid Receptor Alpha and Induces Differentiation Of NB4 Cells Through NF- κ B Pathway. <i>Blood</i> , 2013 , 122, 2909-2909	2.2	1

112	Protein kinase c in apoptosis: a brief overview. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2012 , 60, 361-72	4	58
111	c-Abl promotes osteoblast expansion by differentially regulating canonical and non-canonical BMP pathways and p16INK4a expression. <i>Nature Cell Biology</i> , 2012 , 14, 727-37	23.4	44
110	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-544.2	4.2	2783
109	SUMO1 modification of PTEN regulates tumorigenesis by controlling its association with the plasma membrane. <i>Nature Communications</i> , 2012 , 3, 911	17.4	138
108	Proteomic identification of common SCF ubiquitin ligase FBXO6-interacting glycoproteins in three kinds of cells. <i>Journal of Proteome Research</i> , 2012 , 11, 1773-81	5.6	36
107	Dissecting cell death with proteomic scalpels. <i>Proteomics</i> , 2012 , 12, 597-606	4.8	4
106	Adenanthin targets peroxiredoxin I and II to induce differentiation of leukemic cells. <i>Nature Chemical Biology</i> , 2012 , 8, 486-93	11.7	145
105	Knockdown of metalloproteinase-1 inhibits NF- κ B signaling at different levels: the role of apoptosis induction of gastric cancer cells. <i>International Journal of Cancer</i> , 2012 , 130, 2761-70	7.5	24
104	19-oxygenated ent-kaurane diterpenoids from <i>Isodon pharicus</i> . <i>Planta Medica</i> , 2012 , 78, 52-8	3.1	6
103	Receptor-transporting protein 1 short (RTP1S) mediates translocation and activation of odorant receptors by acting through multiple steps. <i>Journal of Biological Chemistry</i> , 2012 , 287, 22287-94	5.4	32
102	Crucial role of copper in detection of metal-coordinating odorants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3492-7	11.5	89
101	Targeted genes and interacting proteins of hypoxia inducible factor-1. <i>International Journal of Biochemistry and Molecular Biology</i> , 2012 , 3, 165-78	0.4	130
100	Anticancer Effects of Intermittent Hypoxia in Acute Myeloid Leukemia 2012 , 229-238		
99	SUMO-specific protease 1 regulates the in vitro and in vivo growth of colon cancer cells with the upregulated expression of CDK inhibitors. <i>Cancer Letters</i> , 2011 , 309, 78-84	9.9	64
98	Ikaros is degraded by proteasome-dependent mechanism in the early phase of apoptosis induction. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 406, 430-4	3.4	10
97	PU.1 directly regulates retinoic acid-induced expression of RIG-G in leukemia cells. <i>FEBS Letters</i> , 2011 , 585, 375-80	3.8	6
96	MicroRNA-26b is underexpressed in human breast cancer and induces cell apoptosis by targeting SLC7A11. <i>FEBS Letters</i> , 2011 , 585, 1363-7	3.8	135
95	Apoptosis-inducing factor is a target gene of C/EBP β and participates in adipocyte differentiation. <i>FEBS Letters</i> , 2011 , 585, 2307-12	3.8	7

94	Design, synthesis, and biological evaluation of benzodiazepine-based SUMO-specific protease 1 inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 6389-92	2.9	32
93	Current advances in the application of proteomics in apoptosis research. <i>Science China Life Sciences</i> , 2011 , 54, 209-19	8.5	6
92	Antiproliferative diterpenoids from the leaves of <i>Isodon rubescens</i> . <i>Planta Medica</i> , 2011 , 77, 169-74	3.1	8
91	Design, synthesis, and structure-activity relationship of <i>Trypanosoma brucei</i> leucyl-tRNA synthetase inhibitors as antitrypanosomal agents. <i>Journal of Medicinal Chemistry</i> , 2011 , 54, 1276-87	8.3	65
90	PML-RAR α enhances constitutive autophagic activity through inhibiting the Akt/mTOR pathway. <i>Autophagy</i> , 2011 , 7, 1132-44	10.2	33
89	Pathologically decreased miR-26a antagonizes apoptosis and facilitates carcinogenesis by targeting MTDH and EZH2 in breast cancer. <i>Carcinogenesis</i> , 2011 , 32, 2-9	4.6	183
88	Synergistic induction of galectin-1 by CCAAT/enhancer binding protein alpha and hypoxia-inducible factor 1alpha and its role in differentiation of acute myeloid leukemic cells. <i>Journal of Biological Chemistry</i> , 2011 , 286, 36808-19	5.4	37
87	ODORactor: a web server for deciphering olfactory coding. <i>Bioinformatics</i> , 2011 , 27, 2302-3	7.2	23
86	Effector caspases and leukemia. <i>International Journal of Cell Biology</i> , 2011 , 2011, 738301	2.6	13
85	Induction of SENP1 in endothelial cells contributes to hypoxia-driven VEGF expression and angiogenesis. <i>Journal of Biological Chemistry</i> , 2010 , 285, 36682-8	5.4	64
84	Hypoxia inducible factor-1 mediates expression of galectin-1: the potential role in migration/invasion of colorectal cancer cells. <i>Carcinogenesis</i> , 2010 , 31, 1367-75	4.6	104
83	Downregulation of ANP32B, a novel substrate of caspase-3, enhances caspase-3 activation and apoptosis induction in myeloid leukemic cells. <i>Carcinogenesis</i> , 2010 , 31, 419-26	4.6	42
82	Pharicin A, a novel natural ent-kaurene diterpenoid, induces mitotic arrest and mitotic catastrophe of cancer cells by interfering with BubR1 function. <i>Cell Cycle</i> , 2010 , 9, 2897-907	4.7	31
81	MDM4 overexpression contributes to synoviocyte proliferation in patients with rheumatoid arthritis. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 401, 417-21	3.4	8
80	Pharicin B stabilizes retinoic acid receptor- α and presents synergistic differentiation induction with ATRA in myeloid leukemic cells. <i>Blood</i> , 2010 , 116, 5289-97	2.2	45
79	PTEN regulates collagen-induced platelet activation. <i>Blood</i> , 2010 , 116, 2579-81	2.2	52
78	Molecular mechanisms of leukemia-associated protein degradation. <i>Frontiers of Medicine in China</i> , 2010 , 4, 363-70		2
77	Synergistic mitosis-arresting effects of arsenic trioxide and paclitaxel on human malignant lymphocytes. <i>Chemico-Biological Interactions</i> , 2010 , 183, 222-30	5	14

76	Four New Nortriterpenoids from Schisandra lancifolia. <i>Helvetica Chimica Acta</i> , 2010 , 93, 1975-1982	2	11
75	Protein kinase Cdelta stimulates proteasome-dependent degradation of C/EBPalpha during apoptosis induction of leukemic cells. <i>PLoS ONE</i> , 2009 , 4, e6552	3.7	11
74	Synergistic induction of inflammation by bacterial products lipopolysaccharide and fMLP: an important microbial pathogenic mechanism. <i>Journal of Immunology</i> , 2009 , 182, 2518-24	5.3	21
73	Protein kinase C-delta mediates down-regulation of heterogeneous nuclear ribonucleoprotein K protein: involvement in apoptosis induction. <i>Experimental Cell Research</i> , 2009 , 315, 3250-8	4.2	32
72	Inhibition of DNA methyltransferase induces G2 cell cycle arrest and apoptosis in human colorectal cancer cells via inhibition of JAK2/STAT3/STAT5 signalling. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 3668-79	5.6	37
71	Nuclear translocation of dihydrofolate reductase is not a pre-requisite for DNA damage induced apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009 , 14, 699-710	5.4	6
70	Cytotoxic ent-kaurane diterpenoids from Isodon sinuolata. <i>Phytochemistry</i> , 2009 , 70, 1462-6	4	22
69	Active compounds-based discoveries about the differentiation and apoptosis of leukemic cells. <i>Science Bulletin</i> , 2009 , 54, 4094-4101		2
68	NSC606985, a novel camptothecin analog, induces apoptosis and growth arrest in prostate tumor cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2009 , 63, 303-12	3.5	16
67	Differential protein expression in heart in UT-B null mice with cardiac conduction defects. <i>Proteomics</i> , 2009 , 9, 504-11	4.8	13
66	NDRG1 is down-regulated in the early apoptotic event induced by camptothecin analogs: the potential role in proteolytic activation of PKC delta and apoptosis. <i>Proteomics</i> , 2009 , 9, 2064-75	4.8	18
65	Proteomics-based identification of two novel direct targets of hypoxia-inducible factor-1 and their potential roles in migration/invasion of cancer cells. <i>Proteomics</i> , 2009 , 9, 3901-12	4.8	56
64	Modulated T-complex protein 1 and peptidyl-prolyl cis-trans isomerase B are two novel indicators for evaluating lymph node metastasis in colorectal cancer: Evidence from proteomics and bioinformatics. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 1225-35	3.1	6
63	Schilancidilactones A and B: two novel tetranortriterpenoids with an unprecedented skeleton from Schisandra lancifolia. <i>Tetrahedron Letters</i> , 2009 , 50, 5962-5964	2	27
62	NDRG1 contributes to retinoic acid-induced differentiation of leukemic cells. <i>Leukemia Research</i> , 2009 , 33, 1108-13	2.7	20
61	mTOR signaling pathway is a target for the treatment of colorectal cancer. <i>Annals of Surgical Oncology</i> , 2009 , 16, 2617-28	3.1	100
60	Alterations of mitochondrial enzymes contribute to cardiac hypertrophy before hypertension development in spontaneously hypertensive rats. <i>Journal of Proteome Research</i> , 2009 , 8, 2463-75	5.6	40
59	ent-Kaurane diterpenoids from Isodon pharicus. <i>Journal of Natural Products</i> , 2009 , 72, 988-93	4.9	18

58	NSC606985 induces apoptosis, exerts synergistic effects with cisplatin, and inhibits hypoxia-stabilized HIF-1alpha protein in human ovarian cancer cells. <i>Cancer Letters</i> , 2009 , 278, 139-144	9.9	15
57	PU.1, a novel caspase-3 substrate, partially contributes to chemotherapeutic agents-induced apoptosis in leukemic cells. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 382, 508-13	3.4	11
56	Hypoxia-HIF-1alpha-C/EBPalpha/Runx1 signaling in leukemic cell differentiation. <i>Pathophysiology</i> , 2009 , 16, 297-303	1.8	17
55	ent-Kaurane diterpenoids from <i>Isodon scoparius</i> . <i>Journal of Natural Products</i> , 2009 , 72, 125-9	4.9	13
54	?????????????????????????????. <i>Chinese Science Bulletin</i> , 2009 , 54, 2759-2765	2.9	2
53	Synergistic Anti-Cancer Effects of Arsenic Trioxide and Paclitaxel On Human Malignant Lymphocytes.. <i>Blood</i> , 2009 , 114, 4809-4809	2.2	
52	MicroRNA Expression Contributes to Hypoxia-Inducible Factor-1a-Induced Differentiation of Myeloid Leukemic Cells.. <i>Blood</i> , 2009 , 114, 1007-1007	2.2	
51	Coiled-coil domain of PML is essential for the aberrant dynamics of PML-RARalpha, resulting in sequestration and decreased mobility of SMRT. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 365, 258-65	3.4	8
50	Hyper-phosphorylation of alpha-enolase in hypertrophied left ventricle of spontaneously hypertensive rat. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 371, 804-9	3.4	19
49	Accumulation of hypoxia-inducible factor-1 alpha protein and its role in the differentiation of myeloid leukemic cells induced by all-trans retinoic acid. <i>Haematologica</i> , 2008 , 93, 1480-7	6.6	25
48	Phosphorylation of beta-actin by protein kinase C-delta in camptothecin analog-induced leukemic cell apoptosis. <i>Acta Pharmacologica Sinica</i> , 2008 , 29, 135-42	8	20
47	Differential Protein Expression in Heart in UT-B Null Mice with Cardiac Conduction Defects. <i>FASEB Journal</i> , 2008 , 22, 963.1	0.9	
46	Acidic Leucine-Rich Nuclear Phosphoprotein 32 Family Member B (ANP32B), a Novel Caspase-3 Substrate, Exerts Anti-Apoptotic Effects on Acute Myeloid Leukemic Cells.. <i>Blood</i> , 2008 , 112, 1337-1337	2.2	
45	Synergistically Cooperation of Bortezomib and Arsenic Trioxide on Chronic Myelogenous Leukemia. <i>Blood</i> , 2008 , 112, 4233-4233	2.2	
44	Effect of block deletions in the C-terminus on the functional expression of human anion exchanger 1 (AE1). <i>Molecular Membrane Biology</i> , 2007 , 24, 65-73	3.4	8
43	Subcellular proteome analysis of camptothecin analogue NSC606985-treated acute myeloid leukemic cells. <i>Journal of Proteome Research</i> , 2007 , 6, 3808-18	5.6	33
42	Expression of anion exchanger 1 sequesters p16 in the cytoplasm in gastric and colonic adenocarcinoma. <i>Neoplasia</i> , 2007 , 9, 812-9	6.4	38
41	Therapeutic efficacy of NSC606985, a novel camptothecin analog, in a mouse model of acute promyelocytic leukemia. <i>Leukemia Research</i> , 2007 , 31, 1565-74	2.7	16

40	Leukemia, an effective model for chemical biology and target therapy. <i>Acta Pharmacologica Sinica</i> , 2007 , 28, 1316-24	8	11
39	Leukemogenic AML1-ETO fusion protein increases carcinogen-DNA adduct formation with upregulated expression of cytochrome P450-1A1 gene. <i>Experimental Hematology</i> , 2007 , 35, 1249-55	3.1	10
38	Aberrant chromatin remodeling by retinoic acid receptor alpha fusion proteins assessed at the single-cell level. <i>Molecular Biology of the Cell</i> , 2007 , 18, 3941-51	3.5	14
37	c-Jun N-terminal kinase mediates AML1-ETO protein-induced connexin-43 expression. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 356, 505-11	3.4	26
36	Leukemogenic AML1-ETO fusion protein upregulates expression of connexin 43: the role in AML 1-ETO-induced growth arrest in leukemic cells. <i>Journal of Cellular Physiology</i> , 2006 , 208, 594-601	7	28
35	Immunodetection of human telomerase reverse-transcriptase (hTERT) re-appraised: nucleolin and telomerase cross paths. <i>Journal of Cell Science</i> , 2006 , 119, 2797-806	5.3	103
34	RIG-G as a key mediator of the antiproliferative activity of interferon-related pathways through enhancing p21 and p27 proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 16448-53	11.5	94
33	Proliferation and differentiation of bone marrow stromal cells under hypoxic conditions. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 347, 12-21	3.4	172
32	Induction of tumor arrest and differentiation with prolonged survival by intermittent hypoxia in a mouse model of acute myeloid leukemia. <i>Blood</i> , 2006 , 107, 698-707	2.2	43
31	Differential protein expression in hypertrophic heart with and without hypertension in spontaneously hypertensive rats. <i>Proteomics</i> , 2006 , 6, 1948-56	4.8	69
30	Comparative proteomic analysis of hypoxia-treated and untreated human leukemic U937 cells. <i>Proteomics</i> , 2006 , 6, 3262-74	4.8	34
29	Anion exchanger 2 mediates the action of arsenic trioxide. <i>British Journal of Haematology</i> , 2006 , 134, 491-9	4.5	8
28	Hypoxia-mimetic agents desferrioxamine and cobalt chloride induce leukemic cell apoptosis through different hypoxia-inducible factor-1alpha independent mechanisms. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006 , 11, 67-77	5.4	82
27	Hypoxia inducible factor-1alpha and leukemic cell differentiation. <i>Acta Physiologica Sinica</i> , 2006 , 58, 5-13	1.3	1
26	Comparative proteomic analysis of human leukemic cells with and without inducible expression of leukemogenic AML1-ETO protein. <i>Chinese Journal of Physiology</i> , 2006 , 49, 182-91	1.6	5
25	Phospholipid scramblase 1. <i>Acta Physiologica Sinica</i> , 2006 , 58, 501-10	1.3	7
24	Prediction of pancreatic cancer by serum biomarkers using surface-enhanced laser desorption/ionization-based decision tree classification. <i>Oncology</i> , 2005 , 68, 79-86	3.6	72
23	Metavanadate suppresses desferrioxamine-induced leukemic cell differentiation with reduced hypoxia-inducible factor-1alpha protein. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 332, 1140-5	3.4	10

22	Direct interaction and cooperative role of tumor suppressor p16 with band 3 (AE1). <i>FEBS Letters</i> , 2005 , 579, 2105-10	3.8	21
21	Nanomolar concentration of NSC606985, a camptothecin analog, induces leukemic-cell apoptosis through protein kinase Cdelta-dependent mechanisms. <i>Blood</i> , 2005 , 105, 3714-21	2.2	48
20	Detecting correlation between sequence and expression divergences in a comparative analysis of human serpin genes. <i>BioSystems</i> , 2005 , 82, 226-34	1.9	3
19	AML1-ETO and C-KIT mutation/overexpression in t(8;21) leukemia: implication in stepwise leukemogenesis and response to Gleevec. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 1104-9	11.5	253
18	As2O3 enhances the anion transport activity of band 3 and the action is related with the C-terminal 16 residues of the protein. <i>Journal of Drug Targeting</i> , 2005 , 13, 235-43	5.4	3
17	Interferon-alpha-induced expression of phospholipid scramblase 1 through STAT1 requires the sequential activation of protein kinase Cdelta and JNK. <i>Journal of Biological Chemistry</i> , 2005 , 280, 42707-14	5.14	42
16	Arsenic Trioxide and Leukemia 2005 , 251-272		
15	Hypoxia-simulating agents and selective stimulation of arsenic trioxide-induced growth arrest and cell differentiation in acute promyelocytic leukemic cells. <i>Haematologica</i> , 2005 , 90, 1607-16	6.6	14
14	Combined effects of As4S4 and imatinib on chronic myeloid leukemia cells and BCR-ABL oncoprotein. <i>Blood</i> , 2004 , 104, 4219-25	2.2	67
13	Protein kinase Cdelta mediates retinoic acid and phorbol myristate acetate-induced phospholipid scramblase 1 gene expression: its role in leukemic cell differentiation. <i>Blood</i> , 2004 , 104, 3731-8	2.2	92
12	Methylated metabolites of arsenic trioxide are more potent than arsenic trioxide as apoptotic but not differentiation inducers in leukemia and lymphoma cells. <i>Cancer Research</i> , 2003 , 63, 1853-9	10.1	73
11	Treatment of acute promyelocytic leukemia with ATRA and As2O3: a model of molecular target-based cancer therapy. <i>Cancer Biology and Therapy</i> , 2002 , 1, 614-20	4.6	62
10	Variant-type PML-RAR(alpha) fusion transcript in acute promyelocytic leukemia: use of a cryptic coding sequence from intron 2 of the RAR(alpha) gene and identification of a new clinical subtype resistant to retinoic acid therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 7640-5	11.5	32
9	Expanding the use of arsenic trioxide: leukemias and beyond. <i>Seminars in Hematology</i> , 2002 , 39, 22-6	4	64
8	Combined effect of all-trans retinoic acid and arsenic trioxide in acute promyelocytic leukemia cells in vitro and in vivo. <i>Blood</i> , 2001 , 97, 264-9	2.2	186
7	Arsenic trioxide, a therapeutic agent for APL. <i>Oncogene</i> , 2001 , 20, 7146-53	9.2	179
6	Treatment of acute promyelocytic leukemia with arsenic compounds: in vitro and in vivo studies. <i>Seminars in Hematology</i> , 2001 , 38, 26-36	4	101
5	Treatment of Acute Promyelocytic Leukemia with Arsenic Trioxide: Clinical and Basic Studies. <i>Leukemia and Lymphoma</i> , 2001 , 42, 1265-1273	1.9	12

4	Studies on Treatment of Acute Promyelocytic Leukemia With Arsenic Trioxide: Remission Induction, Follow-Up, and Molecular Monitoring in 11 Newly Diagnosed and 47 Relapsed Acute Promyelocytic Leukemia Patients. <i>Blood</i> , 1999 , 94, 3315-3324	2.2	518
3	Apoptosis and growth inhibition in malignant lymphocytes after treatment with arsenic trioxide at clinically achievable concentrations. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 772-8	9.7	251
2	Cellular and molecular mechanism of arsenic trioxide in the treatment of hematopoietic malignancies 1999 , 5, 82-88		
1	Use of Arsenic Trioxide (As ₂ O ₃) in the Treatment of Acute Promyelocytic Leukemia (APL): II. Clinical Efficacy and Pharmacokinetics in Relapsed Patients. <i>Blood</i> , 1997 , 89, 3354-3360	2.2	1170