Rachel Nadif

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9545497/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adult lung function and long-term air pollution exposure. ESCAPE: a multicentre cohort study and meta-analysis. European Respiratory Journal, 2015, 45, 38-50.	3.1	297
2	Drug metabolizing enzymes in the brain and cerebral microvessels. Brain Research Reviews, 1991, 16, 65-82.	9.1	175
3	Mechanisms of the Development of Allergy (MeDALL): Introducing novel concepts in allergy phenotypes. Journal of Allergy and Clinical Immunology, 2017, 139, 388-399.	1.5	145
4	Positioning the principles of precision medicine in care pathways for allergic rhinitis and chronic rhinosinusitis – A <scp>EUFOREA</scp> â€ <scp>ARIA</scp> â€ <scp>EPOS</scp> â€ <scp>AIRWAYS ICP</scp> statement. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 1297-1305.	2.7	130
5	MACVIA clinical decision algorithm in adolescents and adults with allergic rhinitis. Journal of Allergy and Clinical Immunology, 2016, 138, 367-374.e2.	1.5	128
6	ARIA 2016: Care pathways implementing emerging technologies for predictive medicine in rhinitis and asthma across the life cycle. Clinical and Translational Allergy, 2016, 6, 47.	1.4	121
7	Indoor mould exposure, asthma and rhinitis: findings from systematic reviews and recent longitudinal studies. European Respiratory Review, 2018, 27, 170137.	3.0	117
8	Heterogeneity of asthma according to blood inflammatory patterns. Thorax, 2009, 64, 374-380.	2.7	108
9	Subcellular localization of cytochrome P450, and activities of several enzymes responsible for drug metabolism in the human brain. Biochemical Pharmacology, 1993, 45, 647-658.	2.0	105
10	MASK 2017: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma multimorbidity using real-world-evidence. Clinical and Translational Allergy, 2018, 8, 45.	1.4	104
11	Allergic Rhinitis and its Impact on Asthma (ARIA) Phase 4 (2018): Change management in allergic rhinitis and asthma multimorbidity using mobile technology. Journal of Allergy and Clinical Immunology, 2019, 143, 864-879.	1.5	103
12	Is diet partly responsible for differences in COVID-19 death rates between and within countries?. Clinical and Translational Allergy, 2020, 10, 16.	1.4	97
13	Genome-wide association study of lung function decline in adults with and without asthma. Journal of Allergy and Clinical Immunology, 2012, 129, 1218-1228.	1.5	94
14	Phenotypic determinants of uncontrolled asthma. Journal of Allergy and Clinical Immunology, 2009, 124, 681-687.e3.	1.5	88
15	Are allergic multimorbidities and IgE polysensitization associated with the persistence or reâ€occurrence of foetal type 2 signalling? The <scp>M</scp> e <scp>DALL</scp> hypothesis. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1062-1078.	2.7	88
16	17q21 variants modify the association between early respiratory infections and asthma. European Respiratory Journal, 2010, 36, 57-64.	3.1	87
17	Next-generation ARIA care pathways for rhinitis and asthma: a model for multimorbid chronic diseases. Clinical and Translational Allergy, 2019, 9, 44.	1.4	87
18	Cabbage and fermented vegetables: From death rate heterogeneity in countries to candidates for mitigation strategies of severe COVIDâ€19. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 735-750.	2.7	83

#	Article	IF	CITATIONS
19	Association ofCATpolymorphisms with catalase activity and exposure to environmental oxidative stimuli. Free Radical Research, 2005, 39, 1345-1350.	1.5	81
20	Guidance to 2018 good practice: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma. Clinical and Translational Allergy, 2019, 9, 16.	1.4	81
21	Paving the way of systems biology and precision medicine in allergic diseases: the Me <scp>DALL</scp> success story. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1513-1525.	2.7	77
22	Adherence to treatment in allergic rhinitis using mobile technology. The <scp>MASK</scp> Study. Clinical and Experimental Allergy, 2019, 49, 442-460.	1.4	73
23	Domestic use of cleaning sprays and asthma activity in females. European Respiratory Journal, 2012, 40, 1381-1389.	3.1	68
24	A Common 16p11.2 Inversion Underlies the Joint Susceptibility to Asthma and Obesity. American Journal of Human Genetics, 2014, 94, 361-372.	2.6	66
25	Air pollution and asthma control in the Epidemiological study on the Genetics and Environment of Asthma. Journal of Epidemiology and Community Health, 2012, 66, 796-802.	2.0	63
26	Distribution of cytochrome p450 activities towards alkoxyresorufin derivatives in rat brain regions, subcellular fractions and isolated cerebral microvessels. Biochemical Pharmacology, 1990, 40, 2145-2151.	2.0	57
27	Forced midexpiratory flow between 25% and 75% of forced vital capacity is associated with long-term persistence of asthma and poor asthma outcomes. Journal of Allergy and Clinical Immunology, 2016, 137, 1709-1716.e6.	1.5	57
28	Nrf2-interacting nutrients and COVID-19: time for research to develop adaptation strategies. Clinical and Translational Allergy, 2020, 10, 58.	1.4	56
29	The asthmaâ€rhinitis multimorbidity is associated with IgE polysensitization in adolescents and adults. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1447-1458.	2.7	53
30	Specific IgE and IgG measured by the MeDALL allergen-chip depend on allergen and route of exposure: The EGEA study. Journal of Allergy and Clinical Immunology, 2017, 139, 643-654.e6.	1.5	52
31	Women using bleach for home cleaning are at increased risk of non-allergic asthma. Respiratory Medicine, 2016, 117, 264-271.	1.3	50
32	Blood granulocyte patterns as predictors of asthma phenotypes in adults from the EGEA study. European Respiratory Journal, 2016, 48, 1040-1051.	3.1	49
33	Socioeconomic position and outdoor nitrogen dioxide (NO2) exposure in Western Europe: A multi-city analysis. Environment International, 2017, 101, 117-124.	4.8	49
34	Passive and active smoking and exhaled nitric oxide levels according to asthma and atopy in adults. Annals of Allergy, Asthma and Immunology, 2010, 104, 385-393.	0.5	48
35	Worldwide prevalence of rhinitis in adults: A review of definitions and temporal evolution. Clinical and Translational Allergy, 2022, 12, e12130.	1.4	48
36	Building bridges for innovation in ageing: Synergies between action groups of the EIP on AHA. Journal of Nutrition, Health and Aging, 2017, 21, 92-104.	1.5	47

#	Article	IF	CITATIONS
37	The sensitization pattern differs according to rhinitis and asthma multimorbidity in adults: the EGEA study. Clinical and Experimental Allergy, 2017, 47, 520-529.	1.4	45
38	Effect of TNF and LTA polymorphisms on biological markers of response to oxidative stimuli in coal miners: a model of gene-environment interaction. Journal of Medical Genetics, 2003, 40, 96-103.	1.5	44
39	Long-term air pollution exposure is associated with increased severity of rhinitis in 2 European cohorts. Journal of Allergy and Clinical Immunology, 2020, 145, 834-842.e6.	1.5	43
40	Different Genes Interact with Particulate Matter and Tobacco Smoke Exposure in Affecting Lung Function Decline in the General Population. PLoS ONE, 2012, 7, e40175.	1.1	40
41	Sensitisation to staphylococcal enterotoxins and asthma severity: a longitudinal study in the EGEA cohort. European Respiratory Journal, 2019, 54, 1900198.	3.1	40
42	Cured meat intake is associated with worsening asthma symptoms. Thorax, 2017, 72, 206-212.	2.7	38
43	The role of eosinophils and basophils in allergic diseases considering genetic findings. Current Opinion in Allergy and Clinical Immunology, 2013, 13, 507-513.	1.1	34
44	Gene–environment interactions in the study of asthma in the postgenomewide association studies era. Current Opinion in Allergy and Clinical Immunology, 2015, 15, 70-78.	1.1	34
45	Association between air pollution and rhinitis incidence in two European cohorts. Environment International, 2018, 115, 257-266.	4.8	34
46	Association between asthma, rhinitis, and conjunctivitis multimorbidities with molecular IgE sensitization in adults. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 824-827.	2.7	34
47	Not only training but also exposure to chlorinated compounds generates a response to oxidative stimuli in swimmers. Toxicology and Industrial Health, 2002, 18, 269-278.	0.6	33
48	Associations between Nitric Oxide Synthase Genes and Exhaled NO-Related Phenotypes according to Asthma Status. PLoS ONE, 2012, 7, e36672.	1.1	33
49	Serum levels of Clara cell secretory protein, asthma, and lung function in the adult general population. Journal of Allergy and Clinical Immunology, 2013, 132, 230-232.e6.	1.5	33
50	Fraction of exhaled nitric oxide values in childhood are associated with 17q11.2-q12 and 17q12-q21 variants. Journal of Allergy and Clinical Immunology, 2014, 134, 46-55.	1.5	33
51	Longitudinal study of diet quality and change in asthma symptoms in adults, according to smoking status. British Journal of Nutrition, 2017, 117, 562-571.	1.2	32
52	Correlation between work impairment, scores of rhinitis severity and asthma using the MASKâ€air [®] App. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1672-1688.	2.7	32
53	Interrelationships of quantitative asthma-related phenotypes in the Epidemiological Study on the Genetics and Environment of Asthma, Bronchial Hyperresponsiveness, andÂAtopy. Journal of Allergy and Clinical Immunology, 2007, 119, 57-63.	1.5	31
54	Asthma control assessed in the EGEA epidemiological survey and health-related quality ofÂlife. Respiratory Medicine, 2012, 106, 820-828.	1.3	31

#	Article	IF	CITATIONS
55	Oxidative stress biomarkers and asthma characteristics in adults of the EGEA study. European Respiratory Journal, 2017, 50, 1701193.	3.1	30
56	Enzyme mediated superoxide radical formation initiated by exogenous molecules in rat brain preparations. Toxicology and Applied Pharmacology, 1991, 110, 107-117.	1.3	29
57	Do young adults with childhood asthma avoid occupational exposures at first hire?. European Respiratory Journal, 2011, 37, 1043-1049.	3.1	29
58	Smoking and asthma: Disentangling their mutual influences using a longitudinal approach. Respiratory Medicine, 2011, 105, 1805-1814.	1.3	27
59	Surfactant protein D, a clinical biomarker for chronic obstructive pulmonary disease with excellent discriminant values. Experimental and Therapeutic Medicine, 2016, 11, 723-730.	0.8	26
60	Outdoor air pollution, exhaled 8-isoprostane and current asthma in adults: the EGEA study. European Respiratory Journal, 2018, 51, 1702036.	3.1	26
61	Adult onset asthma and interaction between genes and active tobacco smoking: The GABRIEL consortium. PLoS ONE, 2017, 12, e0172716.	1.1	25
62	Susceptibility Factors Relevant for the Association Between Long-Term Air Pollution Exposure and Incident Asthma. Current Environmental Health Reports, 2016, 3, 23-39.	3.2	24
63	Genes Interacting with Occupational Exposures to Low Molecular Weight Agents and Irritants on Adult-Onset Asthma in Three European Studies. Environmental Health Perspectives, 2017, 125, 207-214.	2.8	23
64	Characterization of Rhinitis According to the Asthma Status in Adults Using an Unsupervised Approach in the EGEA Study. PLoS ONE, 2015, 10, e0136191.	1.1	23
65	Polymorphisms in chemokine and chemokine receptor genes and the development of coal workers' pneumoconiosis. Cytokine, 2006, 33, 171-178.	1.4	22
66	Total serum IgE levels are associated with ambient ozone concentration in asthmatic adults. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 40-46.	2.7	22
67	Exhaled nitric oxide, nitrite/nitrate levels, allergy, rhinitis and asthma in the EGEA study. European Respiratory Journal, 2014, 44, 351-360.	3.1	22
68	IL18 and IL18R1 polymorphisms, lung CT and fibrosis: a longitudinal study in coal miners. European Respiratory Journal, 2006, 28, 1100-1105.	3.1	20
69	Cleaning and asthma characteristics in women. American Journal of Industrial Medicine, 2014, 57, 303-311.	1.0	20
70	CATALASE AND SUPEROXIDE DISMUTASE ACTIVITIES AS BIOMARKERS OF OXIDATIVE STRESS IN WORKERS EXPOSED TO MERCURY VAPORS. Journal of Toxicology and Environmental Health - Part A: Current Issues, 1996, 48, 107-120.	1.1	19
71	Chronic Exposure to Anesthetic Gases Affects Balance Control in Operating Room Personnel. NeuroToxicology, 2005, 26, 193-198.	1.4	19
72	Environment and asthma in adults. Presse Medicale, 2013, 42, e317-e333.	0.8	19

#	Article	IF	CITATIONS
73	Development of a French Epidemiological Surveillance System of Workers Producing or Handling Engineered Nanomaterials in the Workplace. Journal of Occupational and Environmental Medicine, 2011, 53, S103-S107.	0.9	17
74	Occupational exposures and fluorescent oxidation products in 723 adults of the EGEA study. European Respiratory Journal, 2015, 46, 258-261.	3.1	17
75	Interaction between the <i>DNAH9</i> gene and early smoke exposure in bronchial hyperresponsiveness. European Respiratory Journal, 2016, 47, 1072-1081.	3.1	17
76	Serum cytokine profiles as predictors of asthma control in adults from the EGEA study. Respiratory Medicine, 2017, 125, 57-64.	1.3	17
77	Blood eosinophil cationic protein and eosinophil-derived neurotoxin are associated with different asthma expression and evolution in adults. Thorax, 2022, 77, 552-562.	2.7	17
78	Does the oxidative stress play a role in the associations between outdoor air pollution and persistent asthma in adults? Findings from the EGEA study. Environmental Health, 2019, 18, 90.	1.7	16
79	Asthma is associated with frailty among community-dwelling adults: the GAZEL cohort. BMJ Open Respiratory Research, 2020, 7, e000526.	1.2	16
80	Mold allergen sensitization in adult asthma according to integrin β3 polymorphisms and Toll-like receptor 2/+596 genotype. Journal of Allergy and Clinical Immunology, 2011, 128, 185-191.e7.	1.5	15
81	Cross sectional and longitudinal study on selenium, glutathione peroxidase, smoking, and occupational exposure in coal miners. Occupational and Environmental Medicine, 2001, 58, 239-245.	1.3	14
82	Plasma and exhaled breath condensate nitrite–nitrate level in relation to environmental exposures in adults in the EGEA study. Nitric Oxide - Biology and Chemistry, 2012, 27, 169-175.	1.2	14
83	The CONSTANCES Cohort Biobank: An Open Tool for Research in Epidemiology and Prevention of Diseases. Frontiers in Public Health, 2020, 8, 605133.	1.3	14
84	Genetic insights into moderate-to-severe asthma. Lancet Respiratory Medicine,the, 2019, 7, 2-3.	5.2	13
85	Endotypes identified by cluster analysis in asthmatics and non-asthmatics and their clinical characteristics at follow-up: the case-control EGEA study. BMJ Open Respiratory Research, 2020, 7, e000632.	1.2	13
86	Role of Leptin in the Association Between Body Adiposity and Persistent Asthma: A Longitudinal Study. Obesity, 2019, 27, 894-898.	1.5	12
87	Candidate gene-environment interactions. Journal of Epidemiology and Community Health, 2010, 64, 188-189.	2.0	11
88	Selection of genes for gene-environment interaction studies: a candidate pathway-based strategy using asthma as an example. Environmental Health, 2013, 12, 56.	1.7	11
89	A common variant in <i><scp>RAB</scp>27A</i> gene is associated with fractional exhaled nitric oxide levels in adults. Clinical and Experimental Allergy, 2015, 45, 797-806.	1.4	11
90	Use of household cleaning products, exhaled nitric oxide and lung function in females. European Respiratory Journal, 2014, 44, 816-818.	3.1	10

#	Article	IF	CITATIONS
91	<scp>slgE</scp> and <scp>slgG</scp> to airborne atopic allergens: Coupled rather than inversely related responses. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2239-2242.	2.7	10
92	Trajectories of IgE sensitization to allergen molecules from childhood to adulthood and respiratory health in the EGEA cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 609-618.	2.7	10
93	Long-term exposures to PM2.5, black carbon and NO2 and prevalence of current rhinitis in French adults: The Constances Cohort. Environment International, 2021, 157, 106839.	4.8	10
94	Blood inflammatory phenotypes were associated with distinct clinical expressions of asthma in adults from a large population-based cohort. EBioMedicine, 2022, 76, 103875.	2.7	10
95	Associations between specific IgE sensitization to 26 respiratory allergen molecules and HLA class II alleles in the EGEA cohort. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2575-2586.	2.7	9
96	Underdiagnosis of obstructive lung disease: findings from the French CONSTANCES cohort. BMC Pulmonary Medicine, 2021, 21, 319.	0.8	9
97	Cat sensitization according to cat window of exposure in adult asthmatics. Clinical and Experimental Allergy, 2009, 39, 1515-1521.	1.4	8
98	Erythrocyte antioxidant enzyme activities in coal miners from three French regions. International Archives of Occupational and Environmental Health, 1998, 71, 257-262.	1.1	7
99	Seasonal variations of lipid profiles in a French cohort. Atherosclerosis, 2019, 286, 181-183.	0.4	7
100	Serum club cell protein 16 is associated with asymptomatic airway responsiveness in adults: Findings from the French epidemiological study on the genetics and environment of asthma. Respirology, 2015, 20, 1198-1205.	1.3	6
101	Questionnaire as an alternative of skin prick tests to differentiate allergic from nonâ€allergic rhinitis in epidemiological studies. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2291-2294.	2.7	6
102	Association between occupational exposure to irritant agents and a distinct asthma endotype in adults. Occupational and Environmental Medicine, 2022, 79, 155-161.	1.3	6
103	Gene-environment interactions in occupational asthma. , 2010, , 205-228.		6
104	Polymorphisms in manganese superoxide dismutase and catalase genes: functional study in Hong Kong Chinese asthma patients. Clinical and Experimental Allergy, 2006, 36, 1104-1105.	1.4	5
105	High level of fluorescent oxidation products and worsening of asthma control over time. Respiratory Research, 2019, 20, 203.	1.4	5
106	EGEA Collection: A Biobank Devoted to Asthma and Asthma-related Phenotypes. Open Journal of Bioresources, 2017, 4, .	1.5	5
107	Long-term exposure to ambient air pollution and asthma symptom score in the CONSTANCES cohort. Thorax, 2023, 78, 9-15.	2.7	5
108	RE: "ASSOCIATIONS BETWEEN BREAST CANCER RISK AND THE CATALASE GENOTYPE, FRUIT AND VEGETABLE CONSUMPTION, AND SUPPLEMENT USE― American Journal of Epidemiology, 2006, 163, 874-875.	1.6	4

#	Article	IF	CITATIONS
109	Poor Perceived Health is Associated with Current use of Electronic Cigarette among Current and Former Smokers: Findings from the CONSTANCES Cohort. European Addiction Research, 2019, 25, 310-319.	1.3	4
110	Interactive effect between ATPase-related genes and early-life tobacco smoke exposure on bronchial hyper-responsiveness detected in asthma-ascertained families. Thorax, 2019, 74, 254-260.	2.7	4
111	Identification of novel phencyclidine metabolites formed <i>in vitro</i> by rabbit microsomal metabolism. Xenobiotica, 1991, 21, 1493-1499.	0.5	3
112	Relationship between blood antioxidants and occupational exposure to polycyclic aromatic hydrocarbons in coke oven workers. , 1998, 34, 272-279.		3
113	PID1 is associated to a respiratory endotype related to occupational exposures to irritants. Free Radical Biology and Medicine, 2021, 172, 503-507.	1.3	3
114	Occupational Exposures to Organic Solvents and Asthma Symptoms in the CONSTANCES Cohort. International Journal of Environmental Research and Public Health, 2021, 18, 9258.	1.2	3
115	The use of electronic cigarette by smokers and ex-smokers is associated with a poor perceived health status in the population-based Constances cohort. , 2018, , .		3
116	Genome-Wide Association Study of Fluorescent Oxidation Products Accounting for Tobacco Smoking Status in Adults from the French EGEA Study. Antioxidants, 2022, 11, 802.	2.2	3
117	Candidate interactions. European Respiratory Journal, 2007, 30, 3-4.	3.1	2
118	Total Nitrate/Nitrite Levels In Plasma And Exhaled Breath Condensate: Associations With Age And Smoking According To Asthma Among 1159 Adults From The EGEA Study. , 2010, , .		2
119	Usefulness of a new dialysis device adapted to small volume of red blood cells and its interest in epidemiology. Clinical Biochemistry, 2011, 44, 739-741.	0.8	1
120	P I – 1–5â€Association between air pollution and severity of rhinitis in two european cohorts. , 2018, , .		1
121	Synergistic effect of mold and tobacco smoke exposure on adult-onset asthma. , 2020, , .		1
122	Response to: Correspondence on "Association between occupational exposure to irritant agents and a distinct asthma endotype in adults―by Andrianjafimasy et al. Occupational and Environmental Medicine, 2022, 79, 359-360.	1.3	1
123	Perceived Overall Change In Respiratory Health Over 12 Years Is Associated With Objective Change In Bronchial Responsiveness In Asthmatics And Non Asthmatics From The EGEA Study. , 2010, , .		0
124	Atopy, Asthma And The Nitrite-Nitrate-No Pathway Among Adults From The Egea Study. , 2011, , .		0
125	Occupational exposure to cleaning agents and asthma in women from the EGEA study. Occupational and Environmental Medicine, 2011, 68, A30-A30.	1.3	0
126	Variants In NOSA Gene, Total Nitrite-Nitrate Level In Exhaled Breath Condensate And Response To SPT Among Adults From The EGEA Study. , 2011, , .		0

#	Article	IF	CITATIONS
127	Association Between The Ratio FEV1/FEF25-75 And Asthma, Asthma Control And BHR In Adults. , 2012, , .		0
128	Smoking Initiation in Asthmatics and Impact of Smoking on Asthma Incidence in the EGEA Cohort , 2009, , .		0
129	Air Pollution and Asthma Control in the Epidemiological Study on Genetics and Environment of Asthma (EGEA). Epidemiology, 2009, 20, S61-S62.	1.2	0
130	Prospective cohort study of cured meat intake and asthma symptom score in the EGEA study. , 2015, , .		0
131	Polysensitization and comorbidities of asthma and rhinitis in adults in the EGEA study. , 2015, , .		Ο
132	Blood neutrophil pattern is associated with poor asthma control in adults from the EGEA study. , 2015, , .		0
133	Small airways obstruction is associated with long-term persistence of asthma (EGEA study). , 2015, , .		0
134	Oxidative stress biomarkers and asthma characteristics in adults of the EGEA study. , 2017, , .		0
135	Polysensitization and allergic multimorbidity: the extreme allergy phenotype from childhood to adulthood. , 2017, , .		0
136	Outdoor air pollution, 8-isoprostanes and asthma in adults of the EGEA study. , 2017, , .		0
137	Adult asthma phenotypes identified by a cluster analysis on clinical and biological characteristics. , 2018, , .		0
138	lgE-sensitization profiles and lung function: a longitudinal study from childhood to early adulthood in the EGEA study. , 2018, , .		0
139	Outdoor air pollution, fluorescent oxidation products and persistent asthma: the EGEA study. , 2018, , .		0
140	Associations between Fluorescent Oxidation Products (FlOPs) level and change in asthma outcomes. , 2018, , .		0
141	Paris 2024 Olympic/Para-Olympic Games and air quality. , 2019, , 178-186.		0
142	Occupational exposures to solvents and asthma in the Constances cohort. , 2019, , .		0
143	Asthma is associated with frailty: the GAZEL cohort. , 2019, , .		0
144	Association between occupational exposure to irritants and adult asthma profiles identified by clustering. , 2019, , .		0

#	Article	IF	CITATIONS
145	New genetic variants associated with eosinophil cationic protein and eosinophil-derived neurotoxin levels identified through bivariate genome-wide association study. , 2019, , .		0
146	Association between occupational exposures to solvents and airway obstruction in the CONSTANCES cohort. , 2019, , .		0
147	Visible moulds, smoking, rhinitis and asthma in adults: the EGEA study. , 2020, , .		Ο
148	Associations between allergen-specific IgE sensitization and HLA class II alleles in the EGEA cohort. , 2020, , .		0
149	Age of onset of rhinitis as a determinant of different rhinitis phenotypes. , 2020, , .		Ο
150	Associations between eosinophil mediators and asthma characteristics in adults: the EGEA study. , 2020, , .		0
151	Air pollution and rhinitis in the Constances cohort. European Journal of Public Health, 2020, 30, .	0.1	0