## Carlo Morosi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9546167/publications.pdf

Version: 2024-02-01

81743 82410 5,420 81 39 72 citations h-index g-index papers 84 84 84 6137 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Yttrium-90 radioembolization for intermediate-advanced hepatocellular carcinoma: A phase 2 study. Hepatology, 2013, 57, 1826-1837.	3.6	428
2	Annual or biennial CT screening versus observation in heavy smokers. European Journal of Cancer Prevention, 2012, 21, 308-315.	0.6	381
3	Histotype-tailored neoadjuvant chemotherapy versus standard chemotherapy in patients with high-risk soft-tissue sarcomas (ISG-STS 1001): an international, open-label, randomised, controlled, phase 3, multicentre trial. Lancet Oncology, The, 2017, 18, 812-822.	5.1	370
4	Bone sarcomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2014, 25, iii113-iii123.	0.6	212
5	High-Grade Soft-Tissue Sarcomas: Tumor Response Assessment—Pilot Study to Assess the Correlation between Radiologic and Pathologic Response by Using RECIST and Choi Criteria. Radiology, 2009, 251, 447-456.	3.6	198
6	Sunitinib in advanced alveolar soft part sarcoma: evidence of a direct antitumor effect. Annals of Oncology, 2011, 22, 1682-1690.	0.6	185
7	Neoadjuvant Chemotherapy in High-Risk Soft Tissue Sarcomas: Final Results of a Randomized Trial From Italian (ISG), Spanish (GEIS), French (FSG), and Polish (PSG) Sarcoma Groups. Journal of Clinical Oncology, 2020, 38, 2178-2186.	0.8	145
8	Response to imatinib plus sirolimus in advanced chordoma. Annals of Oncology, 2009, 20, 1886-1894.	0.6	142
9	Sunitinib malate in solitary fibrous tumor (SFT). Annals of Oncology, 2012, 23, 3171-3179.	0.6	140
10	Response to Sunitinib Malate in Advanced Alveolar Soft Part Sarcoma. Clinical Cancer Research, 2009, 15, 1096-1104.	3.2	138
11	Gemcitabine in advanced angiosarcoma: a retrospective case series analysis from the Italian Rare Cancer Network. Annals of Oncology, 2012, 23, 501-508.	0.6	130
12	Pazopanib in advanced and platinum-resistant urothelial cancer: an open-label, single group, phase 2 trial. Lancet Oncology, The, 2012, 13, 810-816.	5.1	130
13	Radioembolization of hepatocarcinoma with 90Y glass microspheres: development of an individualized treatment planning strategy based on dosimetry and radiobiology. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1718-1738.	3.3	128
14	Phase II study on lapatinib in advanced EGFR-positive chordoma. Annals of Oncology, 2013, 24, 1931-1936.	0.6	122
15	Trabectedin in myxoid liposarcomas (MLS): a long-term analysis of a single-institution series. Annals of Oncology, 2009, 20, 1439-1444.	0.6	112
16	Surgical Technique, Morbidity, and Outcome of Primary Retroperitoneal Sarcoma Involving Inferior Vena Cava. Annals of Surgical Oncology, 2012, 19, 511-518.	0.7	102
17	Myogenic Differentiation and Histologic Grading Are Major Prognostic Determinants in Retroperitoneal Liposarcoma. American Journal of Surgical Pathology, 2015, 39, 383-393.	2.1	101
18	Primary retroperitoneal soft tissue sarcoma: Imaging appearances, pitfalls and diagnostic algorithm. European Journal of Surgical Oncology, 2017, 43, 1191-1198.	0.5	101

#	Article	IF	Citations
19	Development of a prognostic score to predict response to Yttrium-90 radioembolization for hepatocellular carcinoma with portal vein invasion. Journal of Hepatology, 2018, 68, 724-732.	1.8	100
20	Tumor response assessment by modified Choi criteria in localized highâ€risk soft tissue sarcoma treated with chemotherapy. Cancer, 2012, 118, 5857-5866.	2.0	85
21	Sunitinib Malate and Figitumumab in Solitary Fibrous Tumor: Patterns and Molecular Bases of Tumor Response. Molecular Cancer Therapeutics, 2010, 9, 1286-1297.	1.9	83
22	Imatinib in advanced chordoma: A retrospective case series analysis. European Journal of Cancer, 2015, 51, 2609-2614.	1.3	78
23	Activity of sunitinib in extraskeletal myxoid chondrosarcoma. European Journal of Cancer, 2014, 50, 1657-1664.	1.3	74
24	Drugâ€eluting beads <i>versus</i> conventional chemoembolization for the treatment of unresectable hepatocellular carcinoma. Journal of Gastroenterology and Hepatology (Australia), 2016, 31, 645-653.	1.4	71
25	Long-term Efficacy of Methotrexate Plus Vinblastine/Vinorelbine in a Large Series of Patients Affected by Desmoid-Type Fibromatosis. Cancer Journal (Sudbury, Mass), 2017, 23, 86-91.	1.0	71
26	Pulmonary Nodules: Volume Repeatability at Multidetector CT Lung Cancer Screening. Radiology, 2009, 251, 919-925.	3.6	69
27	Dermatofibrosarcoma protuberansâ€derived fibrosarcoma: Clinical history, biological profile and sensitivity to imatinib. International Journal of Cancer, 2011, 129, 1761-1772.	2.3	68
28	Dacarbazine in Solitary Fibrous Tumor: A Case Series Analysis and Preclinical Evidence vis-Ã-vis Temozolomide and Antiangiogenics. Clinical Cancer Research, 2013, 19, 5192-5201.	3.2	67
29	The symptom interval in children and adolescents with soft tissue sarcomas. Cancer, 2010, 116, 177-183.	2.0	66
30	A phase II study of sorafenib in recurrent and/or metastatic salivary gland carcinomas: Translational analyses and clinical impact. European Journal of Cancer, 2016, 69, 158-165.	1.3	66
31	Transarterial Chemoembolization for Hepatocellular Carcinoma with a New Generation of Beads: Clinical–Radiological Outcomes and Safety Profile. CardioVascular and Interventional Radiology, 2015, 38, 129-134.	0.9	59
32	Comparison of the Prognostic Value of Assessing Tumor Diameter Versus Tumor Volume at Diagnosis or in Response to Initial Chemotherapy in Rhabdomyosarcoma. Journal of Clinical Oncology, 2010, 28, 1322-1328.	0.8	58
33	Hormonal manipulation with toremifene in sporadic desmoid-type fibromatosis. European Journal of Cancer, 2015, 51, 2800-2807.	1.3	58
34	Pazopanib for treatment of advanced extraskeletal myxoid chondrosarcoma: a multicentre, single-arm, phase 2 trial. Lancet Oncology, The, 2019, 20, 1252-1262.	5.1	57
35	Sirolimus in Advanced Epithelioid Hemangioendothelioma: A Retrospective Case-Series Analysis from the Italian Rare Cancer Network Database. Annals of Surgical Oncology, 2016, 23, 2735-2744.	0.7	56
36	Preclinical and clinical evidence of activity of pazopanib in solitary fibrous tumour. European Journal of Cancer, 2014, 50, 3021-3028.	1.3	50

#	Article	IF	Citations
37	Trabectedin and RAdiotherapy in Soft Tissue Sarcoma (TRASTS): Results of a Phase I Study in Myxoid Liposarcoma from Spanish (GEIS), Italian (ISG), French (FSG) Sarcoma Groups. EClinicalMedicine, 2019, 9, 35-43.	3.2	49
38	Evaluation of response after pre-operative radiotherapy in soft tissue sarcomas; the European Organisation for Research and Treatment of Cancer – Soft Tissue and Bone Sarcoma Group (EORTC –) Tj E	TQq <u>Q</u> 0 0 r	gBT <sub>48</sub> Overlock
	emphasis on magnetic resonance imaging. European Journal of Cancer, 2016, 56, 37-44.		
39	Neoadjuvant chemotherapy in highâ€risk soft tissue sarcomas: A Sarculatorâ€based risk stratification analysis of the ISGâ€STS 1001 randomized trial. Cancer, 2022, 128, 85-93.	2.0	46
40	High-dose continuous-infusion ifosfamide in advanced well-differentiated/dedifferentiated liposarcoma. Clinical Sarcoma Research, 2014, 4, 16.	2.3	44
41	Vascular resection en-bloc with tumor removal and graft reconstruction is safe and effective in soft tissue sarcoma (STS) of the extremities and retroperitoneum. Surgical Oncology, 2016, 25, 125-131.	0.8	41
42	Imatinib and everolimus in patients with progressing advanced chordoma: A phase 2 clinical study. Cancer, 2018, 124, 4056-4063.	2.0	40
43	Tumor response to sunitinib malate observed in clear-cell sarcoma. Annals of Oncology, 2010, 21, 1130-1131.	0.6	37
44	Correlation between radiological assessment and histopathological diagnosis in retroperitoneal tumors: Analysis of 291 consecutive patients at a tertiary reference sarcoma center. European Journal of Surgical Oncology, 2014, 40, 1662-1670.	0.5	36
45	Imaging in retroperitoneal soft tissue sarcoma. Journal of Surgical Oncology, 2018, 117, 25-32.	0.8	35
46	Loss of Heterozygosity Analysis at Different Chromosome Regions in Wilms Tumor Confirms 1p Allelic Loss as a Marker of Worse Prognosis: A Study from the Italian Association of Pediatric Hematology and Oncology. Journal of Urology, 2013, 189, 260-267.	0.2	30
47	Extraskeletal myxoid chondrosarcoma: tumor response to sunitinib. Clinical Sarcoma Research, 2012, 2, 22.	2.3	27
48	Extraskeletal Myxoid Chondrosarcoma: State of the Art and Current Research on Biology and Clinical Management. Cancers, 2020, 12, 2703.	1.7	27
49	European guideline for imaging in paediatric and adolescent rhabdomyosarcoma — joint statement by the European Paediatric Soft Tissue Sarcoma Study Group, the Cooperative Weichteilsarkom Studiengruppe and the Oncology Task Force of the European Society of Paediatric Radiology. Pediatric Radiology. 2021, 51, 1940-1951.	1.1	27
50	Patient-derived solitary fibrous tumour xenografts predict high sensitivity to doxorubicin/dacarbazine combination confirmed in the clinic and highlight the potential effectiveness of trabectedin or eribulin against this tumour. European Journal of Cancer, 2017, 76, 84-92.	1.3	26
51	Synovial sarcoma in children and adolescents: A critical reappraisal of staging investigations in relation to the rate of metastatic involvement at diagnosis. European Journal of Cancer, 2012, 48, 1370-1375.	1.3	25
52	Transarterial chemoembolization using 40 µm drug eluting beads for hepatocellular carcinoma. World Journal of Radiology, 2017, 9, 245.	0.5	25
53	Rhabdomyosarcoma in adults: analysis of treatment modalities in a prospective single-center series. Medical Oncology, 2019, 36, 59.	1.2	24
54	Activity of sirolimus in patients with progressive epithelioid hemangioendothelioma: A caseâ€series analysis within the Italian Rare Cancer Network. Cancer, 2021, 127, 569-576.	2.0	24

#	Article	IF	Citations
55	Wilms tumor, medulloblastoma, and rhabdomyosarcoma in adult patients: lessons learned from the pediatric experience. Cancer and Metastasis Reviews, 2019, 38, 683-694.	2.7	22
56	Intrahepatic Flow Redistribution in Patients Treated with Radioembolization. CardioVascular and Interventional Radiology, 2015, 38, 322-328.	0.9	21
57	Activity of anthracycline- and ifosfamide-based chemotherapy in a series of patients affected by advanced myxofibrosarcoma. Clinical Sarcoma Research, 2017, 7, 16.	2.3	20
58	RHABDOMYOSARCOMA OF THE EXTREMITIES: A Focus on Tumors Arising in the Hand and Foot. Pediatric Hematology and Oncology, 2009, 26, 321-331.	0.3	18
59	Use of a Retrievable Vena Cava Filter with Low-intensity Anticoagulation for Prevention of Pulmonary Embolism in Patients with Cancer: An Observational Study in 106 Cases. Journal of Vascular and Interventional Radiology, 2011, 22, 1312-1319.	0.2	16
60	Analysis of plasma cytokines and angiogenic factors in patients with pretreated urothelial cancer receiving Pazopanib: the role of circulating interleukin-8 to enhance the prognostic accuracy. British Journal of Cancer, 2014, 110, 26-33.	2.9	16
61	Results of the Third AIEOP Cooperative Protocol on Wilms Tumor (TW2003) and Related Considerations. Journal of Urology, 2017, 198, 1138-1145.	0.2	16
62	Bevacizumab-based neoadjuvant chemotherapy for colorectal cancer liver metastases: Pitfalls and helpful tricks in a review for clinicians. Critical Reviews in Oncology/Hematology, 2015, 95, 272-281.	2.0	15
63	Melan-A/MART-1 immunity in a EWS-ATF1 translocated clear cell sarcoma patient treated with sunitinib: a case report. BMC Cancer, 2015, 15, 58.	1.1	14
64	Diagnostic accuracy of the double-contrast enema for colonic polyps in patients with or without diverticular disease. Gastrointestinal Radiology, 1991, 16, 345-347.	0.4	13
65	Efficacy of topotecan plus vincristine and doxorubicin in children with recurrent/refractory rhabdomyosarcoma. Medical Oncology, 2009, 26, 67-72.	1.2	12
66	Impact of Pathological Stratification on the Clinical Outcomes of Advanced Well-Differentiated/Dedifferentiated Liposarcoma Treated with Trabectedin. Cancers, 2021, 13, 1453.	1.7	12
67	The Outcome of Cholangitis After Percutaneous Biliary Drainage in Neoplastic Jaundice. HPB Surgery, 1993, 6, 287-293.	2.2	11
68	Thyroid carcinoma after treatment for malignancies in childhood and adolescence: from diagnosis through follow-up. Medical Oncology, 2014, 31, 121.	1.2	11
69	Radioembolization of Hepatocellular Carcinoma with 90Y Glass Microspheres: No Advantage of Voxel Dosimetry with Respect to Mean Dose in Dose–Response Analysis with Two Radiological Methods. Cancers, 2022, 14, 959.	1.7	11
70	CT cholangiography: Assessment of feasibility and diagnostic reliability. European Journal of Radiology, 2009, 72, 114-117.	1.2	10
71	Improved Biopsy Accuracy in Retroperitoneal Dedifferentiated Liposarcoma. Annals of Surgical Oncology, 2020, 27, 4574-4581.	0.7	10
72	Gastrointestinal stromal tumors: evolving role of the multidisciplinary team approach in management. Expert Review of Anticancer Therapy, 2012, 12, 1053-1068.	1.1	9

#	Article	IF	Citations
73	Pediatric Rhabdomyosarcomas: Three-Dimensional Radiological Assessments after Induction Chemotherapy Predict Survival Better than One-Dimensional and Two-Dimensional Measurements. Cancers, 2020, 12, 3808.	1.7	9
74	CT-guided percutaneous cryoablation of renal masses in selected patients. Radiologia Medica, 2012, 117, 593-605.	4.7	7
75	Response of conventional chondrosarcoma to gemcitabine alone: a case report. Clinical Sarcoma Research, 2015, 5, 9.	2.3	7
76	Oral Etoposide in Relapsed or Refractory Ewing Sarcoma: A Monoinstitutional Experience in Children and Adolescents. Tumori, 2016, 102, 84-88.	0.6	6
77	High-Dose Ifosfamide Chemotherapy in a Series of Patients Affected by Myxoid Liposarcoma. Sarcoma, 2017, 2017, 1-5.	0.7	6
78	Magnetic resonance imaging patterns of tumor response to chemotherapy in desmoidâ€type fibromatosis. Cancer Medicine, 2021, 10, 4356-4365.	1.3	6
79	Solitary fibrous tumour presenting with a single bone metastasis: report of six cases and literature review. Clinical Sarcoma Research, 2016, 6, 16.	2.3	5
80	Weekly cisplatin with or without imatinib in advanced chordoma: A retrospective caseâ€series analysis from the Italian Rare Cancers Network. Cancer, 2022, 128, 1439-1448.	2.0	5
81	Long Term Survival Analysis in a Cohort of 125 Patients with Hepatocellular Carcinoma Treated with Transarterial Chemoembolization Using Small Drug Eluting Beads. CardioVascular and Interventional Radiology, 2022, 45, 54-61.	0.9	0