

# Carlo Morosi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9546167/publications.pdf>

Version: 2024-02-01

81  
papers

5,420  
citations

81743

39  
h-index

82410

72  
g-index

84  
all docs

84  
docs citations

84  
times ranked

6137  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoadjuvant chemotherapy in high-risk soft tissue sarcomas: A Sarculator-based risk stratification analysis of the ISG-STS 1001 randomized trial. <i>Cancer</i> , 2022, 128, 85-93.	2.0	46
2	Long Term Survival Analysis in a Cohort of 125 Patients with Hepatocellular Carcinoma Treated with Transarterial Chemoembolization Using Small Drug Eluting Beads. <i>CardioVascular and Interventional Radiology</i> , 2022, 45, 54-61.	0.9	0
3	Weekly cisplatin with or without imatinib in advanced chordoma: A retrospective case-series analysis from the Italian Rare Cancers Network. <i>Cancer</i> , 2022, 128, 1439-1448.	2.0	5
4	Radioembolization of Hepatocellular Carcinoma with 90Y Glass Microspheres: No Advantage of Voxel Dosimetry with Respect to Mean Dose in Dose-Response Analysis with Two Radiological Methods. <i>Cancers</i> , 2022, 14, 959.	1.7	11
5	Activity of sirolimus in patients with progressive epithelioid hemangioendothelioma: A case-series analysis within the Italian Rare Cancer Network. <i>Cancer</i> , 2021, 127, 569-576.	2.0	24
6	Impact of Pathological Stratification on the Clinical Outcomes of Advanced Well-Differentiated/Dedifferentiated Liposarcoma Treated with Trabectedin. <i>Cancers</i> , 2021, 13, 1453.	1.7	12
7	Magnetic resonance imaging patterns of tumor response to chemotherapy in desmoid-type fibromatosis. <i>Cancer Medicine</i> , 2021, 10, 4356-4365.	1.3	6
8	European guideline for imaging in paediatric and adolescent rhabdomyosarcoma – joint statement by the European Paediatric Soft Tissue Sarcoma Study Group, the Cooperative Weichteilsarkom Studiengruppe and the Oncology Task Force of the European Society of Paediatric Radiology. <i>Pediatric Radiology</i> , 2021, 51, 1940-1951.	1.1	27
9	Extraskeletal Myxoid Chondrosarcoma: State of the Art and Current Research on Biology and Clinical Management. <i>Cancers</i> , 2020, 12, 2703.	1.7	27
10	Pediatric Rhabdomyosarcomas: Three-Dimensional Radiological Assessments after Induction Chemotherapy Predict Survival Better than One-Dimensional and Two-Dimensional Measurements. <i>Cancers</i> , 2020, 12, 3808.	1.7	9
11	Neoadjuvant Chemotherapy in High-Risk Soft Tissue Sarcomas: Final Results of a Randomized Trial From Italian (ISC), Spanish (GEIS), French (FSG), and Polish (PSG) Sarcoma Groups. <i>Journal of Clinical Oncology</i> , 2020, 38, 2178-2186.	0.8	145
12	Improved Biopsy Accuracy in Retroperitoneal Dedifferentiated Liposarcoma. <i>Annals of Surgical Oncology</i> , 2020, 27, 4574-4581.	0.7	10
13	Pazopanib for treatment of advanced extraskeletal myxoid chondrosarcoma: a multicentre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 1252-1262.	5.1	57
14	Rhabdomyosarcoma in adults: analysis of treatment modalities in a prospective single-center series. <i>Medical Oncology</i> , 2019, 36, 59.	1.2	24
15	Trabectedin and Radiotherapy in Soft Tissue Sarcoma (TRASTS): Results of a Phase I Study in Myxoid Liposarcoma from Spanish (GEIS), Italian (ISC), French (FSG) Sarcoma Groups. <i>EClinicalMedicine</i> , 2019, 9, 35-43.	3.2	49
16	Wilms tumor, medulloblastoma, and rhabdomyosarcoma in adult patients: lessons learned from the pediatric experience. <i>Cancer and Metastasis Reviews</i> , 2019, 38, 683-694.	2.7	22
17	Development of a prognostic score to predict response to Yttrium-90 radioembolization for hepatocellular carcinoma with portal vein invasion. <i>Journal of Hepatology</i> , 2018, 68, 724-732.	1.8	100
18	Imaging in retroperitoneal soft tissue sarcoma. <i>Journal of Surgical Oncology</i> , 2018, 117, 25-32.	0.8	35

#	ARTICLE	IF	CITATIONS
19	Imatinib and everolimus in patients with progressing advanced chordoma: A phase 2 clinical study. <i>Cancer</i> , 2018, 124, 4056-4063.	2.0	40
20	Patient-derived solitary fibrous tumour xenografts predict high sensitivity to doxorubicin/dacarbazine combination confirmed in the clinic and highlight the potential effectiveness of trabectedin or eribulin against this tumour. <i>European Journal of Cancer</i> , 2017, 76, 84-92.	1.3	26
21	Histotype-tailored neoadjuvant chemotherapy versus standard chemotherapy in patients with high-risk soft-tissue sarcomas (ISG-ST5 1001): an international, open-label, randomised, controlled, phase 3, multicentre trial. <i>Lancet Oncology</i> , The, 2017, 18, 812-822.	5.1	370
22	Long-term Efficacy of Methotrexate Plus Vinblastine/Vinorelbine in a Large Series of Patients Affected by Desmoid-Type Fibromatosis. <i>Cancer Journal (Sudbury, Mass )</i> , 2017, 23, 86-91.	1.0	71
23	Primary retroperitoneal soft tissue sarcoma: Imaging appearances, pitfalls and diagnostic algorithm. <i>European Journal of Surgical Oncology</i> , 2017, 43, 1191-1198.	0.5	101
24	Results of the Third AIEOP Cooperative Protocol on Wilms Tumor (TW2003) and Related Considerations. <i>Journal of Urology</i> , 2017, 198, 1138-1145.	0.2	16
25	High-Dose Ifosfamide Chemotherapy in a Series of Patients Affected by Myxoid Liposarcoma. <i>Sarcoma</i> , 2017, 2017, 1-5.	0.7	6
26	Activity of anthracycline- and ifosfamide-based chemotherapy in a series of patients affected by advanced myxofibrosarcoma. <i>Clinical Sarcoma Research</i> , 2017, 7, 16.	2.3	20
27	Transarterial chemoembolization using 40 µm drug eluting beads for hepatocellular carcinoma. <i>World Journal of Radiology</i> , 2017, 9, 245.	0.5	25
28	Oral Etoposide in Relapsed or Refractory Ewing Sarcoma: A Monoinstitutional Experience in Children and Adolescents. <i>Tumori</i> , 2016, 102, 84-88.	0.6	6
29	Drug-eluting beads versus conventional chemoembolization for the treatment of unresectable hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 645-653.	1.4	71
30	Sirolimus in Advanced Epithelioid Hemangioendothelioma: A Retrospective Case-Series Analysis from the Italian Rare Cancer Network Database. <i>Annals of Surgical Oncology</i> , 2016, 23, 2735-2744.	0.7	56
31	A phase II study of sorafenib in recurrent and/or metastatic salivary gland carcinomas: Translational analyses and clinical impact. <i>European Journal of Cancer</i> , 2016, 69, 158-165.	1.3	66
32	Solitary fibrous tumour presenting with a single bone metastasis: report of six cases and literature review. <i>Clinical Sarcoma Research</i> , 2016, 6, 16.	2.3	5
33	Vascular resection en-bloc with tumor removal and graft reconstruction is safe and effective in soft tissue sarcoma (STS) of the extremities and retroperitoneum. <i>Surgical Oncology</i> , 2016, 25, 125-131.	0.8	41
34	Evaluation of response after pre-operative radiotherapy in soft tissue sarcomas; the European Organisation for Research and Treatment of Cancer "Soft Tissue and Bone Sarcoma Group (EORTC) Tj ETQq0.0 0 rgBT, (Overlock emphasis on magnetic resonance imaging. <i>European Journal of Cancer</i> , 2016, 56, 37-44.	1.3	48
35	Myogenic Differentiation and Histologic Grading Are Major Prognostic Determinants in Retroperitoneal Liposarcoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 383-393.	2.1	101
36	Radioembolization of hepatocarcinoma with 90Y glass microspheres: development of an individualized treatment planning strategy based on dosimetry and radiobiology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1718-1738.	3.3	128

#	ARTICLE	IF	CITATIONS
37	Bevacizumab-based neoadjuvant chemotherapy for colorectal cancer liver metastases: Pitfalls and helpful tricks in a review for clinicians. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 95, 272-281.	2.0	15
38	Melan-A/MART-1 immunity in a EWS-ATF1 translocated clear cell sarcoma patient treated with sunitinib: a case report. <i>BMC Cancer</i> , 2015, 15, 58.	1.1	14
39	Response of conventional chondrosarcoma to gemcitabine alone: a case report. <i>Clinical Sarcoma Research</i> , 2015, 5, 9.	2.3	7
40	Imatinib in advanced chordoma: A retrospective case series analysis. <i>European Journal of Cancer</i> , 2015, 51, 2609-2614.	1.3	78
41	Hormonal manipulation with toremifene in sporadic desmoid-type fibromatosis. <i>European Journal of Cancer</i> , 2015, 51, 2800-2807.	1.3	58
42	Transarterial Chemoembolization for Hepatocellular Carcinoma with a New Generation of Beads: Clinical Radiological Outcomes and Safety Profile. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 129-134.	0.9	59
43	Intrahepatic Flow Redistribution in Patients Treated with Radioembolization. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 322-328.	0.9	21
44	Analysis of plasma cytokines and angiogenic factors in patients with pretreated urothelial cancer receiving Pazopanib: the role of circulating interleukin-8 to enhance the prognostic accuracy. <i>British Journal of Cancer</i> , 2014, 110, 26-33.	2.9	16
45	Correlation between radiological assessment and histopathological diagnosis in retroperitoneal tumors: Analysis of 291 consecutive patients at a tertiary reference sarcoma center. <i>European Journal of Surgical Oncology</i> , 2014, 40, 1662-1670.	0.5	36
46	High-dose continuous-infusion ifosfamide in advanced well-differentiated/dedifferentiated liposarcoma. <i>Clinical Sarcoma Research</i> , 2014, 4, 16.	2.3	44
47	Bone sarcomas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2014, 25, iii113-iii123.	0.6	212
48	Activity of sunitinib in extraskeletal myxoid chondrosarcoma. <i>European Journal of Cancer</i> , 2014, 50, 1657-1664.	1.3	74
49	Preclinical and clinical evidence of activity of pazopanib in solitary fibrous tumour. <i>European Journal of Cancer</i> , 2014, 50, 3021-3028.	1.3	50
50	Thyroid carcinoma after treatment for malignancies in childhood and adolescence: from diagnosis through follow-up. <i>Medical Oncology</i> , 2014, 31, 121.	1.2	11
51	Yttrium-90 radioembolization for intermediate-advanced hepatocellular carcinoma: A phase 2 study. <i>Hepatology</i> , 2013, 57, 1826-1837.	3.6	428
52	Loss of Heterozygosity Analysis at Different Chromosome Regions in Wilms Tumor Confirms 1p Allelic Loss as a Marker of Worse Prognosis: A Study from the Italian Association of Pediatric Hematology and Oncology. <i>Journal of Urology</i> , 2013, 189, 260-267.	0.2	30
53	Phase II study on lapatinib in advanced EGFR-positive chordoma. <i>Annals of Oncology</i> , 2013, 24, 1931-1936.	0.6	122
54	Dacarbazine in Solitary Fibrous Tumor: A Case Series Analysis and Preclinical Evidence vis-À-vis Temozolomide and Antiangiogenics. <i>Clinical Cancer Research</i> , 2013, 19, 5192-5201.	3.2	67

#	ARTICLE	IF	CITATIONS
55	Gemcitabine in advanced angiosarcoma: a retrospective case series analysis from the Italian Rare Cancer Network. <i>Annals of Oncology</i> , 2012, 23, 501-508.	0.6	130
56	Annual or biennial CT screening versus observation in heavy smokers. <i>European Journal of Cancer Prevention</i> , 2012, 21, 308-315.	0.6	381
57	Gastrointestinal stromal tumors: evolving role of the multidisciplinary team approach in management. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 1053-1068.	1.1	9
58	Sunitinib malate in solitary fibrous tumor (SFT). <i>Annals of Oncology</i> , 2012, 23, 3171-3179.	0.6	140
59	Synovial sarcoma in children and adolescents: A critical reappraisal of staging investigations in relation to the rate of metastatic involvement at diagnosis. <i>European Journal of Cancer</i> , 2012, 48, 1370-1375.	1.3	25
60	Extraskeletal myxoid chondrosarcoma: tumor response to sunitinib. <i>Clinical Sarcoma Research</i> , 2012, 2, 22.	2.3	27
61	Surgical Technique, Morbidity, and Outcome of Primary Retroperitoneal Sarcoma Involving Inferior Vena Cava. <i>Annals of Surgical Oncology</i> , 2012, 19, 511-518.	0.7	102
62	Pazopanib in advanced and platinum-resistant urothelial cancer: an open-label, single group, phase 2 trial. <i>Lancet Oncology</i> , The, 2012, 13, 810-816.	5.1	130
63	Tumor response assessment by modified Choi criteria in localized high-risk soft tissue sarcoma treated with chemotherapy. <i>Cancer</i> , 2012, 118, 5857-5866.	2.0	85
64	CT-guided percutaneous cryoablation of renal masses in selected patients. <i>Radiologia Medica</i> , 2012, 117, 593-605.	4.7	7
65	Use of a Retrievable Vena Cava Filter with Low-intensity Anticoagulation for Prevention of Pulmonary Embolism in Patients with Cancer: An Observational Study in 106 Cases. <i>Journal of Vascular and Interventional Radiology</i> , 2011, 22, 1312-1319.	0.2	16
66	Dermatofibrosarcoma protuberans-derived fibrosarcoma: Clinical history, biological profile and sensitivity to imatinib. <i>International Journal of Cancer</i> , 2011, 129, 1761-1772.	2.3	68
67	Sunitinib in advanced alveolar soft part sarcoma: evidence of a direct antitumor effect. <i>Annals of Oncology</i> , 2011, 22, 1682-1690.	0.6	185
68	The symptom interval in children and adolescents with soft tissue sarcomas. <i>Cancer</i> , 2010, 116, 177-183.	2.0	66
69	Comparison of the Prognostic Value of Assessing Tumor Diameter Versus Tumor Volume at Diagnosis or in Response to Initial Chemotherapy in Rhabdomyosarcoma. <i>Journal of Clinical Oncology</i> , 2010, 28, 1322-1328.	0.8	58
70	Sunitinib Malate and Figitumumab in Solitary Fibrous Tumor: Patterns and Molecular Bases of Tumor Response. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 1286-1297.	1.9	83
71	Tumor response to sunitinib malate observed in clear-cell sarcoma. <i>Annals of Oncology</i> , 2010, 21, 1130-1131.	0.6	37
72	Trabectedin in myxoid liposarcomas (MLS): a long-term analysis of a single-institution series. <i>Annals of Oncology</i> , 2009, 20, 1439-1444.	0.6	112

#	ARTICLE	IF	CITATIONS
73	RHABDOMYOSARCOMA OF THE EXTREMITIES: A Focus on Tumors Arising in the Hand and Foot. <i>Pediatric Hematology and Oncology</i> , 2009, 26, 321-331.	0.3	18
74	Response to imatinib plus sirolimus in advanced chordoma. <i>Annals of Oncology</i> , 2009, 20, 1886-1894.	0.6	142
75	Pulmonary Nodules: Volume Repeatability at Multidetector CT Lung Cancer Screening. <i>Radiology</i> , 2009, 251, 919-925.	3.6	69
76	Response to Sunitinib Malate in Advanced Alveolar Soft Part Sarcoma. <i>Clinical Cancer Research</i> , 2009, 15, 1096-1104.	3.2	138
77	High-Grade Soft-Tissue Sarcomas: Tumor Response Assessment—Pilot Study to Assess the Correlation between Radiologic and Pathologic Response by Using RECIST and Choi Criteria. <i>Radiology</i> , 2009, 251, 447-456.	3.6	198
78	Efficacy of topotecan plus vincristine and doxorubicin in children with recurrent/refractory rhabdomyosarcoma. <i>Medical Oncology</i> , 2009, 26, 67-72.	1.2	12
79	CT cholangiography: Assessment of feasibility and diagnostic reliability. <i>European Journal of Radiology</i> , 2009, 72, 114-117.	1.2	10
80	The Outcome of Cholangitis After Percutaneous Biliary Drainage in Neoplastic Jaundice. <i>HPB Surgery</i> , 1993, 6, 287-293.	2.2	11
81	Diagnostic accuracy of the double-contrast enema for colonic polyps in patients with or without diverticular disease. <i>Gastrointestinal Radiology</i> , 1991, 16, 345-347.	0.4	13