

Ariane Herrick

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9546939/ariane-herrick-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

300
papers

13,368
citations

55
h-index

107
g-index

313
ext. papers

16,027
ext. citations

4.3
avg, IF

6.33
L-index

#	Paper	IF	Citations
300	2013 classification criteria for systemic sclerosis: an American College of Rheumatology/European League against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2737-47		1636
299	2013 classification criteria for systemic sclerosis: an American college of rheumatology/European league against rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1747-55	2.4	1109
298	Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3985-93		533
297	A multicenter, prospective, randomized, double-blind, placebo-controlled trial of corticosteroids and intravenous cyclophosphamide followed by oral azathioprine for the treatment of pulmonary fibrosis in scleroderma. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3962-70		519
296	Update of EULAR recommendations for the treatment of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1327-1339	2.4	497
295	Recombinant human anti-transforming growth factor beta1 antibody therapy in systemic sclerosis: a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. <i>Arthritis and Rheumatism</i> , 2007 , 56, 323-33		360
294	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. <i>Nature Genetics</i> , 2010 , 42, 426-9	36.3	301
293	Pathogenesis of Raynaud's phenomenon. <i>Rheumatology</i> , 2005 , 44, 587-96	3.9	290
292	Heterozygous mutations in TREX1 cause familial chilblain lupus and dominant Aicardi-Goutieres syndrome. <i>American Journal of Human Genetics</i> , 2007 , 80, 811-5	11	286
291	The pathogenesis, diagnosis and treatment of Raynaud phenomenon. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 469-79	8.1	176
290	Identification of novel genetic markers associated with clinical phenotypes of systemic sclerosis through a genome-wide association strategy. <i>PLoS Genetics</i> , 2011 , 7, e1002178	6	164
289	ImmunoChip analysis identifies multiple susceptibility loci for systemic sclerosis. <i>American Journal of Human Genetics</i> , 2014 , 94, 47-61	11	151
288	Interferon-alpha does not improve outcome at one year in patients with diffuse cutaneous scleroderma: results of a randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 1999 , 42, 299-305		148
287	Digital ulcers in systemic sclerosis. <i>Rheumatology</i> , 2017 , 56, 14-25	3.9	120
286	Incidence of childhood linear scleroderma and systemic sclerosis in the UK and Ireland. <i>Arthritis Care and Research</i> , 2010 , 62, 213-8	4.7	112
285	Seventeen-point dermal ultrasound scoring system--a reliable measure of skin thickness in patients with systemic sclerosis. <i>British Journal of Rheumatology</i> , 2003 , 42, 1559-63		110
284	HLA-DRB1*11 and variants of the MHC class II locus are strong risk factors for systemic juvenile idiopathic arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 15970-5	11.5	103

283	BSR and BHPR guideline for the treatment of systemic sclerosis. <i>Rheumatology</i> , 2016 , 55, 1906-10	3.9	97
282	Noninvasive imaging techniques in the assessment of scleroderma spectrum disorders. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1103-11		93
281	Nailfold Videocapillaroscopic Features and Other Clinical Risk Factors for Digital Ulcers in Systemic Sclerosis: A Multicenter, Prospective Cohort Study. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2527-39	9.5	92
280	Vascular function in systemic sclerosis. <i>Current Opinion in Rheumatology</i> , 2000 , 12, 527-33	5.3	91
279	Standardisation of nailfold capillaroscopy for the assessment of patients with Raynaud's phenomenon and systemic sclerosis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102458	13.6	90
278	Von Willebrand factor, thrombomodulin, thromboxane, beta-thromboglobulin and markers of fibrinolysis in primary Raynaud's phenomenon and systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 122-7	2.4	88
277	Endothelial expression of nitric oxide synthases and nitrotyrosine in systemic sclerosis skin. <i>Journal of Pathology</i> , 1999 , 189, 273-8	9.4	87
276	Validity, reliability, and feasibility of durometer measurements of scleroderma skin disease in a multicenter treatment trial. <i>Arthritis and Rheumatism</i> , 2008 , 59, 699-705		85
275	Quantifying digital vascular disease in patients with primary Raynaud's phenomenon and systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 70-8	2.4	84
274	An EULAR study group pilot study on reliability of simple capillaroscopic definitions to describe capillary morphology in rheumatic diseases. <i>Rheumatology</i> , 2016 , 55, 883-90	3.9	83
273	Digital vascular response to topical glyceryl trinitrate, as measured by laser Doppler imaging, in primary Raynaud's phenomenon and systemic sclerosis. <i>Rheumatology</i> , 2002 , 41, 324-8	3.9	83
272	Consensus best practice pathway of the UK Scleroderma Study Group: digital vasculopathy in systemic sclerosis. <i>Rheumatology</i> , 2015 , 54, 2015-24	3.9	81
271	The differential expression of VEGF, VEGFR-2, and GLUT-1 proteins in disease subtypes of systemic sclerosis. <i>Human Pathology</i> , 2006 , 37, 190-7	3.7	80
270	The European Scleroderma Trials and Research group (EUSTAR) task force for the development of revised activity criteria for systemic sclerosis: derivation and validation of a preliminarily revised EUSTAR activity index. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 270-276	2.4	79
269	Identification of CSK as a systemic sclerosis genetic risk factor through Genome Wide Association Study follow-up. <i>Human Molecular Genetics</i> , 2012 , 21, 2825-35	5.6	79
268	Corrigendum to: Systemic sclerosis-related digital ulcers; a pilot study of cutaneous oxygenation and perfusion. <i>Rheumatology</i> , 2021 , 60, 2490-2490	3.9	78
267	Cigarette smoking as a significant risk factor for digital vascular disease in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2002 , 46, 3312-6		77
266	Epidemiology of systemic sclerosis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010 , 24, 857-69	5.3	76

265	The 'distal-dorsal difference': a thermographic parameter by which to differentiate between primary and secondary Raynaud's phenomenon. <i>Rheumatology</i> , 2007 , 46, 533-8	3.9	74
264	Modified-release sildenafil reduces Raynaud's phenomenon attack frequency in limited cutaneous systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 775-82		73
263	Computerized nailfold video capillaroscopy--a new tool for assessment of Raynaud's phenomenon. <i>Journal of Rheumatology</i> , 2005 , 32, 841-8	4.1	72
262	Treatment outcome in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study (ESOS). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1207-1218	2.4	71
261	A GWAS follow-up study reveals the association of the IL12RB2 gene with systemic sclerosis in Caucasian populations. <i>Human Molecular Genetics</i> , 2012 , 21, 926-33	5.6	70
260	Clinical utility of random anti-tumor necrosis factor drug-level testing and measurement of antidrug antibodies on the long-term treatment response in rheumatoid arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2011-9	9.5	69
259	A rare polymorphism in the gene for Toll-like receptor 2 is associated with systemic sclerosis phenotype and increases the production of inflammatory mediators. <i>Arthritis and Rheumatism</i> , 2012 , 64, 264-71		68
258	Acro-osteolysis in systemic sclerosis is associated with digital ischaemia and severe calcinosis. <i>Rheumatology</i> , 2012 , 51, 2234-8	3.9	68
257	Ocular manifestations of scleroderma. <i>Survey of Ophthalmology</i> , 2009 , 54, 292-304	6.1	67
256	Quantitation of microcirculatory abnormalities in patients with primary Raynaud's phenomenon and systemic sclerosis by video capillaroscopy. <i>Rheumatology</i> , 2000 , 39, 506-12	3.9	65
255	Assessing periarticular bone mineral density in patients with early psoriatic arthritis or rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 1007-11	2.4	64
254	Laser Doppler imaging: a developing technique for application in the rheumatic diseases. <i>British Journal of Rheumatology</i> , 2004 , 43, 1210-8		63
253	Comparison of thermography and laser Doppler imaging in the assessment of Raynaud's phenomenon. <i>Microvascular Research</i> , 2003 , 66, 73-6	3.7	63
252	Micronutrient antioxidant status in patients with primary Raynaud's phenomenon and systemic sclerosis. <i>Journal of Rheumatology</i> , 1994 , 21, 1477-83	4.1	63
251	A replication study confirms the association of TNFSF4 (OX40L) polymorphisms with systemic sclerosis in a large European cohort. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 638-41	2.4	61
250	Clinical implications from capillaroscopic analysis in patients with Raynaud's phenomenon and systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2595-604		60
249	Laser doppler imaging--a new technique for quantifying microcirculatory flow in patients with primary Raynaud's phenomenon and systemic sclerosis. <i>Microvascular Research</i> , 1999 , 57, 284-91	3.7	60
248	Controlled trial of haem arginate in acute hepatic porphyria. <i>Lancet, The</i> , 1989 , 1, 1295-7	4.0	60

247	Prolidase deficiency and systemic lupus erythematosus. <i>Archives of Disease in Childhood</i> , 1997 , 76, 441-4	2.2	59
246	Acute intermittent porphyria. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2005 , 19, 235-49	2.5	54
245	Nailfold video capillaroscopy in psoriasis. <i>British Journal of Dermatology</i> , 2000 , 142, 1171-6	4	54
244	TGF beta--a role in systemic sclerosis?. <i>Journal of Pathology</i> , 1998 , 184, 4-6	9.4	53
243	Confirmation of TNIP1 but not RHOB and PSORS1C1 as systemic sclerosis risk factors in a large independent replication study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 602-7	2.4	51
242	A multicentre study on the reliability of qualitative and quantitative nail-fold videocapillaroscopy assessment. <i>Rheumatology</i> , 2012 , 51, 749-55	3.9	50
241	Defining Skin Ulcers in Systemic Sclerosis: Systematic Literature Review and Proposed World Scleroderma Foundation (WSF) definition. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 115-120	2.3	49
240	Comparison of enalapril and atenolol in mild to moderate hypertension. <i>American Journal of Medicine</i> , 1989 , 86, 421-6	2.4	49
239	Calcinosis is associated with digital ulcers and osteoporosis in patients with systemic sclerosis: A Scleroderma Clinical Trials Consortium study. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 344-349	5.3	48
238	New insight on the Xq28 association with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 2032-8	2.4	48
237	Increased nailfold capillary dimensions in primary Raynaud's phenomenon and systemic sclerosis. <i>Rheumatology</i> , 1996 , 35, 1127-31	3.9	48
236	Diagnosis and management of scleroderma peripheral vascular disease. <i>Rheumatic Disease Clinics of North America</i> , 2008 , 34, 89-114; vii	2.4	48
235	Raynaud's phenomenon. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 112-32	5.3	47
234	GWAS for systemic sclerosis identifies multiple risk loci and highlights fibrotic and vasculopathy pathways. <i>Nature Communications</i> , 2019 , 10, 4955	17.4	46
233	Observational study of treatment outcome in early diffuse cutaneous systemic sclerosis. <i>Journal of Rheumatology</i> , 2010 , 37, 116-24	4.1	45
232	A double-blind placebo-controlled trial of antioxidant therapy in limited cutaneous systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2000 , 18, 349-56	2.2	44
231	Consensus opinion of a North American Working Group regarding the classification of digital ulcers in systemic sclerosis. <i>Clinical Rheumatology</i> , 2014 , 33, 207-14	3.9	43
230	Contemporary management of Raynaud's phenomenon and digital ischaemic complications. <i>Current Opinion in Rheumatology</i> , 2011 , 23, 555-61	5.3	43

229	Lack of agreement between rheumatologists in defining digital ulceration in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009 , 60, 878-82		43
228	Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 540-2	2.4	43
227	Fast track algorithm: How to differentiate a "scleroderma pattern" from a "non-scleroderma pattern". <i>Autoimmunity Reviews</i> , 2019 , 18, 102394	13.6	42
226	Reliability of simple capillaroscopic definitions in describing capillary morphology in rheumatic diseases. <i>Rheumatology</i> , 2018 , 57, 757-759	3.9	42
225	A study comparing videocapillaroscopy and dermoscopy in the assessment of nailfold capillaries in patients with systemic sclerosis-spectrum disorders. <i>Rheumatology</i> , 2015 , 54, 1435-42	3.9	41
224	Items for developing revised classification criteria in systemic sclerosis: Results of a consensus exercise. <i>Arthritis Care and Research</i> , 2012 , 64, 351-7	4.7	41
223	A prospective study of systemic sclerosis-related digital ulcers: prevalence, location, and functional impact. <i>Scandinavian Journal of Rheumatology</i> , 2013 , 42, 483-6	1.9	41
222	Malnutrition in systemic sclerosis. <i>Rheumatology</i> , 2012 , 51, 1747-56	3.9	41
221	Thumb involvement in Raynaud's phenomenon as an indicator of underlying connective tissue disease. <i>Journal of Rheumatology</i> , 2010 , 37, 783-6	4.1	40
220	Digital iontophoresis of vasoactive substances as measured by laser Doppler imaging--a non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. <i>Rheumatology</i> , 2004 , 43, 986-91	3.9	40
219	ESVM guidelines - the diagnosis and management of Raynaud's phenomenon. <i>Vasa - European Journal of Vascular Medicine</i> , 2017 , 46, 413-423	1.9	40
218	A Multicenter Study of the Validity and Reliability of Responses to Hand Cold Challenge as Measured by Laser Speckle Contrast Imaging and Thermography: Outcome Measures for Systemic Sclerosis-Related Raynaud's Phenomenon. <i>Arthritis and Rheumatology</i> , 2018 , 70, 903-911	9.5	39
217	Multinational Qualitative Research Study Exploring the Patient Experience of Raynaud's Phenomenon in Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2018 , 70, 1373-1384	4.7	38
216	Management of Raynaud's phenomenon and digital ischemia. <i>Current Rheumatology Reports</i> , 2013 , 15, 303	4.9	38
215	Expression of osteonectin and matrix Gla protein in scleroderma patients with and without calcinosis. <i>Rheumatology</i> , 2006 , 45, 1349-55	3.9	38
214	Vasculitis in patients with systemic sclerosis and severe digital ischaemia requiring amputation. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 323-6	2.4	38
213	Outcome measurements in scleroderma: results from a delphi exercise. <i>Journal of Rheumatology</i> , 2007 , 34, 501-9	4.1	38
212	Disability, fatigue, pain and their associates in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study. <i>Rheumatology</i> , 2018 , 57, 370-381	3.9	36

211	Efficacy and Safety of Selexipag in Adults With Raynaud's Phenomenon Secondary to Systemic Sclerosis: A Randomized, Placebo-Controlled, Phase II Study. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2370-2379	9.5	36
210	Brief Report: IRF4 Newly Identified as a Common Susceptibility Locus for Systemic Sclerosis and Rheumatoid Arthritis in a Cross-Disease Meta-Analysis of Genome-Wide Association Studies. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2338-44	9.5	35
209	A genome-wide association study follow-up suggests a possible role for PPARG in systemic sclerosis susceptibility. <i>Arthritis Research and Therapy</i> , 2014 , 16, R6	5.7	35
208	Validation of a novel radiographic scoring system for calcinosis affecting the hands of patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2015 , 67, 425-30	4.7	35
207	Abnormal microvascular response is localized to the digits in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1952-60		35
206	Occurrence of Raynaud's phenomenon in children ages 12-15 years: prevalence and association with other common symptoms. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3518-21		35
205	Genetic epidemiology: systemic sclerosis. <i>Arthritis Research</i> , 2002 , 4, 165-8		34
204	The systemic lupus erythematosus IRF5 risk haplotype is associated with systemic sclerosis. <i>PLoS ONE</i> , 2013 , 8, e54419	3.7	32
203	Patterns and predictors of skin score change in early diffuse systemic sclerosis from the European Scleroderma Observational Study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 563-570	2.4	31
202	Influence of childhood scleroderma on physical function and quality of life. <i>Journal of Rheumatology</i> , 2011 , 38, 167-73	4.1	31
201	Home parenteral nutrition--an effective and safe long-term therapy for systemic sclerosis-related intestinal failure. <i>Rheumatology</i> , 2008 , 47, 176-9	3.9	31
200	Plasma TGF beta in systemic sclerosis: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 763-7	2.4	31
199	Prediction and impact of attacks of Raynaud's phenomenon, as judged by patient perception. <i>Rheumatology</i> , 2015 , 54, 1443-7	3.9	30
198	Nail-fold capillary abnormalities are associated with anti-centromere antibody and severity of digital ischaemia. <i>Rheumatology</i> , 2010 , 49, 1776-82	3.9	30
197	Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004 , 35, 191-200	3.6	30
196	Influence of TYK2 in systemic sclerosis susceptibility: a new locus in the IL-12 pathway. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1521-6	2.4	29
195	Antibodies against oxidized low-density lipoproteins in systemic sclerosis. <i>British Journal of Rheumatology</i> , 2001 , 40, 401-5		29
194	Implication of IL-2/IL-21 region in systemic sclerosis genetic susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1233-8	2.4	28

193	Reliability of dermoscopy in the assessment of patients with Raynaud's phenomenon. <i>Rheumatology</i> , 2010 , 49, 542-7	3.9	28
192	Sparing of the thumb in Raynaud's phenomenon. <i>Rheumatology</i> , 2008 , 47, 219-21	3.9	28
191	Treatment of Raynaud's phenomenon: new insights and developments. <i>Current Rheumatology Reports</i> , 2003 , 5, 168-74	4.9	28
190	Identification of IL12RB1 as a novel systemic sclerosis susceptibility locus. <i>Arthritis and Rheumatology</i> , 2014 , 66, 3521-3	9.5	27
189	Reduced perfusion in systemic sclerosis digital ulcers (both fingertip and extensor) can be increased by topical application of glyceryl trinitrate. <i>Microvascular Research</i> , 2017 , 111, 32-36	3.7	26
188	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018 , 57, 1623-1631	3.9	26
187	Influence of the IL6 gene in susceptibility to systemic sclerosis. <i>Journal of Rheumatology</i> , 2012 , 39, 2294-302	4.0	26
186	A multicenter study confirms CD226 gene association with systemic sclerosis-related pulmonary fibrosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R85	5.7	26
185	Quantitative nailfold video capillaroscopy in patients with idiopathic inflammatory myopathy. <i>Rheumatology</i> , 2010 , 49, 1699-705	3.9	26
184	A double-blind, randomized, placebo-controlled crossover trial of the α C-adrenoceptor antagonist ORM-12741 for prevention of cold-induced vasospasm in patients with systemic sclerosis. <i>Rheumatology</i> , 2014 , 53, 948-52	3.9	25
183	Expression of advanced glycation end products and their receptor in skin from patients with systemic sclerosis with and without calcinosis. <i>Rheumatology</i> , 2009 , 48, 876-82	3.9	25
182	Foot problems in patients with systemic sclerosis. <i>British Journal of Rheumatology</i> , 2001 , 40, 410-3		25
181	Patient-reported outcome instruments for assessing Raynaud's phenomenon in systemic sclerosis: A SCTC Vascular Working Group Report. <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 249-252	2.3	25
180	The effect of disease activity on body composition and resting energy expenditure in patients with rheumatoid arthritis. <i>Journal of Inflammation Research</i> , 2011 , 4, 61-6	4.8	24
179	Pilot study of dual-wavelength (532 and 633 nm) laser Doppler imaging and infrared thermography of morphea. <i>British Journal of Dermatology</i> , 2009 , 160, 864-7	4	24
178	Assessment of digital vascular structure and function in response to bosentan in patients with systemic sclerosis-related Raynaud's phenomenon. <i>Rheumatology</i> , 2007 , 46, 363-4	3.9	24
177	Ankle brachial pressure index in systemic sclerosis: influence of disease subtype and anticentromere antibody. <i>Rheumatology</i> , 2001 , 40, 1102-5	3.9	24
176	An international SURvey on non-invasive techniques to assess the microcirculation in patients with Raynaud's phenomenon (SUNSHINE survey). <i>Rheumatology International</i> , 2017 , 37, 1879-1890	3.6	23

175	Systemic sclerosis. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2019 , 80, 530-536	0.8	22
174	The role of capillaroscopy and thermography in the assessment and management of Raynaud's phenomenon. <i>Autoimmunity Reviews</i> , 2018 , 17, 465-472	13.6	22
173	Vasodilator iontophoresis a possible new therapy for digital ischaemia in systemic sclerosis?. <i>Rheumatology</i> , 2008 , 47, 76-9	3.9	22
172	Lack of effect of 8 weeks atorvastatin on microvascular endothelial function in patients with systemic sclerosis. <i>Rheumatology</i> , 2010 , 49, 990-6	3.9	21
171	Differential diagnosis of critical digital ischemia in systemic sclerosis: Report of five cases and review of the literature. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 209-216	5.3	21
170	Generation of a Core Set of Items to Develop Classification Criteria for Scleroderma Renal Crisis Using Consensus Methodology. <i>Arthritis and Rheumatology</i> , 2019 , 71, 964-971	9.5	21
169	Reliability of digital ulcer definitions as proposed by the UK Scleroderma Study Group: A challenge for clinical trial design. <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 170-174	2.3	21
168	Raynaud's phenomenon. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020 , 34, 101474	5.3	20
167	A comparison of intense pulsed light and laser treatment of telangiectases in patients with systemic sclerosis: a within-subject randomized trial. <i>Rheumatology</i> , 2014 , 53, 1422-30	3.9	20
166	Nailfold capillaroscopy in pediatrics. <i>Arthritis Care and Research</i> , 2013 , 65, 1393-400	4.7	20
165	An MIF Promoter Polymorphism Is Associated with Susceptibility to Pulmonary Arterial Hypertension in Diffuse Cutaneous Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2017 , 44, 1453-1457	4.1	20
164	Clinical features of childhood localized scleroderma in an incidence cohort. <i>Rheumatology</i> , 2011 , 50, 1865-8	5.8	20
163	The influence of measurement location on reliability of quantitative nailfold videocapillaroscopy in patients with SSc. <i>Rheumatology</i> , 2012 , 51, 1323-30	3.9	20
162	Possible therapeutic use of vasodilator iontophoresis. <i>Microvascular Research</i> , 2005 , 69, 89-94	3.7	20
161	The influence of age on nailfold capillary dimensions in childhood. <i>Journal of Rheumatology</i> , 2000 , 27, 797-800	4.1	20
160	Intra-and inter-observer reliability of nailfold videocapillaroscopy - A possible outcome measure for systemic sclerosis-related microangiopathy. <i>Microvascular Research</i> , 2017 , 112, 1-6	3.7	19
159	Points to consider-Raynaud's phenomenon in systemic sclerosis. <i>Rheumatology</i> , 2017 , 56, v45-v48	3.9	19
158	Leri's pleonosteosis, a congenital rheumatic disease, results from microduplication at 8q22.1 encompassing GDF6 and SDC2 and provides insight into systemic sclerosis pathogenesis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1249-56	2.4	19

157	Calcium channel blockers for primary Raynaud's phenomenon. <i>The Cochrane Library</i> , 2016 , 2, CD002069	5.2	19
156	Recent advances in the pathogenesis and management of Raynaud's phenomenon and digital ulcers. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 577-85	5.3	19
155	Digital Ulcers in Ssc Treated with Oral Treprostinil: A Randomized, Double-Blind, Placebo-Controlled Study with Open-Label Follow-up. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 42-49	2.3	18
154	Systemic sclerosis-related calcinosis. <i>Journal of Scleroderma and Related Disorders</i> , 2016 , 1, 194-203	2.3	18
153	LHRH analogue treatment for the prevention of premenstrual attacks of acute porphyria. <i>The Quarterly Journal of Medicine</i> , 1990 , 75, 355-63		17
152	Dietary intake of micronutrient antioxidants in relation to blood levels in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 1996 , 23, 650-3	4.1	17
151	Pilot study of intense pulsed light for the treatment of systemic sclerosis-related telangiectases. <i>British Journal of Dermatology</i> , 2012 , 167, 563-9	4	16
150	Preliminary clinical evaluation of semi-automated nailfold capillaroscopy in the assessment of patients with Raynaud's phenomenon. <i>Microcirculation</i> , 2011 , 18, 440-7	2.9	16
149	Thermographic Abnormalities are Associated with Future Digital Ulcers and Death in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2016 , 43, 1519-22	4.1	15
148	Should all digital ulcers be included in future clinical trials of systemic sclerosis-related digital vasculopathy?. <i>Medical Hypotheses</i> , 2018 , 116, 101-104	3.8	15
147	Evidence-based management of Raynaud's phenomenon. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2017 , 9, 317-329	3.8	15
146	Further confirmation that digital ulcers are associated with the severity of abnormality on nailfold capillaroscopy in patients with systemic sclerosis. <i>Rheumatology</i> , 2014 , 53, 376-7	3.9	15
145	Vascular imaging. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004 , 18, 957-79	5.3	15
144	Dual wavelength (532 and 633 nm) laser Doppler imaging of plaque psoriasis. <i>British Journal of Dermatology</i> , 2005 , 152, 1182-6	4	15
143	Investigation of anal function in patients with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 370-4	2.4	15
142	Calcinosis preferentially affects the thumb compared to other fingers in patients with systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 317-20	1.9	15
141	Association of a non-synonymous functional variant of the ITGAM gene with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2050-2	2.4	14
140	Noninvasive measurement of skin autofluorescence is increased in patients with systemic sclerosis: an indicator of increased advanced glycation endproducts?. <i>Journal of Rheumatology</i> , 2012 , 39, 1654-8	4.1	14

139	Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2020 , 72, 723-733	4.7	14
138	Does the Clinical Context Improve the Reliability of Rheumatologists Grading Digital Ulcers in Systemic Sclerosis?. <i>Arthritis Care and Research</i> , 2016 , 68, 1340-5	4.7	14
137	The performance of the European League Against Rheumatism/American College of Rheumatology idiopathic inflammatory myopathies classification criteria in an expert-defined 10 year incident cohort. <i>Rheumatology</i> , 2019 , 58, 468-475	3.9	14
136	Automated structure and flow measurement - a promising tool in nailfold capillaroscopy. <i>Microvascular Research</i> , 2018 , 118, 173-177	3.7	13
135	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110132	4.1	13
134	Non-invasive Imaging of Localised Scleroderma for Assessment of Skin Blood Flow and Structure. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 641-4	2.2	13
133	Imaging calcinosis in patients with systemic sclerosis by radiography, computerised tomography and magnetic resonance imaging. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 49, 279-282	5.3	12
132	Vascular diagnostics for Raynaud's phenomenon. <i>Journal of Vascular Diagnostics</i> , 2014 , 127		12
131	An automated system for detecting and measuring nailfold capillaries. <i>Lecture Notes in Computer Science</i> , 2014 , 17, 658-65	0.9	12
130	Effects of iloprost on microvascular structure assessed by nailfold videocapillaroscopy: a pilot study. <i>Journal of Rheumatology</i> , 2011 , 38, 2079-80	4.1	12
129	Quantitative outcome measures for systemic sclerosis-related Microangiopathy - Reliability of image acquisition in Nailfold Capillaroscopy. <i>Microvascular Research</i> , 2017 , 113, 56-59	3.7	11
128	History of surgical debridement, anticentromere antibody, and disease duration are associated with calcinosis in patients with systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 114-7 ^{1.9}		11
127	A pilot study of acetic acid iontophoresis and ultrasound in the treatment of systemic sclerosis-related calcinosis. <i>British Journal of Rheumatology</i> , 2005 , 44, 536-8		11
126	Elevation of blood lactate and pyruvate levels in acute intermittent porphyria--a reflection of haem deficiency?. <i>Clinica Chimica Acta</i> , 1990 , 190, 157-62	6.2	11
125	Comparative efficacy and safety of treatments for secondary Raynaud's phenomenon: a systematic review and network meta-analysis of randomised trials. <i>Lancet Rheumatology, The</i> , 2019 , 1, e237-e246	14.2	11
124	Long-term outcome of patients with systemic sclerosis requiring home parenteral nutrition. <i>Clinical Nutrition</i> , 2015 , 34, 991-6	5.9	10
123	Cervical spine calcinosis in systemic sclerosis. <i>Journal of Rheumatology</i> , 2013 , 40, 1617-8	4.1	10
122	Coexistence of systemic sclerosis and multiple sclerosis. <i>Journal of Neurology</i> , 2004 , 251, 1524-5	5.5	10

121	Keloidal scleroderma. <i>Clinical and Experimental Dermatology</i> , 2003 , 28, 171-3	1.8	10
120	Giant cell arteritis in a patient with limited cutaneous systemic sclerosis. <i>Rheumatology</i> , 1999 , 38, 479-80	3.9	10
119	Three-dimensional optoacoustic imaging of nailfold capillaries in systemic sclerosis and its potential for disease differentiation using deep learning. <i>Scientific Reports</i> , 2020 , 10, 16444	4.9	10
118	Nailfold capillaroscopy-how many fingers should be examined to detect abnormality?. <i>Rheumatology</i> , 2019 , 58, 284-288	3.9	10
117	Analysis of ATP8B4 F436L Missense Variant in a Large Systemic Sclerosis Cohort. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1337-1338	9.5	9
116	The assessment of nailfold capillaries: comparison of dermoscopy and nailfold videocapillaroscopy. <i>Rheumatology</i> , 2018 , 57, 1115-1116	3.9	9
115	Molecular Basis for Dysregulated Activation of NKX2-5 in the Vascular Remodeling of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2018 , 70, 920-931	9.5	9
114	Functional variants of Fc gamma receptor (FCGR2A) and FCGR3A are not associated with susceptibility to systemic sclerosis in a large European Study (EUSTAR). <i>Journal of Rheumatology</i> , 2010 , 37, 1673-9	4.1	9
113	Mixed connective tissue disease presenting with pneumonitis and pneumatosis intestinalis. <i>Arthritis and Rheumatism</i> , 2000 , 43, 704-7		9
112	DNA repair deficiency in systemic lupus erythematosus; cause or consequence of disease and implications for management. <i>Lupus</i> , 1995 , 4, 423-4	2.6	9
111	Celiprolol and verapamil in the treatment of essential hypertension. <i>American Heart Journal</i> , 1988 , 116, 1437-8	4.9	9
110	New perspectives in the imaging of Raynaud's phenomenon. <i>European Journal of Rheumatology</i> , 2020 , 7, S212-S221	1.7	9
109	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110262	4.1	9
108	A pilot study using high-frequency ultrasound to measure digital ulcers: a possible outcome measure in systemic sclerosis clinical trials?. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 106, 218-219	2.2	9
107	Therapeutic implications from the pathogenesis of Raynaud's phenomenon. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 723-735	5.1	8
106	Tracking digital ulcers in systemic sclerosis: a feasibility study assessing lesion area in patient-recorded smartphone photographs. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1382-1384	2.4	8
105	Pressure and pain in systemic sclerosis/scleroderma--an evaluation of a simple intervention (PISCES): randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 11	2.8	8
104	Polymorphisms in the interleukin 4, interleukin 13, and corresponding receptor genes are not associated with systemic sclerosis and do not influence gene expression. <i>Journal of Rheumatology</i> , 2012 , 39, 112-8	4.1	8

103	Therapy: A local approach to Raynaud phenomenon. <i>Nature Reviews Rheumatology</i> , 2009 , 5, 246-7	8.1	8
102	Primary Raynaud's phenomenon in early childhood. <i>Rheumatology</i> , 1991 , 30, 223-5	3.9	8
101	Elevation of hormone-binding globulins in acute intermittent porphyria. <i>Clinica Chimica Acta</i> , 1990 , 187, 141-8	6.2	8
100	Cholelithiasis in patients with variegate porphyria. <i>Journal of Hepatology</i> , 1991 , 12, 50-3	13.4	8
99	Raynaud's phenomenon.. <i>Journal of Scleroderma and Related Disorders</i> , 2019 , 4, 89-101	2.3	8
98	Pilot study assessing pathophysiology and healing of digital ulcers in patients with systemic sclerosis using laser Doppler imaging and thermography. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 100-105	2.2	8
97	Patient experiences of digital ulcer development and evolution in systemic sclerosis. <i>Rheumatology</i> , 2020 , 59, 2156-2158	3.9	7
96	Controversies on the Use of Steroids in Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 84-91	2.3	7
95	Infected calcinosis of the knee in limited cutaneous systemic sclerosis. <i>Journal of Rheumatology</i> , 2012 , 39, 2043-4	4.1	6
94	Lack of interaction between methotrexate and penicillins. <i>British Journal of Rheumatology</i> , 1999 , 38, 284-5		6
93	Reporting items for capillaroscopy in clinical research on musculoskeletal diseases: a systematic review and international Delphi consensus. <i>Rheumatology</i> , 2021 , 60, 1410-1418	3.9	6
92	Quantifying Digital Ulcers in Systemic Sclerosis: Reliability of Computer-Assisted Planimetry in Measuring Lesion Size. <i>Arthritis Care and Research</i> , 2018 , 70, 486-490	4.7	6
91	Whole finger iontophoresis of sodium nitroprusside to increase blood flow in patients with systemic sclerosis: Influence of concentration. <i>International Journal of Pharmaceutics</i> , 2015 , 490, 446-9	6.5	5
90	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1646-1652	4.7	5
89	HLA-DRB1 associations with rheumatoid arthritis-related pulmonary fibrosis. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 75-6	1.9	5
88	KCNA5 gene is not confirmed as a systemic sclerosis-related pulmonary arterial hypertension genetic susceptibility factor. <i>Arthritis Research and Therapy</i> , 2012 , 14, R273	5.7	5
87	Percutaneous endoscopic gastrostomy feeding--a life-saving intervention in SSc-myositis overlap with pharyngeal dysfunction. <i>Rheumatology</i> , 2012 , 51, 1518-20	3.9	5
86	Systemic sclerosis. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2012 , 73, 509-10, 511-6	0.8	5

85	Acute intermittent porphyria in two patients on anticonvulsant therapy and with normal erythrocyte porphobilinogen deaminase activity. <i>British Journal of Clinical Pharmacology</i> , 1989 , 27, 491-7 ^{3.8}	5
84	Raynaud's phenomenon (secondary). <i>Clinical Evidence</i> , 2008 , 2008,	5
83	Raynaud's phenomenon (secondary). <i>Clinical Evidence</i> , 2014 , 2014,	5
82	State-of-the-art technologies provide new insights linking skin and blood vessel abnormalities in SSc-related disorders. <i>Microvascular Research</i> , 2020 , 130, 104006	3.7 5
81	Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. <i>Rheumatology</i> , 2020 , 59, 2016-2023	3.9 5
80	Abnormalities of selenium but not of copper homeostasis may drive tissue fibrosis in patients with systemic sclerosis. <i>Rheumatology</i> , 2015 , 54, 747-8	3.9 4
79	Management of Raynaud's Phenomenon and Digital Ulcers. <i>Current Treatment Options in Rheumatology</i> , 2015 , 1, 68-81	1.3 4
78	A feasibility study of a novel low-level light therapy for digital ulcers in systemic sclerosis. <i>Journal of Dermatological Treatment</i> , 2019 , 30, 251-257	2.8 4
77	Lack of interaction between flucloxacillin and methotrexate in patients with rheumatoid arthritis. <i>British Journal of Clinical Pharmacology</i> , 1996 , 41, 223-7	3.8 4
76	Comprehensive analysis of the major histocompatibility complex in systemic sclerosis identifies differential HLA associations by clinical and serological subtypes. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4 4
75	A randomised controlled trial of wax baths as an additive therapy to hand exercises in patients with systemic sclerosis. <i>Physiotherapy</i> , 2019 , 105, 370-377	3 4
74	Quantitative nailfold capillaroscopy-update and possible next steps. <i>Rheumatology</i> , 2021 , 60, 2054-2065 ^{3.9}	4
73	Confirmation of CCR6 as a risk factor for anti-topoisomerase I antibodies in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S31-5	2.2 4
72	Results from an American pilot survey among Scleroderma Clinical Trials Consortium members on capillaroscopy use and how to best implement nailfold capillaroscopy training. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 119, 151	2.2 4
71	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017 , 20, 99-106	7.4 3
70	RNASEH2B Related Adult-Onset Interferonopathy. <i>Journal of Clinical Immunology</i> , 2019 , 39, 620-622	5.7 3
69	A longitudinal study of ankle brachial pressure indices in a cohort of patients with systemic sclerosis. <i>Rheumatology</i> , 2014 , 53, 2009-13	3.9 3
68	Quartz Crystal Microbalance Assay of Clinical Calcinosis Samples and Their Synthetic Models Differentiates the Efficacy of Chelation-Based Treatments. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 27544-27552	9.5 3

67	A synonymous variant in TREX1 is associated with systemic sclerosis and severe digital ischaemia. <i>Scandinavian Journal of Rheumatology</i> , 2017 , 46, 77-78	1.9	3
66	Sparing effect of hemiplegia on skin fibrosis and microvascular involvement: reports of two cases of systemic sclerosis and review of the literature. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 597-607	5.3	3
65	Profound hypomagnesaemia causing symptomatic hypocalcaemia--an underdiagnosed and potentially life-threatening problem in systemic sclerosis?. <i>Rheumatology</i> , 2014 , 53, 767-9	3.9	3
64	Churg-Strauss, a rare cause of intracerebral haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2012 , 19, 1177-8	7.8	3
63	Raynaud's Phenomenon 2012 , 313-329		3
62	Simulating nailfold capillaroscopy sequences to evaluate algorithms for blood flow estimation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 2636-9	0.9	3
61	Raynaud's phenomenon and hand function in patients with rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2010 , 37, 1358-9	4.1	3
60	Comment on: A prospective open-label study of mycophenolate mofetil for the treatment of diffuse systemic sclerosis. <i>Rheumatology</i> , 2010 , 49, 1607-8; author reply 1608	3.9	3
59	Raynaud's phenomenon. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2008 , 10, 146-55	2.1	3
58	Development of agents for the treatment of systemic sclerosis. <i>Expert Opinion on Investigational Drugs</i> , 2001 , 10, 1255-64	5.9	3
57	Comparison between low cost USB nailfold capillaroscopy and videocapillaroscopy: a pilot study. <i>Rheumatology</i> , 2021 , 60, 3862-3867	3.9	3
56	cRel expression regulates distinct transcriptional and functional profiles driving fibroblast matrix production in systemic sclerosis. <i>Rheumatology</i> , 2020 , 59, 3939-3951	3.9	3
55	Circulating collagen neo-epitopes and their role in the prediction of fibrosis in patients with systemic sclerosis: a multicentre cohort study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e175-e184	14.2	3
54	Microvascular Response in Patients with Complex Regional Pain Syndrome as Measured by Laser Doppler Imaging. <i>Microcirculation</i> , 2016 , 23, 379-83	2.9	3
53	Ultrasound findings in finger flexor tendons in systemic sclerosis: A cross-sectional pilot study.. <i>Journal of Scleroderma and Related Disorders</i> , 2020 , 5, 77-82	2.3	3
52	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021 , 140, 110314	4.1	3
51	Evidence for a clinical association between body mass index and malabsorption in patients with systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 341-3	1.9	2
50	Impact and associates of digital pitting in patients with systemic sclerosis: a pilot study. <i>Scandinavian Journal of Rheumatology</i> , 2020 , 49, 239-243	1.9	2

49	A pilot study of cutaneous oxygenation and perfusion in systemic sclerosis-related digital calcinosis. <i>Rheumatology</i> , 2020 , 59, 3109-3111	3.9	2
48	Testing for hypoxia in forearm skin of patients with systemic sclerosis, assessed by pimonidazole. <i>Journal of Rheumatology</i> , 2010 , 37, 1968-9	4.1	2
47	An investigation into the blood-flow characteristics of telangiectatic skin lesions in systemic sclerosis using dual-wavelength laser Doppler imaging. <i>Clinical and Experimental Dermatology</i> , 2009 , 34, 618-20	1.8	2
46	Childrens' and parents' beliefs about childhood onset scleroderma are influenced by child age and physical function impairment. <i>Rheumatology</i> , 2012 , 51, 1331-3	3.9	2
45	Comment on: Sparing of the thumb in Raynaud's phenomenon: reply. <i>Rheumatology</i> , 2008 , 47, 1260-1260	3.9	2
44	Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1178-9	2.4	2
43	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e844-e854	14.2	2
42	Improved Diagnosis of Systemic Sclerosis Using Nailfold Capillary Flow. <i>Lecture Notes in Computer Science</i> , 2016 , 344-352	0.9	2
41	Surgical Approaches Including Sympathectomy 2019 , 173-182		2
40	Frontiers in translational systemic sclerosis research: A focus on the unmet 'cutaneous' clinical needs (Viewpoint). <i>Experimental Dermatology</i> , 2020 , 29, 1144-1153	4	2
39	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019 ,		2
38	Changes in disability and their relationship with skin thickening, in diffuse and limited cutaneous systemic sclerosis: a retrospective cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019 , 48, 230-234	1.9	2
37	Systemic sclerosis skin is a primed microenvironment for soft tissue calcification-a hypothesis. <i>Rheumatology</i> , 2021 , 60, 2517-2527	3.9	2
36	Do thermographic parameters help to classify patients with early systemic sclerosis?. <i>Rheumatology</i> , 2019 , 58, 1105-1106	3.9	1
35	Longitudinal nailfold capillaroscopy tracking of microangiopathic changes in systemic sclerosis. <i>Rheumatology</i> , 2018 , 57, 1554	3.9	1
34	Systemic sclerosis: clinical features and management. <i>Medicine</i> , 2018 , 46, 131-139	0.6	1
33	Pilot study to visualise and measure skin tissue oxygenation, erythema, total haemoglobin and melanin content using index maps in healthy controls 2014 ,		1
32	Dr. Murray, et al reply. <i>Journal of Rheumatology</i> , 2013 , 40, 206	4.1	1

31	Clinical Images: Systemic sclerosis-related telangiectases. <i>Arthritis and Rheumatism</i> , 2011 , 63, 572		1
30	Comment on: A multicentre study on the reliability of qualitative and quantitative nailfold videocapillaroscopy assessment: reply. <i>Rheumatology</i> , 2012 , 51, 1922-1922	3.9	1
29	Vitamin C for preventing complex regional pain syndrome (type I) after wrist fractures in adults 2009 ,		1
28	Manchester experience in establishing a part-time MSc course in rheumatology. <i>Rheumatology</i> , 1998 , 37, 1020-2	3.9	1
27	Advances in palliative care for the patient with scleroderma. <i>Current Opinion in Rheumatology</i> , 1996 , 8, 555-60	5.3	1
26	Biochemical investigation of hepatoerythropoietic porphyria [homozygous porphyria cutanea tarda. <i>Biochemical Society Transactions</i> , 1988 , 16, 829-830	5.1	1
25	Idiopathic haemochromatosis in a young female with amenorrhoea. <i>Journal of the Royal Society of Medicine</i> , 1989 , 82, 556-8	2.3	1
24	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021 , 22, 856	2.8	1
23	Systemic sclerosis-related digital calcinosis; a pilot study of cutaneous oxygenation and perfusion. <i>Rheumatology</i> , 2020 , 59, 3573-3575	3.9	1
22	Temperature response to cold challenge and mobile phone thermography as outcome measures for systemic sclerosis-related Raynaud's phenomenon. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 50, 479-484	1.9	1
21	Low body weight and involuntary weight loss are associated with Raynaud's phenomenon in both men and women. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 50, 153-160	1.9	1
20	Calcium channel blockers for primary Raynaud's Phenomenon		1
19	Nailfold capillaroscopy in SSc: innocent bystander or promising biomarker for novel severe organ involvement/progression?. <i>Rheumatology</i> , 2022 ,	3.9	1
18	Imaging digital arteries in systemic sclerosis by tomographic 3-dimensional ultrasound. <i>Rheumatology International</i> , 2021 , 41, 1089-1096	3.6	0
17	Clinical trial protocol: PRednisolone in early diffuse cutaneous Systemic Sclerosis (PRedSS). <i>Journal of Scleroderma and Related Disorders</i> , 2021 , 6, 146-153	2.3	0
16	Raynaud's phenomenon and digital ulcers: advances in evaluation and management. <i>Current Opinion in Rheumatology</i> , 2021 , 33, 453-462	5.3	0
15	Polarisation-sensitive optical coherence tomography measurement of retardance in fibrosis, a non-invasive biomarker in patients with systemic sclerosis.. <i>Scientific Reports</i> , 2022 , 12, 2893	4.9	0
14	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 45	1.9	0

- 13 Raynaud's Phenomenon **2018**, 445-451
- 12 Treatment options in Raynaud's phenomenon. *Expert Opinion on Orphan Drugs*, **2014**, 2, 271-282 1.1
- 11 Clinical images: Pachydermoperiostosis. *Arthritis and Rheumatism*, **2010**, 62, 1538
- 10 Associations with digital pitting in patients with systemic sclerosis: results of a retrospective analysis. *Scandinavian Journal of Rheumatology*, **2021**, 1-2 1.9
- 9 Raynaud's Phenomenon **2006**, 313-319
- 8 Raynaud's Phenomenon and Ulcers **2019**, 45-62
- 7 Primary Raynaud's Phenomenon **2015**, 81-93
- 6 Critical Ischemia in Patients with Raynaud's Phenomenon **2017**, 257-266
- 5 Raynaud's Phenomenon, Digital Ulcers and Nailfold Capillaroscopy **2017**, 297-316
- 4 Raynaud's Phenomenon **2010**, 387-393
- 3 A 22-Year-Old Woman with Raynaud's Phenomenon but No Other Symptoms and No Abnormalities on Examination **2011**, 23-29
- 2 No significant effects of sodium aurothiomalate on haem metabolism and mixed function oxygenase activity in patients with rheumatoid arthritis. *Clinical and Experimental Rheumatology*, **1999**, 17, 461-2 2.2
- 1 The need to accurately measure energy intake and expenditure in patients with systemic sclerosis. *Journal of Scleroderma and Related Disorders*, 239719832210957 2.3