Ariane Herrick

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9546939/ariane-herrick-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13,368 107 300 55 h-index g-index citations papers 16,027 6.33 313 4.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
300	Nailfold capillaroscopy in SSc: innocent bystander or promising biomarker for novel severe organ involvement/progression?. <i>Rheumatology</i> , 2022 ,	3.9	1
299	Polarisation-sensitive optical coherence tomography measurement of retardance in fibrosis, a non-invasive biomarker in patients with systemic sclerosis <i>Scientific Reports</i> , 2022 , 12, 2893	4.9	0
298	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program <i>Pilot and Feasibility Studies</i> , 2022 , 8, 45	1.9	O
297	Associations with digital pitting in patients with systemic sclerosis: results of a retrospective analysis. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 1-2	1.9	
296	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021 , 22, 856	2.8	1
295	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e844-e854	14.2	2
294	Corrigendum to: Systemic sclerosis-related digital ulcers; a pilot study of cutaneous oxygenation and perfusion. <i>Rheumatology</i> , 2021 , 60, 2490-2490	3.9	78
293	Comparison between low cost USB nailfold capillaroscopy and videocapillaroscopy: a pilot study. <i>Rheumatology</i> , 2021 , 60, 3862-3867	3.9	3
292	Circulating collagen neo-epitopes and their role in the prediction of fibrosis in patients with systemic sclerosis: a multicentre cohort study. <i>Lancet Rheumatology, The</i> , 2021 , 3, e175-e184	14.2	3
291	Comprehensive analysis of the major histocompatibility complex in systemic sclerosis identifies differential HLA associations by clinical and serological subtypes. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	4
290	Temperature response to cold challenge and mobile phone thermography as outcome measures for systemic sclerosis-related Raynaud's phenomenon. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 50, 479-484	1.9	1
289	Imaging digital arteries in systemic sclerosis by tomographic 3-dimensional ultrasound. <i>Rheumatology International</i> , 2021 , 41, 1089-1096	3.6	0
288	Reporting items for capillaroscopy in clinical research on musculoskeletal diseases: a systematic review and international Delphi consensus. <i>Rheumatology</i> , 2021 , 60, 1410-1418	3.9	6
287	Clinical trial protocol: PRednisolone in early diffuse cutaneous Systemic Sclerosis (PRedSS). <i>Journal of Scleroderma and Related Disorders</i> , 2021 , 6, 146-153	2.3	0
286	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021 , 140, 110314	4.1	3
285	Low body weight and involuntary weight loss are associated with Raynaud's phenomenon in both men and women. <i>Scandinavian Journal of Rheumatology</i> , 2021 , 50, 153-160	1.9	1
284	Quantitative nailfold capillaroscopy-update and possible next steps. <i>Rheumatology</i> , 2021 , 60, 2054-206	5 5 3.9	4

(2020-2021)

283	Systemic sclerosis skin is a primed microenvironment for soft tissue calcification-a hypothesis. <i>Rheumatology</i> , 2021 , 60, 2517-2527	3.9	2
282	Raynaud's phenomenon and digital ulcers: advances in evaluation and management. <i>Current Opinion in Rheumatology</i> , 2021 , 33, 453-462	5.3	О
281	Patient experiences of digital ulcer development and evolution in systemic sclerosis. <i>Rheumatology</i> , 2020 , 59, 2156-2158	3.9	7
280	Impact and associates of digital pitting in patients with systemic sclerosis: a pilot study. <i>Scandinavian Journal of Rheumatology</i> , 2020 , 49, 239-243	1.9	2
279	Raynaud's phenomenon. Best Practice and Research in Clinical Rheumatology, 2020, 34, 101474	5.3	20
278	A pilot study of cutaneous oxygenation and perfusion in systemic sclerosis-related digital calcinosis. <i>Rheumatology</i> , 2020 , 59, 3109-3111	3.9	2
277	New perspectives in the imaging of Raynaud's phenomenon. <i>European Journal of Rheumatology</i> , 2020 , 7, S212-S221	1.7	9
276	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of</i>	4.1	13
275	State-of-the-art technologies provide new insights linking skin and blood vessel abnormalities in SSc-related disorders. <i>Microvascular Research</i> , 2020 , 130, 104006	3.7	5
	Charles Parties of a Mollar Manager Coult and a constant of a day of the Court		
274	Standardisation of nailfold capillaroscopy for the assessment of patients with Raynaud's phenomenon and systemic sclerosis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102458	13.6	90
²⁷⁴		3.9	90
	phenomenon and systemic sclerosis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102458 Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort.		
273	phenomenon and systemic sclerosis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102458 Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. <i>Rheumatology</i> , 2020 , 59, 2016-2023 Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic	3.9	5
²⁷³	phenomenon and systemic sclerosis. <i>Autoimmunity Reviews</i> , 2020 , 19, 102458 Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. <i>Rheumatology</i> , 2020 , 59, 2016-2023 Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2020 , 72, 723-733 Three-dimensional optoacoustic imaging of nailfold capillaries in systemic sclerosis and its	3.9	5
273 272 271	Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. Rheumatology, 2020, 59, 2016-2023 Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic Sclerosis. Arthritis Care and Research, 2020, 72, 723-733 Three-dimensional optoacoustic imaging of nailfold capillaries in systemic sclerosis and its potential for disease differentiation using deep learning. Scientific Reports, 2020, 10, 16444 CRel expression regulates distinct transcriptional and functional profiles driving fibroblast matrix	3.9 4.7 4.9	5 14 10
273 272 271 270	Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. Rheumatology, 2020, 59, 2016-2023 Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic Sclerosis. Arthritis Care and Research, 2020, 72, 723-733 Three-dimensional optoacoustic imaging of nailfold capillaries in systemic sclerosis and its potential for disease differentiation using deep learning. Scientific Reports, 2020, 10, 16444 CRel expression regulates distinct transcriptional and functional profiles driving fibroblast matrix production in systemic sclerosis. Rheumatology, 2020, 59, 3939-3951 Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network	3.9 4.7 4.9 3.9	5 14 10 3
273 272 271 270 269	Incidence and risk factors for gangrene in patients with systemic sclerosis from the EUSTAR cohort. Rheumatology, 2020, 59, 2016-2023 Multicenter Qualitative Study Exploring the Patient Experience of Digital Ulcers in Systemic Sclerosis. Arthritis Care and Research, 2020, 72, 723-733 Three-dimensional optoacoustic imaging of nailfold capillaries in systemic sclerosis and its potential for disease differentiation using deep learning. Scientific Reports, 2020, 10, 16444 CRel expression regulates distinct transcriptional and functional profiles driving fibroblast matrix production in systemic sclerosis. Rheumatology, 2020, 59, 3939-3951 Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. Journal of Psychosomatic Research, 2020, 139, 110262 Frontiers in translational systemic sclerosis research: A focus on the unmet 'cutaneous' clinical	3.9 4.7 4.9 3.9 4.1	5 14 10 3

265	Fast track algorithm: How to differentiate a "scleroderma pattern" from a "non-scleroderma pattern". <i>Autoimmunity Reviews</i> , 2019 , 18, 102394	13.6	42
264	Systemic sclerosis. British Journal of Hospital Medicine (London, England: 2005), 2019, 80, 530-536	0.8	22
263	Imaging calcinosis in patients with systemic sclerosis by radiography, computerised tomography and magnetic resonance imaging. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 49, 279-282	5.3	12
262	Do thermographic parameters help to classify patients with early systemic sclerosis?. <i>Rheumatology</i> , 2019 , 58, 1105-1106	3.9	1
261	A feasibility study of a novel low-level light therapy for digital ulcers in systemic sclerosis. <i>Journal of Dermatological Treatment</i> , 2019 , 30, 251-257	2.8	4
2 60	RNASEH2B Related Adult-Onset Interferonopathy. <i>Journal of Clinical Immunology</i> , 2019 , 39, 620-622	5.7	3
259	GWAS for systemic sclerosis identifies multiple risk loci and highlights fibrotic and vasculopathy pathways. <i>Nature Communications</i> , 2019 , 10, 4955	17.4	46
258	Raynaud Phenomenon and Ulcers 2019 , 45-62		
257	Surgical Approaches Including Sympathectomy 2019 , 173-182		2
256	Raynaud's phenomenon <i>Journal of Scleroderma and Related Disorders</i> , 2019 , 4, 89-101	2.3	8
256 255	Raynaud's phenomenon <i>Journal of Scleroderma and Related Disorders</i> , 2019 , 4, 89-101 SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019 ,	2.3	2
	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A	2.3	
255	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019 , Comparative efficacy and safety of treatments for secondary Raynaud's phenomenon: a systematic	14.2	2
255 254	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019 , Comparative efficacy and safety of treatments for secondary Raynaud's phenomenon: a systematic review and network meta-analysis of randomised trials. <i>Lancet Rheumatology, The</i> , 2019 , 1, e237-e246 Changes in disability and their relationship with skin thickening, in diffuse and limited cutaneous	14.2	2
255 254 253	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019 , Comparative efficacy and safety of treatments for secondary Raynaud's phenomenon: a systematic review and network meta-analysis of randomised trials. <i>Lancet Rheumatology, The</i> , 2019 , 1, e237-e246 Changes in disability and their relationship with skin thickening, in diffuse and limited cutaneous systemic sclerosis: a retrospective cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019 , 48, 230-23. Generation of a Core Set of Items to Develop Classification Criteria for Scleroderma Renal Crisis	14.2 3 ⁴ .9	2 11 2
255 254 253 252	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019 , Comparative efficacy and safety of treatments for secondary Raynaud's phenomenon: a systematic review and network meta-analysis of randomised trials. <i>Lancet Rheumatology, The,</i> 2019 , 1, e237-e246 Changes in disability and their relationship with skin thickening, in diffuse and limited cutaneous systemic sclerosis: a retrospective cohort study. <i>Scandinavian Journal of Rheumatology,</i> 2019 , 48, 230-23 Generation of a Core Set of Items to Develop Classification Criteria for Scleroderma Renal Crisis Using Consensus Methodology. <i>Arthritis and Rheumatology,</i> 2019 , 71, 964-971 A randomised controlled trial of wax baths as an additive therapy to hand exercises in patients with	14.2 3 ⁴⁻⁹ 9.5	2 11 2 21
255 254 253 252 251	SAT0296 FAST TRACK ALGORITHM: HOW TO DIFFERENTIATE A SCLERODERMA PATTERN FROM A NON-SCLERODERMA PATTERN 2019, Comparative efficacy and safety of treatments for secondary Raynaud's phenomenon: a systematic review and network meta-analysis of randomised trials. Lancet Rheumatology, The, 2019, 1, e237-e246 Changes in disability and their relationship with skin thickening, in diffuse and limited cutaneous systemic sclerosis: a retrospective cohort study. Scandinavian Journal of Rheumatology, 2019, 48, 230-23 Generation of a Core Set of Items to Develop Classification Criteria for Scleroderma Renal Crisis Using Consensus Methodology. Arthritis and Rheumatology, 2019, 71, 964-971 A randomised controlled trial of wax baths as an additive therapy to hand exercises in patients with systemic sclerosis. Physiotherapy, 2019, 105, 370-377 The performance of the European League Against Rheumatism/American College of Rheumatology idiopathic inflammatory myopathies classification criteria in an expert-defined 10 year incident	14.2 3 ⁴ -9 9.5	2 11 2 21 4

(2018-2018)

247	A Multicenter Study of the Validity and Reliability of Responses to Hand Cold Challenge as Measured by Laser Speckle Contrast Imaging and Thermography: Outcome Measures for Systemic Sclerosis-Related Raynaud's Phenomenon. <i>Arthritis and Rheumatology</i> , 2018 , 70, 903-911	9.5	39
246	Longitudinal nailfold capillaroscopy tracking of microangiopathic changes in systemic sclerosis. <i>Rheumatology</i> , 2018 , 57, 1554	3.9	1
245	Multinational Qualitative Research Study Exploring the Patient Experience of Raynaud's Phenomenon in Systemic Sclerosis. <i>Arthritis Care and Research</i> , 2018 , 70, 1373-1384	4.7	38
244	Automated structure and flow measurement - a promising tool in nailfold capillaroscopy. <i>Microvascular Research</i> , 2018 , 118, 173-177	3.7	13
243	Raynaud Phenomenon 2018 , 445-451		
242	The assessment of nailfold capillaries: comparison of dermoscopy and nailfold videocapillaroscopy. <i>Rheumatology</i> , 2018 , 57, 1115-1116	3.9	9
241	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018 , 70, 1646-1652	4.7	5
240	Molecular Basis for Dysregulated Activation of NKX2-5 in the Vascular Remodeling of Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2018 , 70, 920-931	9.5	9
239	Systemic sclerosis: clinical features and management. <i>Medicine</i> , 2018 , 46, 131-139	0.6	1
238	Patterns and predictors of skin score change in early diffuse systemic sclerosis from the European Scleroderma Observational Study. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 563-570	2.4	31
237	Disability, fatigue, pain and their associates in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study. <i>Rheumatology</i> , 2018 , 57, 370-381	3.9	36
236	Tracking digital ulcers in systemic sclerosis: a feasibility study assessing lesion area in patient-recorded smartphone photographs. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1382-1384	2.4	8
235	Reliability of simple capillaroscopic definitions in describing capillary morphology in rheumatic diseases. <i>Rheumatology</i> , 2018 , 57, 757-759	3.9	42
234	The role of capillaroscopy and thermography in the assessment and management of Raynaud's phenomenon. <i>Autoimmunity Reviews</i> , 2018 , 17, 465-472	13.6	22
233	Should all digital ulcers be included in future clinical trials of systemic sclerosis-related digital vasculopathy?. <i>Medical Hypotheses</i> , 2018 , 116, 101-104	3.8	15
232	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018 , 57, 1623-1631	3.9	26
231	Patient-reported outcome instruments for assessing Raynaud's phenomenon in systemic sclerosis: A SCTC Vascular Working Group Report. <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 249-252	2.3	25
230	Reliability of digital ulcer definitions as proposed by the UK Scleroderma Study Group: A challenge for clinical trial design. <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 170-174	2.3	21

229	Quantifying Digital Ulcers in Systemic Sclerosis: Reliability of Computer-Assisted Planimetry in Measuring Lesion Size. <i>Arthritis Care and Research</i> , 2018 , 70, 486-490	4.7	6
228	Digital ulcers in systemic sclerosis. <i>Rheumatology</i> , 2017 , 56, 14-25	3.9	120
227	Therapeutic implications from the pathogenesis of Raynaud's phenomenon. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 723-735	5.1	8
226	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017 , 20, 99-106	7.4	3
225	Analysis of ATP8B4 F436L Missense Variant in a Large Systemic Sclerosis Cohort. <i>Arthritis and Rheumatology</i> , 2017 , 69, 1337-1338	9.5	9
224	The European Scleroderma Trials and Research group (EUSTAR) task force for the development of revised activity criteria for systemic sclerosis: derivation and validation of a preliminarily revised EUSTAR activity index. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 270-276	2.4	79
223	Intra-and inter-observer reliability of nailfold videocapillaroscopy - A possible outcome measure for systemic sclerosis-related microangiopathy. <i>Microvascular Research</i> , 2017 , 112, 1-6	3.7	19
222	Treatment outcome in early diffuse cutaneous systemic sclerosis: the European Scleroderma Observational Study (ESOS). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1207-1218	2.4	71
221	Quantitative outcome measures for systemic sclerosis-related Microangiopathy - Reliability of image acquisition in Nailfold Capillaroscopy. <i>Microvascular Research</i> , 2017 , 113, 56-59	3.7	11
220	Reduced perfusion in systemic sclerosis digital ulcers (both fingertip and extensor) can be increased by topical application of glyceryl trinitrate. <i>Microvascular Research</i> , 2017 , 111, 32-36	3.7	26
219	Update of EULAR recommendations for the treatment of systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1327-1339	2.4	497
218	Points to consider-Raynaud's phenomenon in systemic sclerosis. <i>Rheumatology</i> , 2017 , 56, v45-v48	3.9	19
217	Controversies on the Use of Steroids in Systemic Sclerosis. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 84-91	2.3	7
216	Defining Skin Ulcers in Systemic Sclerosis: Systematic Literature Review and Proposed World Scleroderma Foundation (WSF) definition. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 115-12	∂ ^{.3}	49
215	An international SUrvey on non-iNvaSive tecHniques to assess the mIcrocirculation in patients with RayNaud's phEnomenon (SUNSHINE survey). <i>Rheumatology International</i> , 2017 , 37, 1879-1890	3.6	23
214	Quartz Crystal Microbalance Assay of Clinical Calcinosis Samples and Their Synthetic Models Differentiates the Efficacy of Chelation-Based Treatments. <i>ACS Applied Materials & Discourse amp; Interfaces</i> , 2017 , 9, 27544-27552	9.5	3
213	Evidence-based management of Raynaud's phenomenon. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2017 , 9, 317-329	3.8	15
212	Efficacy and Safety of Selexipag in Adults With Raynaud's Phenomenon Secondary to Systemic Sclerosis: A Randomized, Placebo-Controlled, Phase II Study. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2370	-2379	36

211	An MIF Promoter Polymorphism Is Associated with Susceptibility to Pulmonary Arterial Hypertension in Diffuse Cutaneous Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2017 , 44, 1453-1457	4.1	20
210	A synonymous variant in TREX1 is associated with systemic sclerosis and severe digital ischaemia. <i>Scandinavian Journal of Rheumatology</i> , 2017 , 46, 77-78	1.9	3
209	Digital Ulcers in Ssc Treated with Oral Treprostinil: A Randomized, Double-Blind, Placebo-Controlled Study with Open-Label Follow-up. <i>Journal of Scleroderma and Related Disorders</i> , 2017 , 2, 42-49	2.3	18
208	ESVM guidelines - the diagnosis and management of Raynaud's phenomenon. <i>Vasa - European Journal of Vascular Medicine</i> , 2017 , 46, 413-423	1.9	40
207	Critical Ischemia in Patients with Raynaud Phenomenon 2017 , 257-266		
206	Raynaud Phenomenon, Digital Ulcers and Nailfold Capillaroscopy 2017 , 297-316		
205	A pilot study using high-frequency ultrasound to measure digital ulcers: a possible outcome measure in systemic sclerosis clinical trials?. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35 Suppl 106, 218-219	2.2	9
204	Thermographic Abnormalities are Associated with Future Digital Ulcers and Death in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2016 , 43, 1519-22	4.1	15
203	Calcium channel blockers for primary Raynaud's phenomenon. <i>The Cochrane Library</i> , 2016 , 2, CD002069	5.2	19
202	Calcinosis is associated with digital ulcers and osteoporosis in patients with systemic sclerosis: A Scleroderma Clinical Trials Consortium study. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 344-349	5.3	48
201	BSR and BHPR guideline for the treatment of systemic sclerosis. <i>Rheumatology</i> , 2016 , 55, 1906-10	3.9	97
200	Brief Report: IRF4 Newly Identified as a Common Susceptibility Locus for Systemic Sclerosis and Rheumatoid Arthritis in a Cross-Disease Meta-Analysis of Genome-Wide Association Studies. Arthritis and Rheumatology, 2016 , 68, 2338-44	9.5	35
199	Influence of TYK2 in systemic sclerosis susceptibility: a new locus in the IL-12 pathway. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1521-6	2.4	29
198	An EULAR study group pilot study on reliability of simple capillaroscopic definitions to describe capillary morphology in rheumatic diseases. <i>Rheumatology</i> , 2016 , 55, 883-90	3.9	83
197	History of surgical debridement, anticentromere antibody, and disease duration are associated with calcinosis in patients with systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 114-	7 ^{1.9}	11
196	Improved Diagnosis of Systemic Sclerosis Using Nailfold Capillary Flow. <i>Lecture Notes in Computer Science</i> , 2016 , 344-352	0.9	2
195	Non-invasive Imaging of Localised Scleroderma for Assessment of Skin Blood Flow and Structure. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 641-4	2.2	13
194	Systemic sclerosis-related calcinosis. <i>Journal of Scleroderma and Related Disorders</i> , 2016 , 1, 194-203	2.3	18

193	Microvascular Response in Patients with Complex Regional Pain Syndrome as Measured by Laser Doppler Imaging. <i>Microcirculation</i> , 2016 , 23, 379-83	2.9	3
192	Calcinosis preferentially affects the thumb compared to other fingers in patients with systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2016 , 45, 317-20	1.9	15
191	Recent advances in the pathogenesis and management of Raynaud's phenomenon and digital ulcers. <i>Current Opinion in Rheumatology</i> , 2016 , 28, 577-85	5.3	19
190	Raynaud's phenomenon. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 112-32	5.3	47
189	Differential diagnosis of critical digital ischemia in systemic sclerosis: Report of five cases and review of the literature. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 209-216	5.3	21
188	Does the Clinical Context Improve the Reliability of Rheumatologists Grading Digital Ulcers in Systemic Sclerosis?. <i>Arthritis Care and Research</i> , 2016 , 68, 1340-5	4.7	14
187	Nailfold Videocapillaroscopic Features and Other Clinical Risk Factors for Digital Ulcers in Systemic Sclerosis: A Multicenter, Prospective Cohort Study. <i>Arthritis and Rheumatology</i> , 2016 , 68, 2527-39	9.5	92
186	Pilot study assessing pathophysiology and healing of digital ulcers in patients with systemic sclerosis using laser Doppler imaging and thermography. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 100-105	2.2	8
185	Abnormalities of selenium but not of copper homeostasis may drive tissue fibrosis in patients with systemic sclerosis. <i>Rheumatology</i> , 2015 , 54, 747-8	3.9	4
184	Consensus best practice pathway of the UK Scleroderma Study Group: digital vasculopathy in systemic sclerosis. <i>Rheumatology</i> , 2015 , 54, 2015-24	3.9	81
183	Leri's pleonosteosis, a congenital rheumatic disease, results from microduplication at 8q22.1 encompassing GDF6 and SDC2 and provides insight into systemic sclerosis pathogenesis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1249-56	2.4	19
182	Management of Raynaud Phenomenon and Digital Ulcers. <i>Current Treatment Options in Rheumatology</i> , 2015 , 1, 68-81	1.3	4
181	Prediction and impact of attacks of Raynaud's phenomenon, as judged by patient perception. <i>Rheumatology</i> , 2015 , 54, 1443-7	3.9	30
180	A study comparing videocapillaroscopy and dermoscopy in the assessment of nailfold capillaries in patients with systemic sclerosis-spectrum disorders. <i>Rheumatology</i> , 2015 , 54, 1435-42	3.9	41
179	Whole finger iontophoresis of sodium nitroprusside to increase blood flow in patients with systemic sclerosis: Influence of concentration. <i>International Journal of Pharmaceutics</i> , 2015 , 490, 446-9	6.5	5
178	Clinical utility of random anti-tumor necrosis factor drug-level testing and measurement of antidrug antibodies on the long-term treatment response in rheumatoid arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2011-9	9.5	69
177	Evidence for a clinical association between body mass index and malabsorption in patients with systemic sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2015 , 44, 341-3	1.9	2
176	Long-term outcome of patients with systemic sclerosis requiring home parenteral nutrition. <i>Clinical Nutrition</i> , 2015 , 34, 991-6	5.9	10

175	Sparing effect of hemiplegia on skin fibrosis and microvascular involvement: reports of two cases of systemic sclerosis and review of the literature. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 597-6	50∮ ^{.3}	3
174	Validation of a novel radiographic scoring system for calcinosis affecting the hands of patients with systemic sclerosis. <i>Arthritis Care and Research</i> , 2015 , 67, 425-30	4.7	35
173	HLA-DRB1*11 and variants of the MHC class II locus are strong risk factors for systemic juvenile idiopathic arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 15970-5	11.5	103
172	Primary Raynaud Phenomenon 2015 , 81-93		
171	Confirmation of CCR6 as a risk factor for anti-topoisomerase I antibodies in systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S31-5	2.2	4
170	A genome-wide association study follow-up suggests a possible role for PPARG in systemic sclerosis susceptibility. <i>Arthritis Research and Therapy</i> , 2014 , 16, R6	5.7	35
169	Consensus opinion of a North American Working Group regarding the classification of digital ulcers in systemic sclerosis. <i>Clinical Rheumatology</i> , 2014 , 33, 207-14	3.9	43
168	A comparison of intense pulsed light and laser treatment of telangiectases in patients with systemic sclerosis: a within-subject randomized trial. <i>Rheumatology</i> , 2014 , 53, 1422-30	3.9	20
167	A longitudinal study of ankle brachial pressure indices in a cohort of patients with systemic sclerosis. <i>Rheumatology</i> , 2014 , 53, 2009-13	3.9	3
166	Immunochip analysis identifies multiple susceptibility loci for systemic sclerosis. <i>American Journal of Human Genetics</i> , 2014 , 94, 47-61	11	151
165	Vascular diagnostics for Raynaud's phenomenon. <i>Journal of Vascular Diagnostics</i> , 2014 , 127		12
164	Further confirmation that digital ulcers are associated with the severity of abnormality on nailfold capillaroscopy in patients with systemic sclerosis. <i>Rheumatology</i> , 2014 , 53, 376-7	3.9	15
163	HLA-DRB1 associations with rheumatoid arthritis-related pulmonary fibrosis. <i>Scandinavian Journal of Rheumatology</i> , 2014 , 43, 75-6	1.9	5
162	A double-blind, randomized, placebo-controlled crossover trial of the \(\textstyle{\textstyle{IC}} \) C-adrenoceptor antagonist ORM-12741 for prevention of cold-induced vasospasm in patients with systemic sclerosis. \(Rheumatology, \textstyle{\textstyle{IC}} \) 73, 948-52	3.9	25
161	An automated system for detecting and measuring nailfold capillaries. <i>Lecture Notes in Computer Science</i> , 2014 , 17, 658-65	0.9	12
160	Profound hypomagnesaemia causing symptomatic hypocalcaemiaan underdiagnosed and potentially life-threatening problem in systemic sclerosis?. <i>Rheumatology</i> , 2014 , 53, 767-9	3.9	3
159	Treatment options in Raynaud's phenomenon. Expert Opinion on Orphan Drugs, 2014, 2, 271-282	1.1	
158	Pilot study to visualise and measure skin tissue oxygenation, erythema, total haemoglobin and melanin content using index maps in healthy controls 2014 ,		1

157	Identification of IL12RB1 as a novel systemic sclerosis susceptibility locus. <i>Arthritis and Rheumatology</i> , 2014 , 66, 3521-3	9.5	27
156	Raynaud's phenomenon (secondary). Clinical Evidence, 2014 , 2014,		5
155	Nailfold capillaroscopy in pediatrics. Arthritis Care and Research, 2013, 65, 1393-400	4.7	20
154	2013 classification criteria for systemic sclerosis: an American College of Rheumatology/European League against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2737-47		1636
153	2013 classification criteria for systemic sclerosis: an American college of rheumatology/European league against rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1747-55	2.4	1109
152	Management of Raynaud's phenomenon and digital ischemia. <i>Current Rheumatology Reports</i> , 2013 , 15, 303	4.9	38
151	A prospective study of systemic sclerosis-related digital ulcers: prevalence, location, and functional impact. <i>Scandinavian Journal of Rheumatology</i> , 2013 , 42, 483-6	1.9	41
150	Dr. Murray, et al reply. <i>Journal of Rheumatology</i> , 2013 , 40, 206	4.1	1
149	Cervical spine calcinosis in systemic sclerosis. <i>Journal of Rheumatology</i> , 2013 , 40, 1617-8	4.1	10
148	New insight on the Xq28 association with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 2032-8	2.4	48
147	Confirmation of TNIP1 but not RHOB and PSORS1C1 as systemic sclerosis risk factors in a large independent replication study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 602-7	2.4	51
146	Implication of IL-2/IL-21 region in systemic sclerosis genetic susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1233-8	2.4	28
145	Simulating nailfold capillaroscopy sequences to evaluate algorithms for blood flow estimation. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2013, 2013, 2636-9	0.9	3
144	The systemic lupus erythematosus IRF5 risk haplotype is associated with systemic sclerosis. <i>PLoS ONE</i> , 2013 , 8, e54419	3.7	32
143	Pilot study of intense pulsed light for the treatment of systemic sclerosis-related telangiectases. British Journal of Dermatology, 2012 , 167, 563-9	4	16
142	Pressure and pain in systemic sclerosis/sclerodermaan evaluation of a simple intervention (PISCES): randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 11	2.8	8
141	Items for developing revised classification criteria in systemic sclerosis: Results of a consensus exercise. <i>Arthritis Care and Research</i> , 2012 , 64, 351-7	4.7	41
140	A rare polymorphism in the gene for Toll-like receptor 2 is associated with systemic sclerosis phenotype and increases the production of inflammatory mediators. <i>Arthritis and Rheumatism</i> , 2012 64 264-71		68

139	Influence of the IL6 gene in susceptibility to systemic sclerosis. <i>Journal of Rheumatology</i> , 2012 , 39, 2294	4-4.02	26
138	Infected calcinosis of the knee in limited cutaneous systemic sclerosis. <i>Journal of Rheumatology</i> , 2012 , 39, 2043-4	4.1	6
137	Polymorphisms in the interleukin 4, interleukin 13, and corresponding receptor genes are not associated with systemic sclerosis and do not influence gene expression. <i>Journal of Rheumatology</i> , 2012 , 39, 112-8	4.1	8
136	The pathogenesis, diagnosis and treatment of Raynaud phenomenon. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 469-79	8.1	176
135	Churg-Strauss, a rare cause of intracerebral haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2012 , 19, 11	7 1. 8	3
134	Raynaud Phenomenon 2012 , 313-329		3
133	KCNA5 gene is not confirmed as a systemic sclerosis-related pulmonary arterial hypertension genetic susceptibility factor. <i>Arthritis Research and Therapy</i> , 2012 , 14, R273	5.7	5
132	A multicenter study confirms CD226 gene association with systemic sclerosis-related pulmonary fibrosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R85	5.7	26
131	The influence of measurement location on reliability of quantitative nailfold videocapillaroscopy in patients with SSc. <i>Rheumatology</i> , 2012 , 51, 1323-30	3.9	20
130	Malnutrition in systemic sclerosis. <i>Rheumatology</i> , 2012 , 51, 1747-56	3.9	41
129	Acro-osteolysis in systemic sclerosis is associated with digital ischaemia and severe calcinosis. <i>Rheumatology</i> , 2012 , 51, 2234-8	3.9	68
128	A GWAS follow-up study reveals the association of the IL12RB2 gene with systemic sclerosis in Caucasian populations. <i>Human Molecular Genetics</i> , 2012 , 21, 926-33	5.6	70
127	Comment on: A multicentre study on the reliability of qualitative and quantitative nailfold videocapillaroscopy assessment: reply. <i>Rheumatology</i> , 2012 , 51, 1922-1922	3.9	1
126	Percutaneous endoscopic gastrostomy feedinga life-saving intervention in SSc-myositis overlap with pharyngeal dysfunction. <i>Rheumatology</i> , 2012 , 51, 1518-20	3.9	5
125	Childrens' and parents' beliefs about childhood onset scleroderma are influenced by child age and physical function impairment. <i>Rheumatology</i> , 2012 , 51, 1331-3	3.9	2
124	Noninvasive measurement of skin autofluorescence is increased in patients with systemic sclerosis: an indicator of increased advanced glycation endproducts?. <i>Journal of Rheumatology</i> , 2012 , 39, 1654-8	4.1	14
123	Identification of CSK as a systemic sclerosis genetic risk factor through Genome Wide Association Study follow-up. <i>Human Molecular Genetics</i> , 2012 , 21, 2825-35	5.6	79
122	A multicentre study on the reliability of qualitative and quantitative nail-fold videocapillaroscopy assessment. <i>Rheumatology</i> , 2012 , 51, 749-55	3.9	50

121	Systemic sclerosis. British Journal of Hospital Medicine (London, England: 2005), 2012, 73, 509-10, 511-6	0.8	5
120	Influence of childhood scleroderma on physical function and quality of life. <i>Journal of Rheumatology</i> , 2011 , 38, 167-73	4.1	31
119	The effect of disease activity on body composition and resting energy expenditure in patients with rheumatoid arthritis. <i>Journal of Inflammation Research</i> , 2011 , 4, 61-6	4.8	24
118	Contemporary management of Raynaud's phenomenon and digital ischaemic complications. <i>Current Opinion in Rheumatology</i> , 2011 , 23, 555-61	5.3	43
117	Preliminary clinical evaluation of semi-automated nailfold capillaroscopy in the assessment of patients with Raynaud's phenomenon. <i>Microcirculation</i> , 2011 , 18, 440-7	2.9	16
116	Clinical Images: Systemic sclerosis-related telangiectases. Arthritis and Rheumatism, 2011, 63, 572		1
115	Modified-release sildenafil reduces Raynaud's phenomenon attack frequency in limited cutaneous systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 775-82		73
114	A replication study confirms the association of TNFSF4 (OX40L) polymorphisms with systemic sclerosis in a large European cohort. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 638-41	2.4	61
113	Effects of iloprost on microvascular structure assessed by nailfold videocapillaroscopy: a pilot study. <i>Journal of Rheumatology</i> , 2011 , 38, 2079-80	4.1	12
112	Clinical features of childhood localized scleroderma in an incidence cohort. <i>Rheumatology</i> , 2011 , 50, 186	65:8	20
111	Association of a non-synonymous functional variant of the ITGAM gene with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 2050-2	2.4	14
110	Identification of novel genetic markers associated with clinical phenotypes of systemic sclerosis through a genome-wide association strategy. <i>PLoS Genetics</i> , 2011 , 7, e1002178	6	164
109	A 22-Year-Old Woman with Raynaud Phenomenon but No Other Symptoms and No Abnormalities		
	on Examination 2011 , 23-29		
108	on Examination 2011 , 23-29 Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. Nature Genetics, 2010 , 42, 426-9	36.3	301
108	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus.	36.3 4.1	301
	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. Nature Genetics, 2010, 42, 426-9 Observational study of treatment outcome in early diffuse cutaneous systemic sclerosis. Journal of		
107	Genome-wide association study of systemic sclerosis identifies CD247 as a new susceptibility locus. Nature Genetics, 2010, 42, 426-9 Observational study of treatment outcome in early diffuse cutaneous systemic sclerosis. Journal of Rheumatology, 2010, 37, 116-24 Raynaud's phenomenon and hand function in patients with rheumatoid arthritis. Journal of	4.1	45

(2009-2010)

103	Reliability of dermoscopy in the assessment of patients with Raynaud's phenomenon. <i>Rheumatology</i> , 2010 , 49, 542-7	3.9	28
102	Comment on: A prospective open-label study of mycophenolate mofetil for the treatment of diffuse systemic sclerosis. <i>Rheumatology</i> , 2010 , 49, 1607-8; author reply 1608	3.9	3
101	Nail-fold capillary abnormalities are associated with anti-centromere antibody and severity of digital ischaemia. <i>Rheumatology</i> , 2010 , 49, 1776-82	3.9	30
100	Testing for hypoxia in forearm skin of patients with systemic sclerosis, assessed by pimonidazole. <i>Journal of Rheumatology</i> , 2010 , 37, 1968-9	4.1	2
99	Lack of effect of 8 weeks atorvastatin on microvascular endothelial function in patients with systemic sclerosis. <i>Rheumatology</i> , 2010 , 49, 990-6	3.9	21
98	Functional variants of Fc gamma receptor (FCGR2A) and FCGR3A are not associated with susceptibility to systemic sclerosis in a large European Study (EUSTAR). <i>Journal of Rheumatology</i> , 2010 , 37, 1673-9	4.1	9
97	Epidemiology of systemic sclerosis. Best Practice and Research in Clinical Rheumatology, 2010 , 24, 857-6	595.3	76
96	Incidence of childhood linear scleroderma and systemic sclerosis in the UK and Ireland. <i>Arthritis Care and Research</i> , 2010 , 62, 213-8	4.7	112
95	Clinical images: Pachydermoperiostosis. Arthritis and Rheumatism, 2010, 62, 1538		
94	Clinical implications from capillaroscopic analysis in patients with Raynaud's phenomenon and systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2010 , 62, 2595-604		60
94			60
	systemic sclerosis. Arthritis and Rheumatism, 2010 , 62, 2595-604	3.9	60 25
93	Raynaud Phenomenon 2010, 387-393 Expression of advanced glycation end products and their receptor in skin from patients with	3.9	
93 92	Raynaud Phenomenon 2010 , 387-393 Expression of advanced glycation end products and their receptor in skin from patients with systemic sclerosis with and without calcinosis. <i>Rheumatology</i> , 2009 , 48, 876-82		25
93 92 91	Raynaud Phenomenon 2010, 387-393 Expression of advanced glycation end products and their receptor in skin from patients with systemic sclerosis with and without calcinosis. <i>Rheumatology</i> , 2009, 48, 876-82 Therapy: A local approach to Raynaud phenomenon. <i>Nature Reviews Rheumatology</i> , 2009, 5, 246-7 Lack of agreement between rheumatologists in defining digital ulceration in systemic sclerosis.		25 8
93 92 91 90	Raynaud Phenomenon 2010, 387-393 Expression of advanced glycation end products and their receptor in skin from patients with systemic sclerosis with and without calcinosis. <i>Rheumatology</i> , 2009, 48, 876-82 Therapy: A local approach to Raynaud phenomenon. <i>Nature Reviews Rheumatology</i> , 2009, 5, 246-7 Lack of agreement between rheumatologists in defining digital ulceration in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009, 60, 878-82 Noninvasive imaging techniques in the assessment of scleroderma spectrum disorders. <i>Arthritis and</i>		25 8 43
93 92 91 90 89	Raynaud Phenomenon 2010, 387-393 Expression of advanced glycation end products and their receptor in skin from patients with systemic sclerosis with and without calcinosis. <i>Rheumatology</i> , 2009, 48, 876-82 Therapy: A local approach to Raynaud phenomenon. <i>Nature Reviews Rheumatology</i> , 2009, 5, 246-7 Lack of agreement between rheumatologists in defining digital ulceration in systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009, 60, 878-82 Noninvasive imaging techniques in the assessment of scleroderma spectrum disorders. <i>Arthritis and Rheumatism</i> , 2009, 61, 1103-11 Pilot study of dual-wavelength (532 and 633 nm) laser Doppler imaging and infrared thermography	8.1	25 8 43 93

85	Vitamin C for preventing complex regional pain syndrome (type I) after wrist fractures in adults 2009 ,		1
84	Diagnosis and management of scleroderma peripheral vascular disease. <i>Rheumatic Disease Clinics of North America</i> , 2008 , 34, 89-114; vii	2.4	48
83	Vasodilator iontophoresis a possible new therapy for digital ischaemia in systemic sclerosis?. <i>Rheumatology</i> , 2008 , 47, 76-9	3.9	22
82	Comment on: Sparing of the thumb in Raynaud's phenomenon: reply. <i>Rheumatology</i> , 2008 , 47, 1260-13	2 69 .9	2
81	Raynaud's phenomenon. Current Treatment Options in Cardiovascular Medicine, 2008, 10, 146-55	2.1	3
80	Validity, reliability, and feasibility of durometer measurements of scleroderma skin disease in a multicenter treatment trial. <i>Arthritis and Rheumatism</i> , 2008 , 59, 699-705		85
79	Home parenteral nutritionan effective and safe long-term therapy for systemic sclerosis-related intestinal failure. <i>Rheumatology</i> , 2008 , 47, 176-9	3.9	31
78	Sparing of the thumb in Raynaud's phenomenon. <i>Rheumatology</i> , 2008 , 47, 219-21	3.9	28
77	Raynaud's phenomenon (secondary). Clinical Evidence, 2008, 2008,		5
76	Recombinant human anti-transforming growth factor beta1 antibody therapy in systemic sclerosis: a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. <i>Arthritis and Rheumatism</i> , 2007 , 56, 323-33		360
76 75	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. Arthritis and Rheumatism,	3.9	360 24
	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. <i>Arthritis and Rheumatism</i> , 2007 , 56, 323-33 Assessment of digital vascular structure and function in response to bosentan in patients with	3.9	
75	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. <i>Arthritis and Rheumatism</i> , 2007 , 56, 323-33 Assessment of digital vascular structure and function in response to bosentan in patients with systemic sclerosis-related Raynaud's phenomenon. <i>Rheumatology</i> , 2007 , 46, 363-4 The 'distal-dorsal difference': a thermographic parameter by which to differentiate between		24
75 74	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. <i>Arthritis and Rheumatism</i> , 2007 , 56, 323-33 Assessment of digital vascular structure and function in response to bosentan in patients with systemic sclerosis-related Raynaud's phenomenon. <i>Rheumatology</i> , 2007 , 46, 363-4 The 'distal-dorsal difference': a thermographic parameter by which to differentiate between primary and secondary Raynaud's phenomenon. <i>Rheumatology</i> , 2007 , 46, 533-8 Heterozygous mutations in TREX1 cause familial chilblain lupus and dominant Aicardi-Goutieres	3.9	74
75 74 73	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. Arthritis and Rheumatism, 2007, 56, 323-33 Assessment of digital vascular structure and function in response to bosentan in patients with systemic sclerosis-related Raynaud's phenomenon. Rheumatology, 2007, 46, 363-4 The 'distal-dorsal difference': a thermographic parameter by which to differentiate between primary and secondary Raynaud's phenomenon. Rheumatology, 2007, 46, 533-8 Heterozygous mutations in TREX1 cause familial chilblain lupus and dominant Aicardi-Goutieres syndrome. American Journal of Human Genetics, 2007, 80, 811-5 Outcome measurements in scleroderma: results from a delphi exercise. Journal of Rheumatology,	3.9	2474286
75 74 73 72	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. Arthritis and Rheumatism, 2007, 56, 323-33 Assessment of digital vascular structure and function in response to bosentan in patients with systemic sclerosis-related Raynaud's phenomenon. Rheumatology, 2007, 46, 363-4 The 'distal-dorsal difference': a thermographic parameter by which to differentiate between primary and secondary Raynaud's phenomenon. Rheumatology, 2007, 46, 533-8 Heterozygous mutations in TREX1 cause familial chilblain lupus and dominant Aicardi-Goutieres syndrome. American Journal of Human Genetics, 2007, 80, 811-5 Outcome measurements in scleroderma: results from a delphi exercise. Journal of Rheumatology, 2007, 34, 501-9 Abnormal microvascular response is localized to the digits in patients with systemic sclerosis.	3.9	247428638
75 74 73 72 71	a multicenter, randomized, placebo-controlled phase I/II trial of CAT-192. Arthritis and Rheumatism, 2007, 56, 323-33 Assessment of digital vascular structure and function in response to bosentan in patients with systemic sclerosis-related Raynaud's phenomenon. Rheumatology, 2007, 46, 363-4 The 'distal-dorsal difference': a thermographic parameter by which to differentiate between primary and secondary Raynaud's phenomenon. Rheumatology, 2007, 46, 533-8 Heterozygous mutations in TREX1 cause familial chilblain lupus and dominant Aicardi-Goutieres syndrome. American Journal of Human Genetics, 2007, 80, 811-5 Outcome measurements in scleroderma: results from a delphi exercise. Journal of Rheumatology, 2007, 34, 501-9 Abnormal microvascular response is localized to the digits in patients with systemic sclerosis. Arthritis and Rheumatism, 2006, 54, 1952-60 A multicenter, prospective, randomized, double-blind, placebo-controlled trial of corticosteroids and intravenous cyclophosphamide followed by oral azathioprine for the treatment of pulmonary	3.9	24 74 286 38

67 Raynaud Phenomenon **2006**, 313-319

Acute intermittent porphyria. Baillieres Best Practice and Research in Clinical Gastroenterology, 2005, 19, 235-49 Dual wavelength (532 and 633 nm) laser Doppler imaging of plaque psoriasis. British Journal of Dermatology, 2005, 152, 1182-6 4 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-96 3 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-96 3 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-96 3 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-96 4 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-96 5 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-96 6 Pathogenesis of Raynaud's phenomenon. Rheumatology, 2005, 44, 587-88 6 Computerized nailfold video capillaroscopy—a new tool for assessment of Raynaud's phenomenon. Journal of Rheumatology, 2005, 32, 841-8 6 Digital iontophoresis of vasoactive substances as measured by laser Doppler imaging—a non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. Rheumatology, 2004, 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. Annals of the Rheumatic Diseases, 2004, 63, 1178-9 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. Annals of the Rheumatic Diseases, 2004, 63, 1178-9 Vascular imaging: Best Practice and Research in Clinical Rheumatology, 2004, 18, 957-79 5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. Arthritis and Rheumatism, 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. Lasers in Surgery and Medicine, 2004, 35, 191-200 Comparison of red and green laser doppler imaging of blood flow. Lasers in Surgery and Medicine, 2004, 35, 191-200	
Dual wavelength (532 and 633 nm) laser Doppler imaging of plaque psoriasis. <i>British Journal of Dermatology</i> , 2005, 152, 1182-6 Pathogenesis of Raynaud's phenomenon. <i>Rheumatology</i> , 2005, 44, 587-96 A pilot study of acetic acid iontophoresis and ultrasound in the treatment of systemic sclerosis-related calcinosis. <i>British Journal of Rheumatology</i> , 2005, 44, 536-8 Computerized nailfold video capillaroscopy—a new tool for assessment of Raynaud's phenomenon. <i>Journal of Rheumatology</i> , 2005, 32, 841-8 Digital iontophoresis of vasoactive substances as measured by laser Doppler imaging—a non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. <i>Rheumatology</i> , 2004, 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. <i>British Journal of Rheumatology</i> , 2004, 43, 1210-8 Vascular imaging. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004, 18, 957-79 53 Coexistence of systemic sclerosis and multiple sclerosis. <i>Journal of Neurology</i> , 2004, 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004, 35, 191-200 Seventeen-point dermal ultrasound scoring system—a reliable measure of skin thickness in patients	20
Pathogenesis of Raynaud's phenomenon. <i>Rheumatology</i> , 2005 , <i>44</i> , 587-96 A pilot study of acetic acid iontophoresis and ultrasound in the treatment of systemic sclerosis-related calcinosis. <i>British Journal of Rheumatology</i> , 2005 , <i>44</i> , 536-8 Computerized nailfold video capillaroscopy—a new tool for assessment of Raynaud's phenomenon. <i>Journal of Rheumatology</i> , 2005 , 32, 841-8 Digital iontophoresis of vasoactive substances as measured by laser Doppler imaging—a non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. <i>Rheumatology</i> , 2004 , 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. <i>British Journal of Rheumatology</i> , 2004 , 43, 1210-8 Vascular imaging. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004 , 18, 957-79 53 Coexistence of systemic sclerosis and multiple sclerosis. <i>Journal of Neurology</i> , 2004 , 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004 , 35, 191-200 Seventeen-point dermal ultrasound scoring system—a reliable measure of skin thickness in patients	54
A pilot study of acetic acid iontophoresis and ultrasound in the treatment of systemic sclerosis-related calcinosis. <i>British Journal of Rheumatology</i> , 2005 , 44, 536-8 Computerized nailfold video capillaroscopy—a new tool for assessment of Raynaud's phenomenon. <i>Journal of Rheumatology</i> , 2005 , 32, 841-8 Digital iontophoresis of vasoactive substances as measured by laser Doppler imaging—a non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. <i>Rheumatology</i> , 2004 , 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. <i>British Journal of Rheumatology</i> , 2004 , 43, 1210-8 Vascular imaging. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004 , 18, 957-79 5.3 Coexistence of systemic sclerosis and multiple sclerosis. <i>Journal of Neurology</i> , 2004 , 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004 , 35, 191-200 Seventeen-point dermal ultrasound scoring system—a reliable measure of skin thickness in patients	15
sclerosis-related calcinosis. <i>British Journal of Rheumatology</i> , 2005, 44, 536-8 Computerized nailfold video capillaroscopy—a new tool for assessment of Raynaud's phenomenon. <i>Journal of Rheumatology</i> , 2005, 32, 841-8 Digital iontophoresis of vasoactive substances as measured by laser Doppler imaging—a non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. <i>Rheumatology</i> , 2004, 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. <i>British Journal of Rheumatology</i> , 2004, 43, 1210-8 Vascular imaging. <i>Best Practice and Research in Clinical Rheumatology</i> , 2004, 18, 957-79 5-3 Coexistence of systemic sclerosis and multiple sclerosis. <i>Journal of Neurology</i> , 2004, 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004, 35, 191-200 Seventeen-point dermal ultrasound scoring system—a reliable measure of skin thickness in patients	290
Digital iontophoresis of vasoactive substances as measured by laser Doppler imaginga non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. Rheumatology, 2004, 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. Annals of the Rheumatic Diseases, 2004, 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. British Journal of Rheumatology, 2004, 43, 1210-8 Vascular imaging. Best Practice and Research in Clinical Rheumatology, 2004, 18, 957-79 5.3 Coexistence of systemic sclerosis and multiple sclerosis. Journal of Neurology, 2004, 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. Arthritis and Rheumatism, 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. Lasers in Surgery and Medicine, 2004, 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	11
non-invasive technique by which to measure microvascular dysfunction in Raynaud's phenomenon. Rheumatology, 2004, 43, 986-91 Mycobacterium chelonae finger infection associated with Raynaud's phenomenon. Annals of the Rheumatic Diseases, 2004, 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. British Journal of Rheumatology, 2004, 43, 1210-8 Vascular imaging. Best Practice and Research in Clinical Rheumatology, 2004, 18, 957-79 5.3 Coexistence of systemic sclerosis and multiple sclerosis. Journal of Neurology, 2004, 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. Arthritis and Rheumatism, 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. Lasers in Surgery and Medicine, 2004, 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	72
2.4 Rheumatic Diseases, 2004, 63, 1178-9 Laser Doppler imaging: a developing technique for application in the rheumatic diseases. British Journal of Rheumatology, 2004, 43, 1210-8 Vascular imaging. Best Practice and Research in Clinical Rheumatology, 2004, 18, 957-79 5.3 Coexistence of systemic sclerosis and multiple sclerosis. Journal of Neurology, 2004, 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. Arthritis and Rheumatism, 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. Lasers in Surgery and Medicine, 2004, 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	4º
Vascular imaging. Best Practice and Research in Clinical Rheumatology, 2004, 18, 957-79 5.3 Coexistence of systemic sclerosis and multiple sclerosis. Journal of Neurology, 2004, 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. Arthritis and Rheumatism, 2004, 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. Lasers in Surgery and Medicine, 2004, 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	2
Coexistence of systemic sclerosis and multiple sclerosis. <i>Journal of Neurology</i> , 2004 , 251, 1524-5 Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004 , 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	63
Digital ulcers in systemic sclerosis: prevention by treatment with bosentan, an oral endothelin receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004 , 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	15
receptor antagonist. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3985-93 Comparison of red and green laser doppler imaging of blood flow. <i>Lasers in Surgery and Medicine</i> , 2004 , 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	10
2004, 35, 191-200 Seventeen-point dermal ultrasound scoring systema reliable measure of skin thickness in patients	533
F1 :	30
with systemic scierosis. British Journal of Rheumatology, 2003 , 42, 1339-03	110
Treatment of Raynaud's phenomenon: new insights and developments. <i>Current Rheumatology</i> 52 Reports, 2003 , 5, 168-74 4-9	28
Occurrence of Raynaud's phenomenon in children ages 12-15 years: prevalence and association with other common symptoms. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3518-21	35
50 Keloidal scleroderma. <i>Clinical and Experimental Dermatology</i> , 2003 , 28, 171-3 1.8	10

49	Comparison of thermography and laser Doppler imaging in the assessment of Raynaud's phenomenon. <i>Microvascular Research</i> , 2003 , 66, 73-6	3.7	63
48	Cigarette smoking as a significant risk factor for digital vascular disease in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2002 , 46, 3312-6		77
47	Digital vascular response to topical glyceryl trinitrate, as measured by laser Doppler imaging, in primary Raynaud's phenomenon and systemic sclerosis. <i>Rheumatology</i> , 2002 , 41, 324-8	3.9	83
46	Assessing periarticular bone mineral density in patients with early psoriatic arthritis or rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 1007-11	2.4	64
45	Genetic epidemiology: systemic sclerosis. <i>Arthritis Research</i> , 2002 , 4, 165-8		34
44	Antibodies against oxidized low-density lipoproteins in systemic sclerosis. <i>British Journal of Rheumatology</i> , 2001 , 40, 401-5		29
43	Foot problems in patients with systemic sclerosis. <i>British Journal of Rheumatology</i> , 2001 , 40, 410-3		25
42	Ankle brachial pressure index in systemic sclerosis: influence of disease subtype and anticentromere antibody. <i>Rheumatology</i> , 2001 , 40, 1102-5	3.9	24
41	Development of agents for the treatment of systemic sclerosis. <i>Expert Opinion on Investigational Drugs</i> , 2001 , 10, 1255-64	5.9	3
40	Vascular function in systemic sclerosis. Current Opinion in Rheumatology, 2000, 12, 527-33	5.3	91
39	Mixed connective tissue disease presenting with pneumonitis and pneumatosis intestinalis. <i>Arthritis and Rheumatism</i> , 2000 , 43, 704-7		9
38	Nailfold video capillaroscopy in psoriasis. <i>British Journal of Dermatology</i> , 2000 , 142, 1171-6	4	54
37	Quantitation of microcirculatory abnormalities in patients with primary Raynaud's phenomenon and systemic sclerosis by video capillaroscopy. <i>Rheumatology</i> , 2000 , 39, 506-12	3.9	65
36	The influence of age on nailfold capillary dimensions in childhood. <i>Journal of Rheumatology</i> , 2000 , 27, 797-800	4.1	20
35	A double-blind placebo-controlled trial of antioxidant therapy in limited cutaneous systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2000 , 18, 349-56	2.2	44
34	Lack of interaction between methotrexate and penicillins. <i>British Journal of Rheumatology</i> , 1999 , 38, 284-5		6
33	Interferon-alpha does not improve outcome at one year in patients with diffuse cutaneous scleroderma: results of a randomized, double-blind, placebo-controlled trial. <i>Arthritis and Rheumatism</i> , 1999 , 42, 299-305		148
32	Endothelial expression of nitric oxide synthases and nitrotyrosine in systemic sclerosis skin. <i>Journal of Pathology</i> , 1999 , 189, 273-8	9.4	87

31	Giant cell arteritis in a patient with limited cutaneous systemic sclerosis. Rheumatology, 1999, 38, 479-8	3 0 3.9	10
30	Laser doppler imaginga new technique for quantifying microcirculatory flow in patients with primary Raynaud's phenomenon and systemic sclerosis. <i>Microvascular Research</i> , 1999 , 57, 284-91	3.7	60
29	No significant effects of sodium aurothiomalate on haem metabolism and mixed function oxygenase activity in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 1999 , 17, 461-2	2.2	
28	TGF betaa role in systemic sclerosis?. <i>Journal of Pathology</i> , 1998 , 184, 4-6	9.4	53
27	Quantifying digital vascular disease in patients with primary Raynaud's phenomenon and systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 70-8	2.4	84
26	Manchester experience in establishing a part-time MSc course in rheumatology. <i>Rheumatology</i> , 1998 , 37, 1020-2	3.9	1
25	Prolidase deficiency and systemic lupus erythematosus. Archives of Disease in Childhood, 1997, 76, 441-	42.2	59
24	Increased nailfold capillary dimensions in primary Raynaud's phenomenon and systemic sclerosis. <i>Rheumatology</i> , 1996 , 35, 1127-31	3.9	48
23	Advances in palliative care for the patient with scleroderma. <i>Current Opinion in Rheumatology</i> , 1996 , 8, 555-60	5.3	1
22	Lack of interaction between flucloxacillin and methotrexate in patients with rheumatoid arthritis. <i>British Journal of Clinical Pharmacology</i> , 1996 , 41, 223-7	3.8	4
21	Von Willebrand factor, thrombomodulin, thromboxane, beta-thromboglobulin and markers of fibrinolysis in primary Raynaud's phenomenon and systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 122-7	2.4	88
20	Investigation of anal function in patients with systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 370-4	2.4	15
19	Dietary intake of micronutrient antioxidants in relation to blood levels in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 1996 , 23, 650-3	4.1	17
18	DNA repair deficiency in systemic lupus erythematosus; cause or consequence of disease and implications for management. <i>Lupus</i> , 1995 , 4, 423-4	2.6	9
17	Plasma TGF beta in systemic sclerosis: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 763-7	2.4	31
16	Vasculitis in patients with systemic sclerosis and severe digital ischaemia requiring amputation. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 323-6	2.4	38
15	Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 540-2	2.4	43
14	Micronutrient antioxidant status in patients with primary Raynaud's phenomenon and systemic sclerosis. <i>Journal of Rheumatology</i> , 1994 , 21, 1477-83	4.1	63

13	Primary Raynaud's phenomenon in early childhood. <i>Rheumatology</i> , 1991 , 30, 223-5	3.9	8
12	Cholelithiasis in patients with variegate porphyria. <i>Journal of Hepatology</i> , 1991 , 12, 50-3	13.4	8
11	Elevation of blood lactate and pyruvate levels in acute intermittent porphyriaa reflection of haem deficiency?. <i>Clinica Chimica Acta</i> , 1990 , 190, 157-62	6.2	11
10	Elevation of hormone-binding globulins in acute intermittent porphyria. <i>Clinica Chimica Acta</i> , 1990 , 187, 141-8	6.2	8
9	LHRH analogue treatment for the prevention of premenstrual attacks of acute porphyria. <i>The Quarterly Journal of Medicine</i> , 1990 , 75, 355-63		17
8	Controlled trial of haem arginate in acute hepatic porphyria. <i>Lancet, The</i> , 1989 , 1, 1295-7	40	60
7	Comparison of enalapril and atenolol in mild to moderate hypertension. <i>American Journal of Medicine</i> , 1989 , 86, 421-6	2.4	49
6	Acute intermittent porphyria in two patients on anticonvulsant therapy and with normal erythrocyte porphobilinogen deaminase activity. <i>British Journal of Clinical Pharmacology</i> , 1989 , 27, 491-	.7 ^{3.8}	5
5	Idiopathic haemochromatosis in a young female with amenorrhoea. <i>Journal of the Royal Society of Medicine</i> , 1989 , 82, 556-8	2.3	1
4	Celiprolol and verapamil in the treatment of essential hypertension. <i>American Heart Journal</i> , 1988 , 116, 1437-8	4.9	9
3	Biochemical investigation of hepatoerythropoietic porphyria Ihomozygous porphyria cutanea tarda. <i>Biochemical Society Transactions</i> , 1988 , 16, 829-830	5.1	1
2	Calcium channel blockers for primary Raynaud's Phenomenon		1
1	The need to accurately measure energy intake and expenditure in patients with systemic sclerosis. Journal of Scleroderma and Related Disorders, 239719832210957	2.3	