

Annmarie Lassen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9547344/annmarie-lassen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

1,968
citations

22
h-index

42
g-index

97
ext. papers

2,297
ext. citations

4.3
avg, IF

4.76
L-index

#	Paper	IF	Citations
92	Accuracy of a point-of-care blood lactate measurement device in a prehospital setting.. <i>Journal of Clinical Monitoring and Computing</i> , 2022 , 1	2	1
91	Health professionalsSperspectives of patientsSand family membersSneeds in emergency departments and patient pathway improvement: a qualitative study in Denmark.. <i>BMJ Open</i> , 2022 , 12, e057937	3	1
90	PatientsSperspectives on point-of-care diagnostics and treatment by emergency medical technicians in acute COPD exacerbations: A qualitative study.. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022 , 30, 11	3.6	0
89	Non-medical factors in prehospital resuscitation decision-making: a mixed-methods systematic review.. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022 , 30, 24	3.6	1
88	Increased ambulance on-scene times but unaffected response times during the first wave of the COVID-19 pandemic in Southern Denmark.. <i>BMC Emergency Medicine</i> , 2022 , 22, 61	2.4	0
87	How to increase value and reduce waste in research: initial experiences of applying Lean thinking and visual management in research leadership. <i>BMJ Open</i> , 2022 , 12, e058179	3	1
86	What are the needs and preferences of patients and family members discharged from the emergency department within 24 hours? A qualitative study towards a family-centred approach. <i>BMJ Open</i> , 2021 , 11, e050694	3	2
85	Prehospital emergency medical technicians can perform ultrasonography and blood analysis in prehospital evaluation of patients with chronic obstructive pulmonary disease: a feasibility study. <i>BMC Health Services Research</i> , 2021 , 21, 290	2.9	5
84	Healthcare professionalsSexperiences with highly qualified nurses working in acute care teams in primary healthcare settings. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 39, 194-203	2.7	2
83	Documentation of ethically relevant information in out-of-hospital resuscitation is rare: a Danish nationwide observational study of 16,495 out-of-hospital cardiac arrests. <i>BMC Medical Ethics</i> , 2021 , 22, 82	2.9	2
82	Low diagnostic yield of ST elevation myocardial infarction amplitude criteria in chest pain patients at the emergency department. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 145-152	2	0
81	Municipal acute care teams as a flexible solution for the treatment of acutely ill patients at-home: a mixed-method study of patientsSand caregiversSexperiences with an acute care team. <i>BMJ Open</i> , 2021 , 11, e049945	3	1
80	Organ failure, aetiology and 7-day all-cause mortality among acute adult patients on arrival to an emergency department: a hospital-based cohort study. <i>European Journal of Emergency Medicine</i> , 2021 , 28, 448-455	2.3	1
79	PR interval prolongation and 1-year mortality among emergency department patients: a multicentre transnational cohort study.. <i>BMJ Open</i> , 2021 , 11, e054238	3	
78	Longitudinal trajectory patterns of plasma albumin and C-reactive protein levels around diagnosis, relapse, bacteraemia, and death of acute myeloid leukaemia patients. <i>BMC Cancer</i> , 2020 , 20, 249	4.8	5
77	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e038516	3	5
76	Level of vital and laboratory values on arrival, and increased risk of 7-day mortality among adult patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2020 , 10, e038516	3	1

75	How to improve emergency care to adults discharged within 24 hours? Acute Care planning in Emergency departments (The ACE study): a protocol of a participatory design study. <i>BMJ Open</i> , 2020 , 10, e041743	3	3
74	The Danish prehospital system. <i>European Journal of Emergency Medicine</i> , 2020 , 27, 394-395	2.3	10
73	Electrocardiographic changes in the differentiation of ischemic and non-ischemic ST elevation. <i>Scandinavian Cardiovascular Journal</i> , 2020 , 54, 100-107	2	7
72	New-Onset Atrial Fibrillation Among Patients With Infection in the Emergency Department: A Multicenter Cohort Study of 1-Year Stroke Risk. <i>American Journal of Medicine</i> , 2020 , 133, 352-359.e3	2.4	4
71	C-reactive protein and albumin kinetics after antibiotic therapy in community-acquired bloodstream infection. <i>International Journal of Infectious Diseases</i> , 2020 , 95, 50-58	10.5	6
70	Association between the level of municipality healthcare services and outcome among acutely older patients in the emergency department: a Danish population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e026881	3	3
69	Carrier prevalence and risk factors for colonisation of multiresistant bacteria in Danish emergency departments: a cross-sectional survey. <i>BMJ Open</i> , 2019 , 9, e029000	3	9
68	Prevalence of organ failure and mortality among patients in the emergency department: a population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e032692	3	6
67	Adherence to adrenaline autoinjector prescriptions in patients with anaphylaxis. <i>Clinical and Translational Allergy</i> , 2019 , 9, 59	5.2	4
66	Template for uniform reporting of emergency department measures, consensus according to the Utstein method. <i>European Journal of Emergency Medicine</i> , 2019 , 26, 417-422	2.3	2
65	Etiology of Shock in the Emergency Department: A 12-Year Population-Based Cohort Study. <i>Shock</i> , 2019 , 51, 60-67	3.4	13
64	Design and Evaluation of a Patient Monitoring Dashboard for Emergency Departments. <i>Studies in Health Technology and Informatics</i> , 2019 , 264, 788-792	0.5	0
63	Prevalence of coronary artery calcification in a non-specific chest pain population in emergency and cardiology departments compared with the background population: a prospective cohort study in Southern Denmark with 12-month follow-up of cardiac endpoints. <i>BMJ Open</i> , 2018 , 8, e018391	3	3
62	Risk factors associated with short term mortality changes over time, after arrival to the emergency department. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018 , 26, 29	3.6	7
61	Patients in prehospital transport to the emergency department: a cohort study of risk factors for 7-day mortality. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 341-347	2.3	5
60	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018 , 13, e0196122	3.7	22
59	Association between QTc prolongation and mortality in patients with suspected poisoning in the emergency department: a transnational propensity score matched cohort study. <i>BMJ Open</i> , 2018 , 8, e020036	2	7
58	Feasibility of Hospital-at-Home for Older Patients With an Acute Medical Illness. <i>International Journal of User-Driven Healthcare</i> , 2018 , 8, 1-22		

57	Disability and morbidity among older patients in the emergency department: a Danish population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e023803	3	13
56	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: A systematic review. <i>PLoS ONE</i> , 2018 , 13, e0206610	3.7	3
55	Real-life data patterns of C-reactive protein and albumin level trajectories around bacteremia. <i>Biomarkers in Medicine</i> , 2018 , 12, 1251-1259	2.3	4
54	Factors related to monitoring during admission of acute patients. <i>Journal of Clinical Monitoring and Computing</i> , 2017 , 31, 641-649	2	2
53	Feasibility and Diagnostic Accuracy of Point-of-Care Abdominal Sonography by Pocket-Sized Imaging Devices, Performed by Medical Residents. <i>Journal of Ultrasound in Medicine</i> , 2017 , 36, 1195-1202	2.9	14
52	Anaphylaxis in an emergency care setting: a one year prospective study in children and adults. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 111	3.6	19
51	Prevalence and prognosis of acutely ill patients with organ failure at arrival to hospital: protocol for a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 227	3	2
50	Characteristics and prognoses of patients treated by an anaesthesiologist-manned prehospital emergency care unit. A retrospective cohort study. <i>BMJ Open</i> , 2017 , 7, e014383	3	15
49	Termination of prehospital resuscitative efforts: a study of documentation on ethical considerations at the scene. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 35	3.6	9
48	Dispatch and prehospital transport for acute septic patients: an observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017 , 25, 51	3.6	7
47	Reduced ability to work both before and after infectious spondylodiscitis in working-age patients. <i>Infectious Diseases</i> , 2017 , 49, 95-103	3.1	9
46	Clinical features and prognosis of patients with acute non-specific chest pain in emergency and cardiology departments after the introduction of high-sensitivity troponins: a prospective cohort study. <i>BMJ Open</i> , 2017 , 7, e018636	3	2
45	Is Shock Index a Valid Predictor of Mortality in Emergency Department Patients With Hypertension, Diabetes, High Age, or Receipt of β or Calcium Channel Blockers?. <i>Annals of Emergency Medicine</i> , 2016 , 67, 106-113.e6	2.1	23
44	Seasonal Variation of Escherichia coli, Staphylococcus aureus, and Streptococcus pneumoniae Bacteremia According to Acquisition and Patient Characteristics: A Population-Based Study. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 946-953	2	9
43	The daily risk of bacteremia during hospitalization and associated 30-day mortality evaluated in relation to the traditional classification of bacteremia. <i>American Journal of Infection Control</i> , 2016 , 44, 167-72	3.8	9
42	The Danish database for acute and emergency hospital contacts. <i>Clinical Epidemiology</i> , 2016 , 8, 469-474	5.9	6
41	Association between Hypoalbuminaemia and Mortality in Patients with Community-Acquired Bacteraemia Is Primarily Related to Acute Disorders. <i>PLoS ONE</i> , 2016 , 11, e0160466	3.7	22
40	Shock in the emergency department; a 12-year population based cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 87	3.6	11

39	Occurrence of elevated shock index in acute patients and development of a proportional shock index metric. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2016, 2016, 2411-2414</i>	0.9	1
38	Diagnostic packages can be assigned accurately in emergency departments. A multi-centre cohort study. <i>Danish Medical Journal, 2016, 63,</i>	3.8	5
37	Ultrasonographically Guided Puncture of the Radial Artery for Blood Gas Analysis: A Prospective, Randomized Controlled Trial. <i>Annals of Emergency Medicine, 2015, 65, 618-9</i>	2.1	12
36	Lactate level, aetiology and mortality of adult patients in an emergency department: a cohort study. <i>Emergency Medicine Journal, 2015, 32, 678-84</i>	1.5	23
35	Incidence rate of community-acquired sepsis among hospitalized acute medical patients-a population-based survey. <i>Critical Care Medicine, 2015, 43, 13-21</i>	1.4	58
34	Time to initial antibiotic administration, and short-term mortality among patients admitted with community-acquired severe infections with and without the presence of systemic inflammatory response syndrome: a follow-up study. <i>Emergency Medicine Journal, 2015, 32, 846-53</i>	1.5	10
33	Hypokalemia in acute medical patients: risk factors and prognosis. <i>American Journal of Medicine, 2015, 128, 60-7.e1</i>	2.4	42
32	Clustering Emergency Department patients - an assessment of group normality. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2015, 2015, 6824-9</i>	0.9	0
31	Does point-of-care ultrasonography cause discomfort in patients admitted with respiratory symptoms?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 46</i>	3.6	13
30	Systolic blood pressure and short-term mortality in the emergency department and prehospital setting: a hospital-based cohort study. <i>Critical Care, 2015, 19, 158</i>	10.8	15
29	Seven-day mortality can be predicted in medical patients by blood pressure, age, respiratory rate, loss of independence, and peripheral oxygen saturation (the PARIS score): a prospective cohort study with external validation. <i>PLoS ONE, 2015, 10, e0122480</i>	3.7	17
28	Low Completeness of Bacteraemia Registration in the Danish National Patient Registry. <i>PLoS ONE, 2015, 10, e0131682</i>	3.7	10
27	Placebo-Controlled Discontinuation of Long-Term Acid-Suppressant Therapy: A Randomised Trial in General Practice. <i>International Journal of Family Medicine, 2015, 2015, 175436</i>		19
26	Bacteremia is associated with excess long-term mortality: a 12-year population-based cohort study. <i>Journal of Infection, 2015, 70, 111-26</i>	18.9	26
25	Nontraumatic hypotension and shock in the emergency department and the prehospital setting, prevalence, etiology, and mortality: a systematic review. <i>PLoS ONE, 2015, 10, e0119331</i>	3.7	40
24	Risk factors for hospitalization due to community-acquired sepsis - a population-based case-control study. <i>PLoS ONE, 2015, 10, e0124838</i>	3.7	23
23	Characteristics of patients with community-acquired bacteremia who have low levels of C-reactive protein (≤ 0.1 mg/L). <i>Journal of Infection, 2014, 68, 149-55</i>	18.9	11
22	Point-of-care ultrasonography in patients admitted with respiratory symptoms: a single-blind, randomised controlled trial. <i>Lancet Respiratory Medicine, the, 2014, 2, 638-46</i>	35.1	165

21	No specific time window distinguishes between community-, healthcare-, and hospital-acquired bacteremia, but they are prognostically robust. <i>Infection Control and Hospital Epidemiology</i> , 2014 , 35, 1474-82	2	10
20	How do bacteraemic patients present to the emergency department and what is the diagnostic validity of the clinical parameters; temperature, C-reactive protein and systemic inflammatory response syndrome?. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014 , 22, 39	3.6	14
19	How well do discharge diagnoses identify hospitalised patients with community-acquired infections?--a validation study. <i>PLoS ONE</i> , 2014 , 9, e92891	3.7	31
18	Prognosis and risk factors for deterioration in patients admitted to a medical emergency department. <i>PLoS ONE</i> , 2014 , 9, e94649	3.7	28
17	Focused sonography of the heart, lungs, and deep veins identifies missed life-threatening conditions in admitted patients with acute respiratory symptoms. <i>Chest</i> , 2013 , 144, 1868-1875	5.3	94
16	Incidence, etiology and mortality of cirrhosis: a population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 702-9	2.4	50
15	Focused sonographic examination of the heart, lungs and deep veins in an unselected population of acute admitted patients with respiratory symptoms: a protocol for a prospective, blinded, randomised controlled trial. <i>BMJ Open</i> , 2012 , 2,	3	3
14	<i>Helicobacter pylori</i> and risk of upper gastrointestinal bleeding among users of selective serotonin reuptake inhibitors. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 1039-44	2.4	10
13	Do statins protect against upper gastrointestinal bleeding?. <i>British Journal of Clinical Pharmacology</i> , 2009 , 67, 460-5	3.8	16
12	An association between selective serotonin reuptake inhibitor use and serious upper gastrointestinal bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 1314-21	6.9	81
11	Use of fluroquinolone and risk of Achilles tendon rupture: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2007 , 63, 499-503	2.8	71
10	Complicated and uncomplicated peptic ulcers in a Danish county 1993-2002: a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2006 , 101, 945-53	0.7	146
9	Esophagitis: incidence and risk of esophageal adenocarcinoma--a population-based cohort study. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1193-9	0.7	45
8	Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. <i>BMJ, The</i> , 2006 , 333, 726	5.9	247
7	First-time endoscopy and use of antisecretory medication: a population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 705-12	2.4	7
6	The risk of missed gastroesophageal cancer diagnoses in users and nonusers of antisecretory medication. <i>Gastroenterology</i> , 2005 , 129, 1179-86	13.3	21
5	Eradication of <i>Helicobacter pylori</i> and use of antisecretory drugs: population based cohort study. <i>BMJ, The</i> , 2003 , 327, 603	5.9	11
4	Diagnosis of <i>Helicobacter pylori</i> in bleeding peptic ulcer patients, evaluation of urea-based tests. <i>Digestion</i> , 2002 , 66, 9-13	3.6	23

3	Response.. <i>Gastrointestinal Endoscopy</i> , 2000 , 51, 117	5.2	1
2	<i>Helicobacter pylori</i> test-and-eradicate versus prompt endoscopy for management of dyspeptic patients: a randomised trial. <i>Lancet, The</i> , 2000 , 356, 455-60	40	167
1	Randomized trial of stent placed above and across the sphincter of Oddi in malignant bile duct obstruction. <i>Gastrointestinal Endoscopy</i> , 1998 , 48, 574-9	5.2	82