

Andrea Petroselli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9547553/publications.pdf>

Version: 2024-02-01

74
papers

2,561
citations

159585

30
h-index

206112

48
g-index

75
all docs

75
docs citations

75
times ranked

2547
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Rainfall-runoff modeling: A modification of the EBA4SUB framework for ungauged and highly impervious urban catchments. <i>Journal of Hydrology</i> , 2022, 606, 127371. | 5.4 | 11 |
| 2 | The Benefit of Continuous Hydrological Modelling for Drought Hazard Assessment in Small and Coastal Ungauged Basins: A Case Study in Southern Italy. <i>Climate</i> , 2022, 10, 34. | 2.8 | 7 |
| 3 | Modelling annual maximum daily rainfall with the STORAGE (STOchastic RAInfall GEnerator) model. <i>Hydrology Research</i> , 2022, 53, 547-561. | 2.7 | 2 |
| 4 | Continuous hydrologic modelling for small and ungauged basins: A comparison of eight rainfall models for sub-daily runoff simulations. <i>Journal of Hydrology</i> , 2022, 610, 127866. | 5.4 | 17 |
| 5 | Low-cost stage-camera system for continuous water-level monitoring in ephemeral streams. <i>Hydrological Sciences Journal</i> , 2022, 67, 1439-1448. | 2.6 | 18 |
| 6 | An evidence for enhancing the design hydrograph estimation for small and ungauged basins in Ethiopia. <i>Journal of Hydrology: Regional Studies</i> , 2022, 42, 101123. | 2.4 | 3 |
| 7 | Continuous hydrologic modelling for design simulation in small and ungauged basins: A step forward and some tests for its practical use. <i>Journal of Hydrology</i> , 2021, 595, 125664. | 5.4 | 55 |
| 8 | Short term rainfall-runoff modelling using several machine learning methods and a conceptual event-based model. <i>Stochastic Environmental Research and Risk Assessment</i> , 2021, 35, 597-616. | 4.0 | 58 |
| 9 | The Use of Lamination Basins for Mitigation of the Urban Flooding Risk: The Case Study of Peschici. <i>Lecture Notes in Civil Engineering</i> , 2021, , 491-500. | 0.4 | 2 |
| 10 | Comparison of different methodologies for rainfall-runoff modeling: machine learning vs conceptual approach. <i>Natural Hazards</i> , 2021, 105, 2987-3011. | 3.4 | 42 |
| 11 | Effects of Land Use-Land Cover Thematic Resolution on Environmental Evaluations. <i>Remote Sensing</i> , 2021, 13, 1232. | 4.0 | 4 |
| 12 | Impacts of Land Use and Land Cover Changes on Peak Discharge and Flow Volume in Kakia and Esamburmbur Sub-Catchments of Narok Town, Kenya. <i>Hydrology</i> , 2021, 8, 82. | 3.0 | 12 |
| 13 | Hillslope Erosion Mitigation: An Experimental Proof of a Nature-Based Solution. <i>Sustainability</i> , 2021, 13, 6058. | 3.2 | 23 |
| 14 | STORAGE (STOchastic RAInfall GEnerator): A User-Friendly Software for Generating Long and High-Resolution Rainfall Time Series. <i>Hydrology</i> , 2021, 8, 76. | 3.0 | 17 |
| 15 | Riparian vegetation as a marker for bankfull and management discharge evaluation: The case study of Rio Torbido river basin (central Italy). <i>Journal of Agricultural Engineering</i> , 2021, 52, . | 1.5 | 3 |
| 16 | A proposal for modifying coppicing geometry in order to reduce soil erosion in the forest areas. <i>Notulae Botanicae Horti Agrobotanici Cluj-Napoca</i> , 2021, 49, 12325. | 1.1 | 0 |
| 17 | Comparative Evaluation of the Rainfall Erosivity in the Rieti Province, Central Italy, Using Empirical Formulas and a Stochastic Rainfall Generator. <i>Hydrology</i> , 2021, 8, 171. | 3.0 | 6 |
| 18 | A comparison of statistical methods for evaluating missing data of monitoring wells in the Kazeroun Plain, Fars Province, Iran. <i>Groundwater for Sustainable Development</i> , 2020, 10, 100294. | 4.6 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Comparison of design peak flow estimation methods for ungauged basins in Iran. Hydrological Sciences Journal, 2020, 65, 127-137. | 2.6 | 17 |
| 20 | New approach for determining the quantiles of maximum annual flows in ungauged catchments using the EBA4SUB model. Journal of Hydrology, 2020, 589, 125198. | 5.4 | 16 |
| 21 | A Transient Stochastic Rainfall Generator for Climate Changes Analysis at Hydrological Scales in Central Italy. Atmosphere, 2020, 11, 1292. | 2.3 | 26 |
| 22 | A generalization of the EBA4SUB rainfall-runoff model considering surface and subsurface flow. Hydrological Sciences Journal, 2020, 65, 2390-2401. | 2.6 | 13 |
| 23 | New Insights on Flood Mapping Procedure: Two Case Studies in Poland. Sustainability, 2020, 12, 8454. | 3.2 | 5 |
| 24 | Land Cover Change and Flood Risk in a Peri-Urban Environment of the Metropolitan Area of Rome (Italy). Water Resources Management, 2020, 34, 4399-4413. | 3.9 | 38 |
| 25 | Possibility of Using Selected Rainfall-Runoff Models for Determining the Design Hydrograph in Mountainous Catchments: A Case Study in Poland. Water (Switzerland), 2020, 12, 1450. | 2.7 | 17 |
| 26 | UAV-DEMs for Small-Scale Flood Hazard Mapping. Water (Switzerland), 2020, 12, 1717. | 2.7 | 73 |
| 27 | Modelling Climate Changes with Stationary Models: Is It Possible or Is It a Paradox?. Lecture Notes in Computer Science, 2020, , 84-96. | 1.3 | 4 |
| 28 | Design discharge estimation in small and ungauged basins: EBA4SUB framework sensitivity analysis. Journal of Agricultural Engineering, 2020, 51, 107-118. | 1.5 | 9 |
| 29 | Flood inundation mapping in small and ungauged basins: sensitivity analysis using the EBA4SUB and HEC-RAS modeling approach. Hydrology Research, 2019, 50, 1002-1019. | 2.7 | 50 |
| 30 | Investigating runoff formation dynamics: field observations at Cape Fear experimental plot. Environmental Monitoring and Assessment, 2019, 191, 642. | 2.7 | 2 |
| 31 | Estimating Maximum Daily Precipitation in the Upper Vistula Basin, Poland. Atmosphere, 2019, 10, 43. | 2.3 | 39 |
| 32 | Flood mapping in small ungauged basins: a comparison of different approaches for two case studies in Slovakia. Hydrology Research, 2019, 50, 379-392. | 2.7 | 41 |
| 33 | Description and preliminary results of a 100 square meter rain gauge. Journal of Hydrology, 2018, 556, 827-834. | 5.4 | 18 |
| 34 | Measurements and Observations in the XXI century (MOXXI): innovation and multi-disciplinarity to sense the hydrological cycle. Hydrological Sciences Journal, 2018, 63, 169-196. | 2.6 | 151 |
| 35 | Design hydrograph estimation in small and fully ungauged basins: a preliminary assessment of the EBA4SUB framework. Journal of Flood Risk Management, 2018, 11, . | 3.3 | 50 |
| 36 | An Empirical Model for River Ecological Management with Uncertainty Evaluation. Water Resources Management, 2018, 32, 897-912. | 3.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Optical sensing for stream flow observations: A review. <i>Journal of Agricultural Engineering</i> , 2018, 49, 199-206. | 1.5 | 19 |
| 38 | Field studies on the soil loss reduction effectiveness of three biodegradable geotextiles. <i>Journal of Agricultural Engineering</i> , 2018, 49, 117-123. | 1.5 | 7 |
| 39 | Flood frequency analysis by an event-based rainfall-runoff model in selected catchments of southern Poland. <i>Soil and Water Research</i> , 2018, 13, 170-176. | 1.7 | 35 |
| 40 | Verification of empirical formulas for calculating annual peak flows with specific return period in the upper Vistula basin. <i>Acta Scientiarum Polonorum Formatio Circumiectus</i> , 2018, 2, 145-154. | 0.6 | 7 |
| 41 | Integrated system of phytodepuration and water reclamation: A comparative evaluation of four municipal wastewater treatment plants. <i>International Journal of Phytoremediation</i> , 2017, 19, 563-571. | 3.1 | 2 |
| 42 | Assessment of stormwater runoff management practices and BMPs under soil sealing: A study case in a peri-urban watershed of the metropolitan area of Rome (Italy). <i>Journal of Environmental Management</i> , 2017, 201, 6-18. | 7.8 | 48 |
| 43 | Cape Fear: monitoring basic hydrological processes in an outdoor hillslope plot. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 132. | 2.7 | 5 |
| 44 | “Cape Fear” A Hybrid Hillslope Plot for Monitoring Hydrological Processes. <i>Hydrology</i> , 2017, 4, 35. | 3.0 | 7 |
| 45 | A novel permanent gauge-cam station for surface-flow observations on the Tiber River. <i>Geoscientific Instrumentation, Methods and Data Systems</i> , 2016, 5, 241-251. | 1.6 | 34 |
| 46 | Assessment of drone-based surface flow observations. <i>Hydrological Processes</i> , 2016, 30, 1114-1130. | 2.6 | 57 |
| 47 | Analysis of the behavior of three digital elevation model correction methods on critical natural scenarios. <i>Journal of Hydrology: Regional Studies</i> , 2016, 8, 304-315. | 2.4 | 6 |
| 48 | Catchment compatibility via copulas: A non-parametric study of the dependence structures of hydrological responses. <i>Advances in Water Resources</i> , 2016, 90, 116-133. | 3.8 | 49 |
| 49 | A software package for predicting design-flood hydrographs in small and ungauged basins. <i>Journal of Agricultural Engineering</i> , 2015, 46, 74. | 1.5 | 28 |
| 50 | The Integrated System of Phytodepuration of Sile River Natural Park. <i>International Journal of Phytoremediation</i> , 2015, 17, 1038-1045. | 3.1 | 3 |
| 51 | Integrated System of Phytodepuration for Agroindustrial Wastewater: Three Different Case Studies. <i>International Journal of Phytoremediation</i> , 2015, 17, 1227-1236. | 3.1 | 3 |
| 52 | Do we still need the Rational Formula? An alternative empirical procedure for peak discharge estimation in small and ungauged basins. <i>Hydrological Sciences Journal</i> , 2015, 60, 67-77. | 2.6 | 77 |
| 53 | Linking phosphorus export and hydrologic modeling: a case study in Central Italy. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 7849-7861. | 2.7 | 8 |
| 54 | Green-Ampt Curve Number mixed procedure as an empirical tool for rainfall-runoff modelling in small and ungauged basins. <i>Hydrological Processes</i> , 2013, 27, 1253-1264. | 2.6 | 106 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Ecological behavior of <i>Quercus suber</i> and <i>Quercus ilex</i> inferred by topographic wetness index (TWI). <i>Trees - Structure and Function</i> , 2013, 27, 1201-1215. | 1.9 | 38 |
| 56 | Curve-Number/Green-Ampt Mixed Procedure for Net Rainfall Estimation: A Case Study of the Mignone Watershed, IT. <i>Procedia Environmental Sciences</i> , 2013, 19, 113-121. | 1.4 | 15 |
| 57 | Flood mapping in ungauged basins using fully continuous hydrologic-hydraulic modeling. <i>Journal of Hydrology</i> , 2013, 487, 39-47. | 5.4 | 137 |
| 58 | Curve-Number/Green-Ampt mixed procedure for streamflow predictions in ungauged basins: Parameter sensitivity analysis. <i>Hydrological Processes</i> , 2013, 27, 1265-1275. | 2.6 | 62 |
| 59 | The influence of the net rainfall mixed Curve Number - Green Ampt procedure in flood hazard mapping: a case study in Central Italy. <i>Journal of Agricultural Engineering</i> , 2013, 44, . | 1.5 | 1 |
| 60 | Multivariate return periods in hydrology: a critical and practical review focusing on synthetic design hydrograph estimation. <i>Hydrology and Earth System Sciences</i> , 2013, 17, 1281-1296. | 4.9 | 226 |
| 61 | The Flat-Area Issue in Digital Elevation Models and Its Consequences for Rainfall-Runoff Modeling. <i>GIScience and Remote Sensing</i> , 2012, 49, 711-734. | 5.9 | 16 |
| 62 | LIDAR Data and Hydrological Applications at the Basin Scale. <i>GIScience and Remote Sensing</i> , 2012, 49, 139-162. | 5.9 | 39 |
| 63 | A continuous simulation model for design-hydrograph estimation in small and ungauged watersheds. <i>Hydrological Sciences Journal</i> , 2012, 57, 1035-1051. | 2.6 | 53 |
| 64 | A parsimonious geomorphological unit hydrograph for rainfall-runoff modelling in small ungauged basins. <i>Hydrological Sciences Journal</i> , 2012, 57, 73-83. | 2.6 | 114 |
| 65 | Time of concentration: a paradox in modern hydrology. <i>Hydrological Sciences Journal</i> , 2012, 57, 217-228. | 2.6 | 118 |
| 66 | Fluorescent particle tracers in surface hydrology: a proof of concept in a semi-natural hillslope. <i>Hydrology and Earth System Sciences</i> , 2012, 16, 2973-2983. | 4.9 | 39 |
| 67 | Design hydrograph estimation in small and ungauged watersheds: continuous simulation method versus event-based approach. <i>Hydrological Processes</i> , 2012, 26, 3124-3134. | 2.6 | 61 |
| 68 | Flow time estimation with spatially variable hillslope velocity in ungauged basins. <i>Advances in Water Resources</i> , 2010, 33, 1216-1223. | 3.8 | 87 |
| 69 | Pre-processing algorithms and landslide modelling on remotely sensed DEMs. <i>Geomorphology</i> , 2009, 113, 110-125. | 2.6 | 71 |
| 70 | Hydrogeomorphic properties of simulated drainage patterns using digital elevation models: the flat area issue / Propriétés hydro-geomorphologiques de réseaux de drainage simulés à partir de modèles numériques de terrain: la question des zones planes. <i>Hydrological Sciences Journal</i> , 2008, 53, 1176-1193. | 2.6 | 105 |
| 71 | Noble biomass: restore, recycle, profit using cork oak (<i>Quercus suber</i> L.). <i>Applied Mathematical Sciences</i> , 0, 8, 6495-6513. | 0.1 | 4 |
| 72 | An update on multivariate return periods in hydrology. <i>Proceedings of the International Association of Hydrological Sciences</i> , 0, 373, 175-178. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Mathematical modeling and GIS applications for greenhouse energy planning in Italy. Applied Mathematical Sciences, 0, 8, 6651-6664. | 0.1 | 2 |
| 74 | Comparative analysis of flood and rainfall frequency in the ungauged sub-watersheds of Kakia and Esamburumbur in Narok town, Kenya, using the EBA4SUB rainfall-runoff model. Journal of Agricultural Engineering, 0, , . | 1.5 | 1 |