

Shaohua Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9548756/publications.pdf>

Version: 2024-02-01

132
papers

1,885
citations

394286

19
h-index

330025

37
g-index

134
all docs

134
docs citations

134
times ranked

2623
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of PD-1 and PD-L1 in T-cell immune suppression in patients with hematological malignancies. <i>Journal of Hematology and Oncology</i> , 2013, 6, 74.	6.9	234
2	Age related human T cell subset evolution and senescence. <i>Immunity and Ageing</i> , 2019, 16, 24.	1.8	133
3	Expression patterns of immune checkpoints in acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2020, 13, 28.	6.9	100
4	Overexpression of the long non-coding RNA PVT1 is correlated with leukemic cell proliferation in acute promyelocytic leukemia. <i>Journal of Hematology and Oncology</i> , 2015, 8, 126.	6.9	95
5	The c-Myc-regulated lncRNA NEAT1 and paraspeckles modulate imatinib-induced apoptosis in CML cells. <i>Molecular Cancer</i> , 2018, 17, 130.	7.9	95
6	Higher PD-1 expression concurrent with exhausted CD8+ T cells in patients with de novo acute myeloid leukemia. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association</i> , Beijing Institute for Cancer Research, 2017, 29, 463-470.	0.7	60
7	Increased PD-1+Tim-3+ exhausted T cells in bone marrow may influence the clinical outcome of patients with AML. <i>Biomarker Research</i> , 2020, 8, 6.	2.8	54
8	Altered expression pattern of miR-29a, miR-29b and the target genes in myeloid leukemia. <i>Experimental Hematology and Oncology</i> , 2014, 3, 17.	2.0	51
9	Characteristics of A20 gene polymorphisms and clinical significance in patients with rheumatoid arthritis. <i>Journal of Translational Medicine</i> , 2015, 13, 215.	1.8	36
10	TRAV and TRBV repertoire, clonality and the proliferative history of umbilical cord blood T-cells. <i>Transplant Immunology</i> , 2007, 18, 151-158.	0.6	34
11	TOX as a potential target for immunotherapy in lymphocytic malignancies. <i>Biomarker Research</i> , 2021, 9, 20.	2.8	34
12	Pathways related to PMA-differentiated THP1 human monocytic leukemia cells revealed by RNA-Seq. <i>Science China Life Sciences</i> , 2015, 58, 1282-1287.	2.3	33
13	Reduced levels of recent thymic emigrants in acute myeloid leukemia patients. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1047-1055.	2.0	30
14	Increased exhausted CD8 ⁺ T cells with programmed death-1, T cell immunoglobulin and mucin domain-containing 3 phenotype in patients with multiple myeloma. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e266-e274.	0.7	30
15	Genome-wide analyses identify KLF4 as an important negative regulator in T-cell acute lymphoblastic leukemia through directly inhibiting T-cell associated genes. <i>Molecular Cancer</i> , 2015, 14, 26.	7.9	27
16	Higher TIGIT ⁺ CD226 ⁻ T cells in Patients with Acute Myeloid Leukemia. <i>Immunological Investigations</i> , 2022, 51, 40-50.	1.0	25
17	A skewed distribution and increased PD-1 ⁺ CD4 ⁺ /CD8 ⁺ T cells in patients with acute myeloid leukemia. <i>Journal of Leukocyte Biology</i> , 2019, 106, 725-732.	1.5	24
18	TRGV and TRDV repertoire distribution and clonality of T cells from umbilical cord blood. <i>Transplant Immunology</i> , 2009, 20, 155-162.	0.6	23

#	ARTICLE	IF	CITATIONS
19	Oligoclonal expansion of TCR V β T cells may be a potential immune biomarker for clinical outcome of acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2016, 9, 126.	6.9	23
20	Characteristic of TIGIT and DNAM-1 Expression on Foxp3+ $\gamma\delta$ T Cells in AML Patients. <i>BioMed Research International</i> , 2020, 2020, 1-10.	0.9	22
21	PD-1 and TIGIT Are Highly Co-Expressed on CD8+ T Cells in AML Patient Bone Marrow. <i>Frontiers in Oncology</i> , 2021, 11, 686156.	1.3	22
22	Re-balance of memory T cell subsets in peripheral blood from patients with CML after TKI treatment. <i>Oncotarget</i> , 2017, 8, 81852-81859.	0.8	22
23	Clonal expanded TCR V β 2 T cells in patients with APL. <i>Hematology</i> , 2005, 10, 135-139.	0.7	21
24	Generation of diffuse large B cell lymphoma-associated antigen-specific V β 6/V β 13+T cells by TCR gene transfer. <i>Journal of Hematology and Oncology</i> , 2011, 4, 2.	6.9	20
25	Memory T cells skew toward terminal differentiation in the CD8+ T cell population in patients with acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2018, 11, 93.	6.9	20
26	Decreased level of recent thymic emigrants in CD4+ and CD8+T cells from CML patients. <i>Journal of Translational Medicine</i> , 2010, 8, 47.	1.8	19
27	Characterization of the CDR3 structure of the V β 21 T cell clone in patients with P210BCR-ABL-positive chronic myeloid leukemia and B-cell acute lymphoblastic leukemia. <i>Human Immunology</i> , 2011, 72, 798-804.	1.2	19
28	Alternative expression of TCR β related genes in patients with chronic myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2012, 5, 74.	6.9	19
29	Restricted TRBV repertoire in CD4+ and CD8+ T cell subsets from CML patients. <i>Hematology</i> , 2011, 16, 43-49.	0.7	18
30	The Feature of Distribution and Clonality of TCR <small>xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"><mml:mrow><mml:mi mathvariant="bold-italic">β</mml:mi></mml:mrow></mml:math></small> <small>xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M2"><mml:mrow><mml:mi mathvariant="bold-italic">β</mml:mi></mml:mrow></mml:math></small> Subfamilies T Cells in Patients with B-Cell Non-Hodgkin Lymphoma. <i>Journal of Immunology Research</i>, 2014, 2014, 1-6.</small>	0.9	18
31	Higher frequency of the CTLA β LAG β T cell subset in patients with newly diagnosed acute myeloid leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, e12-e18.	0.7	18
32	Inhibition of BCL11B induces downregulation of PTK7 and results in growth retardation and apoptosis in T-cell acute lymphoblastic leukemia. <i>Biomarker Research</i> , 2021, 9, 17.	2.8	18
33	A polymethoxyflavone from <i>Laggera pterodonta</i> induces apoptosis in imatinib-resistant K562R cells via activation of the intrinsic apoptosis pathway. <i>Cancer Cell International</i> , 2014, 14, 137.	1.8	17
34	Foxp3 gene expression in oral lichen planus: A clinicopathological study. <i>Molecular Medicine Reports</i> , 2014, 9, 928-934.	1.1	17
35	Lower expression of PD-1 and PD-L1 in peripheral blood from patients with chronic ITP. <i>Hematology</i> , 2016, 21, 552-557.	0.7	17
36	Downregulated miR β 17, miR β 29c, miR β 92a and miR β 214 may be related to <i>BCL11B</i> overexpression in T cell acute lymphoblastic leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e259-e265.	0.7	17

#	ARTICLE	IF	CITATIONS
37	Increasing Tim β 3+CD244+, Tim β 3+CD57+, and Tim β 3+PD β 1+ T β cells in patients with acute myeloid leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, 137-141.	0.7	17
38	Deficiency of CD3 γ , delta, epsilon, and zeta expression in T cells from AML patients. <i>Hematology</i> , 2011, 16, 31-36.	0.7	16
39	Molecular alterations in the TCR signaling pathway in patients with aplastic anemia. <i>Journal of Hematology and Oncology</i> , 2016, 9, 32.	6.9	16
40	Persistent donor derived V β 4 T cell clones may improve survival for recurrent T cell acute lymphoblastic leukemia after HSCT and DLI. <i>Oncotarget</i> , 2016, 7, 42943-42952.	0.8	16
41	Alternative Expression Pattern of MALT1-A20-NF- κ B in Patients with Rheumatoid Arthritis. <i>Journal of Immunology Research</i> , 2014, 2014, 1-7.	0.9	15
42	Higher TOX Genes Expression Is Associated With Poor Overall Survival for Patients With Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2021, 11, 740642.	1.3	15
43	Change in expression pattern of TCR β -CD3 complex in patients with multiple myeloma. <i>Hematology</i> , 2011, 16, 143-149.	0.7	14
44	Upregulated TCR β Enhances Interleukin-2 Production in T-Cells from Patients with CML. <i>DNA and Cell Biology</i> , 2012, 31, 1628-1635.	0.9	14
45	Abnormal expression of A20 and its regulated genes in peripheral blood from patients with lymphomas. <i>Cancer Cell International</i> , 2014, 14, 36.	1.8	12
46	Characteristics of the TCR V β 2 repertoire in imatinib-resistant chronic myeloid leukemia patients with ABL mutations. <i>Science China Life Sciences</i> , 2015, 58, 1276-1281.	2.3	12
47	Different aberrant expression pattern of immune checkpoint receptors in patients with PTCL and NK/T β CL. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, e252-e258.	0.7	12
48	Characterization of conserved CDR3 sequence of TCR α - and β -chain genes in peripheral blood T-cells from patients with diffuse large B-cell lymphoma. <i>Hematology</i> , 2010, 15, 48-57.	0.7	11
49	Enhancement of the TCR β Expression, Polyclonal Expansion, and Activation of T Cells from Patients with Acute Myeloid Leukemia After IL-2, IL-7, and IL-12 Induction. <i>DNA and Cell Biology</i> , 2015, 34, 481-488.	0.9	11
50	TAL1 mediates imatinib-induced CML cell apoptosis via the PTEN/PI3K/AKT pathway. <i>Biochemical and Biophysical Research Communications</i> , 2019, 519, 234-239.	1.0	11
51	Comparison of the Distribution and Clonal Expansion Features of the T-Cell β Repertoire in Myelodysplastic Syndrome-RAEB and RAEB with Progression to AML. <i>DNA and Cell Biology</i> , 2012, 31, 1563-1570.	0.9	10
52	Distribution and Clonality of the V β 1 and V β 2 T-Cell Receptor Repertoire of Regulatory T Cells in Leukemia Patients With and Without Graft Versus Host Disease. <i>DNA and Cell Biology</i> , 2014, 33, 182-188.	0.9	10
53	Upregulated TCR β improves cytokine secretion in T cells from patients with AML. <i>Journal of Hematology and Oncology</i> , 2015, 8, 72.	6.9	10
54	Age-Related Immune Profile of the T Cell Receptor Repertoire, Thymic Recent Output Function, and miRNAs. <i>BioMed Research International</i> , 2020, 2020, 1-13.	0.9	10

#	ARTICLE	IF	CITATIONS
55	Effect of Staphylococcal Enterotoxin A on the Distribution and Clonal Expansion of TCR V β 2 Subfamilies and the Cytotoxicity of T Cells Stimulated by PML-RAR α Peptid.. Blood, 2007, 110, 3871-3871.	0.6	10
56	Increased TOX expression associates with exhausted T cells in patients with multiple myeloma. Experimental Hematology and Oncology, 2022, 11, 12.	2.0	10
57	Increased <scp>TOX</scp> expression concurrent with <scp>PD</scp> α 1, Tim β 3, and <scp>CD244</scp> expression in T cells from patients with acute myeloid leukemia. Cytometry Part B - Clinical Cytometry, 2022, 102, 143-152.	0.7	10
58	Overexpression of MALT1-A20-NF- κ B in adult B-cell acute lymphoblastic leukemia. Cancer Cell International, 2015, 15, 73.	1.8	9
59	Increased TOX expression concurrent with PD α 1, Tim β 3, and CD244 in T cells from patients with non α Hodgkin lymphoma. Asia-Pacific Journal of Clinical Oncology, 2021, , .	0.7	9
60	NRF2 activation induced by PML α RAR α promotes microRNA 125b α 1 expression and confers resistance to chemotherapy in acute promyelocytic leukemia. Clinical and Translational Medicine, 2021, 11, e418.	1.7	9
61	Generation of V β 13/ β 221+T cell specific target CML cells by TCR gene transfer. Oncotarget, 2016, 7, 84246-84257.	0.8	9
62	T cell modulation in immunotherapy for hematological malignancies. Cell Biology and Toxicology, 2017, 33, 323-327.	2.4	8
63	Increased Expression of TIGIT/CD57 in Peripheral Blood/Bone Marrow NK Cells in Patients with Chronic Myeloid Leukemia. BioMed Research International, 2020, 2020, 1-8.	0.9	8
64	Characterization of KIR α α NKG2A α α Eomes α NK α like CD8+ T α cells and their decline with age in healthy individuals. Cytometry Part B - Clinical Cytometry, 2021, 100, 467-475.	0.7	8
65	Gene expression profiling of CD3 β , γ , δ , and ϵ chains in CD4+and CD8+T cells from human umbilical cord blood. Hematology, 2010, 15, 230-235.	0.7	7
66	Identification of miR-125b targets involved in acute promyelocytic leukemia cell proliferation. Biochemical and Biophysical Research Communications, 2016, 478, 1758-1763.	1.0	7
67	Reconstitution of T-Cell Immunity in the Early Period after Allogeneic Hematopoieticstem Cell Transplantation.. Blood, 2006, 108, 3035-3035.	0.6	7
68	Expression Pattern of TCR-zeta Chain in Patients with Aplastic Anemia and Polycythemia Vera.. Blood, 2007, 110, 3763-3763.	0.6	7
69	Clonal expansion T cells identified in acute monoblastic leukemia by CDR3 size analysis of TCR V beta repertoire using RT-PCR and genescan. Chinese Medical Journal, 2002, 115, 69-71.	0.9	7
70	Different genetic alteration of <i>A20</i> in a S α zary syndrome case with <i>V β 2 α 22</i> T cell clone. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e116-e123.	0.7	6
71	The α Myc α regulated miR α 17 α 92 cluster mediates ATRA α induced APL cell differentiation. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 364-370.	0.7	6
72	High expression of TMEM244 is associated with poor overall survival of patients with T-cell lymphoma. Biomarker Research, 2022, 10, .	2.8	6

#	ARTICLE	IF	CITATIONS
73	Alteration of gene expression profile following PPP2R5C knockdown may be associated with proliferation suppression and increased apoptosis of K562 cells. <i>Journal of Hematology and Oncology</i> , 2015, 8, 34.	6.9	5
74	Identification of TCR V β 11-2-D β 1-j β 1-1 T cell clone specific for WT1 peptides using high-throughput TCR β gene sequencing. <i>Biomarker Research</i> , 2019, 7, 12.	2.8	4
75	Specific Immune Response Induced by PML-Rar α -hIL-2 Vaccine in BALB/C Mice. <i>Blood</i> , 2008, 112, 4009-4009.	0.6	4
76	Arsenic induced complete remission in a refractory T-ALL patient with a distinct T-cell clonal evolution without molecular complete remission: A case report. <i>Oncology Letters</i> , 2016, 11, 4123-4130.	0.8	3
77	Lower T cell inhibitory receptor level in mononuclear cells from cord blood compared with peripheral blood. <i>Stem Cell Investigation</i> , 2019, 6, 35-35.	1.3	3
78	Physalin B inhibits cell proliferation and induces apoptosis in undifferentiated human gastric cancer HGC627 cells. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 224-231.	0.7	3
79	Mesenchymal Stem Cells Ameliorate Thymic Functions in aGVHD Patients after Allogeneic Haematopoietic Stem Cell Transplantation. <i>Blood</i> , 2014, 124, 42-42.	0.6	3
80	Terminal differentiation of bone marrow NK cells and increased circulation of TIGIT ⁺ NK cells may be related to poor outcome in acute myeloid leukemia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2022, 18, 456-464.	0.7	3
81	Abnormalities in the T Cell Receptor V β Repertoire and <i>Foxp3</i> Expression in Refractory Anemia with Ringed Sideroblasts. <i>DNA and Cell Biology</i> , 2015, 34, 588-595.	0.9	2
82	MiR-214 regulates CD3 ϵ expression in T cells. <i>Central-European Journal of Immunology</i> , 2019, 44, 127-131.	0.4	2
83	Increasing Frequency of T Cell Immunosuppressive Receptor Expression in CD4 ⁺ and CD8 ⁺ T Cells May Related to T Cell Exhaustion and Immunosuppression in Patients with AML. <i>Blood</i> , 2016, 128, 5166-5166.	0.6	2
84	Correlation of the transcription factors <i>IRF4</i> and <i>BACH2</i> with the abnormal <i>NFATC1</i> expression in T cells from chronic myeloid leukemia patients. <i>Hematology</i> , 2022, 27, 523-529.	0.7	2
85	Changes in Thymic Recent Output Function in Patients with B-Cell Lymphocytic Malignancy.. <i>Blood</i> , 2006, 108, 4464-4464.	0.6	1
86	Inhibition of BCL11B Expression Leads to Apoptosis of Malignant T Cells but Not CD34 ⁺ Cells.. <i>Blood</i> , 2010, 116, 3755-3755.	0.6	1
87	The Long Non-Coding RNA NEAT1 Modulates Imatinib-Induced Apoptosis in CML Cells. <i>Blood</i> , 2015, 126, 4019-4019.	0.6	1
88	The Distribution of T Memory Stem Cells in Cord Blood, Peripheral Blood from Healthy Individuals and Patients with Leukemia/Lymphoma. <i>Blood</i> , 2016, 128, 3376-3376.	0.6	1
89	Oligoclonal Expansion of TCR V β T Cells May be a Potential Immune Biomarker for AML Outcome. <i>Blood</i> , 2016, 128, 5237-5237.	0.6	1
90	Upregulation of TCR β Chain Overcome T Cell Immunodeficiency in Patients with Chronic Myeloid Leukemia. <i>Blood</i> , 2011, 118, 4719-4719.	0.6	1

#	ARTICLE	IF	CITATIONS
91	Dysexpression of TCR β Related Genes in the Patients with Chronic Myeloid Leukemia. Blood, 2012, 120, 4832-4832.	0.6	1
92	PML-Rara/Nrf2-Regulated Mir-125b Targets CEBPA and Influences Acute Promyelocytic Leukemia Cell Proliferation. Blood, 2016, 128, 2845-2845.	0.6	1
93	Analysis of the clonal expansion of TCR V β 2 T cells in patients with CML after DLI. Chinese-German Journal of Clinical Oncology, 2002, 1, 145-148.	0.1	0
94	Clonal expansion and cytotoxicity of TCRV β 2 subfamily T cells induced by CML and K562 cells. Chinese Journal of Clinical Oncology, 2004, 1, 47-52.	0.0	0
95	Expression of Neuropilin-1 Gene in Bone Marrow Stromal Cells from Patients with Myeloid Leukemia and Normal Individuals. Chinese-German Journal of Clinical Oncology, 2005, 4, 171-173.	0.1	0
96	Distribution and clonality of peripheral blood TCR Va subfamily T cells in patients with acute promyelocytic leukemia. Chinese-German Journal of Clinical Oncology, 2007, 6, 591-593.	0.1	0
97	Naïve T Cell Level and TCR V β 2 Repertoire Usage in Patients with Chronic Myelogenous Leukemia.. Blood, 2004, 104, 4648-4648.	0.6	0
98	Oligoclonal Expansion of TCR V beta Subfamily T Cells in Patients with B-ALL.. Blood, 2004, 104, 3840-3840.	0.6	0
99	The Significant Decrease of Recent Thymic Output Function in Patients with Benzene-Poisoned Aplastic Anemia.. Blood, 2004, 104, 1338-1338.	0.6	0
100	Detection of 24 TCR V β 2-D β 21 sjTRECs in T Cells from Cord Blood, Peripheral Blood of Normal Individuals and Patients with AML-M2.. Blood, 2005, 106, 4557-4557.	0.6	0
101	Idiotype TCR V β 2 DNA Plasmid Constructe, Transfer and Express in K562 Cells.. Blood, 2005, 106, 5521-5521.	0.6	0
102	Specific Cytotoxicity and Clonal Expansion of TCR V β 2 Subfamily T Cells Induced by PML-RAR β Peptide.. Blood, 2005, 106, 3904-3904.	0.6	0
103	Analysis of the T-Cell Receptor V β Gene Repertoire and Clonal Expansion in the Benzene-Exposed Group.. Blood, 2006, 108, 3874-3874.	0.6	0
104	The Feature of TREC β sjTRECs Level and Frequency of 23 TCR V β 2-D β 21 sjTRECs in Mononuclear Cells, CD4+ and CD8+ T Cells from Cord Blood and Peripheral Blood of Normal Individuals.. Blood, 2006, 108, 3873-3873.	0.6	0
105	The Feature of Distribution and Clonality of TCR V β and V β 2 Repertoire in Cord Blood.. Blood, 2006, 108, 5132-5132.	0.6	0
106	The Feature of TCR V β 2 Subfamily T Cells Expansion in NOD/SCID Mice Transplanted with Human Cord Blood Hematopoietic Stem Cell.. Blood, 2006, 108, 3872-3872.	0.6	0
107	A Vector Expressing PML-RAR β Fused to GM-CSF Is an Effective DNA Vaccine for Inducing Specific Immune Response to APL Cells.. Blood, 2007, 110, 4882-4882.	0.6	0
108	Identification of Specific TRAV6 and TRAV23 Genes in Peripheral Blood T Cells from Patients with Diffuse Large B-Cell Lymphoma.. Blood, 2007, 110, 4398-4398.	0.6	0

#	ARTICLE	IF	CITATIONS
109	The Molecular Characteristics in CDR3 of TCR V β and V α Genes Associated with cGVHD in Patients after Allogeneic Hematopoietic Stem Cell Transplantation.. Blood, 2007, 110, 3247-3247.	0.6	0
110	The Feature of TCR Zeta Gene in CD4+ and CD8+ T Cells in Patients with CML.. Blood, 2007, 110, 4526-4526.	0.6	0
111	Development of a PML-RAR α -IL-2 Recombinant Plasmid DNA for APL.. Blood, 2007, 110, 4881-4881.	0.6	0
112	Identification of Specific TCR V β 23 and V β 13 Genes Relate to Diffuse Large B-Cell Lymphoma-Associated Antigen.. Blood, 2007, 110, 3869-3869.	0.6	0
113	The Feature of TCR V β 2 Repertoire, Thymic Recent Output Function and TCR-zeta Chain Expression in Patients with Immune Thrombocytopenic Purpura.. Blood, 2007, 110, 2099-2099.	0.6	0
114	The Feature of CD3-zeta Chain Gene Expression in Mononuclear Cells without and with Stimulation by Different Factors from Umbilical Cord Blood.. Blood, 2007, 110, 3870-3870.	0.6	0
115	Analysis of T Cell Clonality of Ph+ Acute Lymphoblastic Leukemia with Chronic Gvhd in Continuous Remission after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2008, 112, 3941-3941.	0.6	0
116	The Frequency and Clonality of β γ +T Cells, distribution of TRGV and TRDV Repertoire in Cord Blood T Cells. Blood, 2008, 112, 4899-4899.	0.6	0
117	Oligoclonal V β 21 with Different V α Partner in T Cells Associated with CML Cell Antigens. Blood, 2008, 112, 4236-4236.	0.6	0
118	CD3-Zeta Gene Expression in Workers Benzene-Exposed and Benzene- Poisoned Workers. Blood, 2008, 112, 4925-4925.	0.6	0
119	Effects of down-Regulating BCL11B Expression on the Proliferation and Apoptosis of Molt-4 Cells by RNA Interference. Blood, 2008, 112, 4635-4635.	0.6	0
120	The Feature of TCR V β 3 And TCR V α Repertoire Distribution and Clonality in Patients with Immune Thrombocytopenic Purpura.. Blood, 2008, 112, 3409-3409.	0.6	0
121	Characterization of CDR3 Structure of V β 21 T Cell Clones In Patients with P210BCR-ABL Positive CML and B-ALL. Blood, 2010, 116, 4455-4455.	0.6	0
122	The Feature of SALL4 and BMI-1 Expression in Placenta and Umbilical Cord Blood. Blood, 2011, 118, 4800-4800.	0.6	0
123	Molecular Characterization of Novel Chromosomal Translocations Involved with TCR Locus in T-ALL. Blood, 2011, 118, 4409-4409.	0.6	0
124	Down-Regulation of PPP2R5C Expression Inhibits Proliferation in Leukemic T Cells Proliferation by RNA Interference. Blood, 2012, 120, 4678-4678.	0.6	0
125	The Evolution of Malignant and Reactive β γ +T Cell Clones in Relapse T-ALL After Allogeneic Stem Cell Transplantation. Blood, 2012, 120, 4672-4672.	0.6	0
126	The Feature of MALT1-A20-NF- κ B Expression Pattern Provide Important Insights Into the Therapeutic Benefit for T-ALL. Blood, 2012, 120, 4810-4810.	0.6	0

#	ARTICLE	IF	CITATIONS
127	Overexpressed A20 in Refractory/Relapse B-ALL May Serve As a Potential Therapeutic Target. Blood, 2012, 120, 4816-4816.	0.6	0
128	Proliferation Inhibition and Apoptosis Induction Of Imatinib Resistance Chronic Myeloid Leukemia Cells By Down-Regulated PPP2R5C. Blood, 2013, 122, 5158-5158.	0.6	0
129	Specific Gamma Delta T Cells for Cellular Immunotherapy of EBV-Associated Diseases after Allo-HSCT By T-Cell Receptor Gene Modification. Blood, 2014, 124, 5811-5811.	0.6	0
130	Increasing TCR Zeta Expression and Maintaining the Clonality of T Cells from AML Patients after IL-2, IL-7 and IL-12 Induction. Blood, 2014, 124, 4971-4971.	0.6	0
131	Characteristics of the TCR Vbeta Repertoire and Identical Clonally Expanded T Cells in Chronic Myeloid Leukemia Patients in Advanced Phase with ABL Mutations. Blood, 2015, 126, 5136-5136.	0.6	0
132	The Characteristic of TCR Signaling Pathway in T Cell from Patients with Aplastic Anemia. Blood, 2015, 126, 2226-2226.	0.6	0