

Mei-See Man

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9550215/publications.pdf>

Version: 2024-02-01

25
papers

1,103
citations

471061

17
h-index

552369

26
g-index

27
all docs

27
docs citations

27
times ranked

2173
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost-effectiveness of a patient-centred approach to managing multimorbidity in primary care: a pragmatic cluster randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e030110.	0.8	8
2	Sharing reports about domestic violence and abuse with general practitioners: a qualitative interview study. <i>BMC Family Practice</i> , 2020, 21, 117.	2.9	11
3	Development and validation of the Multimorbidity Treatment Burden Questionnaire (MTBQ). <i>BMJ Open</i> , 2020, 8, e019413.	0.8	103
4	Can implementation failure or intervention failure explain the result of the 3D multimorbidity trial in general practice: mixed-methods process evaluation. <i>BMJ Open</i> , 2019, 9, e031438.	0.8	22
5	A patient-centred intervention to improve the management of multimorbidity in general practice: the 3D RCT. <i>Health Services and Delivery Research</i> , 2019, 7, 1-238.	1.4	15
6	Understanding usual care for patients with multimorbidity: baseline data from a cluster-randomised trial of the 3D intervention in primary care. <i>BMJ Open</i> , 2018, 8, e019845.	0.8	15
7	Management of multimorbidity using a patient-centred care model: a pragmatic cluster-randomised trial of the 3D approach. <i>Lancet, The</i> , 2018, 392, 41-50.	6.3	254
8	Reporting and appraising the context, process and impact of PPI on contributors, researchers and the trial during a randomised controlled trial - the 3D study. <i>Research Involvement and Engagement</i> , 2018, 4, 15.	1.1	41
9	The Foundations Framework for Developing and Reporting New Models of Care for Multimorbidity. <i>Annals of Family Medicine</i> , 2017, 15, 570-577.	0.9	33
10	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-468.	0.4	4
11	Making the journey with me: a qualitative study of experiences of a bespoke mental health smoking cessation intervention for service users with serious mental illness. <i>BMC Psychiatry</i> , 2016, 16, 193.	1.1	16
12	Improving the management of multimorbidity in general practice: protocol of a cluster randomised controlled trial (The 3D Study). <i>BMJ Open</i> , 2016, 6, e011261.	0.8	29
13	Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. <i>Lancet Psychiatry,the</i> , 2016, 3, 515-525.	3.7	73
14	Telehealth for patients at high risk of cardiovascular disease: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2016, 353, i2647.	3.0	50
15	Protocol for a process evaluation of a cluster randomised controlled trial to improve management of multimorbidity in general practice: the 3D study. <i>BMJ Open</i> , 2016, 6, e011260.	0.8	27
16	Improving recruitment to a study of telehealth management for long-term conditions in primary care: two embedded, randomised controlled trials of optimised patient information materials. <i>Trials</i> , 2015, 16, 309.	0.7	35
17	Bespoke smoking cessation for people with severe mental ill health (SCIMITAR): a pilot randomised controlled trial. <i>Lancet Psychiatry,the</i> , 2015, 2, 395-402.	3.7	68
18	Smoking Cessation Intervention for severe Mental Ill Health Trial (SCIMITAR): a pilot randomised control trial of the clinical effectiveness and cost-effectiveness of a bespoke smoking cessation service. <i>Health Technology Assessment</i> , 2015, 19, 1-148.	1.3	28

#	ARTICLE	IF	CITATIONS
19	Effectiveness and cost-effectiveness of a telehealth intervention to support the management of long-term conditions: study protocol for two linked randomized controlled trials. <i>Trials</i> , 2014, 15, 36.	0.7	33
20	Serotonin at the level of the amygdala and orbitofrontal cortex modulates distinct aspects of positive emotion in primates. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 91-105.	1.0	10
21	Acupuncture for irritable bowel syndrome: primary care based pragmatic randomised controlled trial. <i>BMC Gastroenterology</i> , 2012, 12, 150.	0.8	49
22	Lesions of Ventrolateral Prefrontal or Anterior Orbitofrontal Cortex in Primates Heighten Negative Emotion. <i>Biological Psychiatry</i> , 2012, 72, 266-272.	0.7	83
23	Autonomic, behavioral, and neural analyses of mild conditioned negative affect in marmosets.. <i>Behavioral Neuroscience</i> , 2010, 124, 192-203.	0.6	18
24	Autonomic arousal in an appetitive context in primates: a behavioural and neural analysis. <i>European Journal of Neuroscience</i> , 2005, 21, 1733-1740.	1.2	73
25	Serotonin, stress and corticoids. <i>Journal of Psychopharmacology</i> , 2000, 14, 419-420.	2.0	4