Seyed Mehdi Hashemi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9550395/publications.pdf

Version: 2024-02-01

331670 233421 68 2,230 21 45 g-index citations h-index papers 69 69 69 3300 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|--------------------|--------------|
| 1 | Post-Marketing Surveillance of a generic Oxaliplatin (AlvoxalⓇ) in Iranian Patients with Cancer. Current Therapeutic Research, 2022, 96, 100657. | 1.2 | 2 |
| 2 | An Evidence-Based Research on Botanical Sources for Oral Mucositis Treatment in Traditional Persian Medicine. Current Drug Discovery Technologies, 2021, 18, 225-234. | 1.2 | 3 |
| 3 | Lack of association between 4-base pair insertion/deletion (rs3783553) polymorphism within the 3′UTR of IL1A and breast cancer: A preliminary report. Gene Reports, 2021, 23, 101067. | 0.8 | 1 |
| 4 | Association between the IL-1A, IL-1B and IL-1R polymorphisms and lymphoma. Nucleosides, Nucleotides and Nucleic Acids, 2021, 40, 707-719. | 1.1 | 2 |
| 5 | THE EPIDEMIOLOGICAL PATTERN OF FACTORS ASSOCIATED WITH ISCHEMIC STROKE IN PATIENTS UNDER 50 YEARS OF AGE: A CROSS-SECTIONAL STUDY. Archiv Euromedica, 2021, 11, 9-13. | 0.2 | 0 |
| 6 | The Effect of Renalase rs2576178 and rs10887800 Polymorphisms on Ischemic Stroke Susceptibility in Young Patients (<50 Years): A Case-Control Study and In Silico Analysis. Disease Markers, 2021, 2021, 1-6. | 1.3 | 0 |
| 7 | Association between HOTAIR Polymorphisms and Lymphoma. Asian Pacific Journal of Cancer Prevention, 2021, 22, 2831-2835. | 1.2 | 1 |
| 8 | Validity and reliability of the Persian version of the oropharyngeal Mucositis quality of life scale. BMC Oral Health, 2021, 21, 601. | 2.3 | 1 |
| 9 | The Relationship between Pre-miR-3131 3-bp Insertion/Deletion Polymorphism and Susceptibility and Clinicopathological Characteristics of Patients with Breast Cancer. MicroRNA (Shariqah, United Arab) Tj ETQq1 1 $^\circ$ | 0. 7.2 4314 | rgBT /Overlo |
| 10 | Effects of a Plantago ovata-based herbal compound in prevention and treatment of oral mucositis in patients with breast cancer receiving chemotherapy: A double-blind, randomized, controlled crossover trial. Journal of Integrative Medicine, 2020, 18, 214-221. | 3.1 | 16 |
| 11 | Deletion allele of IFNAR1 gene polymorphism (rs17875871) is associated with a lower risk of breast cancer: A preliminary report. Meta Gene, 2020, 26, 100760. | 0.6 | 1 |
| 12 | Association between the flap endonuclease 1 gene polymorphisms and cancer susceptibility: An updated metaâ€analysis. Journal of Cellular Biochemistry, 2019, 120, 13583-13597. | 2.6 | 9 |
| 13 | Common Variations in Prothrombotic Genes and Susceptibility to Ischemic Stroke in Young Patients: A Case-Control Study in Southeast Iran. Medicina (Lithuania), 2019, 55, 47. | 2.0 | 6 |
| 14 | Association between miRâ€34b/c rs4938723 polymorphism and risk of cancer: An updated metaâ€analysis of 27 caseâ€control studies. Journal of Cellular Biochemistry, 2019, 120, 3306-3314. | 2.6 | 18 |
| 15 | Determining Model for Maximum Blood Request(MSBOS) for Surgery: An Elective Surgery in Imam Ali Hospital, Zahedan, Iran. International Journal of Hematology-Oncology and Stem Cell Research, 2019, 13, 95-101. | 0.3 | 1 |
| 16 | Association of Single Nucleotide Polymorphisms of the MDM4 Gene With the Susceptibility to Breast Cancer in a Southeast Iranian Population Sample. Clinical Breast Cancer, 2018, 18, e883-e891. | 2.4 | 16 |
| 17 | Association study of miR-100, miR-124-1, miR-218-2, miR-301b, miR-605, and miR-4293 polymorphisms and the risk of breast cancer in a sample of Iranian population. Gene, 2018, 647, 73-78. | 2.2 | 33 |
| 18 | 4â€bp insertion/deletion (rs3783553) polymorphism within the 3′UTR of IL1A contributes to the risk of prostate cancer in a sample of Iranian population. Journal of Cellular Biochemistry, 2018, 119, 2627-2635. | 2.6 | 22 |

| # | Article | IF | CITATIONS |
|----|---|--------------------------------|--------------------|
| 19 | <scp>LAPTM /scp>4B gene polymorphism augments the risk of cancer: Evidence from an updated metaâ€analysis. Journal of Cellular and Molecular Medicine, 2018, 22, 6396-6400.</scp> | 3.6 | 10 |
| 20 | C677T and A1298C polymorphisms of methylene tetrahydrofolate reductase in non-Hodgkin lymphoma: southeast Iran. Tumori, 2018, 104, 280-284. | 1.1 | 5 |
| 21 | Leukocyte Telomere Length Shortening, hTERT Genetic Polymorphisms and Risk of Childhood Acute Lymphoblastic Leukemia. Asian Pacific Journal of Cancer Prevention, 2018, 19, 1515-1521. | 1.2 | 7 |
| 22 | Association between Pri-miR-34b/c rs4938723 polymorphism and bladder cancer risk. Journal of Biomedical Research, 2018, 32, . | 1.6 | 2 |
| 23 | Association between polymorphisms in TP53 and MDM2 genes and susceptibility to prostate cancer. Oncology Letters, 2017, 13, 2483-2489. | 1.8 | 25 |
| 24 | Pri-miR-34b/c rs4938723 polymorphism increased the risk of prostate cancer. Cancer Biomarkers, 2017, 18, 155-159. | 1.7 | 28 |
| 25 | Genetic polymorphisms of HOTAIR gene are associated with the risk of breast cancer in a sample of southeast Iranian population. Tumor Biology, 2017, 39, 101042831772753. | 1.8 | 52 |
| 26 | Genetic polymorphisms in long noncoding RNA H19 are associated with breast cancer susceptibility in Iranian population. Meta Gene, 2017, 14, 1-5. | 0.6 | 18 |
| 27 | Atypical breast adenosquamous carcinoma following acute myeloid leukemia in a middle-aged woman: A case report. Molecular and Clinical Oncology, 2017, 6, 271-275. | 1.0 | 4 |
| 28 | KRAS Gene Polymorphisms and their Impact on Breast Cancer Risk in an Iranian Population. Asian Pacific Journal of Cancer Prevention, 2017, 18, 1301-1305. | 1.2 | 11 |
| 29 | The Relationship between Serum Selenium and Zinc with Gastroesophageal Cancers in the Southeast of Iran. Indian Journal of Medical and Paediatric Oncology, 2017, 38, 169-172. | 0.2 | 7 |
| 30 | Association between VDR Gene Polymorphisms (rs 1544410, rs 7975232, rs 2228570, rs 731236 and rs) Tj ETQ | q0 0 0 rgB [*] 0.4 | 「/Overlock] 10 |
| 31 | Absolute and Functional Iron Deficiency Anemia among Different Tumors in Cancer Patients in South Part of Iran, 2014. International Journal of Hematology-Oncology and Stem Cell Research, 2017, 11, 192-198. | 0.3 | 4 |
| 32 | The Relationship Between Risk Factors and Survival in Adult Acute Lymphoblastic Leukemia. Iranian Journal of Cancer Prevention, 2016, 9, e5045. | 0.7 | 3 |
| 33 | Promoter Methylation and mRNA Expression of Response Gene to Complement 32 in Breast Carcinoma. Journal of Cancer Epidemiology, 2016, 2016, 1-6. | 1.1 | 6 |
| 34 | Association between Vascular Endothelial Growth Factor Gene Polymorphisms with Breast Cancer Risk in an Iranian Population. Breast Cancer: Basic and Clinical Research, 2016, 10, BCBCR.S39649. | 1.1 | 22 |
| 35 | Association between LAPTM4B gene polymorphism and prostate cancer susceptibility in an Iranian population. Molecular and Cellular Oncology, 2016, 3, e1169342. | 0.7 | 4 |
| 36 | Rituximab for refractory subcutaneous Sweet's syndrome in chronic lymphocytic leukemia: A case report. Molecular and Clinical Oncology, 2016, 4, 436-440. | 1.0 | 10 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | A case of choriocarcinoma with concurrent rare presentations: Spontaneous uterine rupture and extensive thoracic spine metastases. Journal of Obstetrics and Gynaecology, 2016, 36, 679-680. | 0.9 | 2 |
| 38 | Pri-miR-34b/c rs4938723 polymorphism is associated with the risk of childhood acute lymphoblastic leukemia. Cancer Genetics, 2016, 209, 493-496. | 0.4 | 23 |
| 39 | FEN1 â~69G>A and +4150G>T polymorphisms and breast cancer risk. Biomedical Reports, 2016, 5, 455-460. | 2.0 | 6 |
| 40 | Sporadic colonic polyposis and adenocarcinoma associated with lymphoblastic and large B-cell lymphoma in a young male patient: A case report. Molecular and Clinical Oncology, 2016, 4, 450-452. | 1.0 | 0 |
| 41 | Evaluation of the pri-miR-34b/c rs4938723 polymorphism and its association with breast cancer risk. Biomedical Reports, 2016, 5, 125-129. | 2.0 | 36 |
| 42 | MicroRNAs: Promising Potential Targets for Cancer Treatment. Gene, Cell and Tissue, 2016, 3, . | 0.2 | 3 |
| 43 | Promoter Methylation and mRNA Expression of APAF-1 Gene in Breast Cancer. Gene, Cell and Tissue, 2016, 4, . | 0.2 | 0 |
| 44 | Evaluation of Outcome and Tolerability of Combination Chemotherapy with Capecitabine and Oxaliplatin as First Line Therapy in Advanced Gastric Cancer. International Journal of Hematology-Oncology and Stem Cell Research, 2016, 10, 212-216. | 0.3 | 2 |
| 45 | Association between Programmed Cell Death 6 Interacting Protein Insertion/Deletion Polymorphism and the Risk of Breast Cancer in a Sample of Iranian Population. Disease Markers, 2015, 2015, 1-5. | 1.3 | 13 |
| 46 | The Relationship between Sleep Quality and Social Intimacy, and Academic Burn-Out in Students of Medical Sciences. Global Journal of Health Science, 2015, 8, 231. | 0.2 | 27 |
| 47 | Effect of TP53 16-bp and \hat{I}^2 -TrCP 9-bp INS/DEL polymorphisms in relation to risk of breast cancer. Gene, 2015, 568, 181-185. | 2.2 | 23 |
| 48 | An unusual occurrence of Kleine-Levin syndrome in a man with refractory immune thrombocytopenic purpura: a case report. Journal of Medical Case Reports, 2015, 9, 76. | 0.8 | 1 |
| 49 | Association between Interleukin-1 Receptor Antagonist (IL1RN) Variable Number of Tandem Repeats (VNTR) Polymorphism and Pulmonary Tuberculosis. Iranian Journal of Allergy, Asthma and Immunology, 2015, 14, 55-9. | 0.4 | 7 |
| 50 | <i>hsa-mir-499</i> rs3746444 gene polymorphism is associated with susceptibility to breast cancer in an Iranian population. Biomarkers in Medicine, 2014, 8, 259-267. | 1.4 | 65 |
| 51 | Association of functional polymorphism at the miR-502-binding site in the $3\hat{a}\in^2$ untranslated region of the SETD8 gene with risk of childhood acute lymphoblastic leukemia, a preliminary report. Tumor Biology, 2014, 35, 10375-10379. | 1.8 | 23 |
| 52 | Association between hTERT polymorphisms and the risk of breast cancer in a sample of Southeast Iranian population. BMC Research Notes, 2014, 7, 895. | 1.4 | 33 |
| 53 | Autophagy and apoptosis dysfunction in neurodegenerative disorders. Progress in Neurobiology, 2014, 112, 24-49. | 5.7 | 957 |
| 54 | TIRAP rs8177374 gene polymorphism increased the risk of pulmonary tuberculosis in Zahedan, southeast Iran. Asian Pacific Journal of Tropical Medicine, 2014, 7, 451-455. | 0.8 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-------------------|--------------------|
| 55 | Evaluation of CCL5 -403 G>A and CCR5 Î"32 gene polymorphisms in patients with breast cancer. Cancer Biomarkers, 2014, 14, 343-351. | 1.7 | 17 |
| 56 | Association between LAPTM4B gene polymorphism and breast cancer susceptibility in an Iranian population. Medical Oncology, 2014, 31, 111. | 2.5 | 9 |
| 57 | Association between CCNE1 polymorphisms and the risk of breast cancer in a sample of southeast Iranian population. Medical Oncology, 2014, 31, 189. | 2.5 | 11 |
| 58 | A 40-bp insertion/deletion polymorphism of Murine Double Minute2 (MDM2) increased the risk of breast cancer in Zahedan, Southeast Iran. Iranian Biomedical Journal, 2014, 18, 245-9. | 0.7 | 14 |
| 59 | The Positive Role Of Structured Group Therapy On Post-Traumatic Growth Of Positive Psychological Components (PTG) In Women With Breast Cancer. Biomedical and Pharmacology Journal, 2014, 7, 535-548. | 0.5 | 1 |
| 60 | Association of Adiponectin rs1501299 and rs266729 Gene Polymorphisms With Nonalcoholic Fatty Liver Disease. Hepatitis Monthly, 2013, 13, e9527. | 0.2 | 67 |
| 61 | Association between HLA-G 3'UTR 14-bp ins/del polymorphism and susceptibility to breast cancer. Cancer Biomarkers, 2013, 13, 253-259. | 1.7 | 40 |
| 62 | Functional Polymorphisms of FAS and FASL Gene and Risk of Breast Cancer – Pilot Study of 134 Cases. PLoS ONE, 2013, 8, e53075. | 2.5 | 73 |
| 63 | Bi-directional PCR allele-specific amplification (bi-PASA) for detection of caspase-8 â^3652 6N ins/del promoter polymorphism (rs3834129) in breast cancer. Gene, 2012, 505, 176-179. | 2.2 | 38 |
| 64 | Association of Genetic Polymorphisms of Glutathione-S-Transferase Genes (<i>GSTT1</i> , <i>GSTM1</i> ,) Tj ETG DNA and Cell Biology, 2012, 31, 672-677. | Qq0 0 0 rg 1.9 | BT /Overlock 44 |
| 65 | Association between polymorphisms of glutathione $\langle i \rangle S \cdot \langle i \rangle$ transferase genes ($\langle i \rangle GSTM1 \cdot \langle i \rangle GSTP1 \cdot \langle i \rangle$ and breast cancer risk in a sample Iranian population. Biomarkers in Medicine, 2012, 6, 797-803. | 1.4 | 45 |
| 66 | Evaluation of UDP-glucuronosyltransferase 2B17 (UGT2B17) and dihydrofolate reductase (DHFR) genes deletion and the expression level of NGX6 mRNA in breast cancer. Molecular Biology Reports, 2012, 39, 10531-10539. | 2.3 | 32 |
| 67 | S100A8/9 induces cell death via a novel, RAGE-independent pathway that involves selective release of Smac/DIABLO and Omi/HtrA2. Biochimica Et Biophysica Acta - Molecular Cell Research, 2008, 1783, 297-311. | 4.1 | 108 |
| 68 | Mechanism of apoptosis induced by S100A8/A9 in colon cancer cell lines: the role of ROS and the effect of metal ions. Journal of Leukocyte Biology, 2004, 76, 169-175. | 3.3 | 134 |