Barbara Stenni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9551122/publications.pdf

Version: 2024-02-01

169

all docs

106 11,788 44
papers citations h-index

29081

104

#	Article	IF	CITATIONS
1	Isotopic Characterization of Italian Industrial Hemp (Cannabis sativa L.) Intended for Food Use: A First Exploratory Study. Separations, 2022, 9, 136.	1.1	7
2	Spatial distribution and interannual trends of \hat{l} 180, \hat{l} 2H, and deuterium excess in precipitation across North-Eastern Italy. Journal of Hydrology, 2021, 598, 125749.	2.3	7
3	First discrete iron(II) records from Dome C (Antarctica) and the Holtedahlfonna glacier (Svalbard). Chemosphere, 2021, 267, 129335.	4.2	6
4	Two-dimensional impurity imaging in deep Antarctic ice cores: snapshots of three climatic periods and implications for high-resolution signal interpretation. Cryosphere, 2021, 15, 3523-3538.	1.5	6
5	An extension of the TALDICE ice core age scale reaching back to MIS 10.1. Quaternary Science Reviews, 2021, 266, 107078.	1.4	10
6	Water Isotopic Signature of Surface Snow Metamorphism in Antarctica. Geophysical Research Letters, 2021, 48, e2021GL093382.	1.5	11
7	Dating of the GV7 East Antarctic ice core by high-resolution chemical records and focus on the accumulation rate variability in the last millennium. Climate of the Past, 2021, 17, 2073-2089.	1.3	3
8	Interglacial Antarctic–Southern Ocean climate decoupling due to moisture source area shifts. Nature Geoscience, 2021, 14, 918-923.	5.4	12
9	Long-term climate evolution based on ice core records. , 2020, , 3-25.		O
10	A global database of Holocene paleotemperature records. Scientific Data, 2020, 7, 115.	2.4	112
11	Volcanic Fluxes Over the Last Millennium as Recorded in the Gv7 Ice Core (Northern Victoria Land,) Tj ETQq1 1 C).784314 r 1.0	rgBJ /Overlack
12	Grapevine water relations and rooting depth in karstic soils. Science of the Total Environment, 2019, 692, 669-675.	3.9	12
13	Oxygen and hydrogen isotopic composition of waters in a past-mining area of southern Apuan Alps (Italy): Hydrogeological characterization and implications on the fate of potentially toxic elements. Journal of Geochemical Exploration, 2019, 205, 106338.	1.5	9
14	Tree-ring \hat{l} (sup>18 (sup>0 from an Alpine catchment reveals changes in glacier stream water inputs between 1980 and 2010. Arctic, Antarctic, and Alpine Research, 2019, 51, 250-264.	0.4	4
15	Assessing the robustness of Antarctic temperature reconstructions over the past 2Âmillennia using pseudoproxy and data assimilation experiments. Climate of the Past, 2019, 15, 661-684.	1.3	21
16	Influence of Summer Sublimation on \hat{I} 'D, \hat{I} ' ¹⁸ 0, and \hat{I} ' ¹⁷ 0 in Precipitation, East Antarctica, and Implications for Climate Reconstruction From Ice Cores. Journal of Geophysical Research D: Atmospheres, 2019, 124, 7339-7358.	1.2	20
17	The atmospheric water cycle of a coastal lagoon: An isotope study of the interactions between water vapor, precipitation and surface waters. Journal of Hydrology, 2019, 572, 630-644.	2.3	18
18	Unveiling the anatomy of Termination 3 using water and air isotopes in the Dome C ice core, East Antarctica. Quaternary Science Reviews, 2019, 211, 156-165.	1.4	5

#	Article	IF	CITATIONS
19	Characterization of water chemistry in some communities of the Lower Tano river basin, Ghana, West Africa. Arabian Journal of Geosciences, 2019, 12, 1.	0.6	3
20	Synoptic to mesoscale processes affecting the water vapor isotopic daily cycle over a coastal lagoon. Atmospheric Environment, 2019, 197, 118-130.	1.9	4
21	OUP accepted manuscript., 2019, 7, coz012.		10
22	Archival processes of the water stable isotope signal in East Antarctic ice cores. Cryosphere, 2018, 12, 1745-1766.	1.5	48
23	Abrupt ice-age shifts in southern westerly winds and Antarctic climate forced from the north. Nature, 2018, 563, 681-685.	13.7	108
24	Regionalization of the Atmospheric Dust Cycle on the Periphery of the East Antarctic Ice Sheet Since the Last Glacial Maximum. Geochemistry, Geophysics, Geosystems, 2018, 19, 3540-3554.	1.0	14
25	Vineyard water relations in a karstic area: deep roots and irrigation management. Agriculture, Ecosystems and Environment, 2018, 263, 53-59.	2.5	22
26	Water Masses in the Eastern Mediterranean Sea: An Analysis of Measured Isotopic Oxygen. Pure and Applied Geophysics, 2018, 175, 4047-4064.	0.8	4
27	Larix decidua δ180 tree-ring cellulose mainly reflects the isotopic signature of winter snow in a high-altitude glacial valley of the European Alps. Science of the Total Environment, 2017, 579, 230-237.	3.9	21
28	Prominent features in isotopic, chemical and dust stratigraphies from coastal East Antarctic ice sheet (Eastern Wilkes Land). Chemosphere, 2017, 176, 273-287.	4.2	24
29	Sea salt sodium record from Talos Dome (East Antarctica) as a potential proxy of the Antarctic past sea ice extent. Chemosphere, 2017, 177, 266-274.	4.2	11
30	Holocene sea ice variability driven by wind and polynya efficiency in the Ross Sea. Nature Communications, 2017, 8, 1334.	5.8	67
31	Isotopic features of precipitation and groundwater from the Eastern Alps of Italy: results from the Mt. Tinisa hydrogeological system. Environmental Earth Sciences, 2017, 76, 1.	1.3	9
32	The influence of the synoptic regime on stable water isotopes in precipitation at DomeÂC, East Antarctica. Cryosphere, 2017, 11, 2345-2361.	1.5	12
33	Antarctic climate variability on regional and continental scales over the last 2000Âyears. Climate of the Past, 2017, 13, 1609-1634.	1.3	145
34	Experimental observation of transient & amp;lt;i>l <lsup>O interaction between snow and advective airflow under various temperature gradient conditions. Cryosphere, 2017, 11, 1733-1743.</lsup>	1.5	22
35	Regional Antarctic snow accumulation over the past 1000 years. Climate of the Past, 2017, 13, 1491-1513.	1.3	124
36	Three-year monitoring of stable isotopes of precipitation at Concordia Station, East Antarctica. Cryosphere, 2016, 10, 2415-2428.	1.5	62

#	Article	IF	CITATIONS
37	Climate dependent contrast in surface mass balance in East Antarctica over the past 216 ka. Journal of Glaciology, 2016, 62, 1037-1048.	1.1	8
38	Age of the Mt.ÂOrtles ice cores, the Tyrolean Iceman and glaciation of the highest summit of South Tyrol since the Northern Hemisphere Climatic Optimum. Cryosphere, 2016, 10, 2779-2797.	1.5	43
39	Acquisition of isotopic composition for surface snow in East Antarctica and the links to climatic parameters. Cryosphere, 2016, 10, 837-852.	1.5	56
40	Assessing recent trends in high-latitude Southern Hemisphere surface climate. Nature Climate Change, 2016, 6, 917-926.	8.1	253
41	Precipitation and synoptic regime in two extreme years 2009 and 2010 at Dome C, Antarctica – implications for ice core interpretation. Atmospheric Chemistry and Physics, 2016, 16, 4757-4770.	1.9	26
42	A new Eemian record of Antarctic tephra layers retrieved from the Talos Dome ice core (Northern) Tj ETQq0 0 0 0	gBT /Over	lock 10 Tf 50
43	Rooting depth, water relations and nonâ€structural carbohydrate dynamics in three woody angiosperms differentially affected by an extreme summer drought. Plant, Cell and Environment, 2016, 39, 618-627.	2.8	126
44	Retrieving the paleoclimatic signal from the deeper part of the EPICA Dome C ice core. Cryosphere, 2015, 9, 1633-1648.	1.5	32
45	The global distribution of natural tritium in precipitation simulated with an Atmospheric General Circulation Model and comparison with observations. Earth and Planetary Science Letters, 2015, 427, 160-170.	1.8	51
46	A review of the bipolar see–saw from synchronized and high resolution ice core water stable isotope records from Greenland and East Antarctica. Quaternary Science Reviews, 2015, 114, 18-32.	1.4	63
47	What controls the isotopic composition of Greenland surface snow?. Climate of the Past, 2014, 10, 377-392.	1.3	121
48	Climate variability features of the last interglacial in the East Antarctic EPICA Dome C ice core. Geophysical Research Letters, 2014, 41, 4004-4012.	1.5	23
49	Temperature trends during the Present and Last Interglacial periods – a multi-model-data comparison. Quaternary Science Reviews, 2014, 99, 224-243.	1.4	48
50	Identification of the Palaeocene–Eocene Boundary Based on Larger Foraminifers in Deposits of the Palaeogene Adriatic Carbonate Platform, Southwestern Slovenia. Springer Geology, 2014, , 89-93.	0.2	7
51	Continental-scale temperature variability during the past two millennia. Nature Geoscience, 2013, 6, 339-346.	5.4	954
52	Continuous monitoring of summer surface water vapor isotopic composition above the Greenland Ice Sheet. Atmospheric Chemistry and Physics, 2013, 13, 4815-4828.	1.9	155
53	Estimation of soil water evaporative loss after tillage operation using the stable isotope technique. International Agrophysics, 2013, 27, 257-264.	0.7	19
54	Using data assimilation to investigate the causes of Southern Hemisphere high latitude cooling from 10 to 8 ka BP. Climate of the Past, 2013, 9, 887-901.	1.3	33

#	Article	IF	Citations
55	Antarctic temperature changes during the last millennium: evaluation of simulations and reconstructions. Quaternary Science Reviews, 2012, 55, 75-90.	1.4	27
56	Regional imprints of millennial variability during the MIS 3 period around Antarctica. Quaternary Science Reviews, 2012, 48, 99-112.	1.4	40
57	A 16,000-yr tephra framework for the Antarctic ice sheet: a contribution from the new Talos Dome core. Quaternary Science Reviews, 2012, 49, 52-63.	1.4	51
58	Technical Note: Evaluation of between-sample memory effects in the analysis of Î ² H and Î ¹⁸ O of water samples measured by laser spectroscopes. Hydrology and Earth System Sciences, 2012, 16, 3925-3933.	1.9	78
59	Interpreting last glacial to Holocene dust changes at Talos Dome (East Antarctica): implications for atmospheric variations from regional to hemispheric scales. Climate of the Past, 2012, 8, 741-750.	1.3	50
60	Volcanic synchronisation of the EPICA-DC and TALDICE ice cores for the last 42 kyr BP. Climate of the Past, 2012, 8, 509-517.	1.3	51
61	Ranges of moisture-source temperature estimated from Antarctic ice cores stable isotope records over glacial–interglacial cycles. Climate of the Past, 2012, 8, 1109-1125.	1.3	98
62	Deglaciation records of & Deglaciation records of amp; It; sup& Deglaciation records of amp; It; sup& Deglaciation of oceanic normalized relative humidity from coastal sites. Climate of the Past, 2012, 8, 1-16.	1.3	80
63	Nitrate in Polar Ice: A New Tracer of Solar Variability. Solar Physics, 2012, 280, 237-254.	1.0	47
64	Geochemical features and effects on deep-seated fluids during the May-June 2012 southern Po Valley seismic sequence. Annals of Geophysics, 2012, 55, .	0.5	2
65	TALDICE-1 age scale of the Talos Dome deep ice core, East Antarctica. Climate of the Past, 2011, 7, 1-16.	1.3	93
66	Links between MIS 11 millennial to sub-millennial climate variability and long term trends as revealed by new high resolution EPICA Dome C deuterium data – A comparison with the Holocene. Climate of the Past, 2011, 7, 437-450.	1.3	30
67	A comparison of the present and last interglacial periods in six Antarctic ice cores. Climate of the Past, 2011, 7, 397-423.	1.3	131
68	Expression of the bipolar see-saw in Antarctic climate records during the last deglaciation. Nature Geoscience, 2011, 4, 46-49.	5.4	212
69	Isotopic composition and thermal regime of ice wedges in northern Victoria Land, East Antarctica. Permafrost and Periglacial Processes, 2011, 22, 65-83.	1.5	27
70	Radiocarbon ages of pedogenic carbonate nodules from Coimbatore region, Tamil Nadu. Journal of the Geological Society of India, 2010, 75, 791-798.	0.5	13
71	On the reproducibility and repeatability of laser absorption spectroscopy measurements for Î ² H and Î ¹⁸ O isotopic analysis. Hydrology and Earth System Sciences, 2010, 14, 1551-1566.	1.9	116
72	Millennial and sub-millennial scale climatic variations recorded in polar ice cores over the last glacial period. Climate of the Past, 2010, 6, 345-365.	1.3	143

#	Article	IF	Citations
73	Abrupt change of Antarctic moisture origin at the end of Termination II. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 12091-12094.	3.3	71
74	New MIS 19 EPICA Dome C high resolution deuterium data: Hints for a problematic preservation of climate variability at sub-millennial scale in the "oldest ice― Earth and Planetary Science Letters, 2010, 298, 95-103.	1.8	60
75	EPICA Dome C record of glacial and interglacial intensities. Quaternary Science Reviews, 2010, 29, 113-128.	1.4	202
76	The deuterium excess records of EPICA Dome C and Dronning Maud Land ice cores (East Antarctica). Quaternary Science Reviews, 2010, 29, 146-159.	1.4	195
77	The dynamics of central Main Ethiopian Rift waters: Evidence from Î'D, Î'180 and 87Sr/86Sr ratios. Applied Geochemistry, 2010, 25, 1860-1871.	1.4	25
78	A stable isotope study of the Garda lake, northern Italy: Its hydrological balance. Journal of Hydrology, 2008, 360, 103-116.	2.3	37
79	Siderophile metal fallout to Greenland from the 1991 winter eruption of Hekla (Iceland) and during the global atmospheric perturbation of Pinatubo. Chemical Geology, 2008, 255, 78-86.	1.4	25
80	A Review of Antarctic Surface Snow Isotopic Composition: Observations, Atmospheric Circulation, and Isotopic Modeling*. Journal of Climate, 2008, 21, 3359-3387.	1.2	344
81	Peritidal sedimentary depositional facies and carbon isotope variation across K/T boundary carbonates from NW Adriatic platform. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 255, 77-86.	1.0	18
82	An oxygen isotope record from the Foscagno rock-glacier ice core, Upper Valtellina, Italian Central Alps. Holocene, 2007, 17, 1033-1039.	0.9	15
83	Orbital and Millennial Antarctic Climate Variability over the Past 800,000 Years. Science, 2007, 317, 793-796.	6.0	1,880
84	Past temperature reconstructions from deep ice cores: relevance for future climate change. Climate of the Past, 2006, 2, 145-165.	1.3	95
85	One-to-one coupling of glacial climate variability in Greenland and Antarctica. Nature, 2006, 444, 195-198.	13.7	1,111
86	Rapid climate variability during warm and cold periods in polar regions and Europe. Comptes Rendus - Geoscience, 2005, 337, 935-946.	0.4	13
87	Common millennial-scale variability of Antarctic and Southern Ocean temperatures during the past 5000 years reconstructed from the EPICA Dome C ice core. Holocene, 2004, 14, 145-151.	0.9	84
88	Eight glacial cycles from an Antarctic ice core. Nature, 2004, 429, 623-628.	13.7	2,015
89	A late medieval warm period in the Southern Ocean as a delayed response to external forcing?. Geophysical Research Letters, 2004, 31, n/a-n/a.	1.5	54
90	Stratigraphic correlations between the European Project for Ice Coring in Antarctica (EPICA) Dome C and Vostok ice cores showing the relative variations of snow accumulation over the past 45 kyr. Journal of Geophysical Research, 2004, 109, .	3.3	43

#	Article	IF	Citations
91	A late-glacial high-resolution site and source temperature record derived from the EPICA Dome C isotope records (East Antarctica). Earth and Planetary Science Letters, 2004, 217, 183-195.	1.8	83
92	Climate variability along latitudinal and longitudinal transects in East Antarctica. Annals of Glaciology, 2004, 39, 351-358.	2.8	47
93	Growth processes of an inland Antarctic ice wedge, Mesa Range, northern Victoria Land. Annals of Glaciology, 2004, 39, 379-385.	2.8	10
94	Chemical and isotopic snow variability in East Antarctica along the 2001/02 ITASE traverse. Annals of Glaciology, 2004, 39, 473-482.	2.8	40
95	Palaeoproductivity in the Ross Sea, Antarctica, during the last 15 kyr BP and its link with ice-core temperature proxies. Annals of Glaciology, 2004, 39, 445-451.	2.8	8
96	Chemical and isotopic snow variability along the 1998 ITASE traverse from Terra Nova Bay to Dome C, East Antarctica. Annals of Glaciology, 2002, 35, 187-194.	2.8	44
97	Eight centuries of volcanic signal and climate change at Talos Dome (East Antarctica). Journal of Geophysical Research, 2002, 107, ACL 3-1-ACL 3-13.	3.3	121
98	A new 27 ky high resolution East Antarctic climate record. Geophysical Research Letters, 2001, 28, 3199-3202.	1.5	140
99	Significant marine-ice accumulation in the ablation zone beneath an Antarctic ice shelf. Journal of Glaciology, 2001, 47, 359-368.	1.1	29
100	An Oceanic Cold Reversal During the Last Deglaciation. Science, 2001, 293, 2074-2077.	6.0	224
101	Snow accumulation rates in northern Victoria Land, Antarctica, by firn-core analysis. Journal of Glaciology, 2000, 46, 541-552.	1.1	42
102	200 years of isotope and chemical records in a firn core from Hercules Névé, northern Victoria Land, Antarctica. Annals of Glaciology, 1999, 29, 106-112.	2.8	22
103	Chemical and isotopic profiles from snow pits and shallow firn cores on Campbell Glacier, northern Victoria Land, Antarctica. Annals of Glaciology, 1998, 27, 679-684.	2.8	17
104	Oxygen isotope variations of phosphate in mammalian bone and tooth enamel. Geochimica Et Cosmochimica Acta, 1995, 59, 4299-4305.	1.6	150
105	Oxygen isotopic composition of fossil equid tooth and bone phosphate: an archive of difficult interpretation. Palaeogeography, Palaeoclimatology, Palaeoecology, 1994, 107, 317-328.	1.0	77
106	Stable isotope study of water, gypsum and carbonate samples from the Bannock and Tyro Basins, eastern Mediterranean. Marine Chemistry, 1990, 31, 123-135.	0.9	12