

Marc Anglada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9553489/publications.pdf>

Version: 2024-02-01

51
papers

1,487
citations

218677
26
h-index

330143
37
g-index

58
all docs

58
docs citations

58
times ranked

1672
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-temperature degradation increases the cyclic fatigue resistance of 3Y-TZP in bending. Dental Materials, 2020, 36, 1086-1095.	3.5	15
2	Strength and fracture toughness of zirconia dental ceramics. Dental Materials, 2018, 34, 365-375.	3.5	78
3	Effect of calcia co-doping on ceria-stabilized zirconia. Journal of the European Ceramic Society, 2018, 38, 2621-2631.	5.7	33
4	Human primary osteoblast behaviour on microrough zirconia-toughened alumina and on selectively etched microrough zirconia-toughened alumina. Journal of the European Ceramic Society, 2018, 38, 927-937.	5.7	14
5	Impact of sandblasting on the mechanical properties and aging resistance of alumina and zirconia based ceramics. Journal of the European Ceramic Society, 2018, 38, 915-925.	5.7	31
6	Femtosecond laser multi-patterning of zirconia for screening of cell-surface interactions. Journal of the European Ceramic Society, 2018, 38, 939-948.	5.7	38
7	Evaluation of damage in front of starting notches induced by ultra-short pulsed laser ablation for the determination of fracture toughness in zirconia. Journal of the European Ceramic Society, 2017, 37, 5127-5131.	5.7	13
8	A parametric study of laser interference surface patterning of dental zirconia: Effects of laser parameters on topography and surface quality. Dental Materials, 2017, 33, e28-e38.	3.5	46
9	Selective etching of injection molded zirconia-toughened alumina: Towards osseointegrated and antibacterial ceramic implants. Acta Biomaterialia, 2016, 46, 308-322.	8.3	35
10	Surface microstructural changes of spark plasma sintered zirconia after grinding and annealing. Ceramics International, 2016, 42, 15610-15617.	4.8	6
11	Roughness gradients on zirconia for rapid screening of cell-surface interactions: Fabrication, characterization and application. Journal of Biomedical Materials Research - Part A, 2016, 104, 2502-2514.	4.0	15
12	Size and plasticity effects in zirconia micropillars compression. Acta Materialia, 2016, 103, 882-892.	7.9	44
13	Material removal mechanisms by EDM of zirconia reinforced MWCNT nanocomposites. Ceramics International, 2016, 42, 5792-5801.	4.8	32
14	The influence of unshielded small cracks in the fracture toughness of yttria and of ceria stabilised zirconia. Journal of the European Ceramic Society, 2016, 36, 147-153.	5.7	21
15	Hydrofluoric acid etching of dental zirconia. Part 2: effect on flexural strength and ageing behavior. Journal of the European Ceramic Society, 2016, 36, 135-145.	5.7	26
16	Hydrofluoric acid etching of dental zirconia. Part 1: etching mechanism and surface characterization. Journal of the European Ceramic Society, 2016, 36, 121-134.	5.7	37
17	Assessment in Si3N4 of a new method for determining the fracture toughness from a surface notch micro-machined by ultra-short pulsed laser ablation. Journal of the European Ceramic Society, 2015, 35, 1737-1741.	5.7	30
18	Osseointegration improvement by plasma electrolytic oxidation of modified titanium alloys surfaces. Journal of Materials Science: Materials in Medicine, 2015, 26, 72.	3.6	48

#	ARTICLE	IF	CITATIONS
19	Enhanced reliability of yttria-stabilized zirconia for dental applications. Acta Biomaterialia, 2015, 17, 36-46.	8.3	48
20	Processing, nanoindentation and scratch testing of alumina-coated YTZP. Boletin De La Sociedad Espanola De Ceramica Y Vidrio, 2015, 54, 133-141.	1.9	4
21	Surface roughened zirconia: towards hydrothermal stability. Journal of the Mechanical Behavior of Biomedical Materials, 2015, 47, 95-106.	3.1	19
22	Micropillar compression inside zirconia degraded layer. Journal of the European Ceramic Society, 2015, 35, 4051-4058.	5.7	9
23	Coefficient of friction and wear resistance of zirconia-MWCNTs composites. Ceramics International, 2015, 41, 459-468.	4.8	32
24	Nanoindentation and fracture toughness of nanostructured zirconia/multi-walled carbon nanotube composites. Ceramics International, 2015, 41, 2453-2461.	4.8	37
25	Resistance to Contact Deformation and Damage of Hard Ceramics. , 2014, , 367-383.		1
26	Fatigue of Cemented Carbides. , 2014, , 345-362.		4
27	Effect of sandblasting and residual stress on strength of zirconia for restorative dentistry applications. Journal of the Mechanical Behavior of Biomedical Materials, 2014, 29, 126-137.	3.1	100
28	Small-scale mechanical behavior of zirconia. Acta Materialia, 2014, 80, 239-249.	7.9	28
29	Fracture toughness of zirconia from a shallow notch produced by ultra-short pulsed laser ablation. Journal of the European Ceramic Society, 2014, 34, 3865-3870.	5.7	51
30	Phase transformation and subsurface damage in 3Y-TZP after sandblasting. Dental Materials, 2013, 29, 566-572.	3.5	122
31	Tomography of indentation cracks in feldspathic dental porcelain on zirconia. Dental Materials, 2013, 29, 348-356.	3.5	17
32	Processing and characterization of high-density zirconia-carbon nanotube composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 549, 50-59.	5.6	30
33	Effect of heat treatment on wear damage mechanisms in 3Y-TZP ceramics. Wear, 2010, 269, 26-30.	3.1	14
34	Stability of Nanocrystalline Spark Plasma Sintered 3Y-TZP. Materials, 2010, 3, 800-814.	2.9	29
35	Mechanical characterization of nano-reinforced silica based sol-gel hybrid coatings on AISI 316L stainless steel using nanoindentation techniques. Surface and Coatings Technology, 2009, 203, 3325-3331.	4.8	67
36	Strength and grinding residual stresses of Y-TZP with duplex microstructures. Engineering Failure Analysis, 2009, 16, 2586-2597.	4.0	14

#	ARTICLE	IF	CITATIONS
37	Contact strength of ceramic laminates. Composites Science and Technology, 2008, 68, 209-214.	7.8	10
38	Fatigue Behavior of Alumina/Zirconia Multilayered Ceramics. Journal of the American Ceramic Society, 2008, 91, 1618-1625.	3.8	31
39	Mechanical properties and thermal shock behaviour of an alumina/zirconia functionally graded material prepared by electrophoretic deposition. Journal of the European Ceramic Society, 2007, 27, 1365-1371.	5.7	36
40	Surface Phase Transformation During Grinding of Y-TZP. Journal of the American Ceramic Society, 2007, 90, 2618-2621.	3.8	31
41	Fracture behaviour of thermal barrier coatings after high temperature exposure in air. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 397, 209-214.	5.6	13
42	Thermal Shock Behavior of an $\text{Al}_{2.5}\text{O}_{3.5}/\text{ZrO}_{2.5}$ Multilayered Ceramic with Residual Stresses due to Phase Transformations. Key Engineering Materials, 2005, 290, 191-198.	0.4	24
43	Surface Integrity Effects on the Fracture Resistance of Electrical Discharge Machined WC-Co Cemented Carbides. Journal of the American Ceramic Society, 2004, 87, 1687-1693.	3.8	27
44	Fracture toughness and mechanical strength of Y-TZP/PSZ ceramics. Scripta Materialia, 2001, 45, 213-220.	5.2	57
45	Fatigue Crack Growth Behavior in Mullite/Alumina Functionally Graded Ceramics. Journal of the American Ceramic Society, 1998, 81, 1502-1508.	3.8	27
46	Fatigue and Static Crack Propagation in Yttria-Stabilized Tetragonal Zirconia Polycrystals: Crack Growth Micromechanisms and Precracking Effects. Journal of the American Ceramic Society, 1997, 80, 2759-2772.	3.8	25
47	Fracture of Layered Ceramics. Key Engineering Materials, 0, 409, 94-106.	0.4	10
48	Influence of the Martensitic Transformation on the Fatigue Life of Austenitic Stainless Steels. Key Engineering Materials, 0, 423, 99-104.	0.4	0
49	Effect of Low Temperature Degradation on Scratch Behaviour of 3Y-TZP. Key Engineering Materials, 0, 409, 322-325.	0.4	1
50	Sliding Wear Behavior of a Duplex Stainless Steel. Key Engineering Materials, 0, 423, 125-130.	0.4	5
51	Thermal Shock Behavior of an $\text{Al}_{2.5}\text{O}_{3.5}/\text{ZrO}_{2.5}$ Multilayered Ceramic with Residual Stresses due to Phase Transformations. Key Engineering Materials, 0, , 191-198.	0.4	2