

# Nebojša Mujović

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9554824/publications.pdf>

Version: 2024-02-01

35  
papers

555  
citations

759233

12  
h-index

642732

23  
g-index

35  
all docs

35  
docs citations

35  
times ranked

1115  
citing authors

#	ARTICLE	IF	CITATIONS
1	Catheter Ablation of Atrial Fibrillation: An Overview for Clinicians. <i>Advances in Therapy</i> , 2017, 34, 1897-1917.	2.9	102
2	Prediction of very late arrhythmia recurrence after radiofrequency catheter ablation of atrial fibrillation: The MB-LATER clinical score. <i>Scientific Reports</i> , 2017, 7, 40828.	3.3	71
3	Revisiting the effects of omitting aspirin in combined antithrombotic therapies for atrial fibrillation and acute coronary syndromes or percutaneous coronary interventions: meta-analysis of pooled data from the PIONEER AF-PCI, RE-DUAL PCI, and AUGUSTUS trials. <i>Europace</i> , 2020, 22, 33-46.	1.7	54
4	The role of amiodarone in contemporary management of complex cardiac arrhythmias. <i>Pharmacological Research</i> , 2020, 151, 104521.	7.1	50
5	Optimizing Stroke and Bleeding Risk Assessment in Patients with Atrial Fibrillation: A Balance of Evidence, Practicality and Precision. <i>Thrombosis and Haemostasis</i> , 2018, 118, 2014-2017.	3.4	39
6	Preoperative pulmonary rehabilitation in patients with non-small cell lung cancer and chronic obstructive pulmonary disease. <i>Archives of Medical Science</i> , 2014, 1, 68-75.	0.9	36
7	N-terminal pro-brain natriuretic peptide is related with coronary flow velocity reserve and diastolic dysfunction in patients with asymmetric hypertrophic cardiomyopathy. <i>Journal of Cardiology</i> , 2017, 70, 323-328.	1.9	25
8	Management and Outcome of Periprocedural Cardiac Perforation and Tamponade with Radiofrequency Catheter Ablation of Cardiac Arrhythmias: A Single Medium-Volume Center Experience. <i>Advances in Therapy</i> , 2016, 33, 1782-1796.	2.9	23
9	The relationship of early recurrence of atrial fibrillation and the 3-month integrity of the ablation lesion set. <i>Scientific Reports</i> , 2018, 8, 9875.	3.3	19
10	Validation of the MB-LATER score for prediction of late recurrence after catheter-ablation of atrial fibrillation. <i>International Journal of Cardiology</i> , 2019, 276, 130-135.	1.7	18
11	Self-reported treatment burden in patients with atrial fibrillation: quantification, major determinants, and implications for integrated holistic management of the arrhythmia. <i>Europace</i> , 2020, 22, 1788-1797.	1.7	18
12	Influence of Pulmonary Rehabilitation on Lung Function Changes After the Lung Resection for Primary Lung Cancer in Patients with Chronic Obstructive Pulmonary Disease. , 2015, 6, 466.		17
13	Decision-Making in Clinical Practice: Oral Anticoagulant Therapy in Patients with Non-valvular Atrial Fibrillation and a Single Additional Stroke Risk Factor. <i>Advances in Therapy</i> , 2017, 34, 357-377.	2.9	14
14	Persistency of left atrial linear lesions after radiofrequency catheter ablation for atrial fibrillation: Data from an invasive follow-up electrophysiology study. <i>Journal of Cardiovascular Electrophysiology</i> , 2017, 28, 1403-1414.	1.7	13
15	Catheter Ablation of Lone Atrial Fibrillation. <i>Current Pharmaceutical Design</i> , 2014, 21, 591-612.	1.9	13
16	A square root pattern of changes in heart rate variability during the first year after circumferential pulmonary vein isolation for paroxysmal atrial fibrillation and their relation with long-term arrhythmia recurrence. <i>Kardiologia Polska</i> , 2020, 78, 209-218.	0.6	10
17	Irrigated-tip vs conventional-tip catheters for primary ablation of posteroseptal and right free-wall accessory pathways: a prospective randomized study. <i>Acta Cardiologica</i> , 2011, 66, 613-618.	0.9	5
18	Predicting recurrent atrial fibrillation after catheter ablation. <i>Europace</i> , 2018, 20, f460-f461.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Risk factor modification for the primary and secondary prevention of atrial fibrillation. Part 1. <i>Kardiologia Polska</i> , 2020, 78, 181-191.	0.6	5
20	Challenges in stroke prevention among very elderly patients with atrial fibrillation: discerning facts from prejudices. <i>Europace</i> , 2020, 22, 173-176.	1.7	4
21	Focal Myocarditis after Mild COVID-19 Infection in Athletes. <i>Diagnostics</i> , 2021, 11, 1519.	2.6	3
22	The occurrence of new arrhythmias after catheter-ablation of accessory pathway: Delayed arrhythmic side-effect of curative radiofrequency lesion?. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2011, 139, 458-464.	0.2	3
23	Risk factor modification for the primary and secondary prevention of atrial fibrillation. Part 2. <i>Kardiologia Polska</i> , 2020, 78, 192-202.	0.6	3
24	Meeting the unmet needs to improve management and outcomes of patients with atrial fibrillation: fitting global solutions to local settings. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 574-576.	0.4	2
25	The Appearance of Ventricular Preexcitation during Exercise Testing Reproduced by Dobutamine Administration. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2010, 33, 766-769.	1.2	1
26	Predicting incident atrial fibrillation in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2018, 269, 194-195.	1.7	1
27	Antithrombotic therapy in patients with atrial fibrillation and acute coronary syndrome and / or undergoing percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2020, 78, 512-519.	0.6	1
28	Optimizing bleeding risk assessment in patients with atrial fibrillation: To score or not to score?. <i>International Journal of Cardiology</i> , 2018, 254, 164-166.	1.7	0
29	Monitoring and follow-up after atrial fibrillation ablation. , 2020, , 521-531.		0
30	Antithrombotic therapy: less is more or the more the better?ÄAuthorsÄ™ reply. <i>Europace</i> , 2020, 22, 1143-1143.	1.7	0
31	Left atrial appendage closure with Watchman device in prevention of thromboembolic complications in patients with atrial fibrillation: First experience in Serbia. <i>Vojnosanitetski Pregled</i> , 2017, 74, 378-385.	0.2	0
32	Mineralocorticoid receptor antagonists and prevention of atrial fibrillation in patients with hypertension. Authors' reply. <i>Kardiologia Polska</i> , 2020, 78, 610-611.	0.6	0
33	Interatrial conduction time is early marker of disturbed impulse propagation in adults with slightly elevated blood pressure. <i>Vojnosanitetski Pregled</i> , 2020, 77, 569-574.	0.2	0
34	Anxiety and Comorbidities Differences in Adults with Chronic Pulmonary Diseases: Serbian Single Center Experience. <i>Medicina (Lithuania)</i> , 2022, 58, 392.	2.0	0
35	Irrigated-tip vs. conventional-tip catheters for primary ablation of posteroseptal and right free-wall accessory pathways: a prospective randomized study. <i>Acta Cardiologica</i> , 2011, 66, 613-8.	0.9	0