

Mary L Phillips

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9554830/publications.pdf>

Version: 2024-02-01

150
papers

13,124
citations

66250

44
h-index

27587

110
g-index

155
all docs

155
docs citations

155
times ranked

14796
citing authors

#	ARTICLE	IF	CITATIONS
1	A Novel Insular/Orbital-Prelimbic Circuit That Prevents Persistent Avoidance in a Rodent Model of Compulsive Behavior. <i>Biological Psychiatry</i> , 2023, 93, 1000-1009.	0.7	4
2	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 56-82.	1.9	67
3	PFC neuromodulation with theta burst stimulation to impact behavior and neural network activity in schizophrenia and bipolar disorder. <i>Neuropsychopharmacology</i> , 2022, 47, 375-376.	2.8	3
4	Intrinsic Functional Connectomes Characterize Neuroticism in Major Depressive Disorder and Predict Antidepressant Treatment Outcomes. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 276-284.	1.1	3
5	Patterns of Pretreatment Reward Task Brain Activation Predict Individual Antidepressant Response: Key Results From the EMBARC Randomized Clinical Trial. <i>Biological Psychiatry</i> , 2022, 91, 550-560.	0.7	9
6	The Relationship Between Default Mode and Dorsal Attention Networks Is Associated With Depressive Disorder Diagnosis and the Strength of Memory Representations Acquired Prior to the Resting State Scan. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 749767.	1.0	2
7	White matter predictors of worsening of subthreshold hypomania severity in non-bipolar young adults parallel abnormalities in individuals with bipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 306, 148-156.	2.0	1
8	Resting State Functional Connectivity between Dorsal Attentional Network and Right Inferior Frontal Gyrus in Concussed and Control Adolescents. <i>Journal of Clinical Medicine</i> , 2022, 11, 2293.	1.0	3
9	Reduced frontostriatal response to expected value and reward prediction error in remitted monozygotic twins with mood disorders and their unaffected high-risk co-twins. <i>Psychological Medicine</i> , 2021, 51, 1637-1646.	2.7	9
10	Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. <i>Psychological Medicine</i> , 2021, 51, 1201-1210.	2.7	15
11	Dorsolateral Prefrontal Cortex and Subcallosal Cingulate Connectivity Show Preferential Antidepressant Response in Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 20-28.	1.1	6
12	White Matter Correlates of Suicidality in Adults With Bipolar Disorder Who Have Been Prospectively Characterized Since Childhood. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 107-116.	1.1	3
13	Depression and anxiety mediate the relationship between frontotemporal white matter integrity and quality of life in distressed young adults. <i>Journal of Psychiatric Research</i> , 2021, 132, 55-59.	1.5	14
14	Trauma Affects Prospective Relationships Between Reward-Related Ventral Striatal and Amygdala Activation and 1-Year Future Hypo/Mania Trajectories. <i>Biological Psychiatry</i> , 2021, 89, 868-877.	0.7	10
15	A specific neural substrate predicting current and future impulsivity in young adults. <i>Molecular Psychiatry</i> , 2021, 26, 4919-4930.	4.1	3
16	Neural function during emotion regulation and future depressive symptoms in youth at risk for affective disorders. <i>Neuropsychopharmacology</i> , 2021, 46, 1340-1347.	2.8	6
17	White matter abnormalities in adults with bipolar disorder type-II and unipolar depression. <i>Scientific Reports</i> , 2021, 11, 7541.	1.6	10
18	Examining and Modulating Neural Circuits in Psychiatric Disorders With Transcranial Magnetic Stimulation and Electroencephalography: Present Practices and Future Developments. <i>American Journal of Psychiatry</i> , 2021, 178, 400-413.	4.0	33

#	ARTICLE	IF	CITATIONS
19	White Matter Abnormalities Associated With Prolonged Recovery in Adolescents Following Concussion. <i>Frontiers in Neurology</i> , 2021, 12, 681467.	1.1	7
20	Differentiating white matter measures that protect against vs. predispose to bipolar disorder and other psychopathology in at-risk youth. <i>Neuropsychopharmacology</i> , 2021, 46, 2207-2216.	2.8	1
21	Three Important Considerations for Studies Examining Pathophysiological Pathways in Psychiatric Illness. <i>JAMA Psychiatry</i> , 2021, 78, 697.	6.0	8
22	Patterns of Infant Amygdala Connectivity Mediate the Impact of High Caregiver Affect on Reducing Infant Smiling: Discovery and Replication. <i>Biological Psychiatry</i> , 2021, 90, 342-352.	0.7	13
23	Trait sensation seeking is associated with heightened beta-band oscillatory dynamics over left ventrolateral prefrontal cortex during reward expectancy. <i>Journal of Affective Disorders</i> , 2021, 292, 67-74.	2.0	6
24	Informing the study of suicidal thoughts and behaviors in distressed young adults: The use of a machine learning approach to identify neuroimaging, psychiatric, behavioral, and demographic correlates. <i>Psychiatry Research - Neuroimaging</i> , 2021, 317, 111386.	0.9	1
25	Discovery and replication of cerebral blood flow differences in major depressive disorder. <i>Molecular Psychiatry</i> , 2020, 25, 1500-1510.	4.1	28
26	Transcranial direct current stimulation: a roadmap for research, from mechanism of action to clinical implementation. <i>Molecular Psychiatry</i> , 2020, 25, 397-407.	4.1	134
27	Reward related ventral striatal activity and differential response to sertraline versus placebo in depressed individuals. <i>Molecular Psychiatry</i> , 2020, 25, 1526-1536.	4.1	29
28	Circuits, Networks, and Neuropsychiatric Disease: Transitioning From Anatomy to Imaging. <i>Biological Psychiatry</i> , 2020, 87, 318-327.	0.7	51
29	Assessing Relationships Among Impulsive Sensation Seeking, Reward Circuitry Activity, and Risk for Psychopathology: A Functional Magnetic Resonance Imaging Replication and Extension Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 660-668.	1.1	11
30	Functional Disruption of Cerebello-thalamo-cortical Networks in Obsessive-Compulsive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 438-447.	1.1	19
31	Neural mechanisms of persistent avoidance in OCD: A novel avoidance devaluation study. <i>NeuroImage: Clinical</i> , 2020, 28, 102404.	1.4	10
32	Prefrontal BOLD Responses Coupled to Changing Emotional Faces in Adolescents with and without a History of Suicide Attempt. <i>Journal of Medical Psychology</i> , 2020, 22, 45-54.	0.2	2
33	Mindfulness-based intervention to decrease mood lability in at-risk youth: Preliminary evidence for changes in resting state functional connectivity. <i>Journal of Affective Disorders</i> , 2020, 276, 23-29.	2.0	21
34	Emotional regulation neural circuitry abnormalities in adult bipolar disorder: dissociating effects of long-term depression history from relationships with present symptoms. <i>Translational Psychiatry</i> , 2020, 10, 374.	2.4	4
35	Transient aphasia induced by intermittent theta burst stimulation. <i>Brain Stimulation</i> , 2020, 13, 941-942.	0.7	1
36	Pretreatment Reward Sensitivity and Frontostriatal Resting-State Functional Connectivity Are Associated With Response to Bupropion After Sertraline Nonresponse. <i>Biological Psychiatry</i> , 2020, 88, 657-667.	0.7	23

#	ARTICLE	IF	CITATIONS
37	Realizing the Clinical Potential of Computational Psychiatry: Report From the Banbury Center Meeting, February 2019. <i>Biological Psychiatry</i> , 2020, 88, e5-e10.	0.7	36
38	Prefrontal cortical activation during working memory task anticipation contributes to discrimination between bipolar and unipolar depression. <i>Neuropsychopharmacology</i> , 2020, 45, 956-963.	2.8	17
39	Functional disruption in prefrontal-striatal network in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020, 300, 111081.	0.9	18
40	Functional differentiation in the human ventromedial frontal lobe: A data-driven parcellation. <i>Human Brain Mapping</i> , 2020, 41, 3266-3283.	1.9	17
41	Innovations in Clinical Neuroscience: Tools, Techniques, and Transformative Frameworks. <i>Biological Psychiatry</i> , 2020, 87, 308-311.	0.7	2
42	Limbic white matter structural integrity at 3 months prospectively predicts negative emotionality in 9-month-old infants: a preliminary study. <i>Journal of Affective Disorders</i> , 2020, 273, 538-541.	2.0	6
43	Unstable wakefulness during resting-state fMRI and its associations with network connectivity and affective psychopathology in young adults. <i>Journal of Affective Disorders</i> , 2019, 258, 125-132.	2.0	7
44	The role of the right prefrontal cortex in recognition of facial emotional expressions in depressed individuals: fNIRS study. <i>Journal of Affective Disorders</i> , 2019, 258, 151-158.	2.0	31
45	Cerebral Blood Perfusion Predicts Response to Sertraline versus Placebo for Major Depressive Disorder in the EMBARC Trial. <i>EClinicalMedicine</i> , 2019, 10, 32-41.	3.2	19
46	Anhedonia Reduction and the Association Between Left Ventral Striatal Reward Response and 6-Month Improvement in Life Satisfaction Among Young Adults. <i>JAMA Psychiatry</i> , 2019, 76, 958.	6.0	32
47	Predicting anxiety from wholebrain activity patterns to emotional faces in young adults: a machine learning approach. <i>NeuroImage: Clinical</i> , 2019, 23, 101813.	1.4	26
48	Predicting Bipolar Disorder Risk Factors in Distressed Young Adults From Patterns of Brain Activation to Reward: A Machine Learning Approach. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 726-733.	1.1	10
49	Childhood trauma history is linked to abnormal brain connectivity in major depression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8582-8590.	3.3	151
50	Neural Markers That Distinguish Bipolar Disorder From Major Depressive Disorder: Moving Closer to a Reality. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 328-330.	1.1	1
51	Baseline and follow-up activity and functional connectivity in reward neural circuitries in offspring at risk for bipolar disorder. <i>Neuropsychopharmacology</i> , 2019, 44, 1570-1578.	2.8	42
52	The impact of familial risk and early life adversity on emotion and reward processing networks in youth at-risk for bipolar disorder. <i>PLoS ONE</i> , 2019, 14, e0226135.	1.1	11
53	Longitudinal changes in brain activation during anticipation of monetary loss in bipolar disorder. <i>Psychological Medicine</i> , 2019, 49, 2781-2788.	2.7	5
54	Anxiety and anhedonia in depression: Associations with neuroticism and cognitive control. <i>Journal of Affective Disorders</i> , 2019, 245, 1070-1078.	2.0	17

#	ARTICLE	IF	CITATIONS
55	Clinical, cortical thickness and neural activity predictors of future affective lability in youth at risk for bipolar disorder: initial discovery and independent sample replication. <i>Molecular Psychiatry</i> , 2019, 24, 1856-1867.	4.1	24
56	Exploratory Study of Associations Between DNA Repair and Oxidative Stress Gene Polymorphisms and Cognitive Problems Reported by Postmenopausal Women With and Without Breast Cancer. <i>Biological Research for Nursing</i> , 2019, 21, 50-60.	1.0	4
57	Trauma-associated anterior cingulate connectivity during reward learning predicts affective and anxiety states in young adults. <i>Psychological Medicine</i> , 2019, 49, 1831-1840.	2.7	15
58	White matter "emotion processing activity relationships in youth offspring of bipolar parents. <i>Journal of Affective Disorders</i> , 2019, 243, 153-164.	2.0	13
59	Decreased functional connectivity in the fronto-parietal network in children with mood disorders compared to children with dyslexia during rest: An fMRI study. <i>NeuroImage: Clinical</i> , 2018, 18, 582-590.	1.4	6
60	Severity of anxiety moderates the association between neural circuits and maternal behaviors in the postpartum period. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2018, 18, 426-436.	1.0	19
61	Neurochemical differences between bipolar disorder type I and II in superior temporal cortices: A proton magnetic resonance spectroscopy study. <i>Journal of Affective Disorders</i> , 2018, 235, 15-19.	2.0	32
62	Cognitive control under stressful conditions in transitional age youth with bipolar disorder: Diagnostic and sleep-related differences in fronto-limbic activation patterns. <i>Bipolar Disorders</i> , 2018, 20, 238-247.	1.1	8
63	Functional Segmentation of the Anterior Limb of the Internal Capsule: Linking White Matter Abnormalities to Specific Connections. <i>Journal of Neuroscience</i> , 2018, 38, 2106-2117.	1.7	118
64	Alterations in peripheral fatty acid composition in bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , 2018, 233, 86-91.	2.0	20
65	A Promising Future Role for Neuroimaging in Tracking and Predicting Relapse in Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 424.	6.0	2
66	Test-retest reliability of cerebral blood flow in healthy individuals using arterial spin labeling: Findings from the EMBARC study. <i>Magnetic Resonance Imaging</i> , 2018, 45, 26-33.	1.0	28
67	Harmonization of cortical thickness measurements across scanners and sites. <i>NeuroImage</i> , 2018, 167, 104-120.	2.1	790
68	Diagnostic Efficiency of the Child and Adolescent Symptom Inventory (CASI-4R) Depression Subscale for Identifying Youth Mood Disorders. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2018, 47, 832-846.	2.2	7
69	The Impact of Caregiving on the Association Between Infant Emotional Behavior and Resting State Neural Network Functional Topology. <i>Frontiers in Psychology</i> , 2018, 9, 1968.	1.1	6
70	Haste or Speed? Alterations in the Impact of Incentive Cues on Task Performance in Remitted and Depressed Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 396.	1.3	2
71	Association of Neuroimaging Measures of Emotion Processing and Regulation Neural Circuitries With Symptoms of Bipolar Disorder in Offspring at Risk for Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 1241.	6.0	37
72	Statistical harmonization corrects site effects in functional connectivity measurements from multi-site fMRI data. <i>Human Brain Mapping</i> , 2018, 39, 4213-4227.	1.9	295

#	ARTICLE	IF	CITATIONS
73	Abnormal Sensitization of Neural and Behavioral Responses to Socially Relevant Images in Individuals With Borderline Personality Disorder: Implications for Guiding More Effective Targeting of Treatments. <i>American Journal of Psychiatry</i> , 2018, 175, 593-595.	4.0	0
74	Neurodevelopmental subtypes of bipolar disorder are related to cortical folding patterns: An international multicenter study. <i>Bipolar Disorders</i> , 2018, 20, 721-732.	1.1	25
75	A Novel Strategy to Identify Placebo Responders: Prediction Index of Clinical and Biological Markers in the EMBARC Trial. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 285-295.	4.0	39
76	Trajectories of self-reported cognitive function in postmenopausal women during adjuvant systemic therapy for breast cancer. <i>Psycho-Oncology</i> , 2017, 26, 44-52.	1.0	36
77	Neuroticism and Individual Differences in Neural Function in Unmedicated Major Depression: Findings From the EMBARC Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 138-148.	1.1	17
78	Multimodal evaluation of the amygdala's functional connectivity. <i>NeuroImage</i> , 2017, 148, 219-229.	2.1	57
79	Reading related white matter structures in adolescents are influenced more by dysregulation of emotion than behavior. <i>NeuroImage: Clinical</i> , 2017, 15, 732-740.	1.4	3
80	Postpartum depressive symptoms moderate the link between mothers' neural response to positive faces in reward and social regions and observed caregiving. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1605-1613.	1.5	15
81	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017, 7, e015462.	0.8	119
82	Amygdala-prefrontal cortical functional connectivity during implicit emotion processing differentiates youth with bipolar spectrum from youth with externalizing disorders. <i>Journal of Affective Disorders</i> , 2017, 208, 94-100.	2.0	31
83	Longitudinal Relationships Among Activity in Attention Redirection Neural Circuitry and Symptom Severity in Youth. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017, 2, 336-345.	1.1	8
84	Comparing the CASI-4R and the PGBI-10A for Differentiating Bipolar Spectrum Disorders from Other Outpatient Diagnoses in Youth. <i>Journal of Abnormal Child Psychology</i> , 2017, 45, 611-623.	3.5	7
85	Ventral Striatum Functional Connectivity during Rewards and Losses and Symptomatology in Depressed Patients. <i>Biological Psychology</i> , 2017, 123, 62-73.	1.1	45
86	Using machine learning and surface reconstruction to accurately differentiate different trajectories of mood and energy dysregulation in youth. <i>PLoS ONE</i> , 2017, 12, e0180221.	1.1	0
87	Dissociable brain correlates for depression, anxiety, dissociation, and somatization in depersonalization-derealization disorder. <i>CNS Spectrums</i> , 2016, 21, 35-42.	0.7	28
88	Fronto-Limbic Brain Dysfunction during the Regulation of Emotion in Schizophrenia. <i>PLoS ONE</i> , 2016, 11, e0149297.	1.1	18
89	Anticipation-related brain connectivity in bipolar and unipolar depression: a graph theory approach. <i>Brain</i> , 2016, 139, 2554-2566.	3.7	97
90	Preliminary investigation of the relationships between sleep duration, reward circuitry function, and mood dysregulation in youth offspring of parents with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 205, 144-153.	2.0	46

#	ARTICLE	IF	CITATIONS
91	The influence of motherhood on neural systems for reward processing in low income, minority, young women. <i>Psychoneuroendocrinology</i> , 2016, 66, 130-137.	1.3	6
92	Cognitive load and autonomic response patterns under negative priming demand in depersonalization/derealization disorder. <i>European Journal of Neuroscience</i> , 2016, 43, 971-978.	1.2	15
93	Constance E. Lieber, Theodore R. Stanley, and the Enduring Impact of Philanthropy on Psychiatry Research. <i>Biological Psychiatry</i> , 2016, 80, 84-86.	0.7	2
94	Within- and Between-Session Changes in Neural Activity During Emotion Processing in Unipolar and Bipolar Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 518-527.	1.1	16
95	Subcortical nuclei volumes in suicidal behavior: nucleus accumbens may modulate the lethality of acts.. <i>Brain Imaging and Behavior</i> , 2016, 10, 96-104.	1.1	41
96	Elucidating Neural Network Functional Connectivity Abnormalities in Bipolar Disorder: Toward a Harmonized Methodological Approach. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 288-298.	1.1	47
97	Altered neural function to happy faces in adolescents with and at risk for depression. <i>Journal of Affective Disorders</i> , 2016, 192, 143-152.	2.0	21
98	Impact of the glucocorticoid receptor <i>Bcl11</i> polymorphism on reward expectancy and prediction error related ventral striatal reactivity in depressed and healthy individuals. <i>Journal of Psychopharmacology</i> , 2016, 30, 48-55.	2.0	1
99	Can Emotional and Behavioral Dysregulation in Youth Be Decoded from Functional Neuroimaging?. <i>PLoS ONE</i> , 2016, 11, e0117603.	1.1	18
100	Emotion regulation deficits in euthymic bipolar I versus bipolar disorder: a functional and diffusion tensor imaging study. <i>Bipolar Disorders</i> , 2015, 17, 461-470.	1.1	93
101	Right superior temporal gyrus volume in adolescents with a history of suicide attempt. <i>British Journal of Psychiatry</i> , 2015, 206, 339-340.	1.7	67
102	Identifying Predictors, Moderators, and Mediators of Antidepressant Response in Major Depressive Disorder: Neuroimaging Approaches. <i>American Journal of Psychiatry</i> , 2015, 172, 124-138.	4.0	214
103	White Matter Structure in Youth With Behavioral and Emotional Dysregulation Disorders. <i>JAMA Psychiatry</i> , 2015, 72, 367.	6.0	32
104	Altered amygdala-prefrontal response to facial emotion in offspring of parents with bipolar disorder. <i>Brain</i> , 2015, 138, 2777-2790.	3.7	80
105	Moderation of the Relationship Between Reward Expectancy and Prediction Error-Related Ventral Striatal Reactivity by Anhedonia in Unmedicated Major Depressive Disorder: Findings From the EMBARC Study. <i>American Journal of Psychiatry</i> , 2015, 172, 881-891.	4.0	87
106	Evidence for an anterior-posterior differentiation in the human hippocampal formation revealed by meta-analytic parcellation of fMRI coordinate maps: Focus on the subiculum. <i>NeuroImage</i> , 2015, 113, 44-60.	2.1	76
107	Right Frontoinsular Cortex and Subcortical Activity to Infant Cry Is Associated with Maternal Mental State Talk. <i>Journal of Neuroscience</i> , 2015, 35, 12725-12732.	1.7	138
108	Neural substrates of child irritability in typically developing and psychiatric populations. <i>Developmental Cognitive Neuroscience</i> , 2015, 14, 71-80.	1.9	103

#	ARTICLE	IF	CITATIONS
109	Cognitive Enhancement Therapy Improves Frontolimbic Regulation of Emotion in Alcohol and/or Cannabis Misusing Schizophrenia: A Preliminary Study. <i>Frontiers in Psychiatry</i> , 2015, 6, 186.	1.3	8
110	Accounting for Dynamic Fluctuations across Time when Examining fMRI Test-Retest Reliability: Analysis of a Reward Paradigm in the EMBARC Study. <i>PLoS ONE</i> , 2015, 10, e0126326.	1.1	20
111	Model Specification and the Reliability of fMRI Results: Implications for Longitudinal Neuroimaging Studies in Psychiatry. <i>PLoS ONE</i> , 2014, 9, e105169.	1.1	31
112	Brain Morphometric Biomarkers Distinguishing Unipolar and Bipolar Depression. <i>JAMA Psychiatry</i> , 2014, 71, 1222.	6.0	226
113	Parsing Dimensional vs Diagnostic Category-Related Patterns of Reward Circuitry Function in Behaviorally and Emotionally Dysregulated Youth in the Longitudinal Assessment of Manic Symptoms Study. <i>JAMA Psychiatry</i> , 2014, 71, 71.	6.0	45
114	Disrupted posterior cingulate-amygdala connectivity in postpartum depressed women as measured with resting BOLD fMRI. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1069-1075.	1.5	92
115	CHILDHOOD MALTREATMENT AND COMBAT POSTTRAUMATIC STRESS DIFFERENTIALLY PREDICT FEAR-RELATED FRONTO-SUBCORTICAL CONNECTIVITY. <i>Depression and Anxiety</i> , 2014, 31, 880-892.	2.0	110
116	A Critical Appraisal of Neuroimaging Studies of Bipolar Disorder: Toward a New Conceptualization of Underlying Neural Circuitry and a Road Map for Future Research. <i>American Journal of Psychiatry</i> , 2014, 171, 829-843.	4.0	490
117	A Multicenter Tractography Study of Deep White Matter Tracts in Bipolar I Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 388.	6.0	132
118	COMT Val ¹⁵⁸ Met—SLC6A4-5-HTTLPR interaction impacts on gray matter volume of regions supporting emotion processing. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 1232-1238.	1.5	14
119	Abnormal deactivation of the inferior frontal gyrus during implicit emotion processing in youth with bipolar disorder: Attenuated by medication. <i>Journal of Psychiatric Research</i> , 2014, 58, 129-136.	1.5	36
120	Glutamate and GABA contributions to medial prefrontal cortical activity to emotion: Implications for mood disorders. <i>Psychiatry Research - Neuroimaging</i> , 2014, 223, 253-260.	0.9	34
121	Differential Anterior Cingulate Activity during Response Inhibition in Depressed Adolescents with Bipolar and Unipolar Major Depressive Disorder. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2014, 23, 10-9.	0.7	22
122	Bipolar disorder diagnosis: challenges and future directions. <i>Lancet, The</i> , 2013, 381, 1663-1671.	6.3	465
123	Amygdala and whole-brain activity to emotional faces distinguishes major depressive disorder and bipolar disorder. <i>Bipolar Disorders</i> , 2013, 15, 741-752.	1.1	49
124	Brain-Behavior Biomarkers of Illness and Illness Risk in Bipolar Disorder: Present Findings and Next Steps. <i>Biological Psychiatry</i> , 2013, 74, 870-871.	0.7	2
125	Dissociable patterns of abnormal frontal cortical activation during anticipation of an uncertain reward or loss in bipolar versus major depression. <i>Bipolar Disorders</i> , 2013, 15, 839-854.	1.1	136
126	Fronto-limbic function in unaffected offspring at familial risk for bipolar disorder during an emotional working memory paradigm. <i>Developmental Cognitive Neuroscience</i> , 2013, 5, 185-196.	1.9	96

#	ARTICLE	IF	CITATIONS
127	Effects of medication on neuroimaging findings in bipolar disorder: an updated review. <i>Bipolar Disorders</i> , 2012, 14, 375-410.	1.1	325
128	Differential Patterns of Abnormal Activity and Connectivity in the Amygdala-Prefrontal Circuitry in Bipolar-I and Bipolar-NOS Youth. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2011, 50, 1275-1289.e2.	0.3	71
129	Elevated Amygdala Activity to Sad Facial Expressions: A State Marker of Bipolar but Not Unipolar Depression. <i>Biological Psychiatry</i> , 2010, 67, 414-421.	0.7	203
130	Altered Development of White Matter in Youth at High Familial Risk for Bipolar Disorder: A Diffusion Tensor Imaging Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2010, 49, 1249-1259.e1.	0.3	43
131	Fearful faces influence attentional control processes in anxious youth and adults.. <i>Emotion</i> , 2009, 9, 855-864.	1.5	82
132	Neural Correlates of Symptom Dimensions in Pediatric Obsessive-Compulsive Disorder: A Functional Magnetic Resonance Imaging Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 936-944.	0.3	72
133	Elevated striatal and decreased dorsolateral prefrontal cortical activity in response to emotional stimuli in euthymic bipolar disorder: no associations with psychotropic medication load. <i>Bipolar Disorders</i> , 2008, 10, 916-927.	1.1	217
134	Subcortical Gray Matter Volume Abnormalities in Healthy Bipolar Offspring: Potential Neuroanatomical Risk Marker for Bipolar Disorder?. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 532-539.	0.3	107
135	Elevated Left and Reduced Right Orbitomedial Prefrontal Fractional Anisotropy in Adults With Bipolar Disorder Revealed by Tract-Based Spatial Statistics. <i>Archives of General Psychiatry</i> , 2008, 65, 1041.	13.8	298
136	Medication Effects in Neuroimaging Studies of Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2008, 165, 313-320.	4.0	312
137	Identifying Functional Neuroimaging Biomarkers of Bipolar Disorder: Toward DSM-V. <i>Schizophrenia Bulletin</i> , 2007, 33, 893-904.	2.3	184
138	Conscious and nonconscious discrimination of facial expressions. <i>Visual Cognition</i> , 2007, 15, 36-47.	0.9	8
139	The neural basis of mood dysregulation in bipolar disorder. <i>Cognitive Neuropsychiatry</i> , 2006, 11, 233-249.	0.7	26
140	The Neural Correlates of Anhedonia in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2005, 58, 843-853.	0.7	585
141	Subcortical and ventral prefrontal cortical neural responses to facial expressions distinguish patients with bipolar disorder and major depression. <i>Biological Psychiatry</i> , 2004, 55, 578-587.	0.7	512
142	Differential neural responses to overt and covert presentations of facial expressions of fear and disgust. <i>NeuroImage</i> , 2004, 21, 1484-1496.	2.1	256
143	Depersonalisation disorder: clinical features of 204 cases. <i>British Journal of Psychiatry</i> , 2003, 182, 428-433.	1.7	211
144	Neurobiology of emotion perception II: implications for major psychiatric disorders. <i>Biological Psychiatry</i> , 2003, 54, 515-528.	0.7	1,534

#	ARTICLE	IF	CITATIONS
145	Neurobiology of emotion perception I: the neural basis of normal emotion perception. <i>Biological Psychiatry</i> , 2003, 54, 504-514.	0.7	1,920
146	Depersonalization Disorder: A Functional Neuroanatomical Perspective. <i>Stress</i> , 2003, 6, 157-165.	0.8	48
147	Depersonalisation disorder: clinical features of 204 cases. <i>British Journal of Psychiatry</i> , 2003, 182, 428-433.	1.7	1
148	Depersonalisation disorder: clinical features of 204 cases. <i>British Journal of Psychiatry</i> , 2003, 182, 428-433.	1.7	1
149	Neural Correlates of Emotion Perception: From Faces to Taste. , 2002, , 196-208.		8
150	Vestibular/ocular motor symptoms in concussed adolescents are linked to retrosplenial activation. <i>Brain Communications</i> , 0, , .	1.5	0