

Jan Torzewski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9555616/publications.pdf>

Version: 2024-02-01

55
papers

2,647
citations

279798

23
h-index

182427

51
g-index

63
all docs

63
docs citations

63
times ranked

3039
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The Resorbable Magnesium Scaffold Magmaris in Acute Coronary Syndrome: An Appraisal of Evidence and User Group Guidance. Cardiovascular Revascularization Medicine, 2022, 39, 106-113. | 0.8 | 5 |
| 2 | Cardiac Glycosides Lower C-Reactive Protein Plasma Levels in Patients with Decompensated Heart Failure: Results from the Single-Center C-Reactive Protein-Digoxin Observational Study (C-DOS). Journal of Clinical Medicine, 2022, 11, 1762. | 2.4 | 2 |
| 3 | A Report on the First 7 Sequential Patients Treated Within the C-Reactive Protein Apheresis in COVID (CACOV) Registry. American Journal of Case Reports, 2022, 23, e935263. | 0.8 | 9 |
| 4 | Targeting C-Reactive Protein by Selective Apheresis in Humans: Pros and Cons. Journal of Clinical Medicine, 2022, 11, 1771. | 2.4 | 12 |
| 5 | <scp>BIOSOLVEâ€œ</scp>â€œregistry: Safety and performance of the Magmaris scaffold: 12â€œmonth outcomes of the first cohort of 1,075 patients. Catheterization and Cardiovascular Interventions, 2021, 98, E1-E8. | 1.7 | 39 |
| 6 | C-Reactive Protein Apheresis as Anti-inflammatory Therapy in Acute Myocardial Infarction: Results of the CAMI-1 Study. Frontiers in Cardiovascular Medicine, 2021, 8, 591714. | 2.4 | 47 |
| 7 | Successful Treatment of a 39-Year-Old COVID-19 Patient with Respiratory Failure by Selective C-Reactive Protein Apheresis. American Journal of Case Reports, 2021, 22, e932964. | 0.8 | 11 |
| 8 | TCT-117 Performance and Safety of the Resorbable Magnesium Scaffold, Magmaris, in a Real-World Setting: Primary and Secondary Endpoint Analysis of the Full Cohort (2,066 Subjects) of the BIOSOLVE-IV Registry. Journal of the American College of Cardiology, 2021, 78, B49. | 2.8 | 1 |
| 9 | No difference in 30-day outcome and quality of life in transradial versus transfemoral access â€œ Results from the German Austrian ABSORB registry (GABI-R). Cardiovascular Revascularization Medicine, 2021, , . | 0.8 | 1 |
| 10 | Two year efficacy and safety of small versus large ABSORB bioresorbable vascular scaffolds of â€œ18â€œmm device length: A subgroup analysis of the German-Austrian ABSORB ReglstrY (GABI-R). IJC Heart and Vasculature, 2020, 27, 100501. | 1.1 | 0 |
| 11 | First-in-Man: Case Report of Selective C-Reactive Protein Apheresis in a Patient with SARS-CoV-2 Infection. American Journal of Case Reports, 2020, 21, e925020. | 0.8 | 25 |
| 12 | Twelve-month outcomes of 400 patients treated with a resorbable metal scaffold: insights from the BIOSOLVE-IV registry. EuroIntervention, 2020, 15, e1383-e1386. | 3.2 | 32 |
| 13 | TCT-45 Safety and Performance of the Resorbable Magnesium Scaffold, Magmaris, in a Real-World Setting: First Cohort Subjects at 12-Month Follow-Up of the BIOSOLVE-IV Registry. Journal of the American College of Cardiology, 2019, 74, B45. | 2.8 | 2 |
| 14 | Selective Câ€œReactive Proteinâ€œApheresis in Patients. Therapeutic Apheresis and Dialysis, 2019, 23, 570-574. | 0.9 | 29 |
| 15 | 500.01 Safety and Performance of the Resorbable Magnesium Scaffold, Magmaris in a Real-World Setting - 12-Month Follow-Up of First 600 Subjects in Biosolve-IV Registry. JACC: Cardiovascular Interventions, 2019, 12, S39. | 2.9 | 2 |
| 16 | â€œFirst in Manâ€œ Case Report of Selective C-Reactive Protein Apheresis in a Patient with Acute ST Segment Elevation Myocardial Infarction. Case Reports in Cardiology, 2018, 2018, 1-4. | 0.2 | 20 |
| 17 | Blinded outcomes and angina assessment of coronary bioresorbable scaffolds: 30-day and 1-year results from the ABSORB IV randomised trial. Lancet, The, 2018, 392, 1530-1540. | 13.7 | 103 |
| 18 | Inhibiting C-Reactive Protein Synthesis by Cardiac Glycosides in Humans. The Open Conference Proceedings Journal, 2016, 7, 7-11. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Large diverticulum of the urinary bladder: A rare cause of deep vein thrombosis with consecutive pulmonary embolism. Canadian Urological Association Journal, 2015, 9, 321. | 0.6 | 1 |
| 20 | C-Reactive Protein in Human Atherogenesis: Facts and Fiction. Mediators of Inflammation, 2014, 2014, 1-6. | 3.0 | 31 |
| 21 | C-Reactive Protein and Arteriosclerosis. Mediators of Inflammation, 2014, 2014, 1-1. | 3.0 | 6 |
| 22 | The Analysis of microRNA Expression Profiling for Coronary Artery Disease. Cardiology, 2014, 127, 62-69. | 1.4 | 10 |
| 23 | In-hospital results of transcatheter aortic valve implantation (TAVI) in a district hospital – An approach to treat TAVI patients in rural areas. International Journal of Cardiology, 2013, 168, 4845-4846. | 1.7 | 5 |
| 24 | Successful Use of mRNA Nucleofection for Overexpression of Interleukin-10 in Murine Monocytes/Macrophages for Anti-inflammatory Therapy in a Murine Model of Autoimmune Myocarditis. Journal of the American Heart Association, 2012, 1, e003293. | 3.7 | 30 |
| 25 | Road Map to Drug Discovery and Development – Inhibiting C-reactive protein for the Treatment of Cardiovascular Disease. Journal of Bioequivalence & Bioavailability, 2011, 01, . | 0.1 | 4 |
| 26 | Diagnostic performance of magnetic resonance first pass perfusion imaging is equally potent in female compared to male patients with coronary artery disease. Clinical Research in Cardiology, 2010, 99, 21-28. | 3.3 | 20 |
| 27 | Characterization of patients with acute chest pain using cardiac magnetic resonance imaging. Clinical Research in Cardiology Supplements, 2010, 5, 63-69. | 2.0 | 2 |
| 28 | Cardiac involvement in a female carrier of Duchenne muscular dystrophy. International Journal of Cardiology, 2010, 138, 302-305. | 1.7 | 30 |
| 29 | Cardiac glycosides potentially inhibit C-reactive protein synthesis in human hepatocytes. Biochemical and Biophysical Research Communications, 2010, 394, 233-239. | 2.1 | 16 |
| 30 | Interferon β -1b Therapy in Chronic Viral Dilated Cardiomyopathy – Is There a Role for Specific Therapy?. Journal of Cardiac Failure, 2010, 16, 348-356. | 1.7 | 24 |
| 31 | Potential Myogenic Stem Cell Populations: Sources, Plasticity, and Application for Cardiac Repair. Stem Cells and Development, 2009, 18, 813-830. | 2.1 | 15 |
| 32 | Electrocardiographic and cardiac magnetic resonance imaging parameters as predictors of a worse outcome in patients with idiopathic dilated cardiomyopathy. European Heart Journal, 2009, 30, 2011-2018. | 2.2 | 87 |
| 33 | Myocardial inflammation and non-ischaemic heart failure: is there a role for C-reactive protein?. Basic Research in Cardiology, 2009, 104, 591-599. | 5.9 | 38 |
| 34 | Prognostic significance of magnetic resonance imaging parameters in patients with idiopathic dilated cardiomyopathy. Journal of Cardiovascular Magnetic Resonance, 2009, 11, . | 3.3 | 0 |
| 35 | Characterization of patients with acute chest pain using cardiac magnetic resonance imaging. Clinical Research in Cardiology, 2008, 97, 760-767. | 3.3 | 51 |
| 36 | C-reactive protein specifically binds to Fc γ receptor type II on a macrophage-like cell line. European Journal of Immunology, 2008, 38, 1414-1422. | 2.9 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Interleukin-1 β stimulates acute phase response and C-reactive protein synthesis by inducing an NF κ B- and C/EBP β -dependent autocrine interleukin-6 loop. <i>Molecular Immunology</i> , 2008, 45, 2678-2689. | 2.2 | 76 |
| 38 | Interferon beta-1b Therapy in Patients Suffering from Dilated Cardiomyopathy and Chronic Virus Persistence – No Benefit for Specific Therapy?. <i>Journal of Cardiac Failure</i> , 2008, 14, S97-S98. | 1.7 | 0 |
| 39 | C-Reactive Protein and Atherosclerosis: An Update. <i>Vascular Disease Prevention</i> , 2008, 5, 178-182. | 0.2 | 0 |
| 40 | C-Reactive Protein and Atherosclerosis: An Update. <i>Vascular Disease Prevention</i> , 2008, 5, 178-182. | 0.2 | 2 |
| 41 | Prognostic role of myocardial tumor necrosis factor-alpha and terminal complement complex expression in patients with dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2007, 9, 51-54. | 7.1 | 12 |
| 42 | Affinity of C-Reactive Protein toward Fc γ RI Is Strongly Enhanced by the γ 3-Chain. <i>American Journal of Pathology</i> , 2007, 170, 755-763. | 3.8 | 21 |
| 43 | mRNA-Mediated Gene Delivery Into Human Progenitor Cells Promotes Highly Efficient Protein Expression. <i>Journal of Cellular and Molecular Medicine</i> , 2007, 11, 521-530. | 3.6 | 48 |
| 44 | Efficient transient genetic labeling of human CD34+progenitor cells for in vivo application. <i>Regenerative Medicine</i> , 2006, 1, 223-234. | 1.7 | 7 |
| 45 | Myocardial biopsy findings and gadolinium enhanced cardiovascular magnetic resonance in dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2006, 8, 162-166. | 7.1 | 34 |
| 46 | Serum Starvation and Growth Factor Receptor Expression in Vascular Smooth Muscle Cells. <i>Journal of Vascular Research</i> , 2006, 43, 157-165. | 1.4 | 16 |
| 47 | Highly Efficient mRNA- and cDNA-Based Transient Gene Delivery into Human Progenitor Cells.. <i>Blood</i> , 2006, 108, 5471-5471. | 1.4 | 0 |
| 48 | Critical Role for Monocyte Chemoattractant Protein-1 and Macrophage Inflammatory Protein-1 α in Induction of Experimental Autoimmune Myocarditis and Effective Anti-Monocyte Chemoattractant Protein-1 Gene Therapy. <i>Circulation</i> , 2005, 112, 3400-3407. | 1.6 | 139 |
| 49 | Myocardial biopsy based classification and treatment in patients with dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2005, 104, 92-100. | 1.7 | 45 |
| 50 | C-Reactive Protein and Atherogenesis. <i>American Journal of Pathology</i> , 2005, 167, 923-925. | 3.8 | 37 |
| 51 | Ultrasensitive Confocal Fluorescence Microscopy of C-Reactive Protein Interacting With Fc γ RIIa. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 2372-2377. | 2.4 | 53 |
| 52 | C-Reactive Protein-Mediated Low Density Lipoprotein Uptake by Macrophages. <i>Circulation</i> , 2001, 103, 1194-1197. | 1.6 | 762 |
| 53 | C-Reactive Protein Frequently Colocalizes With the Terminal Complement Complex in the Intima of Early Atherosclerotic Lesions of Human Coronary Arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1386-1392. | 2.4 | 494 |
| 54 | Immunohistochemical Colocalization of the Terminal Complex of Human Complement and Smooth Muscle Cell α -Actin in Early Atherosclerotic Lesions. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2448-2452. | 2.4 | 61 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Complement-Induced Release of Monocyte Chemotactic Protein-1 From Human Smooth Muscle Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 1996, 16, 673-677. | 2.4 | 93 |