Ilse Kranner

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9555711/ilse-kranner-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

4,559
citations

h-index

66
g-index

105
ext. papers

5,318
ext. citations

5
avg, IF

L-index

#	Paper	IF	Citations
95	Does oxygen affect ageing mechanisms of Pinus densiflora seeds? A matter of cytoplasmic physical state <i>Journal of Experimental Botany</i> , 2022 ,	7	3
94	Acquisition of desiccation tolerance in Haematococcus pluvialis requires photosynthesis and coincides with lipid and astaxanthin accumulation. <i>Algal Research</i> , 2022 , 64, 102699	5	2
93	Metabolite Profiling in Green Microalgae with Varying Degrees of Desiccation Tolerance. <i>Microorganisms</i> , 2022 , 10, 946	4.9	
92	The lichen market place New Phytologist, 2022, 234, 1541-1543	9.8	1
91	Apoplastic lipid barriers regulated by conserved homeobox transcription factors extend seed longevity in multiple plant species. <i>New Phytologist</i> , 2021 , 231, 679-694	9.8	2
90	Enhanced culturing techniques for the mycobiont isolated from the lichen. <i>Mycological Progress</i> , 2021 , 20, 797-808	1.9	3
89	Redox feedback regulation of ANAC089 signaling alters seed germination and stress response. <i>Cell Reports</i> , 2021 , 35, 109263	10.6	1
88	How dry is dry? Molecular mobility in relation to thallus water content in a lichen. <i>Journal of Experimental Botany</i> , 2021 , 72, 1576-1588	7	14
87	AtFAHD1a: A New Player Influencing Seed Longevity and Dormancy in Arabidopsis?. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
86	Plant Parasites under Pressure: Effects of Abiotic Stress on the Interactions between Parasitic Plants and Their Hosts. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
85	Adaptation to Aquatic and Terrestrial Environments in (Chlorophyta). <i>Frontiers in Microbiology</i> , 2020 , 11, 585836	5.7	8
84	RNA-Seq and secondary metabolite analyses reveal a putative defence-transcriptome in Norway spruce (Picea abies) against needle bladder rust (Chrysomyxa rhododendri) infection. <i>BMC Genomics</i> , 2020 , 21, 336	4.5	6
83	Abundance and Extracellular Release of Phytohormones in Aero-terrestrial Microalgae (Trebouxiophyceae, Chlorophyta) As a Potential Chemical Signaling Source. <i>Journal of Phycology</i> , 2020 , 56, 1295-1307	3	11
82	Pre-akinete formation in Zygnema sp. from polar habitats is associated with metabolite re-arrangement. <i>Journal of Experimental Botany</i> , 2020 , 71, 3314-3322	7	13
81	Hydrogen Peroxide Metabolism in Interkingdom Interaction Between Bacteria and Wheat Seeds and Seedlings. <i>Molecular Plant-Microbe Interactions</i> , 2020 , 33, 336-348	3.6	6
80	Phytohormone release by three isolated lichen mycobionts and the effects of indole-3-acetic acid on their compatible photobionts. <i>Symbiosis</i> , 2020 , 82, 95-108	3	4
79	Metatranscriptomic and metabolite profiling reveals vertical heterogeneity within a Zygnema green algal mat from Svalbard (High Arctic). <i>Environmental Microbiology</i> , 2019 , 21, 4283-4299	5.2	15

(2015-2019)

78	Wheat seed ageing viewed through the cellular redox environment and changes in pH. <i>Free Radical Research</i> , 2019 , 53, 641-654	4	12
77	Abscisic acid-determined seed vigour differences do not influence redox regulation during ageing. <i>Biochemical Journal</i> , 2019 , 476, 965-974	3.8	11
76	Non-invasive diagnosis of viability in seeds and lichens by infrared thermography under controlled environmental conditions. <i>Plant Methods</i> , 2019 , 15, 147	5.8	
75	Novel loci and a role for nitric oxide for seed dormancy and preharvest sprouting in barley. <i>Plant, Cell and Environment,</i> 2019 , 42, 1318-1327	8.4	19
74	Solar irradiation levels during simulated long- and short-term heat waves significantly influence heat survival, pigment and ascorbate composition, and free radical scavenging activity in alpine Vaccinium gaultherioides. <i>Physiologia Plantarum</i> , 2018 , 163, 211-230	4.6	4
73	Distress and eustress of reactive electrophiles and relevance to light stress acclimation via stimulation of thiol/disulphide-based redox defences. <i>Free Radical Biology and Medicine</i> , 2018 , 122, 65-7	73 ^{.8}	25
72	Redox poise and metabolite changes in bread wheat seeds are advanced by priming with hot steam. <i>Biochemical Journal</i> , 2018 , 475, 3725-3743	3.8	10
71	Changes in tocochromanols and glutathione reveal differences in the mechanisms of seed ageing under seedbank conditions and controlled deterioration in barley. <i>Environmental and Experimental Botany</i> , 2018 , 156, 8-15	5.9	22
70	Analyses of several seed viability markers in individual recalcitrant seeds of Eugenia stipitata McVaugh with totipotent germination. <i>Plant Biology</i> , 2017 , 19, 6-13	3.7	11
69	The freshwater red alga (Florideophyceae) can acclimate to a wide range of light and temperature conditions. <i>European Journal of Phycology</i> , 2017 , 52, 238-249	2.2	11
68	Association genetics of phenolic needle compounds in Norway spruce with variable susceptibility to needle bladder rust. <i>Plant Molecular Biology</i> , 2017 , 94, 229-251	4.6	19
67	Exceptional flooding tolerance in the totipotent recalcitrant seeds of Eugenia stipitata. <i>Seed Science Research</i> , 2017 , 27, 121-130	1.3	5
66	Changes in low-molecular-weight thiol-disulphide redox couples are part of bread wheat seed germination and early seedling growth. <i>Free Radical Research</i> , 2017 , 51, 568-581	4	19
65	Drought affects the heat-hardening capacity of alpine plants as indicated by changes in xanthophyll cycle pigments, singlet oxygen scavenging, £locopherol and plant hormones. <i>Environmental and Experimental Botany</i> , 2017 , 133, 159-175	5.9	24
64	Foliar Phenolic Compounds in Norway Spruce with Varying Susceptibility to: Analyses of Seasonal and Infection-Induced Accumulation Patterns. <i>Frontiers in Plant Science</i> , 2017 , 8, 1173	6.2	19
63	Seed Carotenoid and Tocochromanol Composition of Wild Fabaceae Species Is Shaped by Phylogeny and Ecological Factors. <i>Frontiers in Plant Science</i> , 2017 , 8, 1428	6.2	17
62	Formation of lipid bodies and changes in fatty acid composition upon pre-akinete formation in Arctic and Antarctic Zygnema (Zygnematophyceae, Streptophyta) strains. <i>FEMS Microbiology Ecology</i> , 2016 , 92,	4.3	41
61	Formation of chloroplast protrusions and catalase activity in alpine Ranunculus glacialis under elevated temperature and different CO2/O2 ratios. <i>Protoplasma</i> , 2015 , 252, 1613-9	3.4	11

60	Diurnal changes in the xanthophyll cycle pigments of freshwater algae correlate with the environmental hydrogen peroxide concentration rather than non-photochemical quenching. <i>Annals of Botany</i> , 2015 , 116, 519-27	4.1	16
59	A proposed interplay between peroxidase, amine oxidase and lipoxygenase in the wounding-induced oxidative burst in Pisum sativum seedlings. <i>Phytochemistry</i> , 2015 , 112, 130-8	4	28
58	Application of heat stress in situ demonstrates a protective role of irradiation on photosynthetic performance in alpine plants. <i>Plant, Cell and Environment,</i> 2015 , 38, 812-26	8.4	44
57	Glutathione redox state, tocochromanols, fatty acids, antioxidant enzymes and protein carbonylation in sunflower seed embryos associated with after-ripening and ageing. <i>Annals of Botany</i> , 2015 , 116, 669-78	4.1	41
56	Roles of apoplastic peroxidases in plant response to wounding. <i>Phytochemistry</i> , 2015 , 112, 122-9	4	52
55	Genome-wide association mapping and biochemical markers reveal that seed ageing and longevity are intricately affected by genetic background and developmental and environmental conditions in barley. <i>Plant, Cell and Environment</i> , 2015 , 38, 1011-22	8.4	68
54	The crypsis hypothesis explained: a reply to Jayasuriya et al. (2015). Seed Science Research, 2015, 25, 40	21498	5
53	The distribution of glutathione and homoglutathione in leaf, root and seed tissue of 73 species across the three sub-families of the Leguminosae. <i>Phytochemistry</i> , 2015 , 115, 175-83	4	9
52	Speeding up social waves. Propagation mechanisms of shimmering in giant honeybees. <i>PLoS ONE</i> , 2014 , 9, e86315	3.7	8
51	Side-effects of domestication: cultivated legume seeds contain similar tocopherols and fatty acids but less carotenoids than their wild counterparts. <i>BMC Plant Biology</i> , 2014 , 14, 1599	5.3	39
50	Salt stress, signalling and redox control in seeds. Functional Plant Biology, 2013, 40, 848-859	2.7	25
49	Physical dormancy in seeds: a game of hide and seek?. <i>New Phytologist</i> , 2013 , 198, 496-503	9.8	77
48	A central role for thiols in plant tolerance to abiotic stress. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 7405-32	6.3	282
47	Transcriptome-wide mapping of pea seed ageing reveals a pivotal role for genes related to oxidative stress and programmed cell death. <i>PLoS ONE</i> , 2013 , 8, e78471	3.7	48
46	Evidence for the absence of enzymatic reactions in the glassy state. A case study of xanthophyll cycle pigments in the desiccation-tolerant moss Syntrichia ruralis. <i>Journal of Experimental Botany</i> , 2013 , 64, 3033-43	7	66
45	Thermal energy dissipation and xanthophyll cycles beyond the Arabidopsis model. <i>Photosynthesis Research</i> , 2012 , 113, 89-103	3.7	78
44	Redox state of low-molecular-weight thiols and disulphides during somatic embryogenesis of salt-treated suspension cultures of Dactylis glomerata L. <i>Free Radical Research</i> , 2012 , 46, 656-64	4	22
43	Post desiccation germination of mature seeds of tea (Camellia sinensis L.) can be enhanced by pro-oxidant treatment, but partial desiccation tolerance does not ensure survival at -20°C. <i>Plant Science</i> , 2012 , 184, 36-44	5.3	9

(2010-2012)

42	How to join a wave: decision-making processes in shimmering behavior of Giant honeybees (Apis dorsata). <i>PLoS ONE</i> , 2012 , 7, e36736	3.7	11
41	Volatile fingerprints of seeds of four species indicate the involvement of alcoholic fermentation, lipid peroxidation, and Maillard reactions in seed deterioration during ageing and desiccation stress. <i>Journal of Experimental Botany</i> , 2012 , 63, 6519-30	7	45
40	Analyses of reactive oxygen species and antioxidants in relation to seed longevity and germination. <i>Methods in Molecular Biology</i> , 2011 , 773, 343-67	1.4	41
39	Mathematically combined half-cell reduction potentials of low-molecular-weight thiols as markers of seed ageing. <i>Free Radical Research</i> , 2011 , 45, 1093-102	4	33
38	Extracellular superoxide production associated with secondary root growth following desiccation of Pisum sativum seedlings. <i>Journal of Plant Physiology</i> , 2011 , 168, 1870-3	3.6	12
37	Crosstalk between reactive oxygen species and hormonal signalling pathways regulates grain dormancy in barley. <i>Plant, Cell and Environment</i> , 2011 , 34, 980-993	8.4	126
36	Metals and seeds: Biochemical and molecular implications and their significance for seed germination. <i>Environmental and Experimental Botany</i> , 2011 , 72, 93-105	5.9	195
35	Inter-nucleosomal DNA fragmentation and loss of RNA integrity during seed ageing. <i>Plant Growth Regulation</i> , 2011 , 63, 63-72	3.2	53
34	Wet-dry cycling extends seed persistence by re-instating antioxidant capacity. <i>Plant and Soil</i> , 2011 , 338, 511-519	4.2	25
33	Stereoscopic motion analysis in densely packed clusters: 3D analysis of the shimmering behaviour in Giant honey bees. <i>Frontiers in Zoology</i> , 2011 , 8, 3	2.8	11
32	What is stress? Concepts, definitions and applications in seed science. New Phytologist, 2010, 188, 655-7	73 j.8	287
31	Noninvasive diagnosis of seed viability using infrared thermography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 3912-7	11.5	51
30	Glutathione half-cell reduction potential and Ecoopherol as viability markers during the prolonged storage of Suaeda maritima seeds. <i>Seed Science Research</i> , 2010 , 20, 47-53	1.3	32
29	Trade-Off between Foraging Activity and Infestation by Nest Parasites in the Primitively Eusocial BeeHalictus scabiosae. <i>Psyche: Journal of Entomology</i> , 2010 , 2010, 1-13	0.2	6
28	Homoglutathione synthetase and glutathione synthetase in drought-stressed cowpea leaves: expression patterns and accumulation of low-molecular-weight thiols. <i>Journal of Plant Physiology</i> , 2010 , 167, 480-7	3.6	16
27	Extracellular production of reactive oxygen species during seed germination and early seedling growth in Pisum sativum. <i>Journal of Plant Physiology</i> , 2010 , 167, 805-11	3.6	114
26	Extracellular superoxide production, viability and redox poise in response to desiccation in recalcitrant Castanea sativa seeds. <i>Plant, Cell and Environment</i> , 2010 , 33, 59-75	8.4	72
25	Desiccation tolerant plants as model systems to study redox regulation of protein thiols. <i>Plant Growth Regulation</i> , 2010 , 62, 241-255	3.2	77

24	Production of reactive oxygen species in excised, desiccated and cryopreserved explants of Trichilia dregeana Sond. <i>South African Journal of Botany</i> , 2010 , 76, 112-118	2.9	37
23	Alleviation of dormancy by reactive oxygen species in Bidens pilosa L. seeds. <i>South African Journal of Botany</i> , 2010 , 76, 601-605	2.9	18
22	Glutathione half-cell reduction potential as a seed viability marker of the potential oilseed crop Vernonia galamensis. <i>Industrial Crops and Products</i> , 2010 , 32, 687-691	5.9	13
21	The mechanisms involved in seed dormancy alleviation by hydrogen cyanide unravel the role of reactive oxygen species as key factors of cellular signaling during germination. <i>Plant Physiology</i> , 2009 , 150, 494-505	6.6	216
20	An oxidative burst of superoxide in embryonic axes of recalcitrant sweet chestnut seeds as induced by excision and desiccation. <i>Physiologia Plantarum</i> , 2008 , 133, 131-9	4.6	62
19	Social waves in giant honeybees repel hornets. <i>PLoS ONE</i> , 2008 , 3, e3141	3.7	80
18	Quantification of seed oil from species with varying oil content using supercritical fluid extraction. <i>Phytochemical Analysis</i> , 2008 , 19, 493-8	3.4	19
17	Desiccation-Tolerance in Lichens: A Review. <i>Bryologist</i> , 2008 , 111, 576-593	0.7	227
16	Extreme thermo-tolerance in seeds of desert succulents is related to maximum annual temperature. <i>South African Journal of Botany</i> , 2007 , 73, 262-265	2.9	14
15	Glutathione half-cell reduction potential: a universal stress marker and modulator of programmed cell death?. <i>Free Radical Biology and Medicine</i> , 2006 , 40, 2155-65	7.8	230
14	Isolation of high-quality RNA from polyphenol-, polysaccharide- and lipid-rich seeds. <i>Phytochemical Analysis</i> , 2006 , 17, 144-8	3.4	48
13	A modulating role for antioxidants in desiccation tolerance. <i>Integrative and Comparative Biology</i> , 2005 , 45, 734-40	2.8	184
12	Antioxidants and photoprotection in a lichen as compared with its isolated symbiotic partners. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 3141-6	11.5	194
11	Biochemical traits of lichens differing in relative desiccation tolerance. New Phytologist, 2003, 160, 167-	157.86	83
10	Glutathione status correlates with different degrees of desiccation tolerance in three lichens. <i>New Phytologist</i> , 2002 , 154, 451-460	9.8	75
9	Revival of a resurrection plant correlates with its antioxidant status. <i>Plant Journal</i> , 2002 , 31, 13-24	6.9	181
8	Analysis of Chlorophylls, Carotenoids, and Tocopherols in Lichens 2002 , 363-378		15
7	Increased stress parameter synthesis in the yeast Saccharomyces cerevisiae after treatment with 4-hydroxy-2-nonenal. <i>FEBS Letters</i> , 1997 , 405, 11-5	3.8	24

LIST OF PUBLICATIONS

6	Significance of Thiol-Disulfide Exchange in Resting Stages of Plant Development. <i>Botanica Acta</i> , 1996 , 109, 8-14	68
5	Determination of Glutathione and Glutathione Disulphide in Lichens: a Comparison of Frequently Used Methods 1996 , 7, 24-28	70
4	Simultaneous Determination of Ascorbic Acid and Dehydroascorbic Acid in Plant Materials by High Performance Liquid Chromatography 1996 , 7, 69-72	27
3	Content of low-molecular-weight thiols during the imbibition of Pea seeds. <i>Physiologia Plantarum</i> , 4.6	59
2	Stress physiology and the symbiosis134-151	31
1	Cytoplasmic physical state governs the influence of oxygen on Pinus densiflora seed ageing	1