

# Christer S Ejsing

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9557214/christer-s-ejsing-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

6,508  
citations

40  
h-index

80  
g-index

99  
ext. papers

7,808  
ext. citations

7.6  
avg, IF

5.67  
L-index

#	Paper	IF	Citations
92	Brain lipidomics and neurodevelopmental outcomes in intrauterine growth restricted piglets fed dairy or vegetable fat diets.. <i>Scientific Reports</i> , <b>2022</b> , 12, 3303	4.9	
91	Adipose MDM2 regulates systemic insulin sensitivity. <i>Scientific Reports</i> , <b>2021</b> , 11, 21839	4.9	0
90	Dairy-Derived Emulsifiers in Infant Formula Show Marginal Effects on the Plasma Lipid Profile and Brain Structure in Preterm Piglets Relative to Soy Lecithin. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
89	Lipid molecular timeline profiling reveals diurnal crosstalk between the liver and circulation. <i>Cell Reports</i> , <b>2021</b> , 34, 108710	10.6	7
88	Quality control requirements for the correct annotation of lipidomics data. <i>Nature Communications</i> , <b>2021</b> , 12, 4771	17.4	16
87	Silencing of ceramide synthase 2 in hepatocytes modulates plasma ceramide biomarkers predictive of cardiovascular death. <i>Molecular Therapy</i> , <b>2021</b> ,	11.7	1
86	Accurate quantification of lipid species affected by isobaric overlap in Fourier-transform mass spectrometry. <i>Journal of Lipid Research</i> , <b>2021</b> , 62, 100050	6.3	14
85	Molecular species selectivity of lipid transport creates a mitochondrial sink for di-unsaturated phospholipids. <i>EMBO Journal</i> , <b>2021</b> , e106837	13	0
84	A Simple and Direct Assay for Monitoring Fatty Acid Synthase Activity and Product-Specificity by High-Resolution Mass Spectrometry. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	6
83	LipidCreator workbench to probe the lipidomic landscape. <i>Nature Communications</i> , <b>2020</b> , 11, 2057	17.4	26
82	Update on LIPID MAPS classification, nomenclature, and shorthand notation for MS-derived lipid structures. <i>Journal of Lipid Research</i> , <b>2020</b> , 61, 1539-1555	6.3	119
81	Phosphoproteomic Analysis across the Yeast Life Cycle Reveals Control of Fatty Acyl Chain Length by Phosphorylation of the Fatty Acid Synthase Complex. <i>Cell Reports</i> , <b>2020</b> , 32, 108024	10.6	5
80	Simple Targeted Assays for Metabolic Pathways and Signaling: A Powerful Tool for Targeted Proteomics. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 13672-13676	7.8	1
79	Uptake of exogenous serine is important to maintain sphingolipid homeostasis in <i>Saccharomyces cerevisiae</i> . <i>PLoS Genetics</i> , <b>2020</b> , 16, e1008745	6	6
78	LAMTOR/Ragulator regulates lipid metabolism in macrophages and foam cell differentiation. <i>FEBS Letters</i> , <b>2020</b> , 594, 31-42	3.8	2
77	Uptake of exogenous serine is important to maintain sphingolipid homeostasis in <i>Saccharomyces cerevisiae</i> <b>2020</b> , 16, e1008745		
76	Uptake of exogenous serine is important to maintain sphingolipid homeostasis in <i>Saccharomyces cerevisiae</i> <b>2020</b> , 16, e1008745		

75	Uptake of exogenous serine is important to maintain sphingolipid homeostasis in <i>Saccharomyces cerevisiae</i> <b>2020</b> , 16, e1008745		
74	Increasing jojoba-like wax ester production in <i>Saccharomyces cerevisiae</i> by enhancing very long-chain, monounsaturated fatty acid synthesis. <i>Microbial Cell Factories</i> , <b>2019</b> , 18, 49	6.4	13
73	Quantification of Cholesterol and Cholesteryl Ester by Direct Flow Injection High-Resolution Fourier Transform Mass Spectrometry Utilizing Species-Specific Response Factors. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 3459-3466	7.8	48
72	MIGA2 Links Mitochondria, the ER, and Lipid Droplets and Promotes De Novo Lipogenesis in Adipocytes. <i>Molecular Cell</i> , <b>2019</b> , 76, 811-825.e14	17.6	64
71	Lipid droplet consumption is functionally coupled to vacuole homeostasis independent of lipophagy. <i>Journal of Cell Science</i> , <b>2018</b> , 131,	5.3	15
70	Niemann-Pick C2 protein regulates sterol transport between plasma membrane and late endosomes in human fibroblasts. <i>Chemistry and Physics of Lipids</i> , <b>2018</b> , 213, 48-61	3.7	15
69	Easy, Fast, and Reproducible Quantification of Cholesterol and Other Lipids in Human Plasma by Combined High Resolution MSX and FTMS Analysis. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2018</b> , 29, 34-41	3.5	15
68	Seipin and the membrane-shaping protein Pex30 cooperate in organelle budding from the endoplasmic reticulum. <i>Nature Communications</i> , <b>2018</b> , 9, 2939	17.4	74
67	Total Fatty Acid Analysis of Human Blood Samples in One Minute by High-Resolution Mass Spectrometry. <i>Biomolecules</i> , <b>2018</b> , 9,	5.9	16
66	Regulation of lipid droplets by metabolically controlled Ldo isoforms. <i>Journal of Cell Biology</i> , <b>2018</b> , 217, 127-138	7.3	59
65	Discovery of a Potent Thiazolidine Free Fatty Acid Receptor 2 Agonist with Favorable Pharmacokinetic Properties. <i>Journal of Medicinal Chemistry</i> , <b>2018</b> , 61, 9534-9550	8.3	20
64	Automated, parallel mass spectrometry imaging and structural identification of lipids. <i>Nature Methods</i> , <b>2018</b> , 15, 515-518	21.6	93
63	Reporting of lipidomics data should be standardized. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2017</b> , 1862, 747-751	5	61
62	Pex35 is a regulator of peroxisome abundance. <i>Journal of Cell Science</i> , <b>2017</b> , 130, 791-804	5.3	17
61	Multi-omics Analyses of Starvation Responses Reveal a Central Role for Lipoprotein Metabolism in Acute Starvation Survival in <i>C. elegans</i> . <i>Cell Systems</i> , <b>2017</b> , 5, 38-52.e4	10.6	32
60	Quantitative lipidomics reveals age-dependent perturbations of whole-body lipid metabolism in ACBP deficient mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2017</b> , 1862, 145-155	5.5	12
59	Proposal for a common nomenclature for fragment ions in mass spectra of lipids. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188394	3.7	57
58	Homeoviscous Adaptation and the Regulation of Membrane Lipids. <i>Journal of Molecular Biology</i> , <b>2016</b> , 428, 4776-4791	6.5	157

57	Discovery of a Potent Free Fatty Acid 1 Receptor Agonist with Low Lipophilicity, Low Polar Surface Area, and Robust in Vivo Efficacy. <i>Journal of Medicinal Chemistry</i> , <b>2016</b> , 59, 2841-6	8.3	17
56	Seipin is required for converting nascent to mature lipid droplets. <i>ELife</i> , <b>2016</b> , 5,	8.9	196
55	Functions of Ceramide Synthase Paralogs YPR114w and YJR116w of <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , <b>2016</b> , 11, e0145831	3.7	1
54	Mga2 Transcription Factor Regulates an Oxygen-responsive Lipid Homeostasis Pathway in Fission Yeast. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 12171-83	5.4	24
53	Structural characterization of suppressor lipids by high-resolution mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2016</b> , 30, 2215-27	2.2	3
52	Structural characterization of ether lipids from the archaeon <i>Sulfolobus islandicus</i> by high-resolution shotgun lipidomics. <i>Journal of Mass Spectrometry</i> , <b>2015</b> , 50, 476-87	2.2	18
51	Rom2-dependent phosphorylation of Elo2 controls the abundance of very long-chain fatty acids. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 4238-47	5.4	19
50	Activity of dietary fatty acids on FFA1 and FFA4 and characterisation of pinolenic acid as a dual FFA1/FFA4 agonist with potential effect against metabolic diseases. <i>British Journal of Nutrition</i> , <b>2015</b> , 113, 1677-88	3.6	66
49	Quantitative analysis of proteome and lipidome dynamics reveals functional regulation of global lipid metabolism. <i>Chemistry and Biology</i> , <b>2015</b> , 22, 412-25		55
48	<i>Saccharomyces cerevisiae</i> Is Dependent on Vesicular Traffic between the Golgi Apparatus and the Vacuole When Inositolphosphorylceramide Synthase Aur1 Is Inactivated. <i>Eukaryotic Cell</i> , <b>2015</b> , 14, 1203-16		10
47	Comprehensive lipidome analysis by shotgun lipidomics on a hybrid quadrupole-orbitrap-linear ion trap mass spectrometer. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2015</b> , 26, 133-48	3.5	97
46	The Effects of Temperature and Growth Phase on the Lipidomes of <i>Sulfolobus islandicus</i> and <i>Sulfolobus tokodaii</i> . <i>Life</i> , <b>2015</b> , 5, 1539-66	3	23
45	Quantitative Profiling of Long-Chain Bases by Mass Tagging and Parallel Reaction Monitoring. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144817	3.7	8
44	The GARP complex is required for cellular sphingolipid homeostasis. <i>ELife</i> , <b>2015</b> , 4,	8.9	53
43	Identification and Annotation of Lipid Species in Metabolomics Studies Need Improvement. <i>Clinical Chemistry</i> , <b>2015</b> , 61, 1542-4	5.5	24
42	Comprehensive and quantitative profiling of lipid species in human milk, cow milk and a phospholipid-enriched milk formula by GC and MS/MS. <i>European Journal of Lipid Science and Technology</i> , <b>2015</b> , 117, 751-759	3	47
41	Quantitative spatial analysis of the mouse brain lipidome by pressurized liquid extraction surface analysis. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 1749-56	7.8	44
40	Modulation of the <i>Lactobacillus acidophilus</i> La-5 lipidome by different growth conditions. <i>Microbiology (United Kingdom)</i> , <b>2015</b> , 161, 1990-1998	2.9	4

39	High-content screening of yeast mutant libraries by shotgun lipidomics. <i>Molecular BioSystems</i> , <b>2014</b> , 10, 1364-76		23
38	Characterization of yeast mutants lacking alkaline ceramidases YPC1 and YDC1. <i>FEMS Yeast Research</i> , <b>2014</b> , 14, 776-88	3.1	8
37	Shotgun lipidomic analysis of chemically sulfated sterols compromises analytical sensitivity: Recommendation for large-scale global lipidome analysis. <i>European Journal of Lipid Science and Technology</i> , <b>2014</b> , 116, 1618-1620	3	9
36	Two different pathways of phosphatidylcholine synthesis, the Kennedy Pathway and the Lands Cycle, differentially regulate cellular triacylglycerol storage. <i>BMC Cell Biology</i> , <b>2014</b> , 15, 43		65
35	An ER protein functionally couples neutral lipid metabolism on lipid droplets to membrane lipid synthesis in the ER. <i>Cell Reports</i> , <b>2014</b> , 6, 44-55	10.6	71
34	A lipid E-MAP identifies Ubx2 as a critical regulator of lipid saturation and lipid bilayer stress. <i>Molecular Cell</i> , <b>2013</b> , 51, 519-30	17.6	100
33	Transformation-associated changes in sphingolipid metabolism sensitize cells to lysosomal cell death induced by inhibitors of acid sphingomyelinase. <i>Cancer Cell</i> , <b>2013</b> , 24, 379-93	24.3	219
32	Profiling of lipid species by normal-phase liquid chromatography, nanoelectrospray ionization, and ion trap-orbitrap mass spectrometry. <i>Analytical Biochemistry</i> , <b>2013</b> , 443, 88-96	3.1	23
31	Composition, structure and properties of POPC-triolein mixtures. Evidence of triglyceride domains in phospholipid bilayers. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2013</b> , 1828, 1909-17	3.8	17
30	Compositional and structural characterization of monolayers and bilayers composed of native pulmonary surfactant from wild type mice. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2013</b> , 1828, 2450-9	3.8	31
29	Functional loss of two ceramide synthases elicits autophagy-dependent lifespan extension in <i>C. elegans</i> . <i>PLoS ONE</i> , <b>2013</b> , 8, e70087	3.7	41
28	Analysis of lipid experiments (ALEX): a software framework for analysis of high-resolution shotgun lipidomics data. <i>PLoS ONE</i> , <b>2013</b> , 8, e79736	3.7	115
27	Sterol homeostasis requires regulated degradation of squalene monooxygenase by the ubiquitin ligase Doa10/Teb4. <i>ELife</i> , <b>2013</b> , 2, e00953	8.9	116
26	Gem1 and ERMES do not directly affect phosphatidylserine transport from ER to mitochondria or mitochondrial inheritance. <i>Traffic</i> , <b>2012</b> , 13, 880-90	5.7	137
25	Lipid Informatics: From a Mass Spectrum to Interactomics <b>2012</b> , 147-174		4
24	A novel pathway of ceramide metabolism in <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , <b>2012</b> , 447, 103-14	3.8	24
23	Exogenous ether lipids predominantly target mitochondria. <i>PLoS ONE</i> , <b>2012</b> , 7, e31342	3.7	19
22	Distinct roles of two ceramide synthases, CaLag1p and CaLac1p, in the morphogenesis of <i>Candida albicans</i> . <i>Molecular Microbiology</i> , <b>2012</b> , 83, 728-45	4.1	21

21	Quantitative profiling of PE, MMPE, DMPE, and PC lipid species by multiple precursor ion scanning: a tool for monitoring PE metabolism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2011</b> , 1811, 1081-9	5	27
20	Generic sorting of raft lipids into secretory vesicles in yeast. <i>Traffic</i> , <b>2011</b> , 12, 1139-47	5.7	52
19	Membrane lipidome of an epithelial cell line. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 1903-7	11.5	326
18	Specific lipids modulate the transporter associated with antigen processing (TAP). <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 13346-56	5.4	22
17	Yeast cells lacking all known ceramide synthases continue to make complex sphingolipids and to incorporate ceramides into glycosylphosphatidylinositol (GPI) anchors. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 6769-79	5.4	18
16	A plasma-membrane E-MAP reveals links of the eisosome with sphingolipid metabolism and endosomal trafficking. <i>Nature Structural and Molecular Biology</i> , <b>2010</b> , 17, 901-8	17.6	79
15	Orm family proteins mediate sphingolipid homeostasis. <i>Nature</i> , <b>2010</b> , 463, 1048-53	50.4	450
14	Yeast lipids can phase-separate into micrometer-scale membrane domains. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 30224-32	5.4	79
13	Segregation of sphingolipids and sterols during formation of secretory vesicles at the trans-Golgi network. <i>Journal of Cell Biology</i> , <b>2009</b> , 185, 601-12	7.3	305
12	Global analysis of the yeast lipidome by quantitative shotgun mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 2136-41	11.5	733
11	The lipidomes of vesicular stomatitis virus, semliki forest virus, and the host plasma membrane analyzed by quantitative shotgun mass spectrometry. <i>Journal of Virology</i> , <b>2009</b> , 83, 7996-8003	6.6	85
10	Accumulation of raft lipids in T-cell plasma membrane domains engaged in TCR signalling. <i>EMBO Journal</i> , <b>2009</b> , 28, 466-76	13	212
9	PSI1 is responsible for the stearic acid enrichment that is characteristic of phosphatidylinositol in yeast. <i>FEBS Journal</i> , <b>2009</b> , 276, 6412-24	5.7	35
8	High-throughput shotgun lipidomics by quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2009</b> , 877, 2664-72	3.2	185
7	Osmolality, temperature, and membrane lipid composition modulate the activity of betaine transporter BetP in <i>Corynebacterium glutamicum</i> . <i>Journal of Bacteriology</i> , <b>2007</b> , 189, 7485-96	3.5	46
6	The role of lipids and salts in two-dimensional crystallization of the glycine-betaine transporter BetP from <i>Corynebacterium glutamicum</i> . <i>Journal of Structural Biology</i> , <b>2007</b> , 160, 275-86	3.4	13
5	Collision-induced dissociation pathways of yeast sphingolipids and their molecular profiling in total lipid extracts: a study by quadrupole TOF and linear ion trap-orbitrap mass spectrometry. <i>Journal of Mass Spectrometry</i> , <b>2006</b> , 41, 372-89	2.2	116
4	Automated identification and quantification of glycerophospholipid molecular species by multiple precursor ion scanning. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 6202-14	7.8	353

3	Lipid profiling by multiple precursor and neutral loss scanning driven by the data-dependent acquisition. <i>Analytical Chemistry</i> , <b>2006</b> , 78, 585-95	7.8	251
2	Polyene-lipids: a new tool to image lipids. <i>Nature Methods</i> , <b>2005</b> , 2, 39-45	21.6	154
1	Charting molecular composition of phosphatidylcholines by fatty acid scanning and ion trap MS3 fragmentation. <i>Journal of Lipid Research</i> , <b>2003</b> , 44, 2181-92	6.3	239