Laurens Katgerman

List of Publications by Year in Descending Order

203 papers	5,493 citations	40 h-index	69 g-index
207 ext. papers	5,960 ext. citations	4.1 avg, IF	5.62 L-index

#	Paper	IF	Citations
203	Tailoring precipitation/properties and related mechanisms for a high-strength aluminum alloy plate via low-temperature retrogression and re-aging processes. *Journal of Materials Science and Technology*, **2022**, 120, 15-35	9.1	0
202	Modelling of defects in aluminium cast products. *Progress in Materials Science*, **2021**, 123, 100824	42.2	7
201	Room-temperature low-cycle fatigue and fracture behaviour of asymmetrically rolled high-strength 7050 aluminium alloy plates. *International Journal of Fatigue*, **2021**, 142, 105919	5	7
200	Recent advances in hot tearing during casting of aluminium alloys. *Progress in Materials Science*, **2021**, 117, 100741	42.2	20
199	Semi-solid Constitutive Parameters and Failure Behavior of a Cast AA7050 Alloy. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2021**, 52, 871-888	2.3	2
198	Effect of Main Elements (Zn, Mg, and Cu) on Hot Tearing Susceptibility During Direct-Chill Casting of 7xxx Aluminum Alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2019**, 50, 3603-3616	2.3	13
197	Mechanical properties and cold cracking evaluations of four 7□series aluminum alloys using a newly developed index. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2017**, 698, 230-237	5.3	6
196	Experimental and Theoretical Studies of the Hot Tearing Behavior of Al-xZn-2Mg-2Cu Alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2017**, 48, 4744-4754	2.3	9
195	Tensile mechanical properties, constitutive parameters and fracture characteristics of an as-cast AA7050 alloy in the near-solidus temperature regime. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2017**, 679, 28-35	5.3	10
194	A modified hot tearing criterion for direct chill casting of aluminium alloys. *Materials Science and Technology*, **2016**, 32, 846-854	1.5	9
193	Analysis of the structure and resulting mechanical properties of aluminium extrusions containing a charge weld interface. *Journal of Materials Processing Technology*, **2016**, 229, 9-21	5.3	19
192	On the Mechanism of Grain Refinement by Ultrasonic Melt Treatment in the Presence of Transition Metals **2016**, 415-419		1
191	Constitutive Behavior of Wrought Magnesium Alloy AZ61 **2016**, 339-344		
190	Cold Cracking During Direct-Chill Casting **2016**, 939-944		
189	Effect of Grain Refining on Defect Formation in DC Cast Al-Zn-Mg-Cu Alloy Billet **2016**, 842-847		0
188	Microstructural and X-ray tomographic analysis of damage in extruded aluminium weld seams. *Materials Science and Technology*, **2015**, 31, 94-104	1.5	5
187	Linear Contraction Behavior of Low-Carbon, Low-Alloy Steels During and After Solidification Using Real-Time Measurements. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2014**, 45, 1445-1456	2.3	6

186	Formation of Hot Tear Under Controlled Solidification Conditions. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2014**, 45, 2855-2862	2.3	8
185	The origin of weld seam defects related to metal flow in the hot extrusion of aluminium alloys EN AW-6060 and EN AW-6082. *Journal of Materials Processing Technology*, **2014**, 214, 2349-2358	5.3	32
184	Identification of a friction model for the bearing channel of hot aluminium extrusion dies by using ball-on-disc tests. *Tribology International*, **2012**, 50, 66-75	4.9	15
183	Effect of V and N on the microstructure evolution during continuous casting of steel. *IOP Conference Series: Materials Science and Engineering*, **2012**, 27, 012059	0.4	1
182	Friction in aluminium extrusion Part 1: A review of friction testing techniques for aluminium extrusion. *Tribology International*, **2012**, 56, 89-98	4.9	36
181	Influence of Melt Feeding Scheme and Casting Parameters During Direct-Chill Casting on Microstructure of an AA7050 Billet. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2012**, 43, 1565-1573	2.5	17
180	Structure and Defect Formation during DC Casting of Aluminium Alloys. *Materials Science Forum*, **2012**, 710, 43-49	0.4	
179	Modeling of primary dendrite arm spacing variations in thin-slab casting of low carbon and low alloy steels. *IOP Conference Series: Materials Science and Engineering*, **2012**, 27, 012046	0.4	3
178	On the mechanism of the formation of primary intermetallics under ultrasonic melt treatment in an Al-Zr-Ti alloy. *IOP Conference Series: Materials Science and Engineering*, **2012**, 27, 012002	0.4	8
177	Effect of inlet geometry on macrosegregation during the direct chill casting of 7050 alloy billets: experiments and computer modelling. *IOP Conference Series: Materials Science and Engineering*, **2012**, 33, 012019	0.4	10
176	Constitutive behaviour of an as-cast AA7050 alloy in the sub-solidus temperature range. *IOP Conference Series: Materials Science and Engineering*, **2012**, 27, 012074	0.4	3
175	Semi-quantitative predictions of hot tearing and cold cracking in aluminum DC casting using numerical process simulator. *IOP Conference Series: Materials Science and Engineering*, **2012**, 33, 012068	0.4	12
174	Formation of Microstructure in Al-Si Alloys Under Ultrasonic Melt Treatment **2012**, 999-1004		2
173	Role of Solute and Transition Metals in Grain Refinement of Aluminum Alloys under Ultrasonic Melt Treatment **2012**, 1389-1394		1
172	On the mechanism of grain refinement in Al□Zr□Ti alloys. *Journal of Alloys and Compounds*, **2011**, 509, 57-60	5.7	70
171	Cold Cracking during Direct-chill Casting **2011**, 667-674		1
170	Principles of Solidification. *Materials Today*, **2011**, 14, 502	21.8	5
169	Influence of ultrasonic melt treatment on the formation of primary intermetallics and related grain refinement in aluminum alloys. *Journal of Materials Science*, **2011**, 46, 5252-5259	4.3	64

168	Contribution of forced centreline convection during direct chill casting of round billets to macrosegregation and structure of binary Al□Cu aluminium alloy. *Materials Science and Technology*, **2011**, 27, 890-896	1.5	24
167	Cold cracking in DC-cast high strength aluminum alloy ingots: An intrinsic problem intensified by casting process parameters. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2011**, 528, 2831-2842	5.3	37
166	Prediction of pressure required to extrude a wrought magnesium alloy using optimized strain-dependent constitutive parameters. *Journal of Materials Processing Technology*, **2011**, 211, 1241-1246	2.2	7
165	Thermal expansion/contraction behavior of AA7050 alloy in the as-cast condition relevant to thermomechanical simulation of residual thermal stresses. *International Journal of Materials Research*, **2011**, 102, 1286-1293	0.5	3
164	Cold Cracking During Direct-Chill Casting **2011**, 669-674		2
163	Numerical Simulation of Residual Thermal Stresses in AA7050 Alloy during DC-Casting Using ALSIM5. *Advanced Materials Research*, **2010**, 89-91, 319-324	0.5	4
162	Application of a Criterion for Cold Cracking to Casting High Strength Aluminium Alloys. *Materials Science Forum*, **2010**, 654-656, 1432-1435	0.4	5
161	Microstructural features of intergranular brittle fracture and cold cracking in high strength aluminum alloys. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2010**, 527, 1828-1834	5.3	19
160	Factors affecting thermal contraction behavior of an AA7050 alloy. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2010**, 527, 3264-3270	5.3	19
159	Criteria of Grain Refinement Induced by Ultrasonic Melt Treatment of Aluminum Alloys Containing Zr and Ti. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2010**, 41, 2056-2066	2.3	186
158	Cold Cracking Development in AA7050 Direct Chill□Cast Billets under Various Casting Conditions. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2010**, 41, 2425-2434	2.3	23
157	In-situ observation of the nucleation kinetics and the mechanism of grain refinement in Al□Si alloys (Part I). *Materials Letters*, **2010**, 64, 1016-1018	3.3	12
156	Distribution of trace elements in a modified and grain refined aluminium-silicon hypoeutectic alloy. *Micron*, **2010**, 41, 554-9	2.3	22
155	Hot workability analysis of extruded AZ magnesium alloys with processing maps. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2010**, 527, 735-744	5.3	73
154	Modeling of double action extrusion□A novel extrusion process for friction characterization at the billet□die bearing interface. *Tribology International*, **2010**, 43, 2084-2091	4.9	7
153	Solidification phenomena related to direct chill casting of aluminium alloys: fundamental studies and future challenges. *Materials Technology*, **2009**, 24, 152-156	2.1	5
152	Influence of dendrite arrangement on coarsening during solidification of high-solute Al alloys. *International Journal of Cast Metals Research*, **2009**, 22, 271-274	1	1
151	Temperature effects in aluminium melts due to cavitation induced by high power ultrasound. *International Journal of Cast Metals Research*, **2009**, 22, 26-29	1	12

150	Effect of controlled forced convection on macrosegregation and structure in direct-chill casting of an aluminium alloy. *International Journal of Cast Metals Research*, **2009**, 22, 99-102	1	5
149	Macrosegregation Mechanisms in Direct-Chill Casting of Aluminium Alloys. *Materials Science Forum*, **2009**, 630, 193-199	0.4	8
148	A comparative electrochemical study of commercial and model aluminium alloy (AA5050). *Materials and Corrosion - Werkstoffe Und Korrosion*, **2009**, 60, 399-406	1.6	6
147	Cold-Cracking Assessment in AA7050 Billets during Direct-Chill Casting by Thermomechanical Simulation of Residual Thermal Stresses and Application of Fracture Mechanics. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2009**, 40, 3304-3313	2.3	38
146	Integrated Approach for Prediction of Hot Tearing. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2009**, 40, 2388-2400	2.3	32
145	In-Situ Analysis of Coarsening during Directional Solidification Experiments in High-Solute Aluminum Alloys. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2009**, 40, 312-316	2.5	17
144	Physical Simulation of Longitudinal Weld Seam Formation During Extrusion to Produce Hollow Aluminum Profiles. *Materials and Manufacturing Processes*, **2009**, 24, 409-421	4.1	22
143	Different grain morphologies in grain-refined 7075 billet. *Materials Science and Technology*, **2009**, 25, 1175-1182	1.5	
142	Microstructural analysis of modification and grain refinement in a hypoeutectic Al–Si alloy. *International Journal of Cast Metals Research*, **2009**, 22, 108-110	1	8
141	Numerical issues in modelling macrosegregation during DC casting of a multi-component aluminium alloy. *International Journal of Numerical Methods for Heat and Fluid Flow*, **2009**, 19, 917-930	4.5	9
140	Towards Predictive Control of Extrusion Weld Seams: An Integrated Approach. *Key Engineering Materials*, **2009**, 424, 9-17	0.4	4
139	An efficient technique for describing a multi-component open system solidification path. *Calphad: Computer Coupling of Phase Diagrams and Thermochemistry*, **2008**, 32, 478-484	1.9	8
138	Solute transport and phase composition in an Al–Mg–Si alloy solidified under conditions of forced flow. *International Journal of Materials Research*, **2008**, 99, 26-35	0.5	
137	Strain-dependent constitutive analysis of three wrought Mg–Al–Zn alloys. *Journal of Materials Science*, **2008**, 43, 7165-7170	4.3	32
136	Effect of Grain Refinement on Structure Evolution, Floating Grains, and Centerline Macrosegregation in Direct-Chill Cast AA2024 Alloy Billets. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2008**, 39, 450-461	2.3	31
135	Scale Rules for Macrosegregation during Direct-Chill Casting of Aluminum Alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2008**, 39, 1206-1212	2.3	25
134	Constitutive Model for Aluminum Alloys Exposed to Fire Conditions. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2008**, 39, 778-789	2.3	49
133	Numerical Evaluation of Cyclone Application for Impurities Removal from Molten Aluminum. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2008**, 39, 364-373	2.5	3

132	A combined TEM and SKPFM investigation of the surface layers on rolled AA5050 aluminium alloy using ultra-microtomy. *Surface and Interface Analysis*, **2008**, 40, 1157-1163	1.5	10
131	Macrosegregation in direct-chill casting of aluminium alloys. *Progress in Materials Science*, **2008**, 53, 421-480	4.2	193
130	Effect of different grain structures on centerline macrosegregation during direct-chill casting. *Acta Materialia*, **2008**, 56, 1358-1365	8.4	67
129	Fracture behavior and mechanical properties of high strength aluminum alloys in the as-cast condition. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2008**, 497, 186-194	5.3	41
128	In Search of the Prediction of Hot Cracking in Aluminium Alloys **2008**, 11-26		8
127	Optical and transmission electron microscopical study of the evolution of surface layer on recycled aluminium along the rolling mills. *Surface and Coatings Technology*, **2007**, 201, 4561-4570	4.4	13
126	Electrochemical investigation of rolled-in subsurface layers in commercially pure aluminium alloys with the micro-capillary cell technique. *Surface and Coatings Technology*, **2007**, 201, 4553-4560	4.4	27
125	Two-dimensional modelling and experimental study on microsegregation during solidification of an Al□Cu binary alloy. *Acta Materialia*, **2007**, 55, 1523-1532	8.4	35
124	Feathery grain growth during solidification under forced flow conditions. *Acta Materialia*, **2007**, 55, 3795-3801	8.4	31
123	In situ observations of dendritic fragmentation due to local solute-enrichment during directional solidification of an aluminum alloy. *Acta Materialia*, **2007**, 55, 4287-4292	8.4	203
122	Shear Initiation of Al/MoO3-Based Reactive Materials. *Propellants, Explosives, Pyrotechnics*, **2007**, 32, 447-453	1.7	15
121	Constitutive analysis of wrought magnesium alloy Mg□Al4□Zn1. *Scripta Materialia*, **2007**, 57, 759-762	5.6	163
120	Combustion synthesis of electrical contact materials. *International Journal of Self-Propagating High-Temperature Synthesis*, **2007**, 16, 184-188	0.7	1
119	Combustion synthesis of TiB2-based cermets: modeling and experimental results. *Applied Physics A: Materials Science and Processing*, **2007**, 90, 159-163	2.6	10
118	Modeling Macrosegregation during Direct-Chill Casting of Multicomponent Aluminum Alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2007**, 38, 180-189	2.3	59
117	A Quest for a New Hot Tearing Criterion. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2007**, 38, 1511-1519	2.3	166
116	Solidification under Forced-Flow Conditions in a Shallow Cavity. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2007**, 38, 1317-1329	2.3	15
115	Role of grain refining in hot cracking and macrosegregation in direct chill cast AA 7075 billets. *Materials Science and Technology*, **2007**, 23, 1327-1335	1.5	15

114	The importance of the near-surface region in the surface pre-treatment of rolled recycled aluminium **2007**, 71-82		
113	Effect of Structure on Hot Tearing Properties of Aluminum Alloys. *Materials Science Forum*, **2007**, 561-565, 995-998	0.4	6
112	Experimental Study of Grain Growth in Aluminium Melts under the Influence of Ultrasonic Melt Treatment. *Materials Science Forum*, **2007**, 561-565, 987-990	0.4	7
111	Unsteady-State Solidification under Forced Flow Conditions. *Materials Science Forum*, **2007**, 561-565, 991-994	0.4	3
110	Nucleation kinetics during the solidification of aluminum alloys. *Journal of Non-Crystalline Solids*, **2007**, 353, 3640-3643	3.9	16
109	3D Microstructure Development during Unconstrained Solidification of Aluminum Alloys. *Materials Science Forum*, **2007**, 561-565, 1015-1018	0.4	
108	Relationship between shrinkage-induced macrosegregation and the sump profile upon direct-chill casting. *Scripta Materialia*, **2006**, 55, 715-718	5.6	50
107	3D Microstructure Reconstruction of Aluminium Alloys Quenched during Solidification. *Materials Science Forum*, **2006**, 519-521, 1707-1712	0.4	2
106	Experimental Study and Modelling of Combustion Front Velocity in Ti-2B and Ti-C Based Reactant Mixtures. *Advances in Science and Technology*, **2006**, 45, 2656-2663	0.1	2
105	Role of Grain Refining in Macrosegregation upon Direct Chill Casting of AA 2024 Round Billet. *Materials Science Forum*, **2006**, 519-521, 1841-1846	0.4	12
104	Effects of Solidification Range on the Structure of Aluminium Alloys Obtained under Conditions of Constant Melt Flow. *Materials Science Forum*, **2006**, 519-521, 1789-1794	0.4	1
103	Consequences of Hot Rolling of Recycled AA5050 on Filiform Corrosion. *Materials Science Forum*, **2006**, 519-521, 687-692	0.4	2
102	Thermal Contraction of AA5182 for Prediction of Ingot Distortions. *Key Engineering Materials*, **2006**, 306-308, 977-982	0.4	1
101	Liquid Film Migration in Aluminium Brazing Sheet?. *Materials Science Forum*, **2006**, 519-521, 1151-1156	0.4	4
100	Thermal Contraction during Solidification of Aluminium Alloys. *Materials Science Forum*, **2006**, 519-521, 1681-1686	0.4	8
99	Network model of fluid flow in semi-solid aluminum alloys. *Computational Materials Science*, **2006**, 38, 67-74	3.2	2
98	Tensile Behaviour of DC-cast AA5182 in Solid and Semi-solid State **2006**, 239-244		
97	Physical Simulation of Longitudinal Weld Seam Formation in Aluminium Extrusions. *Materials Science Forum*, **2006**, 519-521, 1403-1408	0.4	5

96	The Influence of the Solid-State Bonding Process on the Mechanical Integrity of Longitudinal Weld Seams. *JSME International Journal Series A-Solid Mechanics and Material Engineering*, **2006**, 49, 63-68		10
95	In situ investigation of the crystallization kinetics and the mechanism of grain refinement in aluminum alloys. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2006**, 416, 18-32	5.3	45
94	Structure observations related to hot tearing of Al□Cu billets produced by direct-chill casting. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2006**, 420, 1-7	5.3	44
93	The effect of constitutive description of PIM feedstock viscosity in numerical analysis of the powder injection moulding process. *Journal of Materials Processing Technology*, **2006**, 178, 194-199	5.3	17
92	Understanding the electrochemical, microstructural and morphological changes during hot rolling from a corrosion perspective. *Surface and Coatings Technology*, **2006**, 201, 828-834	4.4	9
91	Experimental study of structure formation in binary Al□Cu alloys at different cooling rates. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2005**, 405, 1-10	5.3	102
90	The effect of ramping casting speed and casting temperature on temperature distribution and melt flow patterns in the sump of a DC cast billet. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 413-414, 144-150	5.3	30
89	Effect of melt flow on macro- and microstructure evolution during solidification of an Al□4.5% Cu alloy. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 413-414, 98-104	5.3	21
88	A direct method of solidification for the enhancement of mushy zone network models. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2005**, 413-414, 255-258	5.3	1
87	Real-time observation of grain nucleation and growth during solidification of aluminium alloys. *Acta Materialia*, **2005**, 53, 2875-2880	8.4	99
86	Effects of melt temperature and casting speed on the structure and defect formation during direct-chill casting of an Al-Cu alloy. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2005**, 36, 1965-1976	2.3	66
85	Hot tearing criteria evaluation for direct-chill casting of an Al-4.5 pct Cu alloy. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2005**, 36, 1537-1546	2.3	88
84	Functionally Graded TiC-Based Cermets via Combustion Synthesis and Quasi-Isostatic Pressing. *Materials Science Forum*, **2005**, 492-493, 63-68	0.4	1
83	Shear Initiated Reactions in Energetic and Reactive Materials. *Materials Research Society Symposia Proceedings*, **2005**, 896, 61		2
82	Microscopic View on Grain Nucleation and Growth Kinetics During Solidification of Aluminum Alloys. *Materials Research Society Symposia Proceedings*, **2004**, 840, Q7.12.1		1
81	Effect of strain rate and thermal history on the constitutive behaviour of Al□Mg alloy AA 5182. *Materials Science and Technology*, **2004**, 20, 1233-1236	1.5	1
80	Mechanical properties in the semi-solid state and hot tearing of aluminium alloys. *Progress in Materials Science*, **2004**, 49, 629-711	42.2	522
79	SANS investigations on the solidification of aluminum alloys. *Physica B: Condensed Matter*, **2004**, 350, E1011-E1014	2.8	1

78	Structure formation and macrosegregation under different process conditions during DC casting. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing* , **2004**, 384, 232-244	5.3	105
77	Effects of alloy composition and casting speed on structure formation and hot tearing during direct-chill casting of Al-Cu alloys. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2004**, 35, 3551-3561	2.3	85
76	Finite element method simulation of mushy zone behavior during direct-chill casting of an Al-4.5 pct Cu alloy. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2004**, 35, 2917-2926	2.3	33
75	Contraction of aluminum alloys during and after solidification. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2004**, 35, 1325-1335	2.3	80
74	Periodic structural fluctuations during the solidification of aluminum alloys studied by neutron diffraction. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2004**, 367, 82-88	5.3	17
73	Influence of substrate microstructure on the growth of anodic oxide layers. *Electrochimica Acta*, **2004**, 49, 1127-1140	6.7	95
72	A transmission electron microscopy study of hard anodic oxide layers on AlSi(Cu) alloys. *Electrochimica Acta*, **2004**, 49, 3169-3177	6.7	85
71	Rapidly solidified aluminium alloys by meltspinning. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2004**, 375-377, 1212-1216	5.3	48
70	The role of solute titanium and TiB2 particles in the liquid–solid phase transformation of aluminum alloys. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2004**, 386, 20-26	5.3	23
69	Characterisation of 316L powder injection moulding feedstock for purpose of numerical simulation of PIM process. *Powder Metallurgy*, **2003**, 46, 236-240	1.9	1
68	Comparison of numerical codes for simulation of powder injection moulding. *Powder Metallurgy*, **2003**, 46, 55-60	1.9	8
67	First stages of grain coarsening in semi-solid Al–Cu alloys. *Scripta Materialia*, **2003**, 49, 717-722	5.6	13
66	AlSi(Cu) anodic oxide layers formed in H2SO4 at low temperature using different current waveforms. *Surface and Coatings Technology*, **2003**, 165, 232-240	4.4	40
65	Vickers microhardness of AlSi(Cu) anodic oxide layers formed in H2SO4 at low temperature. *Surface and Coatings Technology*, **2003**, 165, 309-315	4.4	34
64	Experimental study of ordering kinetics in aluminum alloys during solidification. *Acta Materialia*, **2003**, 51, 4497-4504	8.4	20
63	Constitutive behavior of as-cast AA1050, AA3104, and AA5182. *Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science*, **2002**, 33, 1971-1980	2.3	40
62	Tensile behaviour of semi-solid industrial aluminium alloys AA3104 and AA5182. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2002**, 336, 1-6	5.3	52
61	The effect of heat treatment on the structure and abrasive wear resistance of autocatalytic NiP and NiP–SiC coatings. *Surface and Coatings Technology*, **2002**, 149, 263-278	4.4	158

60	Voltage transients and morphology of AlSi(Cu) anodic oxide layers formed in H2SO4 at low temperature. *Surface and Coatings Technology*, **2002**, 157, 80-94	4.4	44
59	Hot tearing studies in AA5182. *Journal of Materials Engineering and Performance*, **2002**, 11, 537-543	1.6	17
58	Micro-Mechanical Model of Hot Tearing at Triple Junctions in DC Casting. *Materials Science Forum*, **2002**, 396-402, 179-184	0.4	25
57	Determination of Boundary Conditions During the Start-Up of DC Casting **2002**, 147		
56	Upstream Fluid Flow Effects in Aluminium DC Casting. *Materials Science Forum*, **2002**, 396-402, 65-70	0.4	4
55	Linear solidification contraction of binary and commercial aluminium alloys. *International Journal of Cast Metals Research*, **2002**, 14, 217-223	1	17
54	Modelling issues in macrosegregation predictions in direct chill castings. *Journal of Light Metals*, **2002**, 2, 149-159		33
53	A computational and experimental study on mold filling. *Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science*, **2001**, 32, 69-78	2.5	19
52	Solid-state reactions in low-phosphorus autocatalytic NiP/SiC coatings. *Surface and Coatings Technology*, **2001**, 148, 284-295	4.4	38
51	Casting characteristics of high silicon added F3S.20S Duralcan composites. *International Journal of Cast Metals Research*, **2000**, 13, 59-65	1	1
50	Microstructural Observations of Cracking in AA5182 at Semi-Solid Temperatures. *Materials Science Forum*, **2000**, 331-337, 265-270	0.4	6
49	Production of Al/TiC grain refiner alloys by reactive synthesis of elemental powders: Part II. Grain refining performance of alloys and secondary processing. *Journal of Materials Research*, **2000**, 15, 2628-2635	2.5	4
48	Production of Al/TiC grain refiner alloys by reactive synthesis of elemental powders: Part I. Reactive synthesis and characterization of alloys. *Journal of Materials Research*, **2000**, 15, 2620-2627	2.5	19
47	Experimental and Numerical Investigations of Mould Filling of Thin Wall Horizontal Aluminium Castings. *Materials Science Forum*, **2000**, 329-330, 461-466	0.4	1
46	Influence of Process Parameters on the Microstructure in the Strip Casting Process. *Materials Science Forum*, **2000**, 331-337, 313-318	0.4	
45	Reactive hot pressing of aluminum matrix composites. *Journal of Materials Research*, **1999**, 14, 4246-4250	2.5	
44	Thermal conductivity of metal powder-polymer feedstock for powder injection moulding. *Journal of Materials Science*, **1999**, 34, 1-5	4.3	41
43	Particles Co-Deposition by Electroless Nickel. *Scripta Materialia*, **1998**, 38, 1383-1389	5.6	26

42	Electroless NiP Composite Coatings: The Effect of Heat Treatment on the Microhardness of Substrate and Coating. *Scripta Materialia*, **1998**, 38, 1347-1353	5.6	108
41	Influence of matrix alloying elements on reactive synthesis of 2124 aluminium alloy metal matrix composites. *Materials Science and Technology*, **1998**, 14, 873-876	1.5	7
40	Influence of matrix alloying elements on reactive synthesis of 2124 aluminium alloy metal matrix composites. *Materials Science and Technology*, **1998**, 14, 873-876	1.5	5
39	In-situ formation of TiB 2 in a P/M aluminum matrix. *Scripta Materialia*, **1997**, 37, 293-297	5.6	42
38	Ductility and Rheology of an Al-4.5% Cu Alloy from Room Temperature to Coherency Temperature. *Materials Science Forum*, **1996**, 217-222, 1209-1214	0.4	75
37	Production of SiC particulate reinforced aluminium composites by melt spinning. *Journal of Materials Science*, **1994**, 29, 6439-6444	4.3	3
36	Challenges in modelling of solidification processes **1994**, 23-30		
35	Modelling of droplet dynamic and thermal histories during spray forming I. individual droplet behaviour. *Acta Metallurgica Et Materialia*, **1993**, 41, 3097-3108		142
34	Modelling of droplet dynamic and thermal histories during spray forming II. Effect of process parameters. *Acta Metallurgica Et Materialia*, **1993**, 41, 3109-3118		76
33	Developments in Continuous Casting of Aluminium Alloys. *Cast Metals*, **1991**, 4, 133-139		6
32	A Computer Model for Trajectories and Thermal Profiles of Atomised Droplets in Spray Forming. *Cast Metals*, **1990**, 3, 227-232		17
31	Modelling of liquid-liquid metal mixing. *Flow, Turbulence and Combustion*, **1987**, 44, 175-195		2
30	Mixing and solidification of a turbulent liquid jet in a co-flowing stream. *International Journal for Numerical Methods in Engineering*, **1987**, 24, 231-249	2.4	5
29	Modelling of liquid-liquid metal mixing **1987**, 175-195		
28	On the formation of the stircast structure. *Journal of Materials Science*, **1986**, 21, 389-394	4.3	43
27	Mixing and Solidification of a Turbulent Liquid Metal Jet. *Lecture Notes in Engineering*, **1986**, 397-407		2
26	Continuous Products in Rapid Solidification **1986**, 121-136		
25	The structure of stircast Al-6Cu. *Journal of Materials Science*, **1985**, 20, 4335-4344	4.3	24

24	Analysis of process limits for continuous thixotropic slurry casting. *Journal of Materials Science*, **1985**, 20, 700-709	4.3	8
23	EFFECT OF PROCESS CONDITIONS DURING MELTSPINNING ON SOLIDIFICATION MORPHOLOGY OF ALUMINIUM ALLOYS **1985**, 819-822		4
22	RELATION BETWEEN SOLIDIFICATION MORPHOLOGY AND TEXTURE OF MELT-SPUN Al AND Al-ALLOYS **1985**, 823-826		4
21	Estimation ofT 0-curves from existing phase diagrams. *Journal of Materials Science Letters*, **1983**, 2, 444-446		10
20	The effect of soaking times on the mechanical properties of rapidly solidified aluminium alloys. *Journal of Materials Science Letters*, **1983**, 2, 67-70		2
19	Microsegregation and extended solid solutions after rapid solidification of aluminium alloys. *Scripta Metallurgica*, **1983**, 17, 537-540		17
18	A Mathematical Model for Hot Cracking of Aluminum Alloys During D.C. Casting. *Journal of Metals*, **1982**, 34, 46-49		60
17	Structural inhomogeneities of AlSi alloys rapidly quenched from the melt. *Journal of Materials Science*, **1982**, 17, 2887-2894	4.3	22
16	Characterization of Al-Si-alloys rapidly quenched from the melt. *Journal of Materials Science*, **1980**, 15, 2803-2810	4.3	118
15	Theoretical analysis of ribbon thickness formation during meltspinning. *Scripta Metallurgica*, **1980**, 14, 861-864		17
14	The nucleation of a second phase on a screw dislocation. *Acta Metallurgica*, **1978**, 26, 361-367		6
13	Effect of Melt Flow on Macrostructure and Macrosegregation of an Al-4.5% Cu Alloy283-289		1
12	Effect of Grain Refining on Defect Formation in DC Cast Al-Zn-Mg-Cu Alloy Billet842-847		
11	A Mathematical Model for Hot Cracking of Aluminium Alloys during DC Casting907-911		
10	Cold Cracking during Direct-Chill Casting939-946		
9	On the Mechanism of Grain Refinement by Ultrasonic Melt Treatment in the Presence of Transition Metals415-419		
8	Modelling of Fluid Flow and Stress Phenomena during DC Casting of Aluminium Alloys862-866		
7	Constitutive Behavior of Wrought Magnesium Alloy AZ61339-344		

6	Formation of Microstructure in Al-Si Alloys under Ultrasonic Melt Treatment999-1004	11
5	Role of Solute and Transition Metals in Grain Refinement of Aluminum Alloys under Ultrasonic Melt Treatment1389-139	1
4	Experimental Description and Process Simulation of Direct Chill (DC) Casting of Aluminum Alloys243-257	1
3	Effects of Process Parameters on the Characteristics of the Billet Sump and Related Defect Formation during DC Casting of Aluminum Alloys271-276	1
2	Effect of Casting Speed and Grain Refining on Macrosegregation of a DC Cast 6061 Aluminum Alloy277-282	2
1	Quenching Study on the Solidification of Aluminum Alloys290-295	2