

Kazuo Kurihara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9557725/publications.pdf>

Version: 2024-02-01

12
papers

161
citations

1684188
5
h-index

1281871
11
g-index

12
all docs

12
docs citations

12
times ranked

141
citing authors

#	ARTICLE	IF	CITATIONS
1	Pathophysiology of Skin Resident Memory T Cells. <i>Frontiers in Immunology</i> , 2020, 11, 618897.	4.8	57
2	Significance of IL-17A-producing CD8+CD103+ skin resident memory T cells in psoriasis lesion and their possible relationship to clinical course. <i>Journal of Dermatological Science</i> , 2019, 95, 21-27.	1.9	54
3	Skin Infiltration of Pathogenic Migratory and Resident T Cells Is Decreased by Secukinumab Treatment in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2020, 140, 2073-2076.e6.	0.7	14
4	PD-1 Expression Defines Epidermal CD8+CD103+ T Cells Preferentially Producing IL-17A and Using Skewed TCR Repertoire in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2426-2435.e5.	0.7	10
5	Protective role of Galectin-7 for skin barrier impairment in atopic dermatitis. <i>Clinical and Experimental Allergy</i> , 2020, 50, 922-931.	2.9	9
6	Two cases of psoriasiform dermatitis arising during dupilumab therapy and successfully treated with delgocitinib ointment. <i>European Journal of Dermatology</i> , 2021, 31, 658-660.	0.6	4
7	Epidermal CD8+CD103+ skin resident memory T cells in psoriasis plaques are reduced in number but remain in the basement membrane zone after topical application of corticosteroid and vitamin D3. <i>Journal of Dermatological Science</i> , 2022, 105, 192-194.	1.9	4
8	Tissue resident memory T cells in lesional and non-lesional psoriatic skin on a scar. <i>Journal of Dermatology</i> , 2020, 47, e210-e211.	1.2	3
9	Indolent multipapular adult T-cell leukemia/lymphoma with phenotype of resident memory T cells. <i>Journal of Dermatology</i> , 2020, 47, e280-e281.	1.2	2
10	Multiple facial plaques of diffuse plane xanthoma arising from regressed tumours of folliculotropic mycosis fungoides. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 358-360.	1.3	2
11	Multiple fixed drug eruption due to carbocysteine: Presence of circulating interferon- γ -producing CD8+ T cells reactive with its major metabolite thiodiglycolic acid. <i>Allergology International</i> , 2022, 71, 256-258.	3.3	1
12	Possible involvement of interleukin-22-producing CD8 ⁺ CD103 ⁺ T cells in the epidermal hyperplasia of atopic dermatitis. <i>Journal of Dermatology</i> , 2022, 49, 746-748.	1.2	1