Michael Rufer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9557866/publications.pdf

Version: 2024-02-01

109264 138417 3,909 97 35 58 citations h-index g-index papers 112 112 112 4816 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Mindfulness and emotion regulationâ€"an fMRI study. Social Cognitive and Affective Neuroscience, 2014, 9, 776-785.	1.5	238
2	Mobile Sensing and Support for People With Depression: A Pilot Trial in the Wild. JMIR MHealth and UHealth, 2016, 4, e111.	1.8	229
3	Symptom dimensions in obsessive-compulsive disorder: prediction of cognitive-behavior therapy outcome. Acta Psychiatrica Scandinavica, 2006, 113, 440-446.	2.2	170
4	Modulation of anticipatory emotion and perception processing by cognitive control. Neurolmage, 2007, 37, 652-662.	2.1	145
5	Locus Coeruleus Activity Mediates Hyperresponsiveness in Posttraumatic Stress Disorder. Biological Psychiatry, 2018, 83, 254-262.	0.7	119
6	Dissociation as a Predictor of Cognitive Behavior Therapy Outcome in Patients with Obsessive-Compulsive Disorder. Psychotherapy and Psychosomatics, 2006, 75, 40-46.	4.0	116
7	Quality of life in obsessive-compulsive disorder before and after treatment. Comprehensive Psychiatry, 2005, 46, 453-459.	1.5	113
8	Neural correlates of altered general emotion processing in social anxiety disorder. Brain Research, 2011, 1378, 72-83.	1.1	103
9	Factors associated with non-treatment or delayed treatment seeking in OCD sufferers: A review of the literature. Psychiatry Research, 2014, 220, 1-10.	1.7	100
10	Successful Opacification of the Left Heart Chambers on Echocardiographic Examination after Intravenous Injection of a New Saccharide Based Contrast Agent. Echocardiography, 1990, 7, 61-64.	0.3	98
11	Training emotion regulation through real-time fMRI neurofeedback of amygdala activity. NeuroImage, 2019, 184, 687-696.	2.1	97
12	Temporal stability of symptom dimensions in adult patients with obsessive–compulsive disorder. Journal of Affective Disorders, 2005, 88, 99-102.	2.0	96
13	Long?term course and outcome of obsessive?compulsive patients after cognitive?behavioral therapy in combination with either fluvoxamine or placebo. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 121-128.	1.8	88
14	Neural circuits of emotion regulation: a comparison of mindfulness-based and cognitive reappraisal strategies. European Archives of Psychiatry and Clinical Neuroscience, 2015, 265, 45-55.	1.8	81
15	A Prospective Study of Alexithymia in Obsessive-Compulsive Patients Treated with Multimodal Cognitive-Behavioral Therapy. Psychotherapy and Psychosomatics, 2004, 73, 101-106.	4.0	76
16	Positive schizotypal symptoms predict treatment outcome in obsessive–compulsive disorder. Behaviour Research and Therapy, 2004, 42, 217-227.	1.6	74
17	White matter alterations in social anxiety disorder. Journal of Psychiatric Research, 2011, 45, 1366-1372.	1.5	74
18	Evidence of frontotemporal structural hypoconnectivity in social anxiety disorder: A quantitative fiber tractography study. Human Brain Mapping, 2013, 34, 437-446.	1.9	72

#	Article	IF	CITATIONS
19	Increased cortical thickness in a frontoparietal network in social anxiety disorder. Human Brain Mapping, 2014, 35, 2966-2977.	1.9	72
20	Health-related quality of life and emotional distress in patients with dizziness: a cross-sectional approach to disentangle their relationship. BMC Health Services Research, 2014, 14, 317.	0.9	61
21	Impact of Alexithymia on Treatment Outcome: A Naturalistic Study of Short-Term Cognitive-Behavioral Group Therapy for Panic Disorder. Psychopathology, 2010, 43, 170-179.	1.1	60
22	Global functioning and disability in dissociative disorders. Psychiatry Research, 2012, 200, 475-481.	1.7	60
23	Increased fronto-striatal reward prediction errors moderate decision making in obsessive–compulsive disorder. Psychological Medicine, 2017, 47, 1246-1258.	2.7	60
24	The German version of the Toronto Structured Interview for Alexithymia: factor structure, reliability, and concurrent validity in a psychiatric patient sample. Comprehensive Psychiatry, 2009, 50, 424-430.	1.5	57
25	Examination of emotional Stroop interference in obsessive–compulsive disorder. Behaviour Research and Therapy, 2004, 42, 671-682.	1.6	56
26	Dissociation and symptom dimensions of obsessive–compulsive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 146-150.	1.8	56
27	Do personality disorders predict negative treatment outcome in obsessive–compulsive disorders? A prospective 6-month follow-up study. European Psychiatry, 2006, 21, 319-324.	0.1	52
28	A prospective long-term follow-up study of alexithymia in obsessive-compulsive disorder. Comprehensive Psychiatry, 2006, 47, 394-398.	1.5	52
29	Atypical visual processing in posttraumatic stress disorder. Neurolmage: Clinical, 2013, 3, 531-538.	1.4	49
30	Pattern of structural brain changes in social anxiety disorder after cognitive behavioral group therapy: a longitudinal multimodal MRI study. Molecular Psychiatry, 2017, 22, 1164-1171.	4.1	48
31	Which tinnitus-related characteristics affect current health-related quality of life and depression? A cross-sectional cohort study. Psychiatry Research, 2016, 237, 114-121.	1.7	47
32	Metabotropic glutamate receptor 5 binding in patients with obsessive-compulsive disorder. International Journal of Neuropsychopharmacology, 2014, 17, 1915-1922.	1.0	46
33	Alexithymic features and the labeling of brief emotional facial expressions – An fMRI study. Neuropsychologia, 2014, 64, 289-299.	0.7	44
34	Movement decoupling: A self-help intervention for the treatment of trichotillomania. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 74-80.	0.6	40
35	The Validity and Reliability of the German Version of the Somatoform Dissociation Questionnaire (SDQ-20). Journal of Trauma and Dissociation, 2010, 11, 337-357.	1.0	38
36	Effects of behavioral therapy or pharmacotherapy on brain glucose metabolism in subjects with obsessive–compulsive disorder as assessed by brain FDG PET. Psychiatry Research - Neuroimaging, 2010, 184, 105-116.	0.9	37

#	Article	IF	CITATIONS
37	The Economic Burden of Depression in Switzerland. Pharmacoeconomics, 2013, 31, 237-250.	1.7	37
38	Impact of emotion on cognition in trauma survivors: What is the role of posttraumatic stress disorder?. Journal of Affective Disorders, 2010, 126, 287-292.	2.0	33
39	Predicting symptoms in major depression after inpatient treatment: the role of alexithymia. Nordic Journal of Psychiatry, 2016, 70, 392-398.	0.7	32
40	Automatic emotion processing as a function of trait emotional awareness: an fMRI study. Social Cognitive and Affective Neuroscience, 2015, 10, 680-689.	1.5	28
41	A Randomized Controlled Trial of a Novel Self-Help Technique for Impulse Control Disorders. Behavior Modification, 2011, 35, 468-485.	1.1	27
42	Screening for Dissociative Disorders in Psychiatric Out- and Day Care-Patients. Journal of Psychopathology and Behavioral Assessment, 2013, 35, 592-602.	0.7	27
43	General emotion processing in social anxiety disorder: Neural issues of cognitive control. Psychiatry Research - Neuroimaging, 2013, 212, 108-115.	0.9	25
44	Alexithymia and the labeling of facial emotions: response slowing and increased motor and somatosensory processing. BMC Neuroscience, 2014, 15, 40.	0.8	25
45	Common and differential alterations of general emotion processing in obsessive-compulsive and social anxiety disorder. Psychological Medicine, 2016, 46, 1427-1436.	2.7	25
46	Characteristics of Child Maltreatment and Their Relation to Dissociation, Posttraumatic Stress Symptoms, and Depression in Adult Psychiatric Patients. Journal of Nervous and Mental Disease, 2013, 201, 471-477.	0.5	24
47	Internet-Based Self-Help for Trichotillomania: A Randomized Controlled Study Comparing Decoupling and Progressive Muscle Relaxation. Psychotherapy and Psychosomatics, 2015, 84, 359-367.	4.0	22
48	Facial mimicry, facial emotion recognition and alexithymia in post-traumatic stress disorder. Behaviour Research and Therapy, 2019, 122, 103436.	1.6	22
49	Dissociative Disorders among Chronic and Severely Impaired Psychiatric Outpatients. Psychopathology, 2007, 40, 470-471.	1.1	21
50	Changes in quality of life following cognitive-behavioral group therapy for panic disorder. European Psychiatry, 2010, 25, 8-14.	0.1	20
51	Alexithymia and Its Relationship to Dissociation in Patients With Panic Disorder. Journal of Nervous and Mental Disease, 2011, 199, 773-777.	0.5	20
52	Obsessive-compulsive and posttraumatic stress symptoms among civilian survivors of war. BMC Psychiatry, 2016, 16, 115.	1.1	20
53	Combining biofeedback and Narrative Exposure Therapy for persistent pain and PTSD in refugees: a pilot study. Högre Utbildning, 2012, 3, .	1.4	19
54	Neural circuits associated with positive and negative self-appraisal. Neuroscience, 2014, 265, 48-59.	1.1	19

#	Article	lF	CITATIONS
55	Brain imaging in psychiatry - a study of 435 psychiatric in-patients at a university clinic. Acta Psychiatrica Scandinavica, 2006, 114, 91-100.	2.2	18
56	Cortical and cerebellar modulation of autonomic responses to loud sounds. Psychophysiology, 2014, 51, 60-69.	1.2	18
57	Stigma as a Barrier to Mental Health Service Use Among Female Sex Workers in Switzerland. Frontiers in Psychiatry, 2019, 10, 32.	1.3	18
58	Alexithymia and non-treatment: An Internet based study of 312 people with chronic anxiety. Comprehensive Psychiatry, 2014, 55, 179-187.	1.5	17
59	Hospital-based bereavement care provision: A cross-sectional survey with health professionals. Palliative Medicine, 2020, 34, 547-552.	1.3	17
60	Trichotillomania and emotion regulation: Is symptom severity related to alexithymia?. Psychiatry Research, 2014, 218, 161-165.	1.7	16
61	Psychiatric Symptom Profiles Predict Functional Impairment. Frontiers in Psychiatry, 2019, 10, 37.	1.3	16
62	Observer-Rated Alexithymia and its Relationship with the Five-Factor-Model of Personality. Psychologica Belgica, 2016, 56, 118-134.	1.0	16
63	Einfluss von Persönlichkeitsstörungen auf den Erfolg einer multimodalen Verhaltenstherapie bei Zwangserkrankungen – Teil II: Ergebnisse einer empirischen Studie. Verhaltenstherapie, 2003, 13, 172-182.	0.3	14
64	Assessing alexithymia and emotional awareness: Relations between measures in a German non-clinical sample. Comprehensive Psychiatry, 2014, 55, 952-959.	1.5	14
65	Alexithymia and automatic processing of facial emotions: behavioral and neural findings. BMC Neuroscience, 2020, 21, 23.	0.8	12
66	Ambulante Verhaltenstherapie bei Trichotillomanie: Überblick, Störungsmodell und Fallbeispiel. Verhaltenstherapie, 2004, 14, 90-98.	0.3	11
67	Treatment outcome of female agoraphobics 3–9 years after exposure in vivo: A comparison with healthy controls. Journal of Behavior Therapy and Experimental Psychiatry, 2008, 39, 3-10.	0.6	11
68	Alexithymia and Health-Related Quality of Life in Patients with Dizziness. Psychopathology, 2013, 46, 377-383.	1.1	10
69	Graphic representation of the burden of suffering in dizziness patients. Health and Quality of Life Outcomes, 2014, 12, 184.	1.0	10
70	Alexithymia is associated with attenuated automatic brain response to facial emotion in clinical depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 65, 194-200.	2.5	10
71	Impaired Recognition of Positive Emotions in Individuals with Posttraumatic Stress Disorder, Cumulative Traumatic Exposure, and Dissociation. Psychotherapy and Psychosomatics, 2018, 87, 118-120.	4.0	10
72	Does trait anxiety influence effects of oxytocin on eye-blink startle reactivity? A randomized, double-blind, placebo-controlled crossover study. PLoS ONE, 2018, 13, e0190809.	1.1	10

#	Article	lF	CITATIONS
73	Recovery from pathological skin picking and dermatodaxia using a revised decoupling protocol. Journal of Cosmetic Dermatology, 2020, 19, 3038-3040.	0.8	10
74	Psychometric characteristics of the German adaptation of the Traumatic Experiences Checklist (TEC) Psychological Trauma: Theory, Research, Practice, and Policy, 2012, 4, 338-346.	1.4	9
75	Alexithymia Is Associated with Tinnitus Severity. Frontiers in Psychiatry, 2017, 8, 223.	1.3	9
76	Childhood Separation Anxiety and Separation Events in Women with Agoraphobia with or without Panic Disorder. Canadian Journal of Psychiatry, 2005, 50, 941-944.	0.9	8
77	Ambulante verhaltenstherapeutische Gruppentherapie bei Zwangsstörungen – ein effektiver Behandlungsansatz?. Verhaltenstherapie, 2006, 16, 173-182.	0.3	8
78	California Psychotherapy Alliance Scale (CALPAS): Psychometric properties of the German version for group and individual therapy patients. Comprehensive Psychiatry, 2014, 55, 736-742.	1.5	8
79	Comparing perspectives: patients' and health care professionals' views on spiritual concerns and needs in chronic pain care - a qualitative study. BMC Health Services Research, 2021, 21, 504.	0.9	8
80	Rumination about obsessive symptoms and mood maintains obsessive-compulsive symptoms and depressed mood: An experimental study Journal of Abnormal Psychology, 2021, 130, 435-442.	2.0	8
81	Kombinationsbehandlung mit Verhaltenstherapie und Pharmakotherapie bei Zwangsstörungen: Forschungsstand und Behandlungspraxis. Verhaltenstherapie, 2001, 11, 246-255.	0.3	6
82	Attracting young academics into the field of psychiatry and psychotherapy in Switzerland – The Zurich †study focus on psychiatry†and training concept for medical psychotherapy. International Review of Psychiatry, 2013, 25, 445-449.	1.4	6
83	E-mail support as an adjunct to cognitive-behavioral group therapy for social anxiety disorder: Impact on dropout and outcome. Psychiatry Research, 2016, 244, 151-158.	1.7	6
84	Affective regulation in trichotillomania before and after self-help interventions. Journal of Psychiatric Research, 2016, 75, 7-13.	1.5	6
85	Including the Spiritual Dimension in Multimodal Pain Therapy. Development and Validation of the Spiritual Distress and Resources Questionnaire (SDRQ). Journal of Pain and Symptom Management, 2021, 62, 747-756.	0.6	5
86	Einfluss von Persönlichkeitsstörungen auf den Erfolg einer multimodalen Verhaltenstherapie bei Zwangserkrankungen – Teil I: Grundprobleme. Verhaltenstherapie, 2003, 13, 166-171.	0.3	4
87	Internet Cognitive Behavioral Therapy With or Without Face-to-Face Psychotherapy: A 12-Weeks Clinical Trial of Patients With Depression. Frontiers in Digital Health, 2020, 2, 4.	1.5	4
88	Do Chronic Pain Patients Wish Spiritual Aspects to Be Integrated in Their Medical Treatment? A Cross-Sectional Study of Multiple Facilities. Frontiers in Psychiatry, 2021, 12, 685158.	1.3	4
89	Psychophysiological Responses During the Anticipation of Emotional Pictures. Journal of Psychophysiology, 2015, 29, 13-19.	0.3	4
90	Trichotillomania: the impact of treatment history on the outcome of an Internet-based intervention. Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1153-1162.	1.0	3

#	Article	IF	CITATIONS
91	Effects of Posture and Stimulus Spectral Composition on Peripheral Physiological Responses to Loud Sounds. PLoS ONE, 2016, 11, e0161237.	1.1	2
92	Frequency and characteristics of suicide attempts in dissociative identity disorders: A 12-month follow-up study in psychiatric outpatients in Switzerland. European Journal of Trauma and Dissociation, 2017, 1, 235-239.	0.6	2
93	Wenn sich w�hrend psychotherapeutischen Behandlungen nichts ver�ndert. Psychotherapeut, 2003, 48, 264-266.	0.1	1
94	Interfering with fear memories by eye movement desensitization and reprocessing. International Journal of Psychophysiology, 2021, 166, 9-18.	0.5	1
95	Fit for Work and Lifeâ \in "an eight-week program for improvement of functionality and quality of life. Neuropsychiatrie, 2022, , 1.	1.3	1
96	S.14.02 Update of neuroimaging in social anxiety disorder. European Neuropsychopharmacology, 2012, 22, S131-S132.	0.3	0
97	Spiritual Care als Bestandteil interprofessioneller Akutbehandlungen: Einstellungen und Praktiken von Gesundheitsfachpersonen. Swiss Archives of Neurology, Psychiatry and Psychotherapy, 0, , .	0.4	0