

Michael Rufer

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9557866/michael-rufer-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

2,922
citations

32
h-index

51
g-index

112
ext. papers

3,440
ext. citations

4.1
avg, IF

4.84
L-index

#	Paper	IF	Citations
99	Mindfulness and emotion regulation--an fMRI study. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 776-85	4	174
98	Mobile Sensing and Support for People With Depression: A Pilot Trial in the Wild. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e111	5.5	147
97	Symptom dimensions in obsessive-compulsive disorder: prediction of cognitive-behavior therapy outcome. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 440-6	6.5	144
96	Modulation of anticipatory emotion and perception processing by cognitive control. <i>NeuroImage</i> , 2007 , 37, 652-62	7.9	129
95	Quality of life in obsessive-compulsive disorder before and after treatment. <i>Comprehensive Psychiatry</i> , 2005 , 46, 453-9	7.3	96
94	Dissociation as a predictor of cognitive behavior therapy outcome in patients with obsessive-compulsive disorder. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 40-6	9.4	92
93	Temporal stability of symptom dimensions in adult patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2005 , 88, 99-102	6.6	83
92	Successful opacification of the left heart chambers on echocardiographic examination after intravenous injection of a new saccharide based contrast agent. <i>Echocardiography</i> , 1990 , 7, 61-4	1.5	81
91	Neural correlates of altered general emotion processing in social anxiety disorder. <i>Brain Research</i> , 2011 , 1378, 72-83	3.7	80
90	Factors associated with non-treatment or delayed treatment seeking in OCD sufferers: a review of the literature. <i>Psychiatry Research</i> , 2014 , 220, 1-10	9.9	73
89	Long-term course and outcome of obsessive-compulsive patients after cognitive-behavioral therapy in combination with either fluvoxamine or placebo: a 7-year follow-up of a randomized double-blind trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 121-8	5.1	70
88	Positive schizotypal symptoms predict treatment outcome in obsessive-compulsive disorder. <i>Behaviour Research and Therapy</i> , 2004 , 42, 217-27	5.2	66
87	A prospective study of alexithymia in obsessive-compulsive patients treated with multimodal cognitive-behavioral therapy. <i>Psychotherapy and Psychosomatics</i> , 2004 , 73, 101-6	9.4	63
86	Neural circuits of emotion regulation: a comparison of mindfulness-based and cognitive reappraisal strategies. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 45-55	5.1	61
85	Evidence of frontotemporal structural hypoconnectivity in social anxiety disorder: A quantitative fiber tractography study. <i>Human Brain Mapping</i> , 2013 , 34, 437-46	5.9	61
84	Training emotion regulation through real-time fMRI neurofeedback of amygdala activity. <i>NeuroImage</i> , 2019 , 184, 687-696	7.9	59
83	Locus Coeruleus Activity Mediates Hyperresponsiveness in Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2018 , 83, 254-262	7.9	58

82	White matter alterations in social anxiety disorder. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1366-72	5.2	58
81	Examination of emotional Stroop interference in obsessive-compulsive disorder. <i>Behaviour Research and Therapy</i> , 2004 , 42, 671-82	5.2	54
80	Dissociation and symptom dimensions of obsessive-compulsive disorder. A replication study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 146-50	5.1	52
79	Increased cortical thickness in a frontoparietal network in social anxiety disorder. <i>Human Brain Mapping</i> , 2014 , 35, 2966-77	5.9	51
78	The German version of the Toronto Structured Interview for Alexithymia: factor structure, reliability, and concurrent validity in a psychiatric patient sample. <i>Comprehensive Psychiatry</i> , 2009 , 50, 424-30	7.3	50
77	Impact of alexithymia on treatment outcome: a naturalistic study of short-term cognitive-behavioral group therapy for panic disorder. <i>Psychopathology</i> , 2010 , 43, 170-9	3.4	47
76	Do personality disorders predict negative treatment outcome in obsessive-compulsive disorders? A prospective 6-month follow-up study. <i>European Psychiatry</i> , 2006 , 21, 319-24	6	45
75	Health-related quality of life and emotional distress in patients with dizziness: a cross-sectional approach to disentangle their relationship. <i>BMC Health Services Research</i> , 2014 , 14, 317	2.9	44
74	A prospective long-term follow-up study of alexithymia in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2006 , 47, 394-8	7.3	44
73	Global functioning and disability in dissociative disorders. <i>Psychiatry Research</i> , 2012 , 200, 475-81	9.9	42
72	Metabotropic glutamate receptor 5 binding in patients with obsessive-compulsive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1915-22	5.8	39
71	Increased fronto-striatal reward prediction errors moderate decision making in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2017 , 47, 1246-1258	6.9	36
70	Atypical visual processing in posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , 2013 , 3, 531-8	5.3	36
69	Alexithymic features and the labeling of brief emotional facial expressions - An fMRI study. <i>Neuropsychologia</i> , 2014 , 64, 289-99	3.2	35
68	Which tinnitus-related characteristics affect current health-related quality of life and depression? A cross-sectional cohort study. <i>Psychiatry Research</i> , 2016 , 237, 114-21	9.9	34
67	Effects of behavioral therapy or pharmacotherapy on brain glucose metabolism in subjects with obsessive-compulsive disorder as assessed by brain FDG PET. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 184, 105-16	2.9	30
66	Impact of emotion on cognition in trauma survivors: what is the role of posttraumatic stress disorder?. <i>Journal of Affective Disorders</i> , 2010 , 126, 287-92	6.6	30
65	Pattern of structural brain changes in social anxiety disorder after cognitive behavioral group therapy: a longitudinal multimodal MRI study. <i>Molecular Psychiatry</i> , 2017 , 22, 1164-1171	15.1	29

64	Movement decoupling: A self-help intervention for the treatment of trichotillomania. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011 , 42, 74-80	2.6	28
63	Predicting symptoms in major depression after inpatient treatment: the role of alexithymia. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 392-8	2.3	26
62	The validity and reliability of the German version of the Somatoform Dissociation Questionnaire (SDQ-20). <i>Journal of Trauma and Dissociation</i> , 2010 , 11, 337-57	2.8	25
61	The economic burden of depression in Switzerland. <i>Pharmacoeconomics</i> , 2013 , 31, 237-50	4.4	24
60	General emotion processing in social anxiety disorder: neural issues of cognitive control. <i>Psychiatry Research - Neuroimaging</i> , 2013 , 212, 108-15	2.9	24
59	Automatic emotion processing as a function of trait emotional awareness: an fMRI study. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 680-9	4	22
58	Common and differential alterations of general emotion processing in obsessive-compulsive and social anxiety disorder. <i>Psychological Medicine</i> , 2016 , 46, 1427-36	6.9	20
57	Alexithymia and the labeling of facial emotions: response slowing and increased motor and somatosensory processing. <i>BMC Neuroscience</i> , 2014 , 15, 40	3.2	19
56	Dissociative disorders among chronic and severely impaired psychiatric outpatients. <i>Psychopathology</i> , 2007 , 40, 470-1	3.4	17
55	Characteristics of child maltreatment and their relation to dissociation, posttraumatic stress symptoms, and depression in adult psychiatric patients. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 471-7	1.8	16
54	A randomized controlled trial of a novel self-help technique for impulse control disorders: a study on nail-biting. <i>Behavior Modification</i> , 2011 , 35, 468-85	2.5	16
53	Screening for Dissociative Disorders in Psychiatric Out- and Day Care-Patients. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2013 , 35, 592-602	2	15
52	Neural circuits associated with positive and negative self-appraisal. <i>Neuroscience</i> , 2014 , 265, 48-59	3.9	15
51	Changes in quality of life following cognitive-behavioral group therapy for panic disorder. <i>European Psychiatry</i> , 2010 , 25, 8-14	6	15
50	Combining biofeedback and Narrative Exposure Therapy for persistent pain and PTSD in refugees: a pilot study. <i>Höre Utbildning</i> , 2012 , 3,	5	15
49	Brain imaging in psychiatry - a study of 435 psychiatric in-patients at a university clinic. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 91-100	6.5	15
48	Obsessive-compulsive and posttraumatic stress symptoms among civilian survivors of war. <i>BMC Psychiatry</i> , 2016 , 16, 115	4.2	14
47	Trichotillomania and emotion regulation: is symptom severity related to alexithymia?. <i>Psychiatry Research</i> , 2014 , 218, 161-5	9.9	14

46	Facial mimicry, facial emotion recognition and alexithymia in post-traumatic stress disorder. <i>Behaviour Research and Therapy</i> , 2019 , 122, 103436	5.2	13
45	Alexithymia and non-treatment: an Internet based study of 312 people with chronic anxiety. <i>Comprehensive Psychiatry</i> , 2014 , 55, 179-87	7.3	13
44	Internet-based self-help for trichotillomania: a randomized controlled study comparing decoupling and progressive muscle relaxation. <i>Psychotherapy and Psychosomatics</i> , 2015 , 84, 359-67	9.4	13
43	Cortical and cerebellar modulation of autonomic responses to loud sounds. <i>Psychophysiology</i> , 2014 , 51, 60-9	4.1	13
42	Alexithymia and its relationship to dissociation in patients with panic disorder. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 773-7	1.8	13
41	Assessing alexithymia and emotional awareness: relations between measures in a German non-clinical sample. <i>Comprehensive Psychiatry</i> , 2014 , 55, 952-9	7.3	12
40	Observer-Rated Alexithymia and its Relationship with the Five-Factor-Model of Personality. <i>Psychologica Belgica</i> , 2016 , 56, 118-134	0.6	12
39	Einfluss von Persönlichkeitsstörungen auf den Erfolg einer multimodalen Verhaltenstherapie bei Zwangserkrankungen Teil II: Ergebnisse einer empirischen Studie. <i>Verhaltenstherapie</i> , 2003 , 13, 172-182 ^{0.9}		11
38	Treatment outcome of female agoraphobics 3-9 years after exposure in vivo: a comparison with healthy controls. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2008 , 39, 3-10	2.6	10
37	Impaired Recognition of Positive Emotions in Individuals with Posttraumatic Stress Disorder, Cumulative Traumatic Exposure, and Dissociation. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 118-120 ^{9.4}		9
36	Graphic representation of the burden of suffering in dizziness patients. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 184	3	9
35	Alexithymia is associated with attenuated automatic brain response to facial emotion in clinical depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 65, 194-200	5.5	8
34	Alexithymia and health-related quality of life in patients with dizziness. <i>Psychopathology</i> , 2013 , 46, 377-83 ⁴		8
33	Stigma as a Barrier to Mental Health Service Use Among Female Sex Workers in Switzerland. <i>Frontiers in Psychiatry</i> , 2019 , 10, 32	5	7
32	Ambulante Verhaltenstherapie bei Trichotillomanie: Überblick, Störungsmodell und Fallbeispiel. <i>Verhaltenstherapie</i> , 2004 , 14, 90-98	0.9	7
31	Hospital-based bereavement care provision: A cross-sectional survey with health professionals. <i>Palliative Medicine</i> , 2020 , 34, 547-552	5.5	7
30	Does trait anxiety influence effects of oxytocin on eye-blink startle reactivity? A randomized, double-blind, placebo-controlled crossover study. <i>PLoS ONE</i> , 2018 , 13, e0190809	3.7	6
29	California Psychotherapy Alliance Scale (CALPAS): psychometric properties of the German version for group and individual therapy patients. <i>Comprehensive Psychiatry</i> , 2014 , 55, 736-42	7.3	6

28	Psychometric characteristics of the German adaptation of the Traumatic Experiences Checklist (TEC).. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2012 , 4, 338-346	7.8	6
27	Ambulante verhaltenstherapeutische Gruppentherapie bei Zwangsstörungen – ein effektiver Behandlungsansatz?. <i>Verhaltenstherapie</i> , 2006 , 16, 173-182	0.9	6
26	Alexithymia and automatic processing of facial emotions: behavioral and neural findings. <i>BMC Neuroscience</i> , 2020 , 21, 23	3.2	5
25	E-mail support as an adjunct to cognitive-behavioral group therapy for social anxiety disorder: Impact on dropout and outcome. <i>Psychiatry Research</i> , 2016 , 244, 151-8	9.9	5
24	Recovery from pathological skin picking and dermatodaxia using a revised decoupling protocol. <i>Journal of Cosmetic Dermatology</i> , 2020 , 19, 3038-3040	2.5	4
23	Affective regulation in trichotillomania before and after self-help interventions. <i>Journal of Psychiatric Research</i> , 2016 , 75, 7-13	5.2	4
22	Attracting young academics into the field of psychiatry and psychotherapy in Switzerland--the Zurich Study Focus on Psychiatry and training concept for medical psychotherapy. <i>International Review of Psychiatry</i> , 2013 , 25, 445-9	3.6	4
21	Alexithymia Is Associated with Tinnitus Severity. <i>Frontiers in Psychiatry</i> , 2017 , 8, 223	5	4
20	Einfluss von Persönlichkeitsstörungen auf den Erfolg einer multimodalen Verhaltenstherapie bei Zwangserkrankungen – Teil I: Grundprobleme. <i>Verhaltenstherapie</i> , 2003 , 13, 166-171	0.9	4
19	Childhood separation anxiety and separation events in women with agoraphobia with or without panic disorder. <i>Canadian Journal of Psychiatry</i> , 2005 , 50, 941-4	4.8	4
18	Psychiatric Symptom Profiles Predict Functional Impairment. <i>Frontiers in Psychiatry</i> , 2019 , 10, 37	5	3
17	Kombinationsbehandlung mit Verhaltenstherapie und Pharmakotherapie bei Zwangsstörungen: Forschungsstand und Behandlungspraxis. <i>Verhaltenstherapie</i> , 2001 , 11, 246-255	0.9	3
16	Psychophysiological Responses During the Anticipation of Emotional Pictures. <i>Journal of Psychophysiology</i> , 2015 , 29, 13-19	1	3
15	Internet Cognitive Behavioral Therapy With or Without Face-to-Face Psychotherapy: A 12-Weeks Clinical Trial of Patients With Depression. <i>Frontiers in Digital Health</i> , 2020 , 2, 4	2.3	2
14	Alexithyme Patientenmerkmale und Lebensqualität – Eine Querschnittsstudie an 79 ambulanten Patienten mit Angststörungen. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2013 , 61, 17-26 ^{0.3}	0.3	2
13	Neurowissenschaftliche Befunde zur Psychotherapie von Angststörungen. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2015 , 63, 109-116	0.3	2
12	Rumination about obsessive symptoms and mood maintains obsessive-compulsive symptoms and depressed mood: An experimental study. <i>Journal of Abnormal Psychology</i> , 2021 , 130, 435-442	7	2
11	Effects of Posture and Stimulus Spectral Composition on Peripheral Physiological Responses to Loud Sounds. <i>PLoS ONE</i> , 2016 , 11, e0161237	3.7	2

10	Trichotillomania: the impact of treatment history on the outcome of an Internet-based intervention. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 1153-1162	3.1	1
9	Frequency and characteristics of suicide attempts in dissociative identity disorders: A 12-month follow-up study in psychiatric outpatients in Switzerland. <i>European Journal of Trauma and Dissociation</i> , 2017 , 1, 235-239	1	1
8	Wenn sich während psychotherapeutischen Behandlungen nichts verändert. <i>Psychotherapeut</i> , 2003 , 48, 264-266	0.5	1
7	Beeinträchtigt Erkennen emotionaler Gesichtsausdrücke durch psychiatrische Patientinnen bei Alexithymie. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2013 , 61, 7-15	0.3	1
6	Comparing perspectives: patients and health care professionals' views on spiritual concerns and needs in chronic pain care - a qualitative study. <i>BMC Health Services Research</i> , 2021 , 21, 504	2.9	1
5	Including the Spiritual Dimension in Multimodal Pain Therapy. Development and Validation of the Spiritual Distress and Resources Questionnaire (SDRQ). <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 747-756	4.8	1
4	Interfering with fear memories by eye movement desensitization and reprocessing. <i>International Journal of Psychophysiology</i> , 2021 , 166, 9-18	2.9	0
3	Fit for Work and Life-an eight-week program for improvement of functionality and quality of life : A two-stage study.. <i>Neuropsychiatrie</i> , 2022 , 1	3.5	0
2	S.14.02 Update of neuroimaging in social anxiety disorder. <i>European Neuropsychopharmacology</i> , 2012 , 22, S131-S132	1.2	
1	Do Chronic Pain Patients Wish Spiritual Aspects to Be Integrated in Their Medical Treatment? A Cross-Sectional Study of Multiple Facilities. <i>Frontiers in Psychiatry</i> , 2021 , 12, 685158	5	