

Chung-Kwei Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9558073/publications.pdf>

Version: 2024-02-01

127
papers

2,434
citations

236833

25
h-index

265120

42
g-index

127
all docs

127
docs citations

127
times ranked

2981
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Sn-doped on microstructural and optical properties of ZnO thin films deposited by sol-gel method. <i>Thin Solid Films</i> , 2008, 517, 1032-1036.	0.8	209
2	Elastic Response of Thermal Spray Deposits under Indentation Tests. <i>Journal of the American Ceramic Society</i> , 1997, 80, 2093-2099.	1.9	138
3	Microstructural and optical properties of Ga-doped ZnO semiconductor thin films prepared by sol-gel process. <i>Thin Solid Films</i> , 2010, 519, 1516-1520.	0.8	98
4	Manganese oxide films prepared by sol-gel process for supercapacitor application. <i>Surface and Coatings Technology</i> , 2007, 202, 1272-1276.	2.2	88
5	Transparent semiconductor zinc oxide thin films deposited on glass substrates by sol-gel process. <i>Ceramics International</i> , 2010, 36, 1791-1795.	2.3	78
6	Selective growth of ZnO nanorods for gas sensors using ink-jet printing and hydrothermal processes. <i>Thin Solid Films</i> , 2010, 519, 1693-1698.	0.8	71
7	Photocatalytic properties of nanocrystalline TiO ₂ thin film with Ag additions. <i>Thin Solid Films</i> , 2006, 494, 274-278.	0.8	58
8	Formation of NiAl-Al ₂ O ₃ intermetallic-matrix composite powders by mechanical alloying technique. <i>Intermetallics</i> , 2000, 8, 1043-1048.	1.8	50
9	Photocatalytic properties of porous TiO ₂ /Ag thin films. <i>Thin Solid Films</i> , 2008, 516, 1743-1747.	0.8	48
10	Hierarchical ZnO nanorod-array films with enhanced photocatalytic performance. <i>Thin Solid Films</i> , 2013, 528, 167-174.	0.8	44
11	Characterization of electrophoretically deposited nanocrystalline titanium dioxide films. <i>Surface and Coatings Technology</i> , 2006, 200, 3184-3189.	2.2	43
12	Characterization of spray pyrolyzed manganese oxide powders deposited by electrophoretic deposition technique. <i>Surface and Coatings Technology</i> , 2007, 202, 1277-1281.	2.2	38
13	Hydrophilic/hydrophobic surface of Al ₂ O ₃ thin films grown by thermal and plasma-enhanced atomic layer deposition on plasticized polyvinyl chloride (PVC). <i>Surface and Coatings Technology</i> , 2016, 305, 158-164.	2.2	35
14	Consolidation of amorphous Ni-Zr-Ti-Si powders by vacuum hot-pressing method. <i>Intermetallics</i> , 2002, 10, 1277-1282.	1.8	34
15	The properties of transparent semiconductor Zn _{1-x} Ti _x O thin films prepared by the sol-gel method. <i>Thin Solid Films</i> , 2009, 518, 1603-1606.	0.8	34
16	Preparation and characterization of nanocrystalline porous TiO ₂ /WO ₃ composite thin films. <i>Thin Solid Films</i> , 2006, 494, 228-233.	0.8	33
17	Mechanical behavior of TiN/CrN nano-multilayer thin film deposited by unbalanced magnetron sputter process. <i>Journal of Alloys and Compounds</i> , 2011, 509, 3197-3201.	2.8	32
18	Electrochromic properties of nanostructured tungsten oxide films prepared by surfactant-assisted sol-gel process. <i>Surface and Coatings Technology</i> , 2013, 231, 403-407.	2.2	31

#	ARTICLE	IF	CITATIONS
19	Bias effects on the tribological behavior of cathodic arc evaporated CrTiAlN coatings on AISI 304 stainless steel. <i>Thin Solid Films</i> , 2010, 518, 3825-3829.	0.8	30
20	Microwave absorbing properties of iron nanowire at x-band frequencies. <i>Journal of Applied Physics</i> , 2011, 109, .	1.1	30
21	Cosmetic properties of TiO ₂ /mica-BN composite powder prepared by spray drying. <i>Ceramics International</i> , 2014, 40, 6903-6911.	2.3	30
22	Performance of sol-gel deposited Zn _{1-x} Mg _x O films used as active channel layer for thin-film transistors. <i>Surface and Coatings Technology</i> , 2007, 202, 1323-1328.	2.2	29
23	Fabrication and optical properties of Ti-doped W18O ₄₉ nanorods using a modified plasma-arc gas-condensation technique. <i>Journal of Vacuum Science & Technology B</i> , 2009, 27, 2170-2174.	1.3	27
24	Nanostructured Na-doped vanadium oxide synthesized using an anodic deposition technique for supercapacitor applications. <i>Journal of Alloys and Compounds</i> , 2012, 536, S428-S431.	2.8	27
25	Synthesis and characterization of electrochromic plate-like tungsten oxide films by acidic treatment of electrochemical anodized tungsten. <i>Electrochimica Acta</i> , 2013, 112, 24-31.	2.6	27
26	Investigation of the microstructure and characterizations of TiN/CrN nanomultilayer deposited by unbalanced magnetron sputter process. <i>Surface and Coatings Technology</i> , 2008, 203, 657-660.	2.2	26
27	Hybrid manganese oxide films for supercapacitor application prepared by sol-gel technique. <i>Thin Solid Films</i> , 2009, 518, 1557-1560.	0.8	26
28	A study on the corrosion and erosion behavior of electroless nickel and TiAlN/ZrN duplex coatings on ductile iron. <i>Applied Surface Science</i> , 2015, 324, 13-19.	3.1	26
29	Analysis on microstructure and characteristics of TiAlN/CrN nano-multilayer films deposited by cathodic arc deposition. <i>Thin Solid Films</i> , 2010, 518, 7519-7522.	0.8	25
30	Structural evolution and chemical bonds in electrochromic WO ₃ films during electrochemical cycles. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 225303.	1.3	25
31	Gas sensors with porous three-dimensional framework using TiO ₂ /polymer double-shell hollow microsphere. <i>Thin Solid Films</i> , 2011, 520, 1546-1553.	0.8	24
32	Characterization of electrochromic tungsten oxide film from electrochemical anodized RF-sputtered tungsten films. <i>Ceramics International</i> , 2013, 39, 4293-4298.	2.3	24
33	In situ X-ray absorption spectroscopic studies of anodically deposited binary Mn-Fe mixed oxides with relevance to pseudocapacitance. <i>Journal of Power Sources</i> , 2008, 178, 476-482.	4.0	23
34	Acoustic emission studies on thermal spray materials. <i>Surface and Coatings Technology</i> , 1998, 102, 1-7.	2.2	22
35	The Effects of Size and Shape of Iron Particles on the Microwave Absorbing Properties of Composite Absorbers. <i>IEEE Transactions on Magnetics</i> , 2013, 49, 4180-4183.	1.2	22
36	Electrochemistry and Rapid Electrochromism Control of MoO ₃ /V ₂ O ₅ Hybrid Nanobilayers. <i>Materials</i> , 2019, 12, 2475.	1.3	21

#	ARTICLE	IF	CITATIONS
37	Acoustic Emission Studies of Alumina-13% Titania Free-Standing Forms during Four-Point Bend Tests. <i>Journal of the American Ceramic Society</i> , 1997, 80, 2382-2394.	1.9	20
38	Electrochromic performance of hybrid tungsten oxide films with multiwalled-CNT additions. <i>Thin Solid Films</i> , 2011, 520, 1375-1378.	0.8	20
39	Template assisted fabrication of TiO ₂ and WO ₃ nanotubes. <i>Ceramics International</i> , 2013, 39, 6631-6636.	2.3	20
40	Additive manufacturing of dental prosthesis using pristine and recycled zirconia solvent-based slurry stereolithography. <i>Ceramics International</i> , 2020, 46, 28701-28709.	2.3	20
41	Oxygen partial pressure effect on the preparation of nanocrystalline tungsten oxide powders by a plasma arc gas condensation technique. <i>International Journal of Refractory Metals and Hard Materials</i> , 2008, 26, 423-428.	1.7	19
42	Electrophoretically deposited manganese oxide coatings for supercapacitor application. <i>Ceramics International</i> , 2009, 35, 3469-3474.	2.3	19
43	Manganese oxide thin films prepared by potentiodynamic electrodeposition and their supercapacitor performance. <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 1697-1703.	1.2	19
44	Radiopacity and Cytotoxicity of Portland Cement Containing Zirconia Doped Bismuth Oxide Radiopacifiers. <i>Journal of Endodontics</i> , 2014, 40, 251-254.	1.4	19
45	Pseudocapacitive properties of carbon nanotube/manganese oxide electrode deposited by electrophoretic deposition. <i>Diamond and Related Materials</i> , 2009, 18, 482-485.	1.8	18
46	Structure and optical properties of tungsten oxide nanomaterials prepared by a modified plasma arc gas condensation technique. <i>Journal of Nanoparticle Research</i> , 2010, 12, 1755-1763.	0.8	18
47	Effect of Hydroxyapatite Formation on Titanium Surface with Bone Morphogenetic Protein-2 Loading through Electrochemical Deposition on MG-63 Cells. <i>Materials</i> , 2018, 11, 1897.	1.3	18
48	The Design of ZnO Nanorod Arrays Coated with MnOx for High Electrochemical Stability of a Pseudocapacitor Electrode. <i>Nanomaterials</i> , 2020, 10, 475.	1.9	18
49	A Study of Magnetic Field Effect on Nanofluid Stability of CuO. <i>Materials Transactions</i> , 2004, 45, 1375-1378.	0.4	17
50	Formation and characterization of mechanically alloyed Ti-Cu-Ni-Sn bulk metallic glass composites. <i>Intermetallics</i> , 2006, 14, 957-961.	1.8	17
51	Effect of electroless nickel interlayer on wear behavior of CrN/ZrN multilayer films on Cu-alloyed ductile iron. <i>Applied Surface Science</i> , 2013, 284, 59-65.	3.1	17
52	TiO ₂ Nanoparticle Suspension Preparation Using Ultrasonic Vibration-Assisted Arc-Submerged Nanoparticle Synthesis System (ASNSS). <i>Materials Transactions</i> , 2004, 45, 806-811.	0.4	16
53	Supercapacitive properties of spray pyrolyzed iron-added manganese oxide powders deposited by electrophoretic deposition technique. <i>Thin Solid Films</i> , 2008, 517, 1234-1238.	0.8	16
54	The optical properties and sunscreen application of spherical h-BN-TiO ₂ /mica composite powder. <i>Ceramics International</i> , 2014, 40, 4691-4696.	2.3	16

#	ARTICLE	IF	CITATIONS
55	Photocatalyst ZnO-doped Bi ₂ O ₃ powder prepared by spray pyrolysis. Powder Technology, 2015, 272, 316-321.	2.1	16
56	Polymerization-like grafting of thermoplastic polyurethane by microwave plasma treatment. Surface and Coatings Technology, 2006, 200, 3380-3384.	2.2	14
57	Thermoelectric Properties of Alumina-Doped Bi _{0.4} Sb _{1.6} Te ₃ Nanocomposites Prepared through Mechanical Alloying and Vacuum Hot Pressing. Energies, 2015, 8, 12573-12583.	1.6	14
58	Sintering Pmperature-Dependence on Radiopacity of Bi(2âˆ’x) ZrxO(3+x/2) Powders Prepared by Sol-Gel Process. Materials, 2018, 11, 1685.	1.3	14
59	A Modified Plasma Arc Gas Condensation Technique to Synthesize Nanocrystalline Tungsten Oxide Powders. Materials Transactions, 2005, 46, 1016-1020.	0.4	13
60	A study of nanoparticle manufacturing process using vacuum submerged arc machining with aid of enhanced ultrasonic vibration. Journal of Materials Science, 2005, 40, 1005-1010.	1.7	13
61	Formation of Irregular Nanocrystalline CeO ₂ Particles from Acetate-Based Precursor via Spray Pyrolysis. Journal of Materials Engineering and Performance, 2008, 17, 20-24.	1.2	13
62	Annealing induced structural evolution and electrochromic properties of nanostructured tungsten oxide films. Thin Solid Films, 2013, 549, 258-262.	0.8	13
63	High supercapacitive performance of solâ€‘gel ZnO-doped manganese oxide coatings. Thin Solid Films, 2013, 528, 61-66.	0.8	13
64	Mechanical alloyed Tiâ€‘Cuâ€‘Niâ€‘Siâ€‘B amorphous alloys with significant supercooled liquid region. Intermetallics, 2002, 10, 1271-1276.	1.8	12
65	Process development of a novel arc spray nanoparticle synthesis system (ASNSS) for preparation of a TiO ₂ nanoparticle suspension. International Journal of Advanced Manufacturing Technology, 2004, 24, 879-885.	1.5	12
66	Effects of Milling Time, Zirconia Addition, and Storage Environment on the Radiopacity Performance of Mechanically Milled Bi ₂ O ₃ /ZrO ₂ Composite Powders. Materials, 2020, 13, 563.	1.3	12
67	Simulation of Hardness Testing on Plasma-Sprayed Coatings. Journal of the American Ceramic Society, 1995, 78, 1406-1410.	1.9	11
68	Improved pseudo-capacitive performance of manganese oxide films synthesized by the facile solâ€‘gel method with iron acetate addition. Ceramics International, 2013, 39, 7831-7838.	2.3	11
69	Effects of adding different morphological carbon nanomaterials on supercapacitive performance of solâ€‘gel manganese oxide films. Ceramics International, 2016, 42, 4797-4805.	2.3	11
70	Bias effects on microstructure, mechanical properties and corrosion resistance of arc-evaporated CrTiAlN nanocomposite films on AISI 304 stainless steel. Thin Solid Films, 2011, 519, 4928-4932.	0.8	10
71	High supercapacitive stability of spray pyrolyzed ZnO-added manganese oxide coatings. Ceramics International, 2013, 39, 1885-1892.	2.3	10
72	Effect of progressive muscle relaxation on postoperative pain, fatigue, and vital signs in patients with head and neck cancers: A randomized controlled trial. Patient Education and Counseling, 2022, 105, 2151-2157.	1.0	10

#	ARTICLE	IF	CITATIONS
73	Acoustic emission responses of plasma-sprayed alumina-3% titania deposits. <i>Thin Solid Films</i> , 1997, 310, 108-114.	0.8	9
74	Low temperature sintering and magnetic properties of garnet microwave magnetic materials. <i>Materials Chemistry and Physics</i> , 2007, 105, 408-413.	2.0	9
75	Tungsten Oxide Nanopowders and Nanorods Prepared by a Modified Plasma Arc Gas Condensation Technique. <i>Materials Transactions</i> , 2009, 50, 2593-2597.	0.4	9
76	Functionalized polymer spheres via one-step photoinduced synthesis for antimicrobial activity and gene delivery. <i>Nanotechnology</i> , 2012, 23, 255103.	1.3	9
77	Effect of iron particle addition on the pseudocapacitive performance of sol-gel derived manganese oxides film. <i>Materials Chemistry and Physics</i> , 2012, 137, 503-510.	2.0	9
78	Influence of Fe ₃ O ₄ nanoparticles on pseudocapacitive behavior of the charge storage process. <i>Journal of Alloys and Compounds</i> , 2015, 645, 250-258.	2.8	9
79	Radiopacity performances of precipitated ZrO ₂ -doped Bi ₂ O ₃ powders and the influences of dopant concentrations and sintering temperatures. <i>Ceramics International</i> , 2017, 43, 14008-14014.	2.3	9
80	Amorphization reaction of Ni-Ta powders during mechanical alloying. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1997, 28, 1429-1435.	1.1	8
81	Magnetic and structural properties of nanophase Ag _x Fe _{1-x} solid solution particles. <i>Scripta Materialia</i> , 1998, 10, 457-464.	0.5	8
82	Bonding and Thermal Cycling Performances of Two (Poly)Aryl Ether Ketone (PAEKs) Materials to an Acrylic Denture Base Resin. <i>Polymers</i> , 2021, 13, 543.	2.0	8
83	Preparation and thermal stability of mechanically alloyed Ni-Zr-Ti-Y amorphous powders. <i>Intermetallics</i> , 2004, 12, 1011-1017.	1.8	7
84	Improvement in the characteristics of GaN-based light-emitting diodes by inserting AlGaIn-GaN short-period superlattices in GaN underlayers. <i>IEEE Photonics Technology Letters</i> , 2006, 18, 1497-1499.	1.3	7
85	Formation of tungsten oxide encapsulated in titanium oxide nanocages by modified plasma arc gas condensation. <i>Nanotechnology</i> , 2007, 18, 155602.	1.3	7
86	Characterization of nanocrystalline manganese oxide powder prepared by inert gas condensation. <i>Ceramics International</i> , 2008, 34, 1661-1666.	2.3	7
87	Preparation and characterization of silver nanocrystals decorated mesoporous bioactive glass via synchrotron X-ray reduction. <i>Journal of Non-Crystalline Solids</i> , 2016, 450, 128-134.	1.5	7
88	Spherical Composite Powder by Coupling Polymethyl Methacrylate and Boron Nitride via Spray Drying for Cosmetic Application. <i>Materials</i> , 2019, 12, 706.	1.3	7
89	Mesoporous Properties of Bioactive Glass Synthesized by Spray Pyrolysis with Various Polyethylene Glycol and Acid Additions. <i>Polymers</i> , 2021, 13, 618.	2.0	7
90	Characterization of Ni ₅₇ Zr ₂₀ Ti ₁₈ Al ₅ amorphous powder obtained by mechanical alloying. <i>Materials Chemistry and Physics</i> , 2004, 84, 358-362.	2.0	6

#	ARTICLE	IF	CITATIONS
91	Large-area TiO ₂ nanotube dye-sensitized solar cells using thermal-sprayed Ti layers on stainless steel. <i>Ceramics International</i> , 2014, 40, 3221-3226.	2.3	6
92	Low operating temperature CO sensor prepared using SnO ₂ nanoparticles. <i>Journal of Electroceramics</i> , 2018, 41, 28-36.	0.8	6
93	Preparation and thermal stability of mechanically alloyed amorphous Ni-Zr-Ti-Si composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 375-377, 820-824.	2.6	5
94	The failure mechanism of diamond like coatings prepared by the filtered cathodic arc technique for minting application. <i>Surface and Coatings Technology</i> , 2006, 201, 4430-4435.	2.2	5
95	A novel method of supporting gold nanoparticles on MWCNTs: Synchrotron X-ray reduction. <i>Particuology: Science and Technology of Particles</i> , 2007, 5, 237-241.	0.4	5
96	The Effect of Processing Parameters on the Synthesis of Tungsten Oxide Nanomaterials by a Modified Plasma Arc Gas Condensation Technique. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 5461-5466.	0.9	5
97	Structural Investigations of Hybrid TiO ₂ /CNTs Nanomaterials. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 3155-3161.	0.9	5
98	Non-catalytic and substrate-free method to titania-doped W ₁₈ O ₄₉ nanorods: growth, characterizations, and electro-optical properties. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.	0.8	5
99	Effect of Oxygen Concentration and Tantalum Addition on the Formation of High Temperature Bismuth Oxide Phase by Mechanochemical Reaction. <i>Materials</i> , 2019, 12, 1947.	1.3	5
100	Acoustic Emission Responses of Plasma Sprayed Ceramics During Four Point Bend Tests. <i>Ceramic Engineering and Science Proceedings</i> , 0, , 44-50.	0.1	5
101	Hydrothermal Synthesis of Co ₃ O ₄ /ZnCo ₂ O ₄ Core-Shell Nanostructures for High-Performance Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2021, 168, 123502.	1.3	5
102	Fabrication and corrosion behavior of Ti-based bulk metallic glass composites containing carbon nanotubes. <i>Journal of Alloys and Compounds</i> , 2010, 504, S176-S179.	2.8	4
103	A facile route to tungsten oxide nanomaterials with controlled morphology and structure. <i>Particuology</i> , 2011, 9, 517-521.	2.0	4
104	High-yield fabrication of W ₁₈ O ₄₉ @TiO ₂ core-shell nanoparticles: microstructures and optical-thermal properties. <i>Journal of Nanoparticle Research</i> , 2011, 13, 4549-4555.	0.8	4
105	Enhanced efficiency in InGaN-based photovoltaic devices combined with nanocrystalline Bi ₂ O ₃ /Bi ₃ P ₃ HT heterojunction structures. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 1133-1136.	0.8	4
106	Growth factors-loaded calcium phosphate/polymer hybrid coating with sequential release behavior prepared via electrochemical deposition method. <i>Surface and Coatings Technology</i> , 2016, 303, 237-243.	2.2	4
107	Characterization of bioactive glass-coated carbon nanotubes prepared by solgel process. <i>International Journal of Applied Glass Science</i> , 2017, 8, 239-246.	1.0	4
108	Hydrogen Absorption Performance of Mechanically Alloyed (Mg ₂ Ni) _{100-x} Ti _x Powder. <i>Materials Transactions</i> , 2007, 48, 3170-3175.	0.4	3

#	ARTICLE	IF	CITATIONS
109	Improvement of Hydrogen Absorption Performances of Mechanically Alloyed Mg ₂ Ni Powders by Water Cooling. <i>Materials Transactions</i> , 2007, 48, 842-846.	0.4	3
110	The effect on the microstructures of electroless nickel coatings initiated by pulsating electric current. <i>Thin Solid Films</i> , 2007, 516, 355-359.	0.8	3
111	Magnetoelectric behavior of carbonyl iron mixed Mn oxide-coated ferrite nanoparticles. <i>Journal of Applied Physics</i> , 2010, 107, 09D904.	1.1	3
112	Hard Anodization Film on Carbon Steel Surface by Thermal Spray and Anodization Methods. <i>Materials</i> , 2021, 14, 3580.	1.3	3
113	A Novel Sol-Gel Bi _{2-x} Hf _x O _{3+x/2} Radiopacifier for Mineral Trioxide Aggregates (MTA) as Dental Filling Materials. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 7292.	1.3	3
114	Effect of Tantalum Pentoxide Addition on the Radiopacity Performance of Bi ₂ O ₃ /Ta ₂ O ₅ Composite Powders Prepared by Mechanical Milling. <i>Materials</i> , 2021, 14, 7447.	1.3	3
115	Preparation and characterization of nanocrystalline Nb ₃ Al alloy. <i>Scripta Materialia</i> , 2001, 44, 1967-1971.	2.6	2
116	On the characteristics of AlGaN films grown on (111) and (001) Si substrates. <i>Solid State Communications</i> , 2006, 137, 63-66.	0.9	2
117	Preparation and Characterization of Dual-Phase Bulk Metallic Glasses through Powder Metallurgy Route. <i>Materials Transactions</i> , 2007, 48, 1595-1599.	0.4	2
118	X-ray irradiation synthesis of PEG-coated Au-Pd nanoparticles. <i>Nanotechnology</i> , 2015, 26, 355601.	1.3	2
119	Uncapped Au@Pd colloidal nanoparticles show catalytic enhancement. <i>RSC Advances</i> , 2015, 5, 61846-61850.	1.7	2
120	Anode Catalyst of Hybrid AuPd and Rare Earth Doped Cerium Oxide/Multi-Walled Carbon Nanotubes for Direct Formic Acid Fuel Cells. <i>Funtai Oyobi Fummtsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2016, 63, 706-713.	0.1	2
121	Impact of Zr-Doped Bi ₂ O ₃ Radiopacifier by Spray Pyrolysis on Mineral Trioxide Aggregate. <i>Materials</i> , 2021, 14, 453.	1.3	2
122	Deposition of AlGaN films on (111) Si substrates and optimization of GaN growth on Si using intermediate-temperature AlGaN buffer layers. <i>Thin Solid Films</i> , 2005, 493, 135-138.	0.8	1
123	Preparation of iron nitride powders through mechanical alloying and atmospheric heat treatment. , 1999, , .		0
124	CNTs stabilize high temperature anatase phase of TiO ₂ . , 0, , .		0
125	Influence of the trench depths of grooved GaN templates on the characteristics of overgrown AlGaN films. <i>Journal of Crystal Growth</i> , 2006, 297, 339-344.	0.7	0
126	Effect of (Ti, Al)N Nanostructured Arc-Coatings on Wear and Corrosion Properties of 4340 Alloy Steel. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 2823-2829.	0.9	0

#	ARTICLE	IF	CITATIONS
127	Microstructure of Iron (Fe) Nanowires Synthesized by Chemical Reduction of Different Fe Ionic Precursors. <i>Microscopy and Microanalysis</i> , 2019, 25, 2232-2233.	0.2	0