

Guangwei Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/955824/guangwei-li-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

20
papers

1,836
citations

8
h-index

22
g-index

22
ext. papers

2,183
ext. citations

9.5
avg. IF

3.43
L-index

#	Paper	IF	Citations
20	The long-term effect of lifestyle interventions to prevent diabetes in the China Da Qing Diabetes Prevention Study: a 20-year follow-up study. <i>Lancet, The</i> , 2008 , 371, 1783-9	40	1087
19	Cardiovascular mortality, all-cause mortality, and diabetes incidence after lifestyle intervention for people with impaired glucose tolerance in the Da Qing Diabetes Prevention Study: a 23-year follow-up study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 474-80	18.1	410
18	Morbidity and mortality after lifestyle intervention for people with impaired glucose tolerance: 30-year results of the Da Qing Diabetes Prevention Outcome Study. <i>Lancet Diabetes and Endocrinology,the</i> , 2019 , 7, 452-461	18.1	155
17	Effects of insulin resistance and insulin secretion on the efficacy of interventions to retard development of type 2 diabetes mellitus: the DA Qing IGT and Diabetes Study. <i>Diabetes Research and Clinical Practice</i> , 2002 , 58, 193-200	7.4	73
16	Cardiovascular and All-Cause Mortality Over a 23-Year Period Among Chinese With Newly Diagnosed Diabetes in the Da Qing IGT and Diabetes Study. <i>Diabetes Care</i> , 2015 , 38, 1365-71	14.6	36
15	Changes in Mortality in People With IGT Before and After the Onset of Diabetes During the 23-Year Follow-up of the Da Qing Diabetes Prevention Study. <i>Diabetes Care</i> , 2016 , 39, 1550-5	14.6	22
14	Effects of telmisartan on TNF α -induced PPAR α -phosphorylation and insulin resistance in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 3044-3049	3.4	12
13	Higher blood pressure predicts diabetes and enhances long-term risk of cardiovascular disease events in individuals with impaired glucose tolerance: Twenty-three-year follow-up of the Daqing diabetes prevention study. <i>Journal of Diabetes</i> , 2019 , 11, 593-598	3.8	10
12	Premature death and risk of cardiovascular disease in young-onset diabetes: a 23-year follow-up of the Da Qing Diabetes Study. <i>Endocrine</i> , 2019 , 65, 46-52	4	6
11	Pioglitazone Improved Insulin Sensitivity and First Phase Insulin Secretion Among Obese and Lean People with Diabetes: A Multicenter Clamp Study. <i>Diabetes Therapy</i> , 2018 , 9, 815-826	3.6	5
10	Predictors of Long-Term Glycemic Remission After 2-Week Intensive Insulin Treatment in Newly Diagnosed Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2153-2162	5.6	4
9	Hypertriglyceridaemia predicts subsequent long-term risk of cardiovascular events in Chinese adults: 23-year follow-up of the Daqing Diabetes Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3163	7.5	4
8	Efficacy of lifestyle intervention in adults with impaired glucose tolerance with and without impaired fasting plasma glucose: A post hoc analysis of Da Qing Diabetes Prevention Outcome Study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 2385-2394	6.7	3
7	Risk of Death and Heart Failure among Patients with Type 2 Diabetes Treated by Metformin and Nonmetformin Monotherapy: A Real-World Study. <i>Journal of Diabetes Research</i> , 2021 , 2021, 5534387	3.9	2
6	Glycemic control and risk factors for in-hospital mortality and vascular complications after coronary artery bypass grafting in patients with and without preexisting diabetes. <i>Journal of Diabetes</i> , 2021 , 13, 232-242	3.8	2
5	Authorscreply. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 540	18.1	1
4	Deterioration of insulin release rate response to glucose during oral glucose tolerance test is associated with an increased risk of incident diabetes in normal glucose tolerance subjects. <i>IUBMB Life</i> , 2017 , 69, 756-766	4.7	1

3	Phenotype of higher post-load insulin response as a predictor of all-cause mortality and cardiovascular mortality in the Chinese non-diabetic population.. <i>Diabetology and Metabolic Syndrome</i> , 2022 , 14, 19	5.6	o
2	Lifestyle intervention and impaired glucose tolerance in the Da Qing study - Authorscreply. <i>Lancet Diabetes and Endocrinology,the</i> , 2019 , 7, 670	18.1	
1	Influence of improvement or worsening of glucose tolerance on risk of stroke in persons with impaired glucose tolerance. <i>International Journal of Stroke</i> , 2018 , 13, 941-948	6.3	