NatÃ;lia T Bellafronte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9558759/publications.pdf

Version: 2024-02-01

65	1684188	1872680
citations	h-index	g-index
21	21	83
docs citations	times ranked	citing authors
	citations 21	65 5 citations h-index 21 21

#	Article	IF	CITATIONS
1	Comparison between dual-energy x-ray absorptiometry and bioelectrical impedance for body composition measurements in adults with chronic kidney disease: A cross-sectional, longitudinal, multi-treatment analysis. Nutrition, 2021, 82, 111059.	2.4	15
2	Performance of Bioelectrical Impedance and Anthropometric Predictive Equations for Estimation of Muscle Mass in Chronic Kidney Disease Patients. Frontiers in Nutrition, 2021, 8, 683393.	3.7	4
3	Sarcopenic Obesity in Chronic Kidney Disease: Challenges in Diagnosis Using Different Diagnostic Criteria. Medical Principles and Practice, 2021, 30, 477-486.	2.4	9
4	Performance of surrogate methods in estimation of muscle mass in chronic kidney disease. Clinical Nutrition ESPEN, 2021, 46, S589-S590.	1.2	0
5	Bioelectrical impedance and anthropometric measurements for diagnosis of sarcopenia, sarcopenic obesity and its components in patients with chronic kidney disease. Clinical Nutrition ESPEN, 2021, 46, S663-S664.	1.2	0
6	Estimation of body composition and water data depends on the bioelectrical impedance device. Clinical Nutrition ESPEN, 2021, 46, S592.	1.2	0
7	Sarcopenic obesity in chronic kidney disease – challenges in diagnosis using different diagnostic criteria. Clinical Nutrition ESPEN, 2021, 46, S679-S680.	1.2	O
8	Relationship between total physical activity and physical activity domains with body composition and energy expenditure. Clinical Nutrition ESPEN, 2021, 46, S560.	1.2	0
9	Comparison between whole-body and segmental bioelectrical impedance for body composition. Clinical Nutrition ESPEN, 2021, 46, S603.	1.2	0
10	Sarcopenia in chronic kidney disease: prevalence and relationship with adiposity and fatigue. Clinical Nutrition ESPEN, 2021, 46, S676.	1.2	0
11	MO047COMPARISON BETWEEN DUAL-ENERGY X-RAY ABSORPTIOMETRY AND BIOELECTRICAL IMPEDANCE FOR BODY COMPOSITION MEASUREMENTS IN ADULTS WITH CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	O
12	Chronic kidney disease under non-dialysis dependent, hemodialysis, peritoneal dialysis and kidney transplant treatment: Body composition data. Data in Brief, 2020, 33, 106601.	1.0	0
13	Bed-side measures for diagnosis of low muscle mass, sarcopenia, obesity, and sarcopenic obesity in patients with chronic kidney disease under non-dialysis-dependent, dialysis dependent and kidney transplant therapy. PLoS ONE, 2020, 15, e0242671.	2.5	22
14	Title is missing!. , 2020, 15, e0242671.		0
15	Title is missing!. , 2020, 15, e0242671.		O
16	Title is missing!. , 2020, 15, e0242671.		0
17	Title is missing!. , 2020, 15, e0242671.		O
18	Relationship between total physical activity and physical activity domains with body composition and energy expenditure among Brazilian adults. American Journal of Human Biology, 2019, 31, e23317.	1.6	5

#	Article	IF	CITATIONS
19	Estimation of body composition and water data depends on the bioelectrical impedance device. Journal of Electrical Bioimpedance, 2018, 9, 96-105.	0.9	10