

Edson JosÃ© Soares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9559344/publications.pdf>

Version: 2024-02-01

41
papers

975
citations

393982

19
h-index

454577

30
g-index

43
all docs

43
docs citations

43
times ranked

552
citing authors

#	ARTICLE	IF	CITATIONS
1	Drag reduction induced by flexible and rigid molecules in a turbulent flow into a rotating cylindrical double gap device: Comparison between Poly (ethylene oxide), Polyacrylamide, and Xanthan Gum. Journal of Non-Newtonian Fluid Mechanics, 2013, 202, 72-87.	1.0	81
2	Viscoplastic dimensionless numbers. Journal of Non-Newtonian Fluid Mechanics, 2016, 238, 57-64.	1.0	77
3	Polymer degradation of dilute solutions in turbulent drag reducing flows in a cylindrical double gap rheometer device. Journal of Non-Newtonian Fluid Mechanics, 2012, 179-180, 9-22.	1.0	75
4	Review of mechanical degradation and de-aggregation of drag reducing polymers in turbulent flows. Journal of Non-Newtonian Fluid Mechanics, 2020, 276, 104225.	1.0	48
5	Numerical investigation on gas-displacement of a shear-thinning liquid and a visco-plastic material in capillary tubes. Journal of Non-Newtonian Fluid Mechanics, 2007, 144, 149-159.	1.0	44
6	Critical quantities on the yielding process of waxy crude oils. Rheologica Acta, 2015, 54, 479-499.	1.1	44
7	Loss of efficiency of polymeric drag reducers induced by high Reynolds number flows in tubes with imposed pressure. Physics of Fluids, 2015, 27, .	1.6	34
8	Transient aspects of drag reducing plane Couette flows. Journal of Non-Newtonian Fluid Mechanics, 2017, 241, 60-69.	1.0	31
9	Drag increase at the very start of drag reducing flows in a rotating cylindrical double gap device. Journal of Non-Newtonian Fluid Mechanics, 2014, 212, 73-79.	1.0	30
10	Flow regimes for the immiscible liquid-liquid displacement in capillary tubes with complete wetting of the displaced liquid. Journal of Fluid Mechanics, 2009, 641, 63-84.	1.4	28
11	Influence of Adding Asphaltenes and Gas Condensate on CO ₂ Hydrate Formation in Water-CO ₂ -Oil Systems. Energy & Fuels, 2019, 33, 7138-7146.	2.5	25
12	Active and hibernating turbulence in drag-reducing plane Couette flows. Physical Review Fluids, 2017, 2, .	1.0	25
13	Further remarks on numerical investigation on gas displacement of a shear-thinning liquid and a visco-plastic material in capillary tubes. Journal of Non-Newtonian Fluid Mechanics, 2010, 165, 448-452.	1.0	24
14	Heat transfer to viscoplastic materials flowing axially through concentric annuli. International Journal of Heat and Fluid Flow, 2003, 24, 762-773.	1.1	23
15	Drag Reduction in Synthetic Seawater by Flexible and Rigid Polymer Addition Into a Rotating Cylindrical Double Gap Device. Journal of Fluids Engineering, Transactions of the ASME, 2016, 138, .	0.8	23
16	Effect of combined polymers on the loss of efficiency caused by mechanical degradation in drag reducing flows through straight tubes. Rheologica Acta, 2016, 55, 559-569.	1.1	21
17	Analysis of CO ₂ Hydrates in Crude Oils from a Rheological Point of View. Energy & Fuels, 2018, 32, 2733-2741.	2.5	21
18	Modeling and numerical simulations of polymer degradation in a drag reducing plane Couette flow. Journal of Non-Newtonian Fluid Mechanics, 2018, 256, 1-7.	1.0	21

#	ARTICLE	IF	CITATIONS
19	Drag reduction in turbulent flows by diutan gum: A very stable natural drag reducer. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2020, 276, 104223.	1.0	21
20	Revisiting the Taylor-Culick approximation: Retraction of an axisymmetric filament. <i>Physical Review Fluids</i> , 2020, 5, .	1.0	21
21	Emulsion effects on the yield stress of gelled waxy crude oils. <i>Fuel</i> , 2018, 222, 444-456.	3.4	20
22	Okra as a drag reducer for high Reynolds numbers water flows. <i>Rheologica Acta</i> , 2016, 55, 983-991.	1.1	19
23	An experimental investigation on the Newtonianâ€“Newtonian and viscoplasticâ€“Newtonian displacement in a capillary tube. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2017, 247, 207-220.	1.0	19
24	Immiscible Newtonian displacement by a viscoplastic material in a capillary plane channel. <i>Rheologica Acta</i> , 2011, 50, 403-422.	1.1	18
25	Viscoplasticâ€“viscoplastic displacement in a plane channel with interfacial tension effects. <i>Chemical Engineering Science</i> , 2013, 91, 54-64.	1.9	18
26	The role played by the aging of aloe vera on its drag reduction properties in turbulent flows. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2019, 265, 1-10.	1.0	17
27	Elliptical, parabolic, and hyperbolic exchanges of energy in drag reducing plane Couette flows. <i>Physics of Fluids</i> , 2017, 29, .	1.6	15
28	Start-up of waxy crude oils in pipelines. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2019, 263, 61-68.	1.0	15
29	Friction losses for power-law and viscoplastic materials in an entrance of a tube and an abrupt contraction. <i>Journal of Petroleum Science and Engineering</i> , 2011, 76, 224-235.	2.1	14
30	Residual mass and flow regimes for the immiscible liquidâ€“liquid displacement in a plane channel. <i>International Journal of Multiphase Flow</i> , 2011, 37, 640-646.	1.6	14
31	Immiscible liquid-liquid displacement in capillary tubes: viscoelastic effects. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2008, 30, 160-165.	0.8	12
32	Immiscible liquidâ€“liquid pressure-driven flow in capillary tubes: Experimental results and numerical comparison. <i>Physics of Fluids</i> , 2015, 27, .	1.6	12
33	Motion of a power-law long drop in a capillary tube filled by a Newtonian fluid. <i>Chemical Engineering Science</i> , 2012, 72, 126-141.	1.9	9
34	Friction Coefficients for Bingham and Power-Law Fluids in Abrupt Contractions and Expansions. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2017, 139, .	0.8	9
35	Mechanical scission of a flexible polymer (polyethylene oxide) under highly turbulent flows through abrupt contractions. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2022, 301, 104740.	1.0	8
36	Drag Reducing Flows by Polymer Solutions in Annular Spaces. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2018, 140, .	0.8	7

#	ARTICLE	IF	CITATIONS
37	The role played by the flexible polymer polyacrylamide (PAM) and the rigid polymer xanthan gum (XG) on drag in Taylor's Couette geometry: from Taylor's vortices to fully turbulent flow. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2020, 42, 1.	0.8	7
38	Drag Reduction by Polymers in Saline Nutrient Solutions. Journal of Fluids Engineering, Transactions of the ASME, 2020, 142, .	0.8	5
39	Bubble entrapment condition in Bingham materials. Journal of Non-Newtonian Fluid Mechanics, 2021, 295, 104616.	1.0	4
40	Rheological properties of a cross-linked gel based on guar gum for hydraulic fracture of oil wells. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2020, 42, 1.	0.8	2
41	Heat transfer to Herschel-Bulkley materials flowing in the entrance of tubes with an imposed wall temperature profile. Journal of the Brazilian Society of Mechanical Sciences and Engineering, 2014, 36, 245-255.	0.8	1