

# Anne Kouvonen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/955980/publications.pdf>

Version: 2024-02-01

102  
papers

3,390  
citations

172207

29  
h-index

161609

54  
g-index

106  
all docs

106  
docs citations

106  
times ranked

4119  
citing authors

#	ARTICLE	IF	CITATIONS
1	Internet-delivered cognitive behavioral therapy (iCBT) for common mental disorders and subsequent sickness absence: a systematic review and meta-analysis. <i>Scandinavian Journal of Public Health</i> , 2023, 51, 137-147.	1.2	3
2	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19-39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 489-497.	1.1	10
3	Socio-Demographic Factors, Gambling Behaviour, and the Level of Gambling Expenditure: A Population-Based Study. <i>Journal of Gambling Studies</i> , 2022, 38, 1093-1109.	1.1	9
4	Working Conditions and Long-Term Sickness Absence Due to Mental Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, 105-114.	0.9	6
5	Digital Information Technology Use and Transnational Healthcare: A Population-Based Study on Older Russian-Speaking Migrants in Finland. <i>Journal of Immigrant and Minority Health</i> , 2022, 24, 125-135.	0.8	7
6	The role of age and digital competence on the use of online health and social care services: A cross-sectional population-based survey. <i>Digital Health</i> , 2022, 8, 205520762210744.	0.9	31
7	Towards digital health equity - a qualitative study of the challenges experienced by vulnerable groups in using digital health services in the COVID-19 era. <i>BMC Health Services Research</i> , 2022, 22, 188.	0.9	81
8	Preparedness for mass gatherings: rescue and emergency medical services' workloads during mass gathering events. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2022, 30, 15.	1.1	4
9	Health and self-perceived barriers to internet use among older migrants: a population-based study. <i>BMC Public Health</i> , 2022, 22, 574.	1.2	13
10	Trajectories of Insomnia Symptoms Among Aging Employees and Their Associations With Memory, Learning Ability, and Concentration After Retirement - A Prospective Cohort Study (2000-2017). <i>Journal of Aging and Health</i> , 2022, 34, 916-928.	0.9	2
11	Sosioekonomisten tekijöiden yhteydet ruokatottumuksiin vanhuuseläkkeelle siirtymisen jälkeen: Helsinki Health Study. <i>Sosiaalilaaketieteellinen Aikakauslehti</i> , 2022, 59, .	0.0	0
12	Ikäntyvät venäjänkieliset ja ylijäräinen terveystalveluiden käyttö. <i>Idäntutkimus</i> , 2022, 29, 3-20.	0.0	0
13	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1549-1558.	1.1	3
14	Digital Information Technology Use, Self-Rated Health, and Depression: Population-Based Analysis of a Survey Study on Older Migrants. <i>Journal of Medical Internet Research</i> , 2021, 23, e20988.	2.1	13
15	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. <i>Preventive Medicine</i> , 2021, 149, 106611.	1.6	0
16	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. <i>Psychiatry Research</i> , 2021, 305, 114213.	1.7	5
17	Working conditions and mental health functioning among young public sector employees. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110454.	1.2	0
18	Acceptability of Computerized Cognitive Behavioral Therapy for Adults: Umbrella Review. <i>JMIR Mental Health</i> , 2021, 8, e23091.	1.7	12

#	ARTICLE	IF	CITATIONS
19	Intervention targeted at physicians' treatment of musculoskeletal disorders and sickness certification: an interrupted time series analysis. <i>BMJ Open</i> , 2021, 11, e047018.	0.8	1
20	Intrarater reliability of the Abilitator—a self-report questionnaire on work ability and functioning aimed at the population in a weak labour market position: a test-retest study. <i>BMJ Open</i> , 2021, 11, e057295.	0.8	2
21	Antipsychotic medication use among working-age first-generation migrants resident in Finland: An administrative data linkage study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 64-71.	1.2	3
22	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 421-432.	1.1	11
23	Patients Seeking Retreatment after Community Paramedic Assessment and Treatment: Piloting a Community Paramedic Unit Program in Southwest Finland. <i>Nursing Reports</i> , 2020, 10, 66-74.	0.8	7
24	Unmet need for mental health medication within the migrant population of Northern Ireland: a record linkage study. <i>Journal of Epidemiology and Community Health</i> , 2020, 75, jech-2019-212774.	2.0	1
25	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7854.	1.2	2
26	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020, 77, 478-487.	1.3	5
27	Development and content validity of the Abilitator: a self-report questionnaire on work ability and functioning aimed at the population in a weak labour market position. <i>BMC Public Health</i> , 2020, 20, 327.	1.2	8
28	Preparedness for Mass Gatherings: Factors to Consider According to the Rescue Authorities. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1361.	1.2	14
29	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2064.	1.2	11
30	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. <i>European Journal of Public Health</i> , 2020, 30, .	0.1	0
31	Antidepressant medication use among working age first-generation migrants resident in Finland: an administrative data linkage study. <i>International Journal for Equity in Health</i> , 2019, 18, 157.	1.5	8
32	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.1	2
33	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up—introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	1.1	36
34	Human service work and long-term sickness absence due to mental disorders: a prospective study of gender-specific patterns in 1,466,100 employees. <i>Annals of Epidemiology</i> , 2019, 31, 57-61.e1.	0.9	11
35	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. <i>BMJ: British Medical Journal</i> , 2019, 365, l1495.	2.4	168
36	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019, 9, e026994.	0.8	6

#	ARTICLE	IF	CITATIONS
37	Association between socioeconomic position and occupational health service utilisation trajectories among young municipal employees in Finland. <i>BMJ Open</i> , 2019, 9, e028742.	0.8	6
38	First-generation migrants' use of psychotropic medication in Northern Ireland: a record linkage study. <i>International Journal of Mental Health Systems</i> , 2019, 13, 77.	1.1	7
39	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019, 29, 555-561.	0.1	6
40	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 247, 66-72.	2.0	13
41	Ethnic Inequalities in Psychological Distress: A Population Data Linkage Study on the Pacific Island of Guam. <i>Journal of Immigrant and Minority Health</i> , 2019, 21, 1026-1034.	0.8	4
42	Parental Social Support and Adolescent Well-Being: a Cross-Sectional Study in China. <i>Child Indicators Research</i> , 2019, 12, 299-317.	1.1	11
43	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032119.	0.8	1
44	Effectiveness of internet-delivered cognitive behavioural therapy in reducing sickness absence among young employees with depressive symptoms: study protocol for a large-scale pragmatic randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e032119.	0.8	4
45	Unemployment and work disability due to common mental disorders among young adults: selection or causation?. <i>European Journal of Public Health</i> , 2018, 28, 791-797.	0.1	20
46	Human service work, gender and antidepressant use: a nationwide register-based 19-year follow-up of 752 683 women and men. <i>Occupational and Environmental Medicine</i> , 2018, 75, 401-406.	1.3	14
47	Distinctive use of newer and older antidepressants in major geographical areas: A nationally representative register-based study. <i>Journal of Affective Disorders</i> , 2018, 229, 358-363.	2.0	11
48	Occupational class and the changing patterns of hospitalization for affective and neurotic disorders: a nationwide register-based study of the Finnish working-age population, 1976–2010. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 131-138.	1.6	3
49	Distinctive role of income in the all-cause mortality among working age migrants and the settled population in Finland: A follow-up study from 2001 to 2014. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 214-220.	1.2	7
50	Psychometric Properties of Persian Version of the Short-Form Workplace Social Capital Questionnaire for Female Health Workers. <i>International Journal of Occupational and Environmental Medicine</i> , 2018, 9, 184-193.	4.1	15
51	Lifestyle factors and risk of sickness absence from work: a multicohort study. <i>Lancet Public Health</i> , 2018, 3, e545-e554.	4.7	88
52	Recurrent back pain during working life and exit from paid employment: a 28-year follow-up of the Whitehall II Study. <i>Occupational and Environmental Medicine</i> , 2018, 75, 786-791.	1.3	14
53	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 705-713.	5.5	100
54	Mental health by gender-specific occupational groups: Profiles, risks and dominance of predictors. <i>Journal of Affective Disorders</i> , 2018, 238, 311-316.	2.0	19

#	ARTICLE	IF	CITATIONS
55	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017, 7, e015573.	0.8	12
56	Diabetes and risk of occupational injury: a cohort study. <i>Diabetic Medicine</i> , 2017, 34, 1629-1636.	1.2	5
57	Ethnic density and risk of mental ill health – The case of religious sectarianism in Northern Ireland: A population data linkage study. <i>Health and Place</i> , 2017, 47, 29-35.	1.5	5
58	What do register-based studies tell us about migrant mental health? A scoping review. <i>Systematic Reviews</i> , 2017, 6, 78.	2.5	33
59	Occupational Class Differences in Trajectories of Working Conditions in Women. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 790.	1.2	5
60	Educational attainment, labour market position and mental ill health as pathways from adversities in adolescence to disability pension in early adulthood: A Finnish cohort study using register data. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 678-687.	1.2	13
61	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	0.9	47
62	The mental health and wellbeing of first generation migrants: a systematic-narrative review of reviews. <i>Globalization and Health</i> , 2016, 12, 47.	2.4	128
63	Modelling the Time Taken to Experience a Type 2 Diabetes Related Complication Using a Survival Tree in Order to Advise General Practitioners. , 2016, , .		0
64	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016, 26, 458-463.	0.1	14
65	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 405-412.	1.7	12
66	Individual factors and perceived community characteristics in relation to mental health and mental well-being. <i>BMC Public Health</i> , 2015, 15, 1237.	1.2	26
67	Changes in working conditions and physical functioning in ageing employees in Finland. <i>European Journal of Public Health</i> , 2015, 25, .	0.1	0
68	Welfare state retrenchment and increasing mental health inequality by educational credentials in Finland: a multicohort study. <i>BMJ Open</i> , 2015, 5, e007297-e007297.	0.8	21
69	Higher effort–reward imbalance and lower job control predict exit from the labour market at the age of 61–years or younger: evidence from the English Longitudinal Study of Ageing. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 543-549.	2.0	35
70	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015, 25, 650-655.	0.1	48
71	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 511-518.	1.7	19
72	National Trends in Main Causes of Hospitalization: A Multi-Cohort Register Study of the Finnish Working-Age Population, 1976–2010. <i>PLoS ONE</i> , 2014, 9, e112314.	1.1	3

#	ARTICLE	IF	CITATIONS
73	The influence of market deregulation on fast food consumption and body mass index: a cross-national time series analysis. <i>Bulletin of the World Health Organization</i> , 2014, 92, 99-107A.	1.5	125
74	Association of physical activity with future mental health in older, mid-life and younger women. <i>European Journal of Public Health</i> , 2014, 24, 813-818.	0.1	32
75	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. <i>Diabetes Care</i> , 2014, 37, 2268-2275.	4.3	185
76	Is a single item stress measure independently associated with subsequent severe injury: a prospective cohort study of 16,385 forest industry employees. <i>BMC Public Health</i> , 2014, 14, 543.	1.2	22
77	Differences in hospitalizations between employment industries, Finland 1976 to 2010. <i>Annals of Epidemiology</i> , 2014, 24, 598-605.e1.	0.9	10
78	Economic globalization, inequality and body mass index: a cross-national analysis of 127 countries. <i>Critical Public Health</i> , 2014, 24, 7-21.	1.4	88
79	Can organizational justice mitigate the negative effects of shift work and fixed-term employment?. <i>European Journal of Work and Organizational Psychology</i> , 2013, 22, 194-202.	2.2	9
80	Chronic workplace stress and insufficient physical activity: a cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 3-8.	1.3	68
81	Obesity and Occupational Injury: A Prospective Cohort Study of 69,515 Public Sector Employees. <i>PLoS ONE</i> , 2013, 8, e77178.	1.1	50
82	Differential Associations of Job Control Components With Mortality: A Cohort Study, 1986â€“2005. <i>American Journal of Epidemiology</i> , 2012, 175, 609-619.	1.6	20
83	Social Participation and Maintaining Recommended Waist Circumference. <i>Journal of Aging and Health</i> , 2012, 24, 250-268.	0.9	11
84	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	1.6	198
85	Social support and the likelihood of maintaining and improving levels of physical activity: the Whitehall II Study. <i>European Journal of Public Health</i> , 2012, 22, 514-518.	0.1	87
86	Burnout and Behavior-Related Health Risk Factors. <i>Journal of Occupational and Environmental Medicine</i> , 2012, 54, 17-22.	0.9	68
87	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
88	Implementation of Workplace-Based Smoking Cessation Support Activities and Smoking Cessation Among Employees: The Finnish Public Sector Study. <i>American Journal of Public Health</i> , 2012, 102, e56-e62.	1.5	16
89	Social Exchange at Work and Emotional Exhaustion: The Role of Personality <sup>1</sup> . <i>Journal of Applied Social Psychology</i> , 2011, 41, 2165-2199.	1.3	10
90	â€˜Globoesizationâ€™: ecological evidence on the relationship between fast food outlets and obesity among 26 advanced economies. <i>Critical Public Health</i> , 2011, 21, 395-402.	1.4	33

#	ARTICLE	IF	CITATIONS
91	Social Support, Network Heterogeneity, and Smoking Behavior in Women: The 10-Town Study. <i>American Journal of Health Promotion</i> , 2008, 22, 246-255.	0.9	32
92	Lack of Predictability at Work and Risk of Acute Myocardial Infarction: An 18-Year Prospective Study of Industrial Employees. <i>American Journal of Public Health</i> , 2008, 98, 2264-2271.	1.5	46
93	Job Strain and Adverse Health Behaviors: The Finnish Public Sector Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 68-74.	0.9	83
94	Effort-reward imbalance at work and the co-occurrence of lifestyle risk factors: cross-sectional survey in a sample of 36,127 public sector employees. <i>BMC Public Health</i> , 2006, 6, 24.	1.2	65
95	Psychometric evaluation of a short measure of social capital at work. <i>BMC Public Health</i> , 2006, 6, 251.	1.2	152
96	Effort/reward imbalance and sedentary lifestyle: an observational study in a large occupational cohort. <i>Occupational and Environmental Medicine</i> , 2006, 63, 422-427.	1.3	32
97	Job Strain, Effort???Reward Imbalance, and Heavy Drinking: A Study in 40,851 Employees. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 503-513.	0.9	66
98	Relationship Between Work Stress and Body Mass Index Among 45,810 Female and Male Employees. <i>Psychosomatic Medicine</i> , 2005, 67, 577-583.	1.3	177
99	Job Characteristics and Burnout among Aging Professionals in Information and Communications Technology. <i>Psychological Reports</i> , 2005, 97, 505-514.	0.9	15
100	Work stress, smoking status, and smoking intensity: an observational study of 46 190 employees. <i>Journal of Epidemiology and Community Health</i> , 2005, 59, 63-69.	2.0	228
101	Job strain and leisure-time physical activity in female and male public sector employees. <i>Preventive Medicine</i> , 2005, 41, 532-539.	1.6	104
102	Occupational Class Differences in Emotional Exhaustion Among Municipal Employees – The Role of Employment Sector and Psychosocial Working Conditions. <i>Psychological Reports</i> , 0, , 003329412211063.	0.9	0