

Francisco Sobrino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9560003/publications.pdf>

Version: 2024-02-01

117
papers

4,880
citations

108046

37
h-index

124990

64
g-index

118
all docs

118
docs citations

118
times ranked

3626
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Peptide-Based Vaccines: Foot-and-Mouth Disease Virus, a Paradigm in Animal Health. <i>Vaccines</i> , 2021, 9, 477. | 2.1 | 14 |
| 2 | Immunogenicity of Foot-and-Mouth Disease Virus Dendrimer Peptides: Need for a T-Cell Epitope and Ability to Elicit Heterotypic Responses. <i>Molecules</i> , 2021, 26, 4714. | 1.7 | 1 |
| 3 | Adaptive value of foot-and-mouth disease virus capsid substitutions with opposite effects on particle acid stability. <i>Scientific Reports</i> , 2021, 11, 23494. | 1.6 | 0 |
| 4 | Immunogenicity of a Dendrimer B2T Peptide Harboring a T-Cell Epitope From FMDV Non-structural Protein 3D. <i>Frontiers in Veterinary Science</i> , 2020, 7, 498. | 0.9 | 13 |
| 5 | Designing Functionally Versatile, Highly Immunogenic Peptide-Based Multiepitopic Vaccines against Foot-and-Mouth Disease Virus. <i>Vaccines</i> , 2020, 8, 406. | 2.1 | 7 |
| 6 | MDA5 cleavage by the Leader protease of foot-and-mouth disease virus reveals its pleiotropic effect against the host antiviral response. <i>Cell Death and Disease</i> , 2020, 11, 718. | 2.7 | 15 |
| 7 | Association of Porcine Swine Leukocyte Antigen (SLA) Haplotypes with B- and T-Cell Immune Response to Foot-and-Mouth Disease Virus (FMDV) Peptides. <i>Vaccines</i> , 2020, 8, 513. | 2.1 | 7 |
| 8 | Negatively charged amino acids at the foot-and-mouth disease virus capsid reduce the virion-destabilizing effect of viral RNA at acidic pH. <i>Scientific Reports</i> , 2020, 10, 1657. | 1.6 | 1 |
| 9 | A Single Dose of Dendrimer B2T Peptide Vaccine Partially Protects Pigs against Foot-and-Mouth Disease Virus Infection. <i>Vaccines</i> , 2020, 8, 19. | 2.1 | 18 |
| 10 | A bivalent B ₆ cell epitope dendrimer peptide can confer long-lasting immunity in swine against foot-and-mouth disease. <i>Transboundary and Emerging Diseases</i> , 2020, 67, 1614-1622. | 1.3 | 9 |
| 11 | Swine T-Cells and Specific Antibodies Evoked by Peptide Dendrimers Displaying Different FMDV T-Cell Epitopes. <i>Frontiers in Immunology</i> , 2020, 11, 621537. | 2.2 | 8 |
| 12 | Inhibition of Porcine Viruses by Different Cell-Targeted Antiviral Drugs. <i>Frontiers in Microbiology</i> , 2019, 10, 1853. | 1.5 | 6 |
| 13 | Clinical Infections by Herpesviruses in Patients Treated with Valproic Acid: A Nested Case-Control Study in the Spanish Primary Care Database, BIFAP. <i>Journal of Clinical Medicine</i> , 2019, 8, 1442. | 1.0 | 10 |
| 14 | Targeting host metabolism by inhibition of acetyl-Coenzyme A carboxylase reduces flavivirus infection in mouse models. <i>Emerging Microbes and Infections</i> , 2019, 8, 624-636. | 3.0 | 29 |
| 15 | Innate immune sensor LGP2 is cleaved by the Leader protease of foot-and-mouth disease virus. <i>PLoS Pathogens</i> , 2018, 14, e1007135. | 2.1 | 35 |
| 16 | Contribution of a Multifunctional Polymerase Region of Foot-and-Mouth Disease Virus to Lethal Mutagenesis. <i>Journal of Virology</i> , 2018, 92, . | 1.5 | 5 |
| 17 | Synthetic RNA derived from the foot-and-mouth disease virus genome elicits antiviral responses in bovine and porcine cells through IRF3 activation. <i>Veterinary Microbiology</i> , 2018, 221, 8-12. | 0.8 | 3 |
| 18 | A bivalent dendrimeric peptide bearing a T-cell epitope from foot-and-mouth disease virus protein 3A improves humoral response against classical swine fever virus. <i>Virus Research</i> , 2017, 238, 8-12. | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Preserved immunogenicity of an inactivated vaccine based on foot-and-mouth disease virus particles with improved stability. <i>Veterinary Microbiology</i> , 2017, 203, 275-279. | 0.8 | 9 |
| 20 | Combined administration of synthetic RNA and a conventional vaccine improves immune responses and protection against foot-and-mouth disease virus in swine. <i>Antiviral Research</i> , 2017, 142, 30-36. | 1.9 | 20 |
| 21 | Dendrimeric peptides can confer protection against foot-and-mouth disease virus in cattle. <i>PLoS ONE</i> , 2017, 12, e0185184. | 1.1 | 19 |
| 22 | The Amino Acid Substitution Q65H in the 2C Protein of Swine Vesicular Disease Virus Confers Resistance to Golgi Disrupting Drugs. <i>Frontiers in Microbiology</i> , 2016, 7, 612. | 1.5 | 1 |
| 23 | Equine Rhinitis A Virus Mutants with Altered Acid Resistance Unveil a Key Role of VP3 and Intrasubunit Interactions in the Control of the pH Stability of the Aphthovirus Capsid. <i>Journal of Virology</i> , 2016, 90, 9725-9732. | 1.5 | 2 |
| 24 | A recombinant DNA vaccine protects mice deficient in the alpha/beta interferon receptor against lethal challenge with Usutu virus. <i>Vaccine</i> , 2016, 34, 2066-2073. | 1.7 | 32 |
| 25 | First Complete Coding Sequence of a Spanish Isolate of Swine Vesicular Disease Virus. <i>Genome Announcements</i> , 2016, 4, . | 0.8 | 3 |
| 26 | Host sphingomyelin increases West Nile virus infection in vivo. <i>Journal of Lipid Research</i> , 2016, 57, 422-432. | 2.0 | 43 |
| 27 | Full protection of swine against foot-and-mouth disease by a bivalent B-cell epitope dendrimer peptide. <i>Antiviral Research</i> , 2016, 129, 74-80. | 1.9 | 49 |
| 28 | Modification of the Host Cell Lipid Metabolism Induced by Hypolipidemic Drugs Targeting the Acetyl Coenzyme A Carboxylase Impairs West Nile Virus Replication. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 307-315. | 1.4 | 55 |
| 29 | Synthetic RNAs Mimicking Structural Domains in the Foot-and-Mouth Disease Virus Genome Elicit a Broad Innate Immune Response in Porcine Cells Triggered by RIG-I and TLR Activation. <i>Viruses</i> , 2015, 7, 3954-3973. | 1.5 | 22 |
| 30 | The pH Stability of Foot-and-Mouth Disease Virus Particles Is Modulated by Residues Located at the Pentameric Interface and in the N Terminus of VP1. <i>Journal of Virology</i> , 2015, 89, 5633-5642. | 1.5 | 30 |
| 31 | Multifunctionality of a Picornavirus Polymerase Domain: Nuclear Localization Signal and Nucleotide Recognition. <i>Journal of Virology</i> , 2015, 89, 6848-6859. | 1.5 | 22 |
| 32 | Peptides Interfering 3A Protein Dimerization Decrease FMDV Multiplication. <i>PLoS ONE</i> , 2015, 10, e0141415. | 1.1 | 4 |
| 33 | Membrane Topology and Cellular Dynamics of Foot-and-Mouth Disease Virus 3A Protein. <i>PLoS ONE</i> , 2014, 9, e106685. | 1.1 | 29 |
| 34 | Protection of a Single Dose West Nile Virus Recombinant Subviral Particle Vaccine against Lineage 1 or 2 Strains and Analysis of the Cross-Reactivity with Usutu Virus. <i>PLoS ONE</i> , 2014, 9, e108056. | 1.1 | 33 |
| 35 | An Increase in Acid Resistance of Foot-and-Mouth Disease Virus Capsid Is Mediated by a Tyrosine Replacement of the VP2 Histidine Previously Associated with VPO Cleavage. <i>Journal of Virology</i> , 2014, 88, 3039-3042. | 1.5 | 23 |
| 36 | The Composition of West Nile Virus Lipid Envelope Unveils a Role of Sphingolipid Metabolism in Flavivirus Biogenesis. <i>Journal of Virology</i> , 2014, 88, 12041-12054. | 1.5 | 125 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Protection against Rift Valley fever virus infection in mice upon administration of interferon-inducing RNA transcripts from the FMDV genome. <i>Antiviral Research</i> , 2014, 109, 64-67. | 1.9 | 12 |
| 38 | Inhibition of multiplication of the prototypic arenavirus LCMV by valproic acid. <i>Antiviral Research</i> , 2013, 99, 172-179. | 1.9 | 24 |
| 39 | Characterization of a nuclear localization signal in the foot-and-mouth disease virus polymerase. <i>Virology</i> , 2013, 444, 203-210. | 1.1 | 14 |
| 40 | Delivery of synthetic RNA can enhance the immunogenicity of vaccines against foot-and-mouth disease virus (FMDV) in mice. <i>Vaccine</i> , 2013, 31, 4375-4381. | 1.7 | 18 |
| 41 | B Epitope Multiplicity and B/T Epitope Orientation Influence Immunogenicity of Foot-and-Mouth Disease Peptide Vaccines. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-9. | 3.3 | 23 |
| 42 | Use of RNA Domains in the Viral Genome as Innate Immunity Inducers for Antiviral Strategies and Vaccine Improvement. , 2013, , . | | 1 |
| 43 | Modulation of foot-and-mouth disease virus pH threshold for uncoating correlates with differential sensitivity to inhibition of cellular Rab GTPases and decreases infectivity in vivo. <i>Journal of General Virology</i> , 2012, 93, 2382-2386. | 1.3 | 8 |
| 44 | Mutations That Hamper Dimerization of Foot-and-Mouth Disease Virus 3A Protein Are Detrimental for Infectivity. <i>Journal of Virology</i> , 2012, 86, 11013-11023. | 1.5 | 16 |
| 45 | A T-cell epitope on NS3 non-structural protein enhances the B and T cell responses elicited by dendrimeric constructions against CSFV in domestic pigs. <i>Veterinary Immunology and Immunopathology</i> , 2012, 150, 36-46. | 0.5 | 23 |
| 46 | Acid-dependent viral entry. <i>Virus Research</i> , 2012, 167, 125-137. | 1.1 | 46 |
| 47 | Exploring IRES Region Accessibility by Interference of Foot-and-Mouth Disease Virus Infectivity. <i>PLoS ONE</i> , 2012, 7, e41382. | 1.1 | 12 |
| 48 | Plasma Membrane Phosphatidylinositol 4,5 Bisphosphate Is Required for Internalization of Foot-and-Mouth Disease Virus and Vesicular Stomatitis Virus. <i>PLoS ONE</i> , 2012, 7, e45172. | 1.1 | 9 |
| 49 | Protection against West Nile Virus Infection in Mice after Inoculation with Type I Interferon-Inducing RNA Transcripts. <i>PLoS ONE</i> , 2012, 7, e49494. | 1.1 | 17 |
| 50 | Inclusion of a specific T cell epitope increases the protection conferred against foot-and-mouth disease virus in pigs by a linear peptide containing an immunodominant B cell site. <i>Virology Journal</i> , 2012, 9, 66. | 1.4 | 20 |
| 51 | Partial protection against classical swine fever virus elicited by dendrimeric vaccine-candidate peptides in domestic pigs. <i>Vaccine</i> , 2011, 29, 4422-4429. | 1.7 | 45 |
| 52 | Foot-and-mouth disease virus particles inactivated with binary ethylenimine are efficiently internalized into cultured cells. <i>Vaccine</i> , 2011, 29, 9655-9662. | 1.7 | 10 |
| 53 | Immunomodulatory effect of swine CCL20 chemokine in DNA vaccination against CSFV. <i>Veterinary Immunology and Immunopathology</i> , 2011, 142, 243-251. | 0.5 | 11 |
| 54 | DNA immunization of pigs with foot-and-mouth disease virus minigenes: From partial protection to disease exacerbation. <i>Virus Research</i> , 2011, 157, 121-125. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A DNA vaccine encoding foot-and-mouth disease virus B and T-cell epitopes targeted to class II swine leukocyte antigens protects pigs against viral challenge. <i>Antiviral Research</i> , 2011, 92, 359-363. | 1.9 | 23 |
| 56 | Inoculation of newborn mice with non-coding regions of foot-and-mouth disease virus RNA can induce a rapid, solid and wide-range protection against viral infection. <i>Antiviral Research</i> , 2011, 92, 500-504. | 1.9 | 22 |
| 57 | Peptide vaccine candidates against classical swine fever virus: T cell and neutralizing antibody responses of dendrimers displaying E2 and NS2 ² 3 epitopes. <i>Journal of Peptide Science</i> , 2011, 17, 24-31. | 0.8 | 30 |
| 58 | A Single Amino Acid Substitution in the Capsid of Foot-and-Mouth Disease Virus Can Increase Acid Resistance. <i>Journal of Virology</i> , 2011, 85, 2733-2740. | 1.5 | 40 |
| 59 | Inhibition of Enveloped Virus Infection of Cultured Cells by Valproic Acid. <i>Journal of Virology</i> , 2011, 85, 1267-1274. | 1.5 | 46 |
| 60 | RNA Structural Domains in Noncoding Regions of the Foot-and-Mouth Disease Virus Genome Trigger Innate Immunity in Porcine Cells and Mice. <i>Journal of Virology</i> , 2011, 85, 6492-6501. | 1.5 | 33 |
| 61 | RNA immunization can protect mice against foot-and-mouth disease virus. <i>Antiviral Research</i> , 2010, 85, 556-558. | 1.9 | 13 |
| 62 | Cell density-dependent expression of viral antigens during persistence of foot-and-mouth disease virus in cell culture. <i>Virology</i> , 2010, 403, 47-55. | 1.1 | 10 |
| 63 | A Single Amino Acid Substitution in the Capsid of Foot-and-Mouth Disease Virus Can Increase Acid Lability and Confer Resistance to Acid-Dependent Uncoating Inhibition. <i>Journal of Virology</i> , 2010, 84, 2902-2912. | 1.5 | 44 |
| 64 | Attenuated Foot-and-Mouth Disease Virus RNA Carrying a Deletion in the 3' Noncoding Region Can Elicit Immunity in Swine. <i>Journal of Virology</i> , 2009, 83, 3475-3485. | 1.5 | 38 |
| 65 | Discriminating Foot-and-Mouth Disease Virus-Infected and Vaccinated Animals by Use of β -Galactosidase Allosteric Biosensors. <i>Vaccine Journal</i> , 2009, 16, 1228-1235. | 3.2 | 7 |
| 66 | Internalization of Swine Vesicular Disease Virus into Cultured Cells: a Comparative Study with Foot-and-Mouth Disease Virus. <i>Journal of Virology</i> , 2009, 83, 4216-4226. | 1.5 | 13 |
| 67 | Subcellular distribution of swine vesicular disease virus proteins and alterations induced in infected cells: A comparative study with foot-and-mouth disease virus and vesicular stomatitis virus. <i>Virology</i> , 2008, 374, 432-443. | 1.1 | 23 |
| 68 | Susceptibility to viral infection is enhanced by stable expression of 3A or 3AB proteins from foot-and-mouth disease virus. <i>Virology</i> , 2008, 380, 34-45. | 1.1 | 17 |
| 69 | Recent advances in the development of recombinant vaccines against classical swine fever virus: Cellular responses also play a role in protection. <i>Veterinary Journal</i> , 2008, 177, 169-177. | 0.6 | 59 |
| 70 | Enhanced Mucosal Immunoglobulin A Response and Solid Protection against Foot-and-Mouth Disease Virus Challenge Induced by a Novel Dendrimeric Peptide. <i>Journal of Virology</i> , 2008, 82, 7223-7230. | 1.5 | 92 |
| 71 | Dendritic Cell Internalization of Foot-and-Mouth Disease Virus: Influence of Heparan Sulfate Binding on Virus Uptake and Induction of the Immune Response. <i>Journal of Virology</i> , 2008, 82, 6379-6394. | 1.5 | 21 |
| 72 | Tolerance to mutations in the foot-and-mouth disease virus integrin-binding RGD region is different in cultured cells and in vivo and depends on the capsid sequence context. <i>Journal of General Virology</i> , 2008, 89, 2531-2539. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Guinea Pig-Adapted Foot-and-Mouth Disease Virus with Altered Receptor Recognition Can Productively Infect a Natural Host. <i>Journal of Virology</i> , 2007, 81, 8497-8506. | 1.5 | 42 |
| 74 | Productive entry of type C foot-and-mouth disease virus into susceptible cultured cells requires clathrin and is dependent on the presence of plasma membrane cholesterol. <i>Virology</i> , 2007, 369, 105-118. | 1.1 | 66 |
| 75 | DNA vaccines expressing B and T cell epitopes can protect mice from FMDV infection in the absence of specific humoral responses. <i>Vaccine</i> , 2006, 24, 3889-3899. | 1.7 | 34 |
| 76 | Rational Dissection of Binding Surfaces for Mimicking of Discontinuous Antigenic Sites. <i>Chemistry and Biology</i> , 2006, 13, 815-823. | 6.2 | 9 |
| 77 | Differential distribution of non-structural proteins of foot-and-mouth disease virus in BHK-21 cells. <i>Virology</i> , 2006, 349, 409-421. | 1.1 | 48 |
| 78 | DNA immunization with 2C FMDV non-structural protein reveals the presence of an immunodominant CD8+, CTL epitope for Balb/c mice. <i>Antiviral Research</i> , 2006, 72, 178-189. | 1.9 | 15 |
| 79 | Induction of cyclooxygenase-2 expression by allergens in lymphocytes from allergic patients. <i>European Journal of Immunology</i> , 2005, 35, 2313-2324. | 1.6 | 16 |
| 80 | Origin and evolution of viruses causing classical swine fever in Cuba. <i>Virus Research</i> , 2005, 112, 123-131. | 1.1 | 46 |
| 81 | Analysis of the immune response against mixotope peptide libraries from a main antigenic site of foot-and-mouth disease virus. <i>Vaccine</i> , 2005, 23, 2647-2657. | 1.7 | 11 |
| 82 | A DNA vaccine expressing the E2 protein of classical swine fever virus elicits T cell responses that can prime for rapid antibody production and confer total protection upon viral challenge. <i>Vaccine</i> , 2005, 23, 3741-3752. | 1.7 | 73 |
| 83 | 15-Deoxy- $\Delta^{12,14}$ -prostaglandin J2 Induces Heme Oxygenase-1 Gene Expression in a Reactive Oxygen Species-dependent Manner in Human Lymphocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 21929-21937. | 1.6 | 100 |
| 84 | Human neutrophils synthesize IL-8 in an IgE-mediated activation. <i>Journal of Leukocyte Biology</i> , 2004, 76, 692-700. | 1.5 | 28 |
| 85 | Immunogenicity and T cell recognition in swine of foot-and-mouth disease virus polymerase 3D. <i>Virology</i> , 2004, 322, 264-275. | 1.1 | 57 |
| 86 | Towards a multi-site synthetic vaccine to foot-and-mouth disease: addition of discontinuous site peptide mimic increases the neutralization response in immunized animals. <i>Vaccine</i> , 2004, 22, 3523-3529. | 1.7 | 15 |
| 87 | Immunology of Foot-and-Mouth Disease. , 2004, , 175-222. | | 3 |
| 88 | Evolution of foot-and-mouth disease virus. <i>Virus Research</i> , 2003, 91, 47-63. | 1.1 | 273 |
| 89 | Recovery of Infectious Foot-and-Mouth Disease Virus from Suckling Mice after Direct Inoculation with In Vitro-Transcribed RNA. <i>Journal of Virology</i> , 2003, 77, 11290-11295. | 1.5 | 38 |
| 90 | Evidence of the Coevolution of Antigenicity and Host Cell Tropism of Foot-and-Mouth Disease Virus In Vivo. <i>Journal of Virology</i> , 2003, 77, 1219-1226. | 1.5 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Oxidative stress is a critical mediator of the angiotensin II signal in human neutrophils: involvement of mitogen-activated protein kinase, calcineurin, and the transcription factor NF- κ B. <i>Blood</i> , 2003, 102, 662-671. | 0.6 | 155 |
| 92 | IRES-driven translation is stimulated separately by the FMDV 3'-NCR and poly(A) sequences. <i>Nucleic Acids Research</i> , 2002, 30, 4398-4405. | 6.5 | 88 |
| 93 | Foot-and-mouth disease virus. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2002, 25, 297-308. | 0.7 | 180 |
| 94 | Enhanced response to antibody binding in engineered β -galactosidase enzymatic sensors. <i>BBA - Proteins and Proteomics</i> , 2002, 1596, 212-224. | 2.1 | 21 |
| 95 | Foot-and-mouth disease virus: biology and prospects for disease control. <i>Microbes and Infection</i> , 2002, 4, 1183-1192. | 1.0 | 86 |
| 96 | Foot-and-mouth disease in Europe. <i>EMBO Reports</i> , 2001, 2, 459-461. | 2.0 | 54 |
| 97 | Foot-and-mouth disease virus: a long known virus, but a current threat. <i>Veterinary Research</i> , 2001, 32, 1-30. | 1.1 | 226 |
| 98 | Interspecies Major Histocompatibility Complex-Restricted Th Cell Epitope on Foot-and-Mouth Disease Virus Capsid Protein VP4. <i>Journal of Virology</i> , 2000, 74, 4902-4907. | 1.5 | 41 |
| 99 | Characterization of Calcineurin in Human Neutrophils. <i>Journal of Biological Chemistry</i> , 1999, 274, 93-100. | 1.6 | 94 |
| 100 | Heterotypic inhibition of foot-and-mouth disease virus infection by combinations of RNA transcripts corresponding to the 5' and 3' regions. <i>Antiviral Research</i> , 1999, 44, 133-141. | 1.9 | 13 |
| 101 | Molecular epidemiology of classical swine fever in Cuba. <i>Virus Research</i> , 1999, 64, 61-67. | 1.1 | 39 |
| 102 | A RT-PCR assay for the differential diagnosis of vesicular viral diseases of swine. <i>Journal of Virological Methods</i> , 1998, 72, 227-235. | 1.0 | 53 |
| 103 | A procedure for detecting selection in highly variable viral genomes: evidence of positive selection in antigenic regions of capsid protein VP1 of foot-and-mouth disease virus. <i>Journal of Virological Methods</i> , 1998, 74, 215-221. | 1.0 | 22 |
| 104 | Antigenic Specificity of Porcine T Cell Response against Foot-and-Mouth Disease Virus Structural Proteins: Identification of T Helper Epitopes in VP1. <i>Virology</i> , 1994, 205, 24-33. | 1.1 | 37 |
| 105 | Direct PCR detection of foot-and-mouth disease virus. <i>Journal of Virological Methods</i> , 1994, 47, 345-349. | 1.0 | 39 |
| 106 | Transient inhibition of foot-and-mouth disease virus infection of BHK-21 cells by antisense oligonucleotides directed against the second functional initiator AUG. <i>Antiviral Research</i> , 1993, 22, 1-13. | 1.9 | 20 |
| 107 | A computer program for the design of PCR primers for diagnosis of highly variable genomes. <i>Journal of Virological Methods</i> , 1993, 41, 157-165. | 1.0 | 14 |
| 108 | Comparison of capsid protein VP1 of the viruses used for the production and challenge of foot-and-mouth disease vaccines in Spain. <i>Vaccine</i> , 1992, 10, 731-734. | 1.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Primer design for specific diagnosis by PCR of highly variable RNA viruses: Typing of foot-and-mouth disease virus. <i>Virology</i> , 1992, 189, 363-367. | 1.1 | 60 |
| 110 | Genetic and phenotypic variability during replication of foot-and-mouth disease virus in swine. <i>Virology</i> , 1990, 179, 890-892. | 1.1 | 50 |
| 111 | Genetic Variability and Antigenic Diversity of Foot-and-Mouth Disease Virus. , 1990, , 233-266. | | 74 |
| 112 | Genetic and immunogenic variations among closely related isolates of foot-and-mouth disease virus. <i>Gene</i> , 1988, 62, 75-84. | 1.0 | 78 |
| 113 | Establishment of cell lines persistently infected with foot-and-mouth disease virus. <i>Virology</i> , 1985, 145, 24-35. | 1.1 | 133 |
| 114 | The quasispecies (extremely heterogeneous) nature of viral RNA genome populations: biological relevance â€” a review. <i>Gene</i> , 1985, 40, 1-8. | 1.0 | 484 |
| 115 | Multiple genetic variants arise in the course of replication of foot-and-mouth disease virus in cell culture. <i>Virology</i> , 1983, 128, 310-318. | 1.1 | 285 |
| 116 | Lipid Involvement in Viral Infections: Present and Future Perspectives for the Design of Antiviral Strategies. , 0, , . | | 5 |
| 117 | Error Frequencies of Picornavirus RNA Polymerases: Evolutionary Implications for Virus Populations. , 0, , 285-298. | | 8 |