

Peter Bramlage

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9560687/peter-bramlage-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

362
papers

5,773
citations

38
h-index

58
g-index

409
ext. papers

6,789
ext. citations

3.8
avg, IF

5.68
L-index

#	Paper	IF	Citations
362	Hypertension in overweight and obese primary care patients is highly prevalent and poorly controlled. <i>American Journal of Hypertension</i> , 2004 , 17, 904-10	2.3	203
361	Cryoballoon Versus Open Irrigated Radiofrequency Ablation in Patients With Paroxysmal Atrial Fibrillation: The Prospective, Randomized, Controlled, Noninferiority FreezeAF Study. <i>Circulation</i> , 2015 , 132, 1311-9	16.7	176
360	Stem cell and progenitor cell therapy in peripheral artery disease. A critical appraisal. <i>Thrombosis and Haemostasis</i> , 2010 , 103, 696-709	7	142
359	Targeted therapies for treatment of non-small cell lung cancer--Recent advances and future perspectives. <i>International Journal of Cancer</i> , 2016 , 138, 2549-61	7.5	119
358	Treatment of peripheral arterial disease using stem and progenitor cell therapy. <i>Journal of Vascular Surgery</i> , 2011 , 53, 445-53	3.5	109
357	High prevalence and poor control of hypertension in primary care: cross-sectional study. <i>Journal of Hypertension</i> , 2004 , 22, 479-86	1.9	104
356	Acute atrial tachyarrhythmia induces angiotensin II type 1 receptor-mediated oxidative stress and microvascular flow abnormalities in the ventricles. <i>European Heart Journal</i> , 2009 , 30, 1411-20	9.5	99
355	A randomised study of the impact of the SGLT2 inhibitor dapagliflozin on microvascular and macrovascular circulation. <i>Cardiovascular Diabetology</i> , 2017 , 16, 26	8.7	89
354	Low-grade albuminuria and cardiovascular risk : what is the evidence?. <i>Clinical Research in Cardiology</i> , 2007 , 96, 247-57	6.1	84
353	Clinical impact of a new left bundle branch block following TAVI implantation: 1-year results of the TAVIK cohort. <i>Clinical Research in Cardiology</i> , 2015 , 104, 351-62	6.1	83
352	Oral antidiabetic treatment in type-2 diabetes in the elderly: balancing the need for glucose control and the risk of hypoglycemia. <i>Cardiovascular Diabetology</i> , 2012 , 11, 122	8.7	77
351	The effect of optimal medical therapy on 1-year mortality after acute myocardial infarction. <i>Heart</i> , 2010 , 96, 604-9	5.1	73
350	Irbesartan for the treatment of hypertension in patients with the metabolic syndrome: a sub analysis of the Treat to Target post authorization survey. Prospective observational, two armed study in 14,200 patients. <i>Cardiovascular Diabetology</i> , 2007 , 6, 12	8.7	73
349	Role of the vasodilator peptide angiotensin-(1-7) in cardiovascular drug therapy. <i>Vascular Health and Risk Management</i> , 2007 , 3, 125-37	4.4	71
348	Low-density lipoprotein cholesterol in a global cohort of 57,885 statin-treated patients. <i>Atherosclerosis</i> , 2016 , 255, 200-209	3.1	66
347	A global perspective on blood pressure treatment and control in a referred cohort of hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 666-77	2.3	64
346	Recognition and management of overweight and obesity in primary care in Germany. <i>International Journal of Obesity</i> , 2004 , 28, 1299-308	5.5	63

345	A comparison of transcatheter aortic valve implantation and surgical aortic valve replacement in 1,141 patients with severe symptomatic aortic stenosis and less than high risk. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 86, 738-44	2.7	62
344	Rationale and design of PROSPECT-CONKO 004: a prospective, randomized trial of simultaneous pancreatic cancer treatment with enoxaparin and chemotherapy). <i>BMC Cancer</i> , 2008 , 8, 361	4.8	61
343	Association of cardiovascular risk factors with microalbuminuria in hypertensive individuals: the i-SEARCH global study. <i>Journal of Hypertension</i> , 2007 , 25, 2317-24	1.9	61
342	Long-term results of transapical versus transfemoral TAVI in a real world population of 1000 patients with severe symptomatic aortic stenosis. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	59
341	Chronic obstructive pulmonary disease and diabetes mellitus: a systematic review of the literature. <i>Respiration</i> , 2015 , 89, 253-64	3.7	59
340	The management of acute venous thromboembolism in clinical practice. Results from the European PREFER in VTE Registry. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 1326-1337	7	58
339	Cardiac implications of hypoglycaemia in patients with diabetes - a systematic review. <i>Cardiovascular Diabetology</i> , 2013 , 12, 135	8.7	56
338	Blood pressure reduction, persistence and costs in the evaluation of antihypertensive drug treatment--a review. <i>Cardiovascular Diabetology</i> , 2009 , 8, 18	8.7	56
337	Patterns of antihypertensive drug utilization in primary care. <i>European Journal of Clinical Pharmacology</i> , 2004 , 60, 135-42	2.8	56
336	Impact of 4 different definitions used for the assessment of the prevalence of the Metabolic Syndrome in primary healthcare: The German Metabolic and Cardiovascular Risk Project (GEMCAS). <i>Cardiovascular Diabetology</i> , 2007 , 6, 22	8.7	55
335	Effects of saxagliptin on early microvascular changes in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2014 , 13, 19	8.7	51
334	Association of heart rate with microalbuminuria in cardiovascular risk patients: data from I-SEARCH. <i>Journal of Hypertension</i> , 2008 , 26, 18-25	1.9	51
333	Incidence and predictors of hypoglycaemia in type 2 diabetes - an analysis of the prospective DiaRegis registry. <i>BMC Endocrine Disorders</i> , 2012 , 12, 23	3.3	48
332	Predictors of complications in therapeutic plasma exchange. <i>Journal of Clinical Apheresis</i> , 2009 , 24, 225-312	3.2	48
331	Non-steroidal mineralocorticoid receptor antagonism for the treatment of cardiovascular and renal disease. <i>European Journal of Heart Failure</i> , 2016 , 18, 28-37	12.3	48
330	Clinical practice and recent recommendations in hypertension management--reporting a gap in a global survey of 1259 primary care physicians in 17 countries. <i>Current Medical Research and Opinion</i> , 2007 , 23, 783-91	2.5	47
329	Homocysteine inhibits TNF-alpha-induced endothelial adhesion molecule expression and monocyte adhesion via nuclear factor-kappaB dependent pathway. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 280, 1093-100	3.4	44
328	Biomarkers: optimizing treatment guidance in heart failure. <i>Clinical Research in Cardiology</i> , 2011 , 100, 973-81	6.1	42

327	Abdominal obesity is associated with microalbuminuria and an elevated cardiovascular risk profile in patients with hypertension. <i>Vascular Health and Risk Management</i> , 2009 , 5, 577-85	4.4	42
326	Age- and sex-specific prevalence and ten-year risk for cardiovascular disease of all 16 risk factor combinations of the metabolic syndrome - A cross-sectional study. <i>Cardiovascular Diabetology</i> , 2010 , 9, 34	8.7	40
325	Dyslipidemia in primary care--prevalence, recognition, treatment and control: data from the German Metabolic and Cardiovascular Risk Project (GEMCAS). <i>Cardiovascular Diabetology</i> , 2008 , 7, 31	8.7	40
324	Results of the Dyslipidemia International Study (DYSIS)-Middle East: clinical perspective on the prevalence and characteristics of lipid abnormalities in the setting of chronic statin treatment. <i>PLoS ONE</i> , 2014 , 9, e84350	3.7	37
323	Persistence with asthma treatment is low in Germany especially for controller medication - a population based study of 483,051 patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 347-54	9.3	37
322	Comprehensive geriatric assessment in patients undergoing transcatheter aortic valve implantation - results from the CGA-TAVI multicentre registry. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 1	2.3	36
321	Ramipril-based versus diuretic-based antihypertensive primary treatment in patients with pre-diabetes (ADaPT) study. <i>Cardiovascular Diabetology</i> , 2012 , 11, 1	8.7	36
320	Atrial fibrillation and heart rate independently correlate to microalbuminuria in hypertensive patients. <i>European Heart Journal</i> , 2009 , 30, 1364-71	9.5	36
319	Ruptures of the device landing zone in patients undergoing transcatheter aortic valve implantation: an analysis of TAVI Karlsruhe (TAVIK) patients. <i>Clinical Research in Cardiology</i> , 2014 , 103, 912-20	6.1	33
318	Prevalence of undiagnosed Type-2-diabetes mellitus and impaired fasting glucose in German primary care: data from the German Metabolic and Cardiovascular Risk Project (GEMCAS). <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2008 , 116, 18-25	2.3	33
317	Optimising patient discharge management after transfemoral transcatheter aortic valve implantation: the multicentre European FAST-TAVI trial. <i>EuroIntervention</i> , 2019 , 15, 147-154	3.1	33
316	Cost-effectiveness of the artificial liver support system MARS in patients with acute-on-chronic liver failure. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 213-20	2.2	32
315	Clinical significance of conduction disturbances after aortic valve intervention: current evidence. <i>Clinical Research in Cardiology</i> , 2015 , 104, 1-12	6.1	31
314	Impact of chronic kidney disease on the prognosis of patients undergoing percutaneous coronary interventions using drug-eluting stents. <i>Clinical Research in Cardiology</i> , 2011 , 100, 1103-9	6.1	31
313	Prognostic implications of DPP-4 inhibitor vs. sulfonylurea use on top of metformin in a real world setting - results of the 1 year follow-up of the prospective DiaRegis registry. <i>International Journal of Clinical Practice</i> , 2013 , 67, 1005-14	2.9	30
312	Antidiabetic pharmacotherapy and anamnestic hypoglycemia in a large cohort of type 2 diabetic patients--an analysis of the DiaRegis registry. <i>Cardiovascular Diabetology</i> , 2011 , 10, 66	8.7	30
311	Prevalence of obesity in primary care using different anthropometric measures--results of the German Metabolic and Cardiovascular Risk Project (GEMCAS). <i>BMC Public Health</i> , 2008 , 8, 282	4.1	30
310	The effect of irbesartan in reducing cardiovascular risk in hypertensive type 2 diabetic patients: an observational study in 16,600 patients in primary care. <i>Current Medical Research and Opinion</i> , 2004 , 20, 1625-31	2.5	30

309	Transcatheter Aortic Valve Replacement Using Transaortic Access: Experience From The Multicenter, Multinational, Prospective ROUTE Registry. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1815-22	5.22	29
308	Dronedarone prevents microcirculatory abnormalities in the left ventricle during atrial tachypacing in pigs. <i>British Journal of Pharmacology</i> , 2012 , 166, 964-80	8.6	28
307	Heparin based prophylaxis to prevent venous thromboembolic events and death in patients with cancer - a subgroup analysis of CERTIFY. <i>BMC Cancer</i> , 2011 , 11, 316	4.8	28
306	CERTIFY: prophylaxis of venous thromboembolism in patients with severe renal insufficiency. <i>Thrombosis and Haemostasis</i> , 2011 , 105, 981-8	7	26
305	Desmoteplase in acute massive pulmonary thromboembolism. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 557-562	7	26
304	Cardiac troponin I sense-antisense RNA duplexes in the myocardium. <i>Journal of Cellular Biochemistry</i> , 2002 , 85, 198-207	4.7	26
303	Elevated growth differentiation factor 15 levels predict outcome in patients undergoing transcatheter aortic valve implantation. <i>European Journal of Heart Failure</i> , 2015 , 17, 945-55	12.3	25
302	Inconsistent trial assessments by the National Institute for Health and Clinical Excellence and IQWiG: standards for the performance and interpretation of subgroup analyses are needed. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1298-304	5.7	25
301	Regional differences in the prevalence of the metabolic syndrome in primary care practices in Germany. <i>Deutsches Arzteblatt International</i> , 2008 , 105, 207-13	2.5	25
300	Targeted therapies for treatment of renal cell carcinoma: recent advances and future perspectives. <i>Cancer Chemotherapy and Pharmacology</i> , 2015 , 76, 219-33	3.5	24
299	LCZ696 : a new paradigm for the treatment of heart failure?. <i>Expert Opinion on Pharmacotherapy</i> , 2015 , 16, 435-46	4	24
298	Phase II randomized sham-controlled study of renal denervation for individuals with uncontrolled hypertension - WAVE IV. <i>Journal of Hypertension</i> , 2018 , 36, 680-689	1.9	24
297	Hypoglycaemia is more frequent in type 2 diabetic patients with co-morbid vascular disease: an analysis of the DiaRegis registry. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 765-72	3.9	24
296	A population-based study comparing biosimilar versus originator erythropoiesis-stimulating agent consumption in 6,117 patients with renal anaemia. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 929-36	2.8	24
295	Bone morphogenetic protein (BMP)-7 expression is decreased in human hypertensive nephrosclerosis. <i>BMC Nephrology</i> , 2010 , 11, 31	2.7	24
294	U300, a novel long-acting insulin formulation. <i>Expert Opinion on Biological Therapy</i> , 2014 , 14, 1849-60	5.4	23
293	Comparison of inhibitory effects of irbesartan and atorvastatin treatment on the renin angiotensin system (RAS) in veins: a randomized double-blind crossover trial in healthy subjects. <i>Journal of Clinical Pharmacology</i> , 2007 , 47, 112-20	2.9	23
292	Registry in Germany focusing on level-specific and evidence-based decision finding in the treatment of heart failure: REFLECT-HF. <i>Clinical Research in Cardiology</i> , 2014 , 103, 665-73	6.1	22

291	The role of co-morbidity in the selection of antidiabetic pharmacotherapy in type-2 diabetes. <i>Cardiovascular Diabetology</i> , 2013 , 12, 62	8.7	22
290	Prognosis of patients with atrial fibrillation undergoing percutaneous coronary intervention receiving drug eluting stents. <i>Clinical Research in Cardiology</i> , 2013 , 102, 289-97	6.1	22
289	The polypill: An effective approach to increasing adherence and reducing cardiovascular event risk. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 297-310	3.9	21
288	Certoparin versus unfractionated heparin to prevent venous thromboembolic events in patients hospitalized because of heart failure: a subgroup analysis of the randomized, controlled CERTIFY study. <i>American Heart Journal</i> , 2011 , 161, 322-8	4.9	21
287	Diabetes treatment patterns and goal achievement in primary diabetes care (DiaRegis) - study protocol and patient characteristics at baseline. <i>Cardiovascular Diabetology</i> , 2010 , 9, 53	8.7	21
286	Pattern of prescriptions issued by nursing home-based physicians versus office-based physicians for frail elderly patients in German nursing homes. <i>Pharmacoepidemiology and Drug Safety</i> , 2003 , 12, 595-9	2.6	21
285	Patient and disease characteristics of type-2 diabetes patients with or without chronic kidney disease: an analysis of the German DPV and DIVE databases. <i>Cardiovascular Diabetology</i> , 2019 , 18, 33	8.7	20
284	Venous thromboembolism in medical outpatients - a cross-sectional survey of risk assessment and prophylaxis. <i>Thrombosis and Haemostasis</i> , 2011 , 105, 190-6	7	20
283	In-hospital outcomes after elective and non-elective percutaneous coronary interventions in hospitals with and without on-site cardiac surgery backup. <i>Clinical Research in Cardiology</i> , 2009 , 98, 701-7	6.1	20
282	Frequency of albuminuria in primary care: a cross-sectional study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 107-13		20
281	Adrenomedullin and myocardial contractility in the rat. <i>European Journal of Pharmacology</i> , 2000 , 408, 83-9	5.3	20
280	Lean diabetes in middle-aged adults: A joint analysis of the German DIVE and DPV registries. <i>PLoS ONE</i> , 2017 , 12, e0183235	3.7	19
279	Fixed combination of irbesartan and hydrochlorothiazide in the management of hypertension. <i>Vascular Health and Risk Management</i> , 2009 , 5, 213-24	4.4	19
278	Bioequivalence study of three ibuprofen formulations after single dose administration in healthy volunteers. <i>BMC Pharmacology</i> , 2008 , 8, 18		19
277	Combined baseline and one-month changes in big endothelin-1 and brain natriuretic peptide plasma concentrations predict clinical outcomes in patients with left ventricular dysfunction after acute myocardial infarction: Insights from the Eplerenone Post-Acute Myocardial Infarction Heart Failure Efficacy and Survival Study (EPHESUS) study. <i>International Journal of Cardiology</i> , 2017 , 241, 344-350	3.2	18
276	Preprocedural but not periprocedural high-sensitive Troponin T levels predict outcome in patients undergoing transcatheter aortic valve implantation. <i>Cardiovascular Therapeutics</i> , 2016 , 34, 385-396	3.3	18
275	An open-label comparison of the efficacy and safety of certoparin versus unfractionated heparin for the prevention of thromboembolic complications in acutely ill medical patients: CERTAIN. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2953-61	4	18
274	The value of irbesartan in the management of hypertension. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1817-31	4	18

273	Overweight, obesity and high waist circumference: regional differences in prevalence in primary medical care. <i>Deutsches Arzteblatt International</i> , 2008 , 105, 827-33	2.5	18
272	Validation protocols for blood pressure-measuring devices: status quo and development needs. <i>Blood Pressure Monitoring</i> , 2016 , 21, 1-8	1.3	18
271	Effects of linagliptin on renal endothelial function in patients with type 2 diabetes: a randomised clinical trial. <i>Diabetologia</i> , 2016 , 59, 2579-2587	10.3	18
270	Insulin use early in the course of type 2 diabetes mellitus: the ORIGIN trial. <i>Current Diabetes Reports</i> , 2013 , 13, 342-9	5.6	17
269	Efficacy and safety of a fixed-dose combination of lercanidipine and enalapril in daily practice. A comparison of office, self-measured and ambulatory blood pressure. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 2771-9	4	17
268	Hypertension control and cardiometabolic risk: a regional perspective. <i>Cardiology Research and Practice</i> , 2012 , 2012, 925046	1.9	17
267	Fixed-dose vs free-dose combinations for the management of hypertension-An analysis of 81958 patients. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 705-715	2.3	16
266	The German Hypertension League (Deutsche Hochdruckliga) Quality Seal Protocol for blood pressure-measuring devices: 15-year experience and results from 105 devices for home blood pressure control. <i>Blood Pressure Monitoring</i> , 2016 , 21, 197-205	1.3	16
265	Vildagliptin, a DPP-4 inhibitor for the twice-daily treatment of type 2 diabetes mellitus with or without metformin. <i>Expert Opinion on Pharmacotherapy</i> , 2014 , 15, 1299-313	4	16
264	Clinical impact of patient adherence to a fixed-dose combination of olmesartan, amlodipine and hydrochlorothiazide. <i>Clinical Drug Investigation</i> , 2014 , 34, 403-11	3.2	16
263	Balloon expandable transcatheter aortic valve implantation with or without pre-dilation of the aortic valve - rationale and design of a multicenter registry (EASE-IT). <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 160	2.3	16
262	Prevalence of deep vein thrombosis (DVT) in non-surgical patients at hospital admission. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 765-70	7	16
261	Patient screening for early detection of aortic stenosis (AS)-review of current practice and future perspectives. <i>Journal of Thoracic Disease</i> , 2018 , 10, 5584-5594	2.6	16
260	Azilsartan compared to ACE inhibitors in anti-hypertensive therapy: one-year outcomes of the observational EARLY registry. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 56	2.3	15
259	Intermittent intravenous urokinase for critical limb ischemia in diabetic foot ulceration. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 475-482	7	15
258	Predictors of response to early basal insulin treatment in patients with type 2 diabetes--the EARLY experience. <i>Diabetes Technology and Therapeutics</i> , 2014 , 16, 241-6	8.1	14
257	Treatment intensification using long-acting insulin -predictors of future basal insulin supported oral therapy in the DIVE registry. <i>BMC Endocrine Disorders</i> , 2015 , 15, 54	3.3	14
256	Microalbuminuria independently correlates to cardiovascular comorbidity burden in patients with hypertension. <i>Clinical Research in Cardiology</i> , 2012 , 101, 761-6	6.1	14

255	Improvement of coronary microvascular function after Angiotensin receptor blocker treatment with irbesartan in patients with systemic hypertension. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 155-61	2.3	14
254	Low-density lipoprotein apheresis decreases ferritin, transferrin and vitamin B12, which may cause anemia in serially treated patients. <i>Therapeutic Apheresis and Dialysis</i> , 2010 , 14, 136-42	1.9	14
253	Health related quality of life in patients with critical limb ischemia. <i>Vasa - European Journal of Vascular Medicine</i> , 2012 , 41, 78-88	1.9	14
252	Management of cardiovascular risk factors in patients with ANCA-associated vasculitis. <i>Journal of Evaluation in Clinical Practice</i> , 2017 , 23, 747-754	2.5	13
251	Feasibility and safety of early discharge after transfemoral transcatheter aortic valve implantation - rationale and design of the FAST-TAVI registry. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 259	2.3	13
250	Balloon-expandable transapical transcatheter aortic valve implantation with or without predilation of the aortic valve: results of a multicentre registry. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 53, 771-777	3	13
249	Prevalence of deep vein thrombosis in acutely admitted ambulatory non-surgical intensive care unit patients. <i>BMC Research Notes</i> , 2014 , 7, 431	2.3	13
248	Treatment of heart failure in real-world clinical practice: findings from the REFLECT-HF registry in patients with NYHA class II symptoms and a reduced ejection fraction. <i>Clinical Cardiology</i> , 2015 , 38, 200-7	2.3	13
247	The correlation between waist circumference and ESC cardiovascular risk score: data from the German metabolic and cardiovascular risk project (GEMCAS). <i>Clinical Research in Cardiology</i> , 2008 , 97, 827-35	6.1	13
246	First-line antihypertensive treatment in patients with pre-diabetes: rationale, design and baseline results of the ADAPT investigation. <i>Cardiovascular Diabetology</i> , 2008 , 7, 22	8.7	13
245	Two-Year Outcomes of Transcatheter Compared With Surgical Aortic Valve Replacement in "Minimal-Risk" Patients Lacking EuroSCORE Co-morbidities (from the TAVIK Registry). <i>American Journal of Cardiology</i> , 2018 , 122, 149-155	3	12
244	Betrixaban - the next direct factor Xa inhibitor?. <i>Expert Review of Hematology</i> , 2016 , 9, 1111-1117	2.8	12
243	Co-morbidity but not dysglycaemia reduces quality of life in patients with type-2 diabetes treated with oral mono- or dual combination therapy—an analysis of the DiaRegis registry. <i>Cardiovascular Diabetology</i> , 2013 , 12, 47	8.7	12
242	Transcatheter aortic valve implantation in patients with a reduced left ventricular ejection fraction: a single-centre experience in 2000 patients (TAVIK Registry). <i>Clinical Research in Cardiology</i> , 2017 , 106, 1018-1025	6.1	12
241	Should antidiabetic treatment of type 2 diabetes in patients with heart failure differ from that in patients without?. <i>European Journal of Heart Failure</i> , 2012 , 14, 1389-400	12.3	12
240	The role of bone morphogenetic protein-5 (BMP-5) in human nephrosclerosis. <i>Journal of Nephrology</i> , 2011 , 24, 647-55	4.8	12
239	Blood pressure management in a cohort of hypertensive patients in Germany treated by cardiologists. <i>Clinical Research in Cardiology</i> , 2011 , 100, 483-91	6.1	12
238	Effectiveness and tolerability of a fixed-dose combination of olmesartan and amlodipine in clinical practice. <i>Vascular Health and Risk Management</i> , 2010 , 6, 803-11	4.4	12

237	Long-term outcomes after medical and interventional therapy of critical limb ischemia. <i>European Journal of Internal Medicine</i> , 2009 , 20, 616-21	3.9	12
236	Modulatory effects of inflammation and therapy on GDF-5 expression in rheumatoid arthritis synovium. <i>Scandinavian Journal of Rheumatology</i> , 2008 , 37, 401-9	1.9	12
235	Comparison of selective AT1-receptor blockade versus ACE inhibition for restenosis prophylaxis in patients with peripheral occlusive arterial disease after stent angioplasty: a randomized, controlled, proof-of-concept study. <i>Angiology</i> , 2007 , 58, 710-6	2.1	12
234	Albuminuria: pathophysiology, epidemiology and clinical relevance of an emerging marker for cardiovascular disease. <i>Future Cardiology</i> , 2007 , 3, 519-24	1.3	12
233	Antihypertensive effect of irbesartan and predictors of response in obesity-associated hypertension : a prospective, open-label study. <i>Clinical Drug Investigation</i> , 2005 , 25, 765-76	3.2	12
232	Prevalence of dyslipidaemia in statin-treated patients in South Africa: results of the DYSlipidaemia International Study (DYSIS). <i>Cardiovascular Journal of Africa</i> , 2013 , 24, 330-8	0.7	12
231	Contemporary data on low-density lipoprotein cholesterol target value attainment and distance to target in a cohort of 57,885 statin-treated patients by country and region across the world. <i>Data in Brief</i> , 2016 , 9, 616-620	1.2	12
230	A novel computer-aided diagnostic approach for detecting peripheral arterial disease in patients with diabetes. <i>PLoS ONE</i> , 2018 , 13, e0199374	3.7	12
229	Cryoballoon vs. open irrigated radiofrequency ablation for paroxysmal atrial fibrillation: long-term FreezeAF outcomes. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 135	2.3	11
228	Transaortic transcatheter aortic valve implantation as a first-line choice or as a last resort? An analysis based on the ROUTE registry. <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 51, 919-926	3	11
227	Design and rationale of the non-interventional, edoxaban treatment in routine clinical practice in patients with venous ThromboEmbolism in Europe (ETNA-VTE-Europe) study. <i>Thrombosis Journal</i> , 2018 , 16, 9	5.6	11
226	Transaortic transcatheter aortic valve implantation - rationale and design of the multicenter, multinational prospective ROUTE registry. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 152	2.3	11
225	A multi-center, prospective, open-label, 8-week study of certoparin for anticoagulation during maintenance hemodialysis--the membrane study. <i>BMC Nephrology</i> , 2012 , 13, 50	2.7	11
224	Microalbuminuria indicates long-term vascular risk in patients after acute stroke undergoing in-patient rehabilitation. <i>BMC Neurology</i> , 2012 , 12, 102	3.1	11
223	Quality of life in hypertension management using olmesartan in primary care. <i>Expert Opinion on Pharmacotherapy</i> , 2008 , 9, 1641-53	4	11
222	Symptoms, disease severity and treatment of adults with a new diagnosis of severe aortic stenosis. <i>Heart</i> , 2019 , 105, 1709-1716	5.1	11
221	Prevalence of oral corticosteroid use in the German severe asthma population. <i>ERJ Open Research</i> , 2019 , 5,	3.5	11
220	Patient and disease characteristics of adult patients with type 1 diabetes in Germany: an analysis of the DPV and DIVE databases. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019 , 10, 2042018819830867	4.5	10

219	Barriers to cardiovascular risk prevention and management in Germany--an analysis of the EURIKA study. <i>Vascular Health and Risk Management</i> , 2012 , 8, 177-86	4.4	10
218	Certoparin versus UFH to prevent venous thromboembolic events in the very elderly patient: an analysis of the CERTIFY study. <i>Thrombosis Research</i> , 2011 , 128, 417-21	8.2	10
217	The adverse events and hemodynamic effects of adenosine-based cardiac MRI. <i>Korean Journal of Radiology</i> , 2011 , 12, 424-30	6.9	10
216	Soluble substances released from postischemic reperfused rat hearts reduce calcium transient and contractility by blocking the L-type calcium channel. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 668-75	15.1	10
215	A real-world perspective on the prevalence and treatment of heart failure with a reduced ejection fraction but no specific or only mild symptoms. <i>Heart Failure Reviews</i> , 2015 , 20, 545-52	5	9
214	Current perspectives on the contribution of inhaled corticosteroids to an increased risk for diabetes onset and progression in patients with chronic obstructive pulmonary disease. <i>Respiration</i> , 2015 , 89, 66-75	3.7	9
213	Quality of care assessment and improvement in aortic stenosis - rationale and design of a multicentre registry (IMPULSE). <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 5	2.3	9
212	Balloon-expandable transaortic transcatheter aortic valve implantation with or without predilation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 155, 915-923	1.5	9
211	A call to action - Geriatricians' experience in treatment of aortic stenosis and involvement in transcatheter aortic valve implantation. <i>European Geriatric Medicine</i> , 2013 , 4, 176-182	3	9
210	Time-to-event methodology improved statistical evaluation in register-based health services research. <i>Journal of Clinical Epidemiology</i> , 2017 , 82, 103-111	5.7	9
209	Safety and effectiveness of a fixed-dose combination of olmesartan, amlodipine, and hydrochlorothiazide in clinical practice. <i>Vascular Health and Risk Management</i> , 2015 , 11, 1-8	4.4	9
208	Comparison of the Omron RS6 wrist blood pressure monitor with the positioning sensor on or off with a standard mercury sphygmomanometer. <i>Blood Pressure Monitoring</i> , 2014 , 19, 306-13	1.3	9
207	Differences in pharmacology and their translation into differences in clinical efficacy--a comparison of the renin angiotensin blocking agents irbesartan and losartan. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 521-35	4	9
206	Improving quality of life in hypertension management using a fixed-dose combination of olmesartan and amlodipine in primary care. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2779-90	4	9
205	Physical activity is inversely associated with microalbuminuria in hypertensive patients at high cardiovascular risk: data from I-SEARCH. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1066-73	3.9	9
204	Management of hypertension with fixed dose combinations of candesartan cilexetil and hydrochlorothiazide: patient perspectives and clinical utility. <i>Vascular Health and Risk Management</i> , 2009 , 5, 1043-58	4.4	9
203	Facilitated Data Relay and Effects on Treatment of Severe Aortic Stenosis in Europe. <i>Journal of the American Heart Association</i> , 2019 , 8, e013160	6	8
202	Durability of bioprosthetic aortic valves in patients under the age of 60 years - rationale and design of the international INDURE registry. <i>Journal of Cardiothoracic Surgery</i> , 2020 , 15, 119	1.6	8

201	Comprehensive geriatric assessment in patients undergoing transcatheter aortic valve implantation: rationale and design of the European CGA-TAVI registry. <i>European Geriatric Medicine</i> , 2014 , 5, 8-13	3	8
200	Prevalence and control of high blood pressure in primary care: results from the German Metabolic and Cardiovascular Risk Study (GEMCAS). <i>Hypertension Research</i> , 2014 , 37, 580-4	4.7	8
199	Validation of the custo screen 400 ambulatory blood pressure-monitoring device according to the European Society of Hypertension International Protocol revision 2010. <i>Vascular Health and Risk Management</i> , 2014 , 10, 303-9	4.4	8
198	[Comorbidity, hypoglycaemia and appropriate selection of antidiabetic pharmacotherapy in diabetic patients with heart failure in clinical practice in Germany. Results of the DiaRegis registry]. <i>Herz</i> , 2012 , 37, 294-300	2.6	8
197	Efficacy and safety of insulin glargine added to a fixed-dose combination of metformin and a dipeptidyl peptidase-4 inhibitor: results of the GOLD observational study. <i>Vascular Health and Risk Management</i> , 2013 , 9, 711-7	4.4	8
196	Fixed-dose combinations of renin-angiotensin blocking agents with calcium channel blockers or hydrochlorothiazide in the treatment of hypertension. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1755-67	4	8
195	Blood pressure control in hypertensive patients in Irish primary care practices. <i>Journal of Clinical Hypertension</i> , 2009 , 11, 432-40	2.3	8
194	Cardiovascular risk management by blocking the endocannabinoid system. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2006 , 114, 75-81	2.3	8
193	Drug interactions with angiotensin receptor blockers. <i>Expert Opinion on Drug Safety</i> , 2005 , 4, 7-18	4.1	8
192	Transforming growth factor-beta1 downregulates beating frequency and remodeling of cultured rat adult cardiomyocytes. <i>Cell and Tissue Research</i> , 2005 , 321, 57-66	4.2	8
191	Effect of three months' treatment with irbesartan on blood and pulse pressure of hypertensive type 2 diabetic patients: open, observational study in 31,793 patients. <i>Current Medical Research and Opinion</i> , 2005 , 21, 1433-40	2.5	8
190	Combination of empagliflozin and linagliptin improves blood pressure and vascular function in type 2 diabetes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 364-371	6.4	8
189	Titration and optimization trial for the initiation of insulin glargine 100 U/mL in patients with inadequately controlled type 2 diabetes on oral antidiabetic drugs. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 439-443	6.7	8
188	Impact of Dialysis on the Prognosis of Patients Undergoing Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2019 , 123, 315-322	3	8
187	Outcomes after transaortic transcatheter aortic valve implantation: long-term findings from the European ROUTE. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 737-743	3	8
186	Impact of Rehabilitation on Outcomes after TAVI: A Preliminary Study. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	8
185	Quality of life and emotional impact of a fixed-dose combination of antihypertensive drugs in patients with uncontrolled hypertension. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 126-134	2.3	7
184	Determinants of weight change in patients on basal insulin treatment: an analysis of the DIVE registry. <i>BMJ Open Diabetes Research and Care</i> , 2017 , 5, e000301	4.5	7

183	Blood pressure control and cardiovascular risk in hypertensive patients with type 2 diabetes: The German T2Target registry. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 757-763	2.3	7
182	Large-scale experience with an anchorless vascular closure device in a real-life clinical setting. <i>Clinical Research in Cardiology</i> , 2015 , 104, 145-53	6.1	7
181	Incidence, characteristics and impact of hypoglycaemia in patients receiving intensified treatment for inadequately controlled type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2016 , 13, 2-12	3.3	7
180	Dyslipidaemia and its treatment in patients with type 2 diabetes: A joint analysis of the German DIVE and DPV registries. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 61-69	6.7	7
179	Patients With Newly Diagnosed Hypertension Treated With the Renin Angiotensin Receptor Blocker Azilsartan Medoxomil vs Angiotensin-Converting Enzyme Inhibitors: The Prospective EARLY Registry. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 947-53	2.3	7
178	Achievement of individualized treatment targets in patients with comorbid type-2 diabetes and hypertension: 6 months results of the DIALOGUE registry. <i>BMC Endocrine Disorders</i> , 2015 , 15, 23	3.3	7
177	Concurrent drug eluting/bare metal stent implantation during percutaneous coronary intervention in target vessel: outcomes and 1-year follow-up. <i>Clinical Research in Cardiology</i> , 2012 , 101, 281-8	6.1	7
176	Candesartan cilexetil/hydrochlorothiazide combination treatment versus high-dose candesartan cilexetil monotherapy in patients with mild to moderate cardiovascular risk (CHILI Triple T). <i>Vascular Health and Risk Management</i> , 2011 , 7, 85-95	4.4	7
175	Office and ambulatory blood pressure control with a fixed-dose combination of candesartan and hydrochlorothiazide in previously uncontrolled hypertensive patients: results of CHILI CU Soon. <i>Vascular Health and Risk Management</i> , 2011 , 7, 761-9	4.4	7
174	Cerebral microangiopathy in treatment-resistant hypertension. <i>Journal of Clinical Hypertension</i> , 2011 , 13, 582-7	2.3	7
173	Smoking is associated with a high prevalence of microalbuminuria in hypertensive high-risk patients: data from I-SEARCH. <i>Clinical Research in Cardiology</i> , 2010 , 99, 825-32	6.1	7
172	Metabolic effects of an AT1-receptor blockade combined with HCTZ in cardiac risk patients: a non interventional study in primary care. <i>BMC Cardiovascular Disorders</i> , 2008 , 8, 30	2.3	7
171	Hypophagic effect of the angiotensin AT1 receptor antagonist irbesartan in rats. <i>European Journal of Pharmacology</i> , 2007 , 564, 131-7	5.3	7
170	Socio-economic status and the therapeutic effectiveness of antihypertensive treatment--the design of the LEO study. <i>Current Medical Research and Opinion</i> , 2007 , 23, 1987-95	2.5	7
169	Microvascular endothelial cells remodel cultured adult cardiomyocytes and increase their survival. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 276, H2179-87	5.2	7
168	The impact of nutritional status and appetite on the hospital length of stay and postoperative complications in elderly patients with severe aortic stenosis before aortic valve replacement. <i>Kardiochirurgia I Torakochirurgia Polska</i> , 2016 , 13, 105-12	0.3	7
167	Identifying patients with type 2 diabetes in which basal supported oral therapy may not be the optimal treatment strategy. <i>Diabetes Research and Clinical Practice</i> , 2016 , 116, 127-35	7.4	7
166	The significance and predictive value of free light chains in the urine of patients with chronic inflammatory rheumatic disease. <i>Clinical Rheumatology</i> , 2016 , 35, 2939-2946	3.9	7

165	Transaortic transcatheter aortic valve implantation using SAPIEN XT or SAPIEN 3 valves in the ROUTE registry. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017 , 25, 757-764	1.8	6
164	Trial protocol for the validation of the 'Toronto Aortic Stenosis Quality of Life (TASQ) Questionnaire' in patients undergoing surgical aortic valve replacement (SAVR) or transfemoral (TF) transcatheter aortic valve implantation (TAVI): the TASQ registry. <i>Open Heart</i> , 2019 , 6, e001008	3	6
163	A real world comparison of sulfonylurea and insulin vs. incretin-based treatments in patients not controlled on prior metformin monotherapy. <i>Cardiovascular Diabetology</i> , 2015 , 14, 13	8.7	6
162	Balloon expandable transcatheter aortic valve implantation via the transfemoral route with or without pre-dilation of the aortic valve - rationale and design of a multicentre registry (EASE-IT TF). <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 223	2.3	6
161	Nitroglycerin application and coronary arteriogenesis. <i>PLoS ONE</i> , 2018 , 13, e0201597	3.7	6
160	EARLY Treatment with azilsartan compared to ACE-inhibitors in anti-hypertensive therapy--rationale and design of the EARLY hypertension registry. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 46	2.3	6
159	Osteopontin predicts clinical outcome in patients after treatment of severe aortic stenosis with transcatheter aortic valve implantation (TAVI). <i>Open Heart</i> , 2017 , 4, e000633	3	6
158	Bridging with the Low molecular weight heparin certoparin in patients requiring temporary discontinuation of oral anticoagulation - the non-interventional, retrospective REMEMBER study. <i>Thrombosis Research</i> , 2012 , 130, 788-92	8.2	6
157	Safety, tolerability, and efficacy of a fixed-dose combination of olmesartan 40 mg and hydrochlorothiazide 12.5/25 mg in daily practice. <i>Vascular Health and Risk Management</i> , 2013 , 9, 475-83	4.4	6
156	Angiotensin blockade to reduce microvascular damage in diabetes mellitus. <i>Deutsches A&#x0308;rztblatt International</i> , 2009 , 106, 556-62	2.5	6
155	BP goal achievement in patients with uncontrolled hypertension : results of the treat-to-target post-marketing survey with irbesartan. <i>Clinical Drug Investigation</i> , 2007 , 27, 783-96	3.2	6
154	Current concepts for the prevention of venous thromboembolism. <i>European Journal of Clinical Investigation</i> , 2005 , 35 Suppl 1, 4-11	4.6	6
153	Transaortic transcatheter aortic valve implantation: Results of the Polish arm of the ROUTE registry. <i>Cardiology Journal</i> , 2015 , 22, 651-6	1.4	6
152	Non-invasive Renal Denervation: Update on External Ultrasound Approaches. <i>Current Hypertension Reports</i> , 2016 , 18, 48	4.7	6
151	Real-world therapeutic benefits of patients on insulin glargine versus NPH insulin. <i>Acta Diabetologica</i> , 2016 , 53, 717-26	3.9	6
150	Titration of insulin glargine 100U/mL when added to oral antidiabetic drugs in patients with type 2 diabetes: results of the TOP-1 real-world study. <i>Acta Diabetologica</i> , 2020 , 57, 89-99	3.9	6
149	Degree of valve calcification in patients undergoing transfemoral transcatheter aortic valve implantation with and without balloon aortic valvuloplasty: Findings from the multicenter EASE-IT TF registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 469-478	2.7	5
148	A four-leaf clover: A case report of quadricuspid aortic valve stenosis. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 1125-1128	1.3	5

147	Comparison of Valve Durability and Outcomes of Transcatheter Aortic Valve Implantation Versus Surgical Aortic Valve Replacement in Patients With Severe Symptomatic Aortic Stenosis and Less-Than-High-Risk for Surgery. <i>American Journal of Cardiology</i> , 2020 , 125, 1202-1208	3	5
146	Long-term outcome after mitral valve replacement using biological versus mechanical valves. <i>Journal of Cardiothoracic Surgery</i> , 2019 , 14, 120	1.6	5
145	Percentile distribution of blood pressure readings in 35683 men and women aged 18 to 99 years. <i>Journal of Human Hypertension</i> , 2014 , 28, 193-200	2.6	5
144	Composite efficacy parameters and predictors of hypoglycaemia in basal-plus insulin therapy--a combined analysis of 713 type 2 diabetic patients. <i>Diabetes, Obesity and Metabolism</i> , 2014 , 16, 248-54	6.7	5
143	Clinical course and outcomes of type-2 diabetic patients after treatment intensification for insufficient glycaemic control - results of the 2 year prospective DiaRegis follow-up. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 162	2.3	5
142	Prospective, non-interventional study on the real-world use of certoparin in daily practice--the PROMEMBER study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013 , 19, 86-91	3.3	5
141	Candesartan cilexetil/hydrochlorothiazide treatment in high-risk patients with type 2 diabetes mellitus and microalbuminuria: the CHILI T2D study. <i>Clinical Drug Investigation</i> , 2010 , 30, 301-11	3.2	5
140	Aldosterone blockade: current research and future trends. <i>European Heart Journal Supplements</i> , 2011 , 13, B46-B50	1.5	5
139	Regression of microalbuminuria in type 2 diabetics after switch to irbesartan treatment : an observational study in 38 016 patients in primary care. <i>Clinical Drug Investigation</i> , 2004 , 24, 217-25	3.2	5
138	Computer-aided measurement of cell shortening and calcium transients in adult cardiac myocytes. <i>Biotechnology Progress</i> , 2001 , 17, 929-34	2.8	5
137	Impact of selected comorbidities on the presentation and management of aortic stenosis. <i>Open Heart</i> , 2020 , 7,	3	5
136	The MEK/ERK Module Is Reprogrammed in Remodeling Adult Cardiomyocytes. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
135	Gender differences in aortic valve replacement: is surgical aortic valve replacement riskier and transcatheter aortic valve replacement safer in women than in men?. <i>Journal of Thoracic Disease</i> , 2020 , 12, 3737-3746	2.6	5
134	The Effect of Resting Heart Rate on the New Onset of Microalbuminuria in Patients With Type 2 Diabetes: A Subanalysis of the ROADMAP Study. <i>Medicine (United States)</i> , 2016 , 95, e3122	1.8	5
133	Transapical transcatheter aortic valve implantation in patients with a low ejection fraction. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018 , 26, 224-229	1.8	4
132	Regional differences in type 2 diabetes treatment and outcomes in Germany-An analysis of the German DPV and DIVE registries. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e3049	7.5	4
131	Balloon-expandable transcatheter aortic valve implantation with or without pre-dilation - results of a meta-analysis of 3 multicenter registries. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 172	2.3	4
130	Prevalence of dyslipidemia in statin-treated patients in the Baltic states (Estonia, Latvia, and Lithuania): results of the Dyslipidemia International Study (DYSIS). <i>Medicina (Lithuania)</i> , 2014 , 50, 44-53	3.1	4

129	The DYSlipidemia International Study (DYSIS)-Egypt: A report on the prevalence of lipid abnormalities in Egyptian patients on chronic statin treatment. <i>Egyptian Heart Journal</i> , 2013 , 65, 223-232 ^{1,3}	4
128	The renin-angiotensin receptor blocker azilsartan medoxomil compared with the angiotensin-converting enzyme inhibitor ramipril in clinical trials versus routine practice: insights from the prospective EARLY registry. <i>Trials</i> , 2015 , 16, 581	2.8 4
127	Impact of body weight on antidiabetic treatment and predictors of weight control under real-world conditions: a 2-year follow-up of DiaRegis cohort. <i>Acta Diabetologica</i> , 2015 , 52, 1093-101	3.9 4
126	Diabetes prevalence and metabolic risk profile in an unselected population visiting pharmacies in Switzerland. <i>Vascular Health and Risk Management</i> , 2012 , 8, 541-7	4.4 4
125	Treatment of hypertension in the elderly: data from an international cohort of hypertensives treated by cardiologists. <i>Journal of Human Hypertension</i> , 2013 , 27, 131-7	2.6 4
124	Standards for subgroup analyses are needed?--we couldn't agree more. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 451; author reply 452	5.7 4
123	Concurrent chemoradiation therapy with docetaxel/cisplatin followed by docetaxel consolidation therapy in inoperable stage IIIA/B non-small-cell lung cancer: results of a phase I study. <i>Clinical Lung Cancer</i> , 2010 , 11, 45-50	4.9 4
122	Follow-up of cardiovascular risk markers in hypertensive patients treated with irbesartan: results of the i-SEARCH Plus Registry. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 909-16	2.3 4
121	ETNA VTE Europe: A contemporary snapshot of patients treated with edoxaban in clinical practice across eight European countries. <i>European Journal of Internal Medicine</i> , 2020 , 82, 48-55	3.9 4
120	Prespecified Risk Criteria Facilitate Adequate Discharge and Long-Term Outcomes After Transfemoral Transcatheter Aortic Valve Implantation. <i>Journal of the American Heart Association</i> , 2020 , 9, e016990	6 4
119	Renal function deterioration in adult patients with type-2 diabetes. <i>BMC Nephrology</i> , 2020 , 21, 312	2.7 4
118	Long-term outcomes of concomitant tricuspid valve repair in patients undergoing mitral valve surgery. <i>Journal of Cardiothoracic Surgery</i> , 2020 , 15, 210	1.6 4
117	Frailty in patients undergoing transcatheter aortic valve replacement: prognostic value of the Geriatric Nutritional Risk Index. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 577-585	10.3 4
116	Endomyocardial biopsy in patients with cardiomyopathy of unknown origin: does specialized center experience apply to a tertiary care hospital?. <i>BMC Research Notes</i> , 2016 , 9, 459	2.3 4
115	Association between Nutritional Status and Mortality after Aortic Valve Replacement Procedure in Elderly with Severe Aortic Stenosis. <i>Nutrients</i> , 2019 , 11,	6.7 4
114	Narrative review of the role of artificial intelligence to improve aortic valve disease management. <i>Journal of Thoracic Disease</i> , 2021 , 13, 396-404	2.6 4
113	Addition of once daily prandial lixisenatide to basal insulin therapy in patients with type-2 diabetes results in a reduction of HbA1c as an effect of postprandial glucose lowering. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11 Suppl 1, S91-S97	8.9 3
112	Characteristics of Patients with Type-1 or Type-2 Diabetes Receiving Insulin Glargine U300: An Analysis of 7268 Patients Based on the DPV and DIVE Registries. <i>Advances in Therapy</i> , 2019 , 36, 1628-1641 ¹	4 ¹ 3

111	The association of diabetes mellitus treated with oral antidiabetic drugs and insulin with mortality after transcatheter valve implantation: a 3-year follow-up of the TAVIK registry. <i>Cardiovascular Diabetology</i> , 2019 , 18, 63	8.7	3
110	Predictors of treatment response in type-2 diabetes patients initiating basal-supported oral therapy with insulin glargine 100 U/mL: A sub-analysis of the Titration and OPTimisation (TOP) registry. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2169-2173	6.7	3
109	Rationale and design of a prospective, randomized, controlled, multicenter study to evaluate the safety and efficacy of transcatheter heart valve replacement in female patients with severe symptomatic aortic stenosis requiring aortic valve intervention (Randomized research in womEn all comers with Aortic stenosis [RHEIA] trial). <i>American Heart Journal</i> , 2020 , 228, 27-35	4.9	3
108	Induction of extracranial arteriogenesis by an arteriovenous fistula in a pig model. <i>Atherosclerosis</i> , 2018 , 272, 87-93	3.1	3
107	Daytime systolic ambulatory blood pressure with a two-step switch from candesartan to olmesartan monotherapy and the fixed-dose combination of olmesartan/amlodipine in patients with uncontrolled essential hypertension (SEVICONROL-2). <i>Journal of Clinical Hypertension</i> , 2014 , 16, 41-6	2.3	3
106	Porcine arteriogenesis based on vasa vasorum in a novel semi-acute occlusion model using high-resolution imaging. <i>Heart and Vessels</i> , 2017 , 32, 1400-1409	2.1	3
105	The factor xa inhibitor edoxaban for the prevention of stroke and systemic embolism in patients with atrial fibrillation. <i>Expert Review of Clinical Pharmacology</i> , 2017 , 10, 5-15	3.8	3
104	Comparison of 3,000 and 5,000 IU aXa/day certoparin in the prevention of deep-vein thrombosis after total hip replacement. <i>Thrombosis Journal</i> , 2012 , 10, 10	5.6	3
103	Benefits and risks of preventing thromboembolism with enoxaparin in patients with general surgery in real world--the CLEVER study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013 , 19, 282-8	3.3	3
102	Health-related quality of life following transcatheter aortic valve implantation using transaortic, transfemoral approaches and surgical aortic valve replacement-a single-center study. <i>Journal of Geriatric Cardiology</i> , 2018 , 15, 657-665	1.7	3
101	Mitral valve repair for posterior leaflet prolapse: Long-term comparison of loop implantation vs resection. <i>Journal of Cardiac Surgery</i> , 2020 , 35, 11-20	1.3	3
100	Outcomes of transfemoral balloon expandable transcatheter aortic valve implantation: Comparison of two subsequent valve generations. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 930-935	2.7	3
99	Addition of a single short-acting insulin bolus to basal insulin-supported oral therapy: a systematic review of data on the basal-plus regimen. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000679	4.5	3
98	Clinical and economical impact of the presence of an extended heart team throughout the balloon-expandable transcatheter aortic valve implantation procedure. <i>Clinical Research in Cardiology</i> , 2019 , 108, 315-323	6.1	3
97	Fondaparinux Pre-, Peri-, and/or Postpartum for the Prophylaxis/Treatment of Venous Thromboembolism (FondaPPP). <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2021 , 27, 10760296211014573	3.3	3
96	Minimizing the risk for left ventricular rupture during transcatheter aortic valve implantation by reducing the presence of stiff guidewires in the ventricle. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2019 , 29, 365-370	1.8	2
95	Explantation and reimplantation of a breast implant to facilitate minimally invasive mitral valve surgery and cryoablation of atrial fibrillation. <i>Clinical Case Reports (discontinued)</i> , 2019 , 7, 1181-1184	0.7	2
94	Welche Patienten mit Typ-2-Diabetes bekommen neue Antidiabetika?. <i>Diabetologe</i> , 2019 , 15, 96-103	0.2	2

93	Risk factors for permanent pacemaker implantation in patients receiving a balloon-expandable transcatheter aortic valve prosthesis. <i>Heart and Vessels</i> , 2020 , 35, 1735-1745	2.1	2
92	Short-term external counterpulsation augments cerebral blood flow and tissue oxygenation in chronic cerebrovascular occlusive disease. <i>European Journal of Neurology</i> , 2018 , 25, 1326-1332	6	2
91	HbA1c target achievement in the elderly: results of the Titration and Optimization trial for initiation of insulin glargine 100 U/mL in patients with type 2 diabetes poorly controlled on oral antidiabetic drugs. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000668	4.5	2
90	as Cause of Fatal Sepsis. <i>Case Reports in Infectious Diseases</i> , 2019 , 2019, 3537507	0.9	2
89	Vascular risk prediction in ischemic stroke patients undergoing in-patient rehabilitation - insights from the investigation of patients with ischemic stroke in neurologic rehabilitation (INSIGHT) registry. <i>International Journal of Stroke</i> , 2013 , 8, 503-9	6.3	2
88	Daytime systolic ambulatory blood pressure with a direct switch between candesartan monotherapy and the fixed-dose combination olmesartan/amlodipine in patients with uncontrolled essential hypertension (SEVICONTROL-1). <i>Journal of Clinical Hypertension</i> , 2013 , 15, 815-9	2.3	2
87	Transaortic transcatheter aortic valve implantation: experience from the Kiel study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017 , 24, 55-62	1.8	2
86	Prevention of venous thromboembolism using enoxaparin in day surgery: results of the SMART noninterventional study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2012 , 18, 265-71	3.3	2
85	Clinical efficacy of aldosterone-blocking agents. <i>European Heart Journal Supplements</i> , 2011 , 13, B36-B39	1.5	2
84	Validation of the Beurer BM 44 upper arm blood pressure monitor for home measurement, according to the European Society of Hypertension International Protocol 2002. <i>Blood Pressure Monitoring</i> , 2012 , 17, 248-52	1.3	2
83	Cardiovascular risk in obese hypertensive patients taking various antihypertensive drugs. <i>Clinical Drug Investigation</i> , 2007 , 27, 707-17	3.2	2
82	Epidemiologie und Komorbiditäten der Adipositas in Deutschland. <i>Diabetologe</i> , 2008 , 4, 259-265	0.2	2
81	Einsparpotentiale in der Therapie hypertoner Typ-2-Diabetiker aufgrund verzögerter terminaler Niereninsuffizienz. <i>PharmacoEconomics - German Research Articles</i> , 2004 , 2, 43-52		2
80	The Role of Oncostatin M and Its Receptor Complexes in Cardiomyocyte Protection, Regeneration, and Failure.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
79	Importance of a fixed combination of telmisartan and amlodipine for the treatment of hypertension. <i>Drugs of Today</i> , 2010 , 46, 339-50	2.5	2
78	ETNA-VTE Europe: Benefits and risks of venous thromboembolism treatment using edoxaban in the first 3 months. <i>Thrombosis Research</i> , 2020 , 196, 297-304	8.2	2
77	Balloon Filling Algorithm for Optimal Size of Balloon Expandable Prosthesis During Transcatheter Aortic Valve Replacement. <i>American Journal of Cardiology</i> , 2020 , 134, 108-115	3	2
76	Differences in the presentation and management of patients with severe aortic stenosis in different European centres. <i>Open Heart</i> , 2020 , 7,	3	2

75	Comparison of flexible, open with semi-rigid, closed annuloplasty-rings for mitral valve repair. <i>Journal of Cardiothoracic Surgery</i> , 2021 , 16, 35	1.6	2
74	Benefits and Risks of Aliskiren Treatment in Patients With Type 2 Diabetes: Analyses of the 3A Registry. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 1045-1053	2.3	2
73	Balloon-expandable transfemoral transcatheter aortic valve implantation with or without predilatation: findings from the prospective EASE-IT TF multicentre registry. <i>Open Heart</i> , 2019 , 6, e001082 ³		2
72	Caseload management and outcome of patients with aortic stenosis in primary/secondary versus tertiary care settings-design of the IMPULSE enhanced registry. <i>Open Heart</i> , 2019 , 6, e001019	3	2
71	Effect of procedural refinement of transfemoral transcatheter aortic valve implantation on outcomes and costs: a single-centre retrospective study. <i>Open Heart</i> , 2019 , 6, e001064	3	2
70	Treatment intensification strategies after initial metformin therapy in adult patients with type-2 diabetes: results of the DPV and DIVE registries. <i>Acta Diabetologica</i> , 2020 , 57, 229-236	3.9	2
69	Evolution of transcatheter aortic valve implantation over 7 years: results of a prospective single-centre registry of 2000 patients in a large municipal hospital (TAVIK Registry). <i>BMJ Open</i> , 2018 , 8, e022574	3	2
68	Effects of the sodium-glucose cotransporter 2 inhibitor empagliflozin on vascular function in patients with chronic heart failure. <i>ESC Heart Failure</i> , 2021 ,	3.7	2
67	Setting a benchmark for resource utilization and quality of care in patients undergoing transcatheter aortic valve implantation in Europe-Rationale and design of the international BENCHMARK registry. <i>Clinical Cardiology</i> , 2021 , 44, 1344-1353	3.3	2
66	Renal hemodynamic effects differ between antidiabetic combination strategies: randomized controlled clinical trial comparing empagliflozin/linagliptin with metformin/insulin glargine. <i>Cardiovascular Diabetology</i> , 2021 , 20, 178	8.7	2
65	Urinary free light chains may help to identify infection in patients with elevated systemic inflammation due to rheumatic disease. <i>Rheumatology International</i> , 2017 , 37, 599-605	3.6	1
64	Validation of the custo screen pediatric blood pressure monitor according to the European Society of Hypertension International Protocol revision 2010. <i>European Journal of Pediatrics</i> , 2017 , 176, 573-580 ^{4.1}		1
63	Continuation of venous thromboembolism prophylaxis after hospital discharge into the outpatient setting: the ACCEPT study. <i>Journal of Thrombosis and Thrombolysis</i> , 2015 , 39, 173-8	5.1	1
62	Long-term results of endoclamping in patients undergoing minimally invasive mitral valve surgery where external aortic clamping cannot be used - a propensity matched analysis. <i>Journal of Cardiothoracic Surgery</i> , 2020 , 15, 313	1.6	1
61	Clinical value of the 20% logistic EuroSCORE cut-off for selecting TAVI candidates: a single-centre cohort study analysis. <i>Open Heart</i> , 2020 , 7, e001194	3	1
60	A Triple Obstetric Challenge of Thoracopagus-Type Conjoined Twins, Eclampsia, and Obstructed Labor: A Case Report from Sub-Saharan Africa. <i>Case Reports in Obstetrics and Gynecology</i> , 2017 , 2017, 6815748	0.8	1
59	Transcatheter aortic valve implantation at a high-volume center: the Bad Rothenfelde experience. <i>Kardiologichirurgia I Torakochirurgia Polska</i> , 2017 , 14, 215-224	0.3	1
58	Characterization and history of arterial hypertension leading to inpatient treatment. <i>BMC Research Notes</i> , 2016 , 9, 480	2.3	1

57	Candesartan cilexetil 32 mg/hydrochlorothiazide 25 mg in unselected patients with high or very high cardiovascular risk: efficacy, safety, and metabolic impact. <i>Clinical Drug Investigation</i> , 2014 , 34, 241-9	3.2	1
56	Polypille in der Sekundärprävention des Herzinfarktes. <i>Kardiologe</i> , 2017 , 11, 473-479	0.6	1
55	Titration of basal insulin or immediate addition of rapid acting insulin in patients not at target using basal insulin supported oral antidiabetic treatment - A prospective observational study in 2202 patients. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017 , 11, 51-57	8.9	1
54	Achievement of recommended glucose and blood pressure targets in patients with type 2 diabetes and hypertension in clinical practice - study rationale and protocol of DIALOGUE. <i>Cardiovascular Diabetology</i> , 2012 , 11, 148	8.7	1
53	Stellenwert der Lyse im Rettungswesen. <i>Notfall Und Rettungsmedizin</i> , 2013 , 16, 559-574	0.4	1
52	Role of biomarkers in guiding treatment with aldosterone-blocking agents. <i>European Heart Journal Supplements</i> , 2011 , 13, B31-B35	1.5	1
51	Going beyond the optimization of pharmacotherapy. <i>Hypertension Research</i> , 2011 , 34, 39-40	4.7	1
50	Defined Daily Doses: Ein Instrument zur Kostensteuerung im Gesundheitswesen?. <i>Gesundheitsökonomie Und Qualitätsmanagement</i> , 2008 , 13, 38-42	0.3	1
49	HFA-PEFF score: prognosis in patients with preserved ejection fraction after transcatheter aortic valve implantation.. <i>ESC Heart Failure</i> , 2022 ,	3.7	1
48	Lipid-lowering treatment and low-density lipoprotein cholesterol target achievement in patients with type 2 diabetes and acute coronary syndrome. <i>Archives of Cardiovascular Diseases</i> , 2020 , 113, 617-629	2.7	1
47	Type 2 diabetes in older patients: an analysis of the DPV and DIVE databases. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020 , 11, 2042018820958296	4.5	1
46	Reduction of inappropriate implantable cardioverter-defibrillator therapies using enhanced supraventricular tachycardia discriminators: the ReduceIT study. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021 , 61, 339-348	2.4	1
45	The DIVE/DPV registries: evolution of empagliflozin use in clinical practice in Germany. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	1
44	Intermittent Administration of Nitroglycerin Sublingual Powder Compared with Placebo in Outpatients with Peripheral Artery Disease: Results of a Randomised Proof of Concept Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 61, 457-465	2.3	1
43	Community-based aortic stenosis detection: clinical and echocardiographic screening during influenza vaccination. <i>Open Heart</i> , 2021 , 8,	3	1
42	Aortic valve stenosis awareness in Austria-results of a nationwide survey in 1001 subjects. <i>Wiener Medizinische Wochenschrift</i> , 2020 , 170, 141-149	2.9	1
41	Aortic valve replacement: validation of the Toronto Aortic Stenosis Quality of Life Questionnaire. <i>ESC Heart Failure</i> , 2021 , 8, 270-279	3.7	1
40	Management of patients with severe aortic stenosis in the TAVI-era: how recent recommendations are translated into clinical practice. <i>Open Heart</i> , 2021 , 8,	3	1

39	Effectiveness and Safety of Insulin Glulisine When Initiating Supplementary Prandial Insulin Treatment (SIT) in Insulin-Naïve Patients with Type 2 Diabetes: The Observational IGLU-SIT Study. <i>Diabetes Therapy</i> , 2021 , 12, 733-747	3.6	1
38	Cardiovascular drugs attenuated myocardial resistance against ischaemia-induced and reperfusion-induced injury in a rat model of repetitive occlusion. <i>Open Heart</i> , 2018 , 5, e000889	3	1
37	A higher blood glucose level pre-breakfast in comparison to bedtime is a contraindication for intensification of prandial insulin therapy in patients with type 2 diabetes - The impact of a negative BeAM value. <i>Journal of Clinical and Translational Endocrinology</i> , 2018 , 14, 34-38	2.4	1
36	Angiotensin-converting enzyme inhibitors stimulate cerebral arteriogenesis. <i>Acta Physiologica</i> , 2021 , e13732	5.6	1
35	Late left atrial appendage closure device displacement and massive thrombus formation: a case report. <i>European Heart Journal - Case Reports</i> , 2020 , 4, 1-5	0.9	0
34	Pharmaka zur Thrombozyten- und Gerinnungshemmung in der Behandlung des akuten Koronarsyndroms. <i>Kardiologe</i> , 2010 , 4, 239-248	0.6	0
33	Niedermolekulare Heparine zur Thromboseprophylaxe nach ischämischen Schlaganfall. <i>Aktuelle Neurologie</i> , 2007 , 34, 409-415		0
32	Guidelines adherence in the prevention and management of chronic kidney disease in patients with diabetes mellitus on the background of recent European recommendations - a registry-based analysis. <i>BMC Nephrology</i> , 2021 , 22, 184	2.7	0
31	Long-term results after mitral valve surgery using minimally invasive versus sternotomy approach: a propensity matched comparison of a large single-center series. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 314	2.3	0
30	Elevated high-sensitivity troponin T levels at 1-year follow-up are associated with increased long-term mortality after TAVR. <i>Clinical Research in Cardiology</i> , 2021 , 110, 421-428	6.1	0
29	Response: Validation of blood pressure-measuring devices needs clear and consistent guidance and transparent reporting. <i>Blood Pressure Monitoring</i> , 2017 , 22, 51-52	1.3	
28	The impact of age on the benefits and risks of aliskiren treatment: analyses of the 3A registry. <i>Journal of Human Hypertension</i> , 2015 , 29, 316-23	2.6	
27	Early improvement of symptoms using LCZ696 in a patient with systolic heart failure and a reduced ejection fraction: a case report. <i>Perfusion (United Kingdom)</i> , 2016 , 31, 699-702	1.9	
26	Validation of the blood pressure measurement device Erkameter 125 PRO according to the European Society of Hypertension International Protocol revision 2010. <i>Blood Pressure Monitoring</i> , 2016 , 21, 356-360	1.3	
25	Response to the letter to the Editor regarding 'Validation protocols for blood pressure-measuring devices: status quo and development needs' by Bruce Alpert. <i>Blood Pressure Monitoring</i> , 2016 , 21, 263-4 ^{1,3}		
24	Abschätzung des kardiovaskulären Risikos. <i>Der Nephrologe</i> , 2013 , 8, 128-135	0.1	
23	Transapical angiography in a patient with severe aortic stenosis undergoing transapical transcatheter aortic valve implantation. <i>Annals of Thoracic Surgery</i> , 2013 , 96, e151-3	2.7	
22	Effects of 8,000 IU aXa long-term prophylaxis with certoparin on the incidence of hyperkalemia in patients with coronary heart disease—a post-hoc analysis of the PARAT trial. <i>BMC Research Notes</i> , 2014 , 7, 880	2.3	

21	Improved survival of patients with coronary artery disease and low ejection fraction with ICD implantation versus conventional therapy in a real world survey. <i>BMC Research Notes</i> , 2012 , 5, 382	2.3
20	Qualität der fachärztlichen Hypertoniebehandlung Daten aus einer internationalen Querschnittsuntersuchung. <i>Gesundheitsökonomie Und Qualitätsmanagement</i> , 2009 , 14, 258-263	0.3
19	Diagnostik, Bedeutung, Prävention und Therapie einer Mikroalbuminurie - Erwiderung. <i>Deutsche Medizinische Wochenschrift</i> , 2012 , 137, 2390-2391	0
18	Aktuelle Beispiele zur Fehlsteuerung von Kosten bei Therapien mit variabler Dauer durch die Verwendung von Defined Daily Doses. <i>PharmacoEconomics - German Research Articles</i> , 2009 , 7, 47-54	
17	Nitric oxide and endothelin after lipid apheresis - a pilot study. <i>Atherosclerosis Supplements</i> , 2009 , 10, 70-3	1.7
16	Rimonabant zur Behandlung des Diabetes mellitus Typ 2. <i>Diabetologe</i> , 2007 , 3, 270-277	0.2
15	Arzneimitteltherapie zur Primärprävention kardiovaskulärer Erkrankungen bei adipösen Patienten. <i>Prävention Und Gesundheitsförderung</i> , 2006 , 1, 57-63	0.5
14	Bergewicht und kardiovaskuläre Folgeerkrankungen 2006 , 429-442	
13	The Adverse Events and Hemodynamic Effects of Adenosine-Based Cardiac MRI. <i>Korean Journal of Radiology</i> , 2011 , 12, 433	6.9
12	Minimally invasive left atrial appendage (LAA) clip insertion after challenging LAA occluder implantation to minimize the risk of stroke. <i>Journal of Surgical Case Reports</i> , 2020 , 2020, rjaa432	0.6
11	Stellenwert der Lyse im Rettungswesen 2015 , 23-35	
10	Transcatheter Valve-in-Valve Implantation for Failing Bioprosthetic Valves: Small Bioprostheses (Ø3 mm) Decrease Device Success Rate. <i>Thoracic and Cardiovascular Surgeon</i> , 2017 , 65, S1-S110	1.6
9	Correspondence (reply): In Reply: Practices in Germany. <i>Deutsches A&#x0308;rztblatt International</i> , 2008 , 105, 749-50	2.5
8	Pulmonary herniation after minimally invasive cardiac surgery: review and implications from a series of 20 cases. <i>Journal of Surgical Case Reports</i> , 2020 , 2020, rjaa415	0.6
7	Impact of pre-existing comorbidities on outcomes of patients undergoing surgical aortic valve replacement - rationale and design of the international IMPACT registry. <i>Journal of Cardiothoracic Surgery</i> , 2021 , 16, 51	1.6
6	Is Azilsartan More Effective in Younger Than in Older Patients? An Explorative Analysis of the Prospective EARLY Registry. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 826-7	2.3
5	Utility of conventional aortic root shot angiography for SAPIEN 3 prosthesis sizing in TAVI: feasibility and inter-reader variability. <i>Open Heart</i> , 2019 , 6, e001201	3
4	Two-in-one: A case report of a touchy TAVI procedure with a new valve. <i>Journal of Cardiac Surgery</i> , 2021 , 36, 1534-1538	1.3

- 3 Recanalization of bilateral axillaris/brachialis artery occlusion in a patient with Takayashu arteritis: First case report on using a novel drug-coated nitinol "chocolate" balloon catheter. *Clinical Case Reports (discontinued)*, **2018**, 6, 2490-2494 0.7
- 2 Angiosarcoma of the right atrium with extension to the superior and inferior vena cavae. *Journal of Cardiac Surgery*, **2018**, 33, 806-807 1.3
- 1 Prophylactic Anticoagulation With Intermediate-Dose Certoparin in Vascular-Risk Pregnancies-The PACER-VARP Registry. *Clinical and Applied Thrombosis/Hemostasis*, **2021**, 27, 10760296211016550 3.3