Farbod Razzazi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9560955/publications.pdf

Version: 2024-02-01

840119 887659 101 588 11 17 citations h-index g-index papers 103 103 103 495 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Double JPEG compression detection and localization based on convolutional auto-encoder for image content removal., 2022, 123, 103429. | | 5 |
| 2 | Active Multiple Kernel Fredholm Learning for Hyperspectral Images Classification. IEEE Geoscience and Remote Sensing Letters, 2021, 18, 356-360. | 1.4 | 8 |
| 3 | Semi-supervised and Unsupervised Privacy-Preserving Distributed Transfer Learning Approach in HAR Systems. Wireless Personal Communications, 2021, 117, 637-654. | 1.8 | 2 |
| 4 | A part-level learning strategy for JPEG image recompression detection. Multimedia Tools and Applications, 2021, 80, 12235-12247. | 2.6 | 5 |
| 5 | Enhanced target detection using a new combined sonar waveform design. Telecommunication Systems, 2021, 77, 317-334. | 1.6 | 5 |
| 6 | Music similarity measurement and recommendation system using convolutional neural networks. International Journal of Multimedia Information Retrieval, 2021, 10, 43-53. | 3.6 | 30 |
| 7 | A weakly supervised representation learning for modulation recognition of short duration signals. Measurement: Journal of the International Measurement Confederation, 2021, 178, 109346. | 2.5 | 1 |
| 8 | Printer source identification by feature modeling in the total variable printer space. Journal of Forensic Sciences, 2021, 66, 2261-2273. | 0.9 | 6 |
| 9 | Non-invasive localization of the ectopic foci of focal atrial tachycardia by using ECG signal based sparse decomposition algorithm. Biomedical Signal Processing and Control, 2021, 70, 103014. | 3.5 | 6 |
| 10 | A non-linear mapping representing human action recognition under missing modality problem in video data. Measurement: Journal of the International Measurement Confederation, 2021, 186, 110123. | 2.5 | 1 |
| 11 | Semi-supervised parallel shared encoders for speech emotion recognition. , 2021, 118, 103205. | | 8 |
| 12 | Source Camera Identification Using WLBP Descriptor. , 2020, , . | | 2 |
| 13 | An extended KCF tracking algorithm based on TLD structure in low frame rate videos. Multimedia Tools and Applications, 2020, 79, 20995-21012. | 2.6 | 7 |
| 14 | A voice activity detection algorithm in spectro-temporal domain using sparse representation. International Journal of Machine Learning and Cybernetics, 2019, 10, 1791-1803. | 2.3 | 2 |
| 15 | A New Framework for Match on Card and Match on Host Quality Based Multimodal Biometric Authentication. Journal of Signal Processing Systems, 2019, 91, 163-177. | 1.4 | 16 |
| 16 | Blind speech dereverberation using sparse decomposition and multi-channel linear prediction. International Journal of Speech Technology, 2019, 22, 729-738. | 1.4 | 3 |
| 17 | Semi-supervised domain adaptation for pedestrian detection in video surveillance based on maximum independence assumption. International Journal of Multimedia Information Retrieval, 2019, 8, 241-252. | 3.6 | 3 |
| 18 | A Sparse Analysis-Based Single Image Super-Resolution. Computers, 2019, 8, 41. | 2.1 | 5 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | A privacy-preserving distributed transfer learning in activity recognition. Telecommunication Systems, 2019, 72, 69-79. | 1.6 | 4 |
| 20 | An interpolation filter based on natural neighbor Galerkin method for salt and pepper noise restoration with adaptive size local filtering window. Signal, Image and Video Processing, 2019, 13, 895-903. | 1.7 | 4 |
| 21 | Speaker Diarization in Broadcast News Using Sub Glottal Resonances. , 2019, , . | | O |
| 22 | Effect of unitary transformation on Bayesian information criterion for source numbering in array processing. IET Signal Processing, 2019, 13, 670-678. | 0.9 | 2 |
| 23 | Multiâ€stream 3D CNN structure for human action recognition trained by limited data. IET Computer Vision, 2019, 13, 338-344. | 1.3 | 29 |
| 24 | A Multi-View Human Action Recognition System in Limited Data Case using Multi-Stream CNN. , 2019, , . | | 16 |
| 25 | An LSTM Auto-Encoder for Single-Channel Speaker Attention System. , 2019, , . | | 3 |
| 26 | Incomplete-Data-Driven Speaker Segmentation for Diarization Application; A Help-Training Approach. Circuits, Systems, and Signal Processing, 2019, 38, 2489-2522. | 1.2 | 2 |
| 27 | Unsupervised help-trained LS-SVR-based segmentation in speaker diarization system. Multimedia Tools and Applications, 2019, 78, 11743-11777. | 2.6 | 1 |
| 28 | A structural post-processing method for enhancing intensity restoration of low-density impulse-noise for decision based filters. Journal of Visual Communication and Image Representation, 2018, 51, 40-55. | 1.7 | 1 |
| 29 | A structural refinement method based on image gradient for improving performance of noise-restoration stage in decision based filters. , 2018, 75, 242-254. | | 3 |
| 30 | Structureâ€based interpolation method for restoring the intensity of lowâ€density impulse noise. IET Image Processing, 2018, 12, 1577-1585. | 1.4 | 1 |
| 31 | A novel forensic image analysis tool for discovering double JPEG compression clues. Multimedia Tools and Applications, 2017, 76, 7749-7783. | 2.6 | 26 |
| 32 | Real-time human action recognition with Extreme Learning Machine. , 2017, , . | | 2 |
| 33 | Single image camera identification using I-vectors. , 2017, , . | | 1 |
| 34 | LMDT: A weakly-supervised large-margin-domain-transfer for handwritten digit recognition. Engineering Applications of Artificial Intelligence, 2016, 52, 119-125. | 4.3 | 11 |
| 35 | Domain adaptive multiple kemel learning for handwritten digit recognition. , 2016, , . | | 1 |
| 36 | A dictionary based approach to JPEG anti-forensics. , 2016, , . | | 2 |

3

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Sub-word-based Offline Handwritten Farsi Word Recognition Using Recurrent Neural Network. ETRI Journal, 2016, 38, 703. | 1.2 | 10 |
| 38 | A Novel and Fast Algorithm for Solving Permutation in Convolutive BSS, Based on Real and Imaginary Decomposition. Circuits, Systems, and Signal Processing, 2016, 35, 4532-4549. | 1.2 | 3 |
| 39 | A weakly supervised large margin domain adaptation method for isolated handwritten digit recognition. Journal of Visual Communication and Image Representation, 2016, 38, 307-315. | 1.7 | 7 |
| 40 | Quantization-Unaware Double JPEG Compression Detection. Journal of Mathematical Imaging and Vision, 2016, 54, 269-286. | 0.8 | 26 |
| 41 | A novel approach for dynamic hand gesture recognition using contour-based similarity images. International Journal of Computer Mathematics, 2015, 92, 662-685. | 1.0 | 14 |
| 42 | A Self Training Approach to Automatic Modulation Classification Based on Semi-supervised Online Passive Aggressive Algorithm. Wireless Personal Communications, 2015, 82, 1303-1319. | 1.8 | 10 |
| 43 | A noise robust speech features extraction approach in multidimensional cortical representation using multilinear principal component analysis. International Journal of Speech Technology, 2015, 18, 351-365. | 1.4 | 5 |
| 44 | A writer adaptation method for isolated handwritten digit recognition based on Ensemble Projection of features. , 2015 , , . | | 1 |
| 45 | Spatio-temporal 3D surface matching for hand gesture recognition using ICP algorithm. Signal, Image and Video Processing, 2015, 9, 1205-1220. | 1.7 | 7 |
| 46 | A robust feature for single image camera identification using local binary patterns. , 2014, , . | | 3 |
| 47 | Fusion of HMM Classifiers, Based on x, y and (x, y) Signals, for the Recognition of Online Farsi Handwriting: a Large Lexicon Approach. Arabian Journal for Science and Engineering, 2014, 39, 1713-1723. | 1.1 | 6 |
| 48 | A fast phoneme recognition system based on sparse representation of test utterances. , 2014, , . | | 0 |
| 49 | An evolutionary decoding method for HMM-based continuous speech recognition systems using particle swarm optimization. Pattern Analysis and Applications, 2014, 17, 327-339. | 3.1 | 4 |
| 50 | SR-NBS: A fast sparse representation based N-best class selector for robust phoneme classification. Engineering Applications of Artificial Intelligence, 2014, 28, 155-164. | 4.3 | 7 |
| 51 | A novel steganography approach for 3D polygonal meshes using Surfacelet Transform. , 2013, , . | | 1 |
| 52 | Effect of delayed strokes on the recognition of online Farsi handwriting. Pattern Recognition Letters, 2013, 34, 486-491. | 2.6 | 17 |
| 53 | A scale–rate filter selection method in the spectro-temporal domain for phoneme classification. Computers and Electrical Engineering, 2013, 39, 1537-1548. | 3.0 | 3 |
| 54 | Decision fusion of horizontal and vertical trajectories for recognition of online Farsi subwords. Engineering Applications of Artificial Intelligence, 2013, 26, 544-550. | 4.3 | 23 |

| # | Article | lF | Citations |
|----|--|-----|-----------|
| 55 | Power and Time Slot Allocation in Cognitive Relay Networks Using Particle Swarm Optimization. Scientific World Journal, The, 2013, 2013, 1-9. | 0.8 | 4 |
| 56 | A fast compressive sensing approach for phoneme classification. , 2012, , . | | 2 |
| 57 | Tracking performance of online large margin semi-supervised classifiers in automatic modulation classification., 2012,,. | | O |
| 58 | A feature extraction method for speech recognition based on temporal tracking of clusters in spectro-temporal domain. , 2012, , . | | 0 |
| 59 | Using co-occurrence features extracted from ripplet I transform in texture classification. , 2012, , . | | 5 |
| 60 | A clustering based feature selection method in spectro-temporal domain for speech recognition. Engineering Applications of Artificial Intelligence, 2012, 25, 1194-1202. | 4.3 | 13 |
| 61 | Adaptive multiuser detection in DS/CDMA systems using generalized regression neural network. , 2012, , . | | 0 |
| 62 | A proper transform for satisfying Benford's Law and its application to double JPEG image forensics. , 2012, , . | | 4 |
| 63 | An adaptable architecture for blind modulations classification in variable SNR environments., 2012,,. | | 2 |
| 64 | A neural predictive coding feature extraction scheme in DCT domain for phoneme recognition. Neural Computing and Applications, 2012, 21, 565-574. | 3.2 | 2 |
| 65 | Single channel speech/music segregation based on a novel K-means clustering schema. , 2011, , . | | 1 |
| 66 | Age estimation based on speech features and support vector machine. , 2011, , . | | 15 |
| 67 | Bio-inspired distributed beamforming for cognitive radio networks in non-stationary environment. IEICE Electronics Express, 2011, 8, 332-339. | 0.3 | 4 |
| 68 | Minimum power transmission design for cognitive radio networks in non-stationary environment. IEICE Electronics Express, 2011, 8, 136-142. | 0.3 | 4 |
| 69 | Phone-based filter parameter optimization of filter and sum robust speech recognition using likelihood maximization. AEU - International Journal of Electronics and Communications, 2010, 64, 1167-1172. | 1.7 | 0 |
| 70 | A novel approach to HMM-based speech recognition systems using particle swarm optimization. Mathematical and Computer Modelling, 2010, 52, 1910-1920. | 2.0 | 43 |
| 71 | A novel spectro-temporal feature extraction method for phoneme classification. , 2010, , . | | 2 |
| 72 | A feature selection method in spectro-temporal domain based on Gaussian Mixture Models. , 2010, , . | | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A novel approach for blind source separation of mixed document images in Farsi scanned documents. , 2010, , . | | O |
| 74 | A very high accuracy handwritten character recognition system for Farsi/Arabic digits using Convolutional Neural Networks. , $2010, , .$ | | 22 |
| 75 | A novel method for de-warping in Persian document images captured by cameras. , 2010, , . | | 1 |
| 76 | A Novel Voice Activity Detector for Noisy Environments Using Gaussian Clustering of Noise in Spectro-Temporal Domain. , 2010, , . | | 0 |
| 77 | Power line noise elimination from EMG signals using adaptive Laguerre filter with fuzzy step size. , 2010, , . | | 6 |
| 78 | An active contour based algorithm for cell planning. , 2009, , . | | 4 |
| 79 | Automatic language identification of bilingual English and Farsi scripts. , 2009, , . | | 3 |
| 80 | A multi-class SVM based phonemes classifier based on a trainable confidence measure. , 2009, , . | | 1 |
| 81 | Noise reduction algorithm for robust speech recognition using MLP neural network. , 2009, , . | | 3 |
| 82 | Image Watermarking in Face Recognition Systems Based on Contourlet Transform. , 2009, , . | | 0 |
| 83 | Online optimization of the poles locations of generalized orthonormal IIR adaptive filters using particle swarm optimization., 2009,,. | | 3 |
| 84 | Designing Linear Phase FIR Filters with Particle Swarm Optimization and Harmony Search. Communications in Computer and Information Science, 2009, , 193-200. | 0.4 | 3 |
| 85 | A novel approach to HMM-based speech recognition system using particle swarm optimization. , 2009, , | | 4 |
| 86 | Adaptive determination of the free parameters of generalized orthonormal IIR adaptive filters using genetic algorithm. , 2009, , . | | 2 |
| 87 | FPGA Implementation of Feature Extraction and MLP Neural Network Classifier for Farsi Handwritten Digit Recognition., 2009,,. | | 6 |
| 88 | Implementation of an accurate Farsi Handwritten digit recognition system on FPGA., 2009,,. | | 0 |
| 89 | GMM Optimization Using Neural Networks for Persian Language Detection. , 2009, , . | | 1 |
| 90 | Robust speech recognition using MLP neural network in log-spectral domain. , 2009, , . | | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Automatic meter classification in Persian poetries using support vector machines. , 2009, , . | | 17 |
| 92 | Improvement in speech recognition using phone-based filter and sum parameter optimization. IEICE Electronics Express, 2009, 6, 437-442. | 0.3 | 1 |
| 93 | A DCT based nonlinear predictive coding for feature extraction in speech recognition systems. , 2008, , | | 5 |
| 94 | A Time Warping Speech Recognition System Based on Particle Swarm Optimization., 2008,,. | | 5 |
| 95 | Maximum-Likelihood Phone-Based Filter Parameter Optimization for Microphone Array Speech Recognition., 2008,,. | | 2 |
| 96 | An Improved Method for Tracking a Single Target in Variable Cluttered Environments. , 2008, , . | | 0 |
| 97 | Improvements in audio classification based on sinusoidal modeling. , 2008, , . | | 5 |
| 98 | Phone-based filter parameter optimization for robust speech recognition using likelihood maximization. , 2008, , . | | 2 |
| 99 | An SVM based Confidence Measure for Continuous Speech Recognition. , 2007, , . | | 9 |
| 100 | A comprehensive handwritten image corpus of isolated persian/arabic characters for OCR development and evaluation. , 2007, , . | | 0 |
| 101 | A Robust Free Size OCR for Omni-Font Persian/Arabic Printed Document Using Combined MLP/SVM. Lecture Notes in Computer Science, 2005, , 601-610. | 1.0 | 3 |