

Paul W Stratford

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9561151/paul-w-stratford-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

17,691
citations

56
h-index

131
g-index

236
ext. papers

19,778
ext. citations

2.8
avg. IF

6.53
L-index

#	Paper	IF	Citations
221	Assessing the inter-rater and intra-rater reliability of the Physical Therapy Competence Assessment for Airway Suctioning (PT-CAAS).. <i>Physiotherapy Research International</i> , 2022 , e1944	1.8	
220	Description and Functional Benefits of Meeting Frequency, Intensity, and Time of Resistance and Cardiovascular Exercises: A Study of Older Adults in a Community-Based, Slow-Stream Rehabilitation, Hospital-to-Home Transition Program. <i>Gerontology and Geriatric Medicine</i> , 2022 , 8, 233372142210963	2.3	
219	Long-Term Enrollment in Cardiac Rehabilitation Benefits of Cardiorespiratory Fitness and Skeletal Muscle Strength in Females with Cardiovascular Disease.. <i>Women S Health Reports</i> , 2021 , 2, 543-549	0.5	0
218	Physiotherapy Students Performance in Clinical Education: An Analysis of 1 Year of Canadian Cross-Sectional Data. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2021 , 73, 358-367	0.8	1
217	Muscle strength gains after strengthening exercise explained by reductions in serum inflammation in women with knee osteoarthritis. <i>Clinical Biomechanics</i> , 2021 , 86, 105381	2.2	1
216	Development and assessment of a verbal response scale for the Patient-Specific Functional Scale (PSFS) in a low-literacy, non-western population. <i>Quality of Life Research</i> , 2021 , 30, 613-628	3.7	3
215	Patient gender does not influence referral to an orthopaedic surgeon by advanced practice orthopaedic providers: a prospective observational study in Canada. <i>BMC Health Services Research</i> , 2021 , 21, 952	2.9	
214	Assessing Arm Volume in People During and After Treatment for Breast Cancer: Reliability and Convergent Validity of the LymphaTech System. <i>Physical Therapy</i> , 2020 , 100, 457-467	3.3	5
213	Predictors of treatment adherence in patients with chronic disease using the Multidimensional Adherence Model: unique considerations for patients with haemophilia. <i>The Journal of Haemophilia Practice</i> , 2020 , 7, 92-101	0.2	2
212	How to Optimize Measurement Protocols: An Example of Assessing Measurement Reliability Using Generalizability Theory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020 , 72, 112-121	0.8	1
211	Feasibility, Reliability, Responsiveness, and Validity of the Patient-Reported Functional Scale for the Intensive Care Unit: A Pilot Study. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 1396-1404	3.3	4
210	Characterizing the recovery trajectories of knee range of motion for one year after total knee replacement. <i>Physiotherapy Theory and Practice</i> , 2020 , 36, 176-185	1.5	4
209	Long-term Enrollment in Cardiac Rehabilitation Benefits Cardiorespiratory Fitness and Skeletal Muscle Strength in Men With Cardiovascular Disease. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1359-1365	3.8	4
208	Labelling a Patient Change Status: It's a Confidence Game. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019 , 71, 121-129	0.8	0
207	Slow Stream Rehabilitation for Older Adults: A Scoping Review. <i>Canadian Journal on Aging</i> , 2019 , 38, 328-349	1.6	5
206	Cross-cultural adaptation and psychometric evaluation of the Singapore version of the Chedoke Arm and Hand Activity. <i>Disability and Rehabilitation</i> , 2019 , 41, 2570-2577	2.4	
205	Clinical Interpretation of the Neck Functional Status Computerized Adaptive Test. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 875-886	4.2	2

204	Effects of Covertly Measured Home Exercise Adherence on Patient Outcomes Among Older Adults With Chronic Knee Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 548-556	4.2	10
203	Estimating the Threshold Value for Change for the Six Dimensions of the Impairment Inventory of the Chedoke-McMaster Stroke Assessment. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2019 , 71, 103-110	0.8	1
202	Estimating the Reliability and Validity of the Upper Extremity Functional Index in Women After Breast Cancer Surgery. <i>Clinical Breast Cancer</i> , 2018 , 18, e1261-e1267	3	9
201	Submaximal normalizing methods to evaluate load sharing changes in the shoulder during repetitive work. <i>Journal of Electromyography and Kinesiology</i> , 2018 , 39, 58-69	2.5	4
200	Comparison of the sensitivity to change of the Functional Independence Measure with the Assessment of Motor and Process Skills within different rehabilitation populations. <i>Disability and Rehabilitation</i> , 2018 , 40, 3177-3184	2.4	12
199	Self-reported Home Exercise Adherence: A Validity and Reliability Study Using Concealed Accelerometers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 943-950	4.2	26
198	Relative and absolute test-retest reliabilities of biomechanical risk factors for knee osteoarthritis progression: benchmarks for meaningful change. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 220-226	6.2	9
197	Self-efficacy, pain, and quadriceps capacity at baseline predict changes in mobility performance over 2 years in women with knee osteoarthritis. <i>Clinical Rheumatology</i> , 2018 , 37, 495-504	3.9	9
196	Reliability and validity of the shortened Singapore versions of the Chedoke Arm and Hand Activity Inventory. <i>International Journal of Rehabilitation Research</i> , 2018 , 41, 297-303	1.8	
195	Confounding pain and function: the WOMAC [®] failure to accurately predict lower extremity function. <i>Arthroplasty Today</i> , 2018 , 4, 488-492	2	4
194	Interrater Reliability of Three Versions of the Chedoke Arm and Hand Activity Inventory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018 , 70, 133-140	0.8	0
193	Impact of Risk Adjustment on Provider Ranking for Patients With Low Back Pain Receiving Physical Therapy. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 637-648	4.2	10
192	Measuring Participation of Children and Environmental Factors at Home, School, and in Community: Construct Validation of the Korean PEM-CY. <i>Physical and Occupational Therapy in Pediatrics</i> , 2017 , 37, 541-554	2.1	15
191	Acute changes in knee cartilage transverse relaxation time after running and bicycling. <i>Journal of Biomechanics</i> , 2017 , 53, 171-177	2.9	17
190	Inter-rater reliability of the Chedoke Arm and Hand Activity Inventory. <i>NeuroRehabilitation</i> , 2017 , 40, 201-209	2	4
189	Baseline knee adduction moment interacts with body mass index to predict loss of medial tibial cartilage volume over 2.5 years in knee Osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 2476-2483	3.8	28
188	Responsiveness of four patient-reported outcome measures to assess physical function in patients with knee osteoarthritis: comments on the article by Mahler et al. <i>Scandinavian Journal of Rheumatology</i> , 2017 , 46, 168-169	1.9	
187	Evaluation of an advanced-practice physiotherapist in triaging patients with lumbar spine pain: surgeon-physiotherapist level of agreement and patient satisfaction. <i>Canadian Journal of Surgery</i> , 2017 , 60, 266-272	2	21

186	Reliability and measurement error of the Osteoarthritis Research Society International (OARSI) recommended performance-based tests of physical function in people with hip and knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1792-1796	6.2	65
185	GT3X+ accelerometer placement affects the reliability of step-counts measured during running and pedal-revolution counts measured during bicycling. <i>Journal of Sports Sciences</i> , 2016 , 34, 1168-75	3.6	12
184	Knowledge Translation from Research to Clinical Practice: Measuring Participation of Children with Disabilities. <i>Occupational Therapy in Health Care</i> , 2016 , 30, 323-343	1.3	2
183	A Roland Morris Disability Questionnaire Target Value to Distinguish between Functional and Dysfunctional States in People with Low Back Pain. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016 , 68, 29-35	0.8	21
182	Implementing the Prospective Surveillance Model (PSM) of Rehabilitation for Breast Cancer Patients with 1-Year Postoperative Follow-up, a Prospective, Observational Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3379-84	3.1	12
181	Development of a Telephone Interview Version of the Chedoke-McMaster Stroke Assessment Activity Inventory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2016 , 68, 216-222	0.8	3
180	Developing a classification system of social communication functioning of preschool children with autism spectrum disorder. <i>Developmental Medicine and Child Neurology</i> , 2016 , 58, 942-8	3.3	11
179	The role of occupational therapists in the contexts of a natural disaster: a scoping review. <i>Disability and Rehabilitation</i> , 2016 , 38, 1620-31	2.4	9
178	Cross-cultural validation and psychometric evaluation of the Participation and Environment Measure for Children and Youth in Korea. <i>Disability and Rehabilitation</i> , 2016 , 38, 2217-28	2.4	14
177	On "Responsiveness of the Balance Evaluation Systems Test (BESTest) in people with subacute stroke." Chinsongkram B, Chaikereee N, Saengsirisuwan V, et al. <i>Phys Ther</i> . doi: 10.2522/ptj.20150621. <i>Physical Therapy</i> , 2016 , 96, 1300-1	3.3	
176	The incident tibiofemoral osteoarthritis with rapid progression phenotype: development and validation of a prognostic prediction rule. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 2100-2107	6.2	23
175	Knee Extensor Power Relates to Mobility Performance in People With Knee Osteoarthritis: Cross-Sectional Analysis. <i>Physical Therapy</i> , 2015 , 95, 989-95	3.3	27
174	Knee adduction moment relates to medial femoral and tibial cartilage morphology in clinical knee osteoarthritis. <i>Journal of Biomechanics</i> , 2015 , 48, 3495-501	2.9	29
173	Which dimensions of disability does the HIV Disability Questionnaire (HDQ) measure? A factor analysis. <i>Disability and Rehabilitation</i> , 2015 , 37, 1193-201	2.4	10
172	Letters. <i>Spine</i> , 2015 , 40, 666	3.3	
171	Fat Infiltration in the Leg is Associated with Bone Geometry and Physical Function in Healthy Older Women. <i>Calcified Tissue International</i> , 2015 , 97, 353-63	3.9	14
170	Reliability and validity of a new HIV-specific questionnaire with adults living with HIV in Canada and Ireland: the HIV Disability Questionnaire (HDQ). <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 124	3	19
169	Outcome Measures in Clinical Practice: Five Questions to Consider When Assessing Patient Outcome. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2015 , 3, 248-254	0.7	4

168	In Tribute: David L. Sackett. <i>Physical Therapy</i> , 2015 , 95, 1084-6	3.3	0
167	Pregabalin reduces postoperative opioid consumption and pain for 1 week after hospital discharge, but does not affect function at 6 weeks or 3 months after total hip arthroplasty. <i>British Journal of Anaesthesia</i> , 2015 , 115, 903-11	5.4	43
166	Do Knee Moments Normalized to Measures of Knee Cartilage Area Better Classify the Severity of Knee Osteoarthritis?. <i>Journal of Applied Biomechanics</i> , 2015 , 31, 415-22	1.2	
165	The Group Experience: Remodelling Outpatient Physiotherapy after Knee Replacement Surgery. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2015 , 67, 350-6	0.8	4
164	Exploring Client-Centered Care Experiences in In-Patient Rehabilitation Settings. <i>Global Qualitative Nursing Research</i> , 2015 , 2, 2333393615582036	0.9	7
163	Performance of the measures of processes of care for adults and service providers in rehabilitation settings. <i>Patient Related Outcome Measures</i> , 2015 , 6, 157-65	2.9	4
162	Acute Postoperative Pain Is a Predictor of Chronic Functional Impairment 2 Years After Radial Head Arthroplasty. <i>Critical Reviews in Physical and Rehabilitation Medicine</i> , 2015 , 27, 159-170	0.3	
161	On "effectiveness of trigger point dry needling" Cotchett MP, Munteanu SE, Landorf KB. <i>Phys Ther.</i> 2014;94:1083-1094. <i>Physical Therapy</i> , 2014 , 94, 1354	3.3	
160	Perioperative gabapentin reduces 24 h opioid consumption and improves in-hospital rehabilitation but not post-discharge outcomes after total knee arthroplasty with peripheral nerve block. <i>British Journal of Anaesthesia</i> , 2014 , 113, 855-64	5.4	60
159	Tracking patient outcomes after anterior cruciate ligament reconstruction. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2014 , 66, 199-205	0.8	12
158	McKenzie lumbar classification: inter-rater agreement by physical therapists with different levels of formal McKenzie postgraduate training. <i>Spine</i> , 2014 , 39, E182-90	3.3	23
157	Pattern of recovery following total shoulder arthroplasty and humeral head replacement. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 306	2.8	12
156	Knee pain during daily tasks, knee osteoarthritis severity, and widespread pain. <i>Physical Therapy</i> , 2014 , 94, 490-8	3.3	24
155	Assessing the patient-specific functional scale's ability to detect early recovery following total knee arthroplasty. <i>Physical Therapy</i> , 2014 , 94, 838-44	3.3	8
154	A comparison study of KOOS-PS and KOOS function and sport scores. <i>Physical Therapy</i> , 2014 , 94, 1614-23	3.3	4
153	On "quality of life and self-reported lower extremity function" Galantino ML, Kietrys DM, Parrott JS, et al. <i>Phys Ther.</i> doi: 10.2522/ptj.20130337. <i>Physical Therapy</i> , 2014 , 94, 1355-6	3.3	2
152	Functional outcomes post-radial head arthroplasty: a systematic review of literature. <i>Shoulder and Elbow</i> , 2014 , 6, 108-18	1.8	8
151	OARSI recommended performance-based tests to assess physical function in osteoarthritis of the hip or knee: authors' reply. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1625-6	6.2	12

150	Body weight changes and corresponding changes in pain and function in persons with symptomatic knee osteoarthritis: a cohort study. <i>Arthritis Care and Research</i> , 2013 , 65, 15-22	4.7	76
149	Cumulative knee adductor load distinguishes between healthy and osteoarthritic knees--a proof of principle study. <i>Gait and Posture</i> , 2013 , 37, 397-401	2.6	35
148	Progressing toward, and recovering from, knee replacement surgery: a five-year cohort study. <i>Arthritis and Rheumatism</i> , 2013 , 65, 3304-13		29
147	Author response. <i>Physical Therapy</i> , 2013 , 93, 707-8	3.3	
146	Unilateral vs bilateral symptomatic knee osteoarthritis: associations between pain intensity and function. <i>Rheumatology</i> , 2013 , 52, 2229-37	3.9	40
145	Psychometric properties of the Outpatient Physical Therapy Improvement in Movement Assessment Log (OPTIMAL) in patients with musculoskeletal disorders: a replication study with additional findings. <i>Physical Therapy</i> , 2013 , 93, 672-80	3.3	7
144	A Systematic Review of Head-to-Head Comparison Studies of the Roland-Morris and Oswestry Measures of Abilities to Assess Change. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013 , 65, 160-6	0.8	8
143	Assessing the amount of change in an outcome measure is not the same as assessing the importance of change. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013 , 65, 244-7	0.8	6
142	An example of end-digit preference in physiotherapy practice. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2013 , 65, 276-8	0.8	3
141	Intrarater reliability of dual-energy X-ray absorptiometry-based measures of vertebral height in postmenopausal women. <i>Journal of Clinical Densitometry</i> , 2012 , 15, 405-412	3.5	5
140	On "lower limb functional index..." Gabel CP, Melloh M, Burkett B, Michener LA. <i>Phys Ther</i> . 2012;92:98-110. <i>Physical Therapy</i> , 2012 , 92, 181-3; author reply 183-4	3.3	2
139	When minimal detectable change exceeds a diagnostic test-based threshold change value for an outcome measure: resolving the conflict. <i>Physical Therapy</i> , 2012 , 92, 1338-47	3.3	41
138	Longitudinal changes in the lower extremity functional scale after anterior cruciate ligament reconstructive surgery. <i>Clinical Journal of Sport Medicine</i> , 2012 , 22, 234-9	3.2	12
137	The FIT-HaNSA demonstrates reliability and convergent validity of functional performance in patients with shoulder disorders. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 455-64	4.2	23
136	Lumbar computerized adaptive test and Modified Oswestry Low Back Pain Disability Questionnaire: relative validity and important change. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 541-51	4.2	24
135	A shortened version of the Western ontario rotator cuff disability index: development and measurement properties. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 135-44	0.8	21
134	Strategies Aimed at Preventing Chronic Post-surgical Pain: Comprehensive Perioperative Pain Management after Total Joint Replacement Surgery. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011 , 63, 289-304	0.8	28
133	Estimating the Accuracy of the Chedoke-McMaster Stroke Assessment Predictive Equations for Stroke Rehabilitation. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011 , 63, 334-41	0.8	9

132	Change in psychosocial distress associated with pain and functional status outcomes in patients with lumbar impairments referred to physical therapy services. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 969-80	4.2	21
131	Construct validation of a knee-specific functional status measure: a comparative study between the United States and Israel. <i>Physical Therapy</i> , 2011 , 91, 1072-84	3.3	14
130	Using outcome measure results to facilitate clinical decisions the first year after total hip arthroplasty. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 232-9	4.2	40
129	Effect of fear-avoidance beliefs of physical activities on a model that predicts risk-adjusted functional status outcomes in patients treated for a lumbar spine dysfunction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 336-45	4.2	22
128	Using intake and change in multiple psychosocial measures to predict functional status outcomes in people with lumbar spine syndromes: a preliminary analysis. <i>Physical Therapy</i> , 2011 , 91, 1812-25	3.3	13
127	Impact of pain reported during isometric quadriceps muscle strength testing in people with knee pain: data from the osteoarthritis initiative. <i>Physical Therapy</i> , 2011 , 91, 1478-89	3.3	26
126	Baseline dependency of minimal clinically important improvement. <i>Physical Therapy</i> , 2011 , 91, 675-88	3.3	81
125	Clinician ability to identify neck and low back interventions: an inter-rater chance-corrected agreement pilot study. <i>Journal of Manual and Manipulative Therapy</i> , 2011 , 19, 172-81	1.6	10
124	Clinical interpretation of outcome measures generated from a lumbar computerized adaptive test. <i>Physical Therapy</i> , 2010 , 90, 1323-35	3.3	34
123	The added value of confidence intervals. <i>Physical Therapy</i> , 2010 , 90, 333-5	3.3	15
122	Rehabilitation in a primary care setting for persons with chronic illness: a randomized controlled trial. <i>Primary Health Care Research and Development</i> , 2010 , 11, 382-395	1.6	30
121	Quantifying self-report measures: overestimation of mobility scores postarthroplasty. <i>Physical Therapy</i> , 2010 , 90, 1288-96	3.3	56
120	Construct validity of the late life function and disability instrument for adults with chronic conditions. <i>Disability and Rehabilitation</i> , 2010 , 32, 50-6	2.4	32
119	Validation of the measure of processes of care for adults: a measure of client-centred care. <i>International Journal for Quality in Health Care</i> , 2010 , 22, 302-9	1.9	13
118	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 737-45	5.7	2108
117	Modelling knee range of motion post arthroplasty: clinical applications. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2010 , 62, 378-87	0.8	35
116	Computerized adaptive test for patients with lumbar spine impairments produced valid and responsive measures of function. <i>Spine</i> , 2010 , 35, 2157-64	3.3	46
115	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. <i>Quality of Life Research</i> , 2010 , 19, 539-49	3.7	2029

114	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: a clarification of its content. <i>BMC Medical Research Methodology</i> , 2010 , 10, 22	4.7	858
113	Inter-rater agreement and reliability of the COSMIN (Consensus-based Standards for the selection of health status Measurement Instruments) checklist. <i>BMC Medical Research Methodology</i> , 2010 , 10, 82	4.7	174
112	Minimizing the source of nociception and its concurrent effect on sensory hypersensitivity: an exploratory study in chronic whiplash patients. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 29	2.8	27
111	Using hierarchical linear modeling to explore predictors of pain after total hip and knee arthroplasty as a consequence of osteoarthritis. <i>Journal of Arthroplasty</i> , 2010 , 25, 254-62	4.4	38
110	Clinical interpretation of a lower-extremity functional scale-derived computerized adaptive test. <i>Physical Therapy</i> , 2009 , 89, 957-68	3.3	41
109	Clinical interpretation of computerized adaptive test outcome measures in patients with foot/ankle impairments. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009 , 39, 753-64	4.2	26
108	Increasing reliability of APACHE II scores in a medical-surgical intensive care unit: a quality improvement study. <i>American Journal of Critical Care</i> , 2009 , 18, 58-64	1.7	4
107	Reliability, validity, and responsiveness of the lower extremity functional scale for inpatients of an orthopaedic rehabilitation ward. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009 , 39, 468-77	4.2	84
106	Variation in outcome measures in hip and knee arthroplasty clinical trials: a proposed approach to achieving consensus. <i>Journal of Rheumatology</i> , 2009 , 36, 2050-6	4.1	28
105	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. <i>Quality of Life Research</i> , 2009 , 18, 313-33	3.7	125
104	New study design evaluated the validity of measures to assess change after hip or knee arthroplasty. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 347-52	5.7	52
103	Clinical outcomes for patients classified by fear-avoidance beliefs and centralization phenomenon. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 768-77	2.8	57
102	Clinical interpretation of computerized adaptive test-generated outcome measures in patients with knee impairments. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009 , 90, 1340-8	2.8	23
101	Les études pilotes : déterminer si elles peuvent être publiées dans <i>Physiotherapy Canada</i> . <i>Physiotherapy Canada Physiotherapie Canada</i> , 2009 , 61, 67-67	0.8	2
100	Validating self-report measures of pain and function in patients undergoing hip or knee arthroplasty. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2009 , 61, 189-94; discussion 195-6	0.8	16
99	Computerized adaptive test for patients with knee impairments produced valid and responsive measures of function. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 1113-24	5.7	52
98	A computerized adaptive test for patients with hip impairments produced valid and responsive measures of function. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 2129-39	2.8	39
97	The timed up and go test for use on an inpatient orthopaedic rehabilitation ward. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008 , 38, 410-7	4.2	75

96	On "test-retest reliability and minimal detectable change on balance..." Steffen T, Seney M. <i>Phys Ther.</i> 2008;88:733-746. <i>Physical Therapy</i> , 2008 , 88, 888-90; author reply 891	3.3	6
95	Assessing recovery and establishing prognosis following total knee arthroplasty. <i>Physical Therapy</i> , 2008 , 88, 22-32	3.3	157
94	Centralization: prevalence and effect on treatment outcomes using a standardized operational definition and measurement method. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2008 , 38, 116-25	4.2	56
93	Measurement properties of performance-specific pain ratings of patients awaiting total joint arthroplasty as a consequence of osteoarthritis. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2008 , 60, 255-63	0.8	7
92	Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change. <i>Spine</i> , 2008 , 33, 90-4	3.3	1232
91	Patients can provide a valid assessment of quality of life, functional status, and general health on the day they undergo knee surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90, 264-70	5.6	3
90	Computerized adaptive test for patients with foot or ankle impairments produced valid and responsive measures of function. <i>Quality of Life Research</i> , 2008 , 17, 1081-91	3.7	51
89	Findings of extensive variation in the types of outcome measures used in hip and knee replacement clinical trials: a systematic review. <i>Arthritis and Rheumatism</i> , 2008 , 59, 876-83		71
88	Measurement properties of the WOMAC LK 3.1 pain scale. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 266-72	6.2	48
87	Association of low back pain, impairment, disability & work limitations in nurses. <i>Journal of Occupational Rehabilitation</i> , 2007 , 17, 213-26	3.6	19
86	Hop testing provides a reliable and valid outcome measure during rehabilitation after anterior cruciate ligament reconstruction. <i>Physical Therapy</i> , 2007 , 87, 337-49	3.3	406
85	Recovery after hip fracture: what can we learn from the Canadian Occupational Performance Measure?. <i>American Journal of Occupational Therapy</i> , 2007 , 61, 335-44	0.4	19
84	Interrater reliability of APACHE II scores for medical-surgical intensive care patients: a prospective blinded study. <i>American Journal of Critical Care</i> , 2007 , 16, 378-83	1.7	14
83	Modeling early recovery of physical function following hip and knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 100	2.8	108
82	Performance measures provide assessments of pain and function in people with advanced osteoarthritis of the hip or knee. <i>Physical Therapy</i> , 2006 , 86, 1489-96	3.3	126
81	Preoperative function and gender predict pattern of functional recovery after hip and knee arthroplasty. <i>Journal of Arthroplasty</i> , 2006 , 21, 559-66	4.4	160
80	Performance measures were necessary to obtain a complete picture of osteoarthritic patients. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 160-7	5.7	216
79	Simulated computerized adaptive test for patients with lumbar spine impairments was efficient and produced valid measures of function. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 947-56	5.7	77

78	Patients undergoing knee surgery provided accurate ratings of preoperative quality of life and function 2 weeks after surgery. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 984-93	5.7	40
77	Comparing 2 Versions of the Chedoke Arm and Hand Activity Inventory With the Action Research Arm Test. <i>Physical Therapy</i> , 2006 , 86, 245-253	3.3	29
76	Validation of Three Shortened Versions of the Chedoke Arm and Hand Activity Inventory. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2006 , 58, 148-156	0.8	30
75	Defining the effect and mediators of two knowledge translation strategies designed to alter knowledge, intent and clinical utilization of rehabilitation outcome measures: a study protocol [NCT00298727]. <i>Implementation Science</i> , 2006 , 1, 14	8.4	15
74	Comparing 2 versions of the Chedoke Arm and Hand Activity Inventory with the Action Research Arm Test. <i>Physical Therapy</i> , 2006 , 86, 245-53	3.3	14
73	Simulated computerized adaptive tests for measuring functional status were efficient with good discriminant validity in patients with hip, knee, or foot/ankle impairments. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 629-38	5.7	97
72	Test-retest reliability, validity, and sensitivity of the Chedoke arm and hand activity inventory: a new measure of upper-limb function for survivors of stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1616-22	2.8	119
71	Assessing sensitivity to change: choosing the appropriate change coefficient. <i>Health and Quality of Life Outcomes</i> , 2005 , 3, 23	3	106
70	Assessing Improvement in Patients Who Report Small Limitations in Functional Status on Condition-Specific Measures. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2005 , 57, 234-239	0.8	5
69	Re: Grotle M, Brox JI, Vilestad NK. Concurrent comparison of responsiveness in pain and functional status measures used for patients with low back pain. <i>Spine</i> 2004;29:E492-E501. <i>Spine</i> , 2005 , 30, 1341-2; author reply 1342	3.3	
68	Intra- and inter-rater reliability of the anterior atlantodental interval measurement from conventional lateral view flexion/extension radiographs. <i>Manual Therapy</i> , 2005 , 10, 219-23		5
67	Assessing stability and change of four performance measures: a longitudinal study evaluating outcome following total hip and knee arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 3	2.8	353
66	Interpreting Lower Extremity Functional Status Scores. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2005 , 57, 154	0.8	30
65	The evaluation of change in pain intensity: a comparison of the P4 and single-item numeric pain rating scales. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2004 , 34, 187-93	4.2	73
64	Development of the Chedoke Arm and Hand Activity Inventory: theoretical constructs, item generation, and selection. <i>Topics in Stroke Rehabilitation</i> , 2004 , 11, 31-42	2.6	106
63	Does parallel item content on WOMAC® pain and function subscales limit its ability to detect change in functional status?. <i>BMC Musculoskeletal Disorders</i> , 2004 , 5, 17	2.8	78
62	Comment on the comparison of test-retest reliabilities for 2-day and 2-week intervals. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 993-4; author reply 995	5.7	6
61	Condition-specific Western Ontario McMaster Osteoarthritis Index was not superior to region-specific Lower Extremity Functional Scale at detecting change. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 1025-32	5.7	81

60	Applying evidence on outcome measures to hand therapy practice. <i>Journal of Hand Therapy</i> , 2004 , 17, 165-73	1.6	38
59	Getting More from the Literature: Estimating the Standard Error of Measurement from Reliability Studies. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2004 , 56, 027	0.8	200
58	False-negative extension/rotation pre-manipulative screening test on a patient with an atretic and hypoplastic vertebral artery. <i>Manual Therapy</i> , 2003 , 8, 120-7		23
57	The relationship between self-report and performance-related measures: questioning the content validity of timed tests. <i>Arthritis and Rheumatism</i> , 2003 , 49, 535-40		102
56	Hierarchical Linear Modelling: An Effective Analytic Technique for Examining Change in Clinical Longitudinal Data. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003 , 55, 145	0.8	3
55	Exploring the Factorial Validity and Clinical Interpretability of the Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC). <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003 , 55, 160	0.8	37
54	Development and Cross-validation of the P4: A Self-Report Pain Intensity Measure. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003 , 55, 032	0.8	20
53	Sample Size Estimation for the Comparison of Competing Measures Reliability Coefficients. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2003 , 55, 225	0.8	20
52	Roland-Morris Scale Reliability. <i>Physical Therapy</i> , 2002 , 82, 512-517	3.3	20
51	Comparison of gender and group differences in self-report and physical performance measures in total hip and knee arthroplasty candidates. <i>Journal of Arthroplasty</i> , 2002 , 17, 70-7	4.4	145
50	Biases in the Retrospective Calculation of Reliability and Responsiveness from Longitudinal Studies 2002 , 21-31		
49	Roland-Morris scale reliability. <i>Physical Therapy</i> , 2002 , 82, 512-5; author reply 515-7	3.3	8
48	Applying the results from diagnostic accuracy studies to enhance clinical decision-making. <i>Physiotherapy Theory and Practice</i> , 2001 , 17, 153-160	1.5	6
47	Use of SF-36 and SF-12 health status measures: a quantitative comparison for groups versus individual patients. <i>Medical Care</i> , 2001 , 39, 867-78	3.1	61
46	Development and initial validation of the back pain functional scale. <i>Spine</i> , 2000 , 25, 2095-102	3.3	99
45	Associations between patient report of symptoms and anatomic impairment visible on lumbar magnetic resonance imaging. <i>Spine</i> , 2000 , 25, 819-28	3.3	164
44	Applying the results of self-report measures to individual patients: an example using the Roland-Morris Questionnaire. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1999 , 29, 232-9	4.2	41
43	Error estimates in novice and expert raters for the KT-1000 arthrometer. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1999 , 29, 49-55	4.2	50

42	The Prevalence of Low Back Pain in Adults: A Methodological Review of the Literature. <i>Physical Therapy</i> , 1999 , 79, 384-396	3.3	190
41	Interpreting Validity Indexes for Diagnostic Tests: An Illustration Using the Berg Balance Test. <i>Physical Therapy</i> , 1999 , 79, 939-948	3.3	150
40	Assessment of reliability of the hand-held dynamometer for measuring strength in healthy older adults. <i>Physiotherapy Theory and Practice</i> , 1998 , 14, 49-54	1.5	11
39	The patient-specific functional scale: validation of its use in persons with neck dysfunction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1998 , 27, 331-8	4.2	337
38	Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 1. <i>Physical Therapy</i> , 1998 , 78, 1186-96	3.3	320
37	Sensitivity to change of the Roland-Morris Back Pain Questionnaire: part 2. <i>Physical Therapy</i> , 1998 , 78, 1197-207	3.3	143
36	Comparison of two outcome measures for infants with cerebral palsy and infants with motor delays. <i>Physical Therapy</i> , 1998 , 78, 1062-72	3.3	34
35	Use of generic versus region-specific functional status measures on patients with cervical spine disorders. <i>Physical Therapy</i> , 1998 , 78, 951-63	3.3	132
34	Interrater reliability of six tests of trunk muscle function and endurance. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1997 , 26, 200-8	4.2	107
33	The Patient-Specific Functional Scale: measurement properties in patients with knee dysfunction. <i>Physical Therapy</i> , 1997 , 77, 820-9	3.3	226
32	Use of the standard error as a reliability index of interest: an applied example using elbow flexor strength data. <i>Physical Therapy</i> , 1997 , 77, 745-50	3.3	316
31	Measurement properties of the RM-18. A modified version of the Roland-Morris Disability Scale. <i>Spine</i> , 1997 , 22, 2416-21	3.3	88
30	Methodological problems in the retrospective computation of responsiveness to change: the lesson of Cronbach. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 869-79	5.7	409
29	A Descriptive Study of Learning Processes and Outcomes in Two Problem-Based Curriculum Designs. <i>Journal, Physical Therapy Education</i> , 1996 , 10, 72-76	0.6	16
28	Health status measures: strategies and analytic methods for assessing change scores. <i>Physical Therapy</i> , 1996 , 76, 1109-23	3.3	326
27	Defining the minimum level of detectable change for the Roland-Morris questionnaire. <i>Physical Therapy</i> , 1996 , 76, 359-65; discussion 366-8	3.3	343
26	A review of the McMurray test: definition, interpretation, and clinical usefulness. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1995 , 22, 116-20	4.2	19
25	Interrater reliability of lumbar accessory motion mobility testing. <i>Physical Therapy</i> , 1995 , 75, 786-92; discussion 793-5	3.3	115

24	Reliability of Absolute and Ratio Data In Assessment of Knee Extensor and Flexor Strength. <i>Isokinetics and Exercise Science</i> , 1994 , 4, 51-57	0.6	14
23	A comparison of make and break tests using a hand-held dynamometer and the Kin-Com. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1994 , 19, 28-32	4.2	163
22	Prospective evaluation of the McMurray test. <i>American Journal of Sports Medicine</i> , 1994 , 22, 567-8	6.8	7
21	Low back pain: program description and outcome in a case series. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1994 , 20, 11-6	4.2	2
20	Assessing change over time in patients with low back pain. <i>Physical Therapy</i> , 1994 , 74, 528-33	3.3	230
19	A randomized controlled trial of transcutaneous electrical nerve stimulation (CODETRON) to determine its benefits in a rehabilitation program for acute occupational low back pain. <i>Spine</i> , 1994 , 19, 561-8	3.3	63
18	Wrist Goniometric Measurements. <i>Physical Therapy</i> , 1994 , 74, 684-685	3.3	
17	Assessing Valid Change over Time in Patients with Lateral Epicondylitis at the Elbow. <i>Clinical Journal of Sport Medicine</i> , 1994 , 4, 88-91	3.2	48
16	Measuring physical impairment and disability with the Chedoke-McMaster Stroke Assessment. <i>Stroke</i> , 1993 , 24, 58-63	6.7	660
15	Reliability of the Fugl-Meyer assessment for testing motor performance in patients following stroke. <i>Physical Therapy</i> , 1993 , 73, 447-54	3.3	453
14	Sensitivity of Sickness Impact Profile items to measure change over time in a low-back pain patient group. <i>Spine</i> , 1993 , 18, 1723-7	3.3	24
13	Clinical evaluation: physiotherapists ranking of competencies. <i>Medical Teacher</i> , 1993 , 15, 369-77	3	7
12	Promoting Critical Appraisal of Research Literature in Undergraduate Students. <i>Journal, Physical Therapy Education</i> , 1992 , 6, 19-21	0.6	2
11	Grading written essays: a reliability study. <i>Physical Therapy</i> , 1991 , 71, 679-86	3.3	6
10	The effect of inter-trial rest interval on the assessment of isokinetic thigh muscle torque. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1990 , 11, 362-6	4.2	23
9	Effect of station examination item sampling on generalizability of student performance. <i>Physical Therapy</i> , 1990 , 70, 31-6	3.3	7
8	Not really reliability?. <i>Physical Therapy</i> , 1989 , 69, 700-2	3.3	
7	Reliability: consistency or differentiating among subjects?. <i>Physical Therapy</i> , 1989 , 69, 299-300	3.3	70

6	Generalizability of grip strength measurements in patients with tennis elbow. <i>Physical Therapy</i> , 1989 , 69, 276-81	3-3	62
5	Confidence limits for your ICC. <i>Physical Therapy</i> , 1989 , 69, 237-8	3-3	14
4	Reliability of a reciprocal test protocol performed on the kinetic communicator: an isokinetic test of knee extensor and flexor strength. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1988 , 10, 218-23	4-2	47
3	Diagnostic value of knee extension torque tracings in suspected anterior cruciate ligament tears. <i>Physical Therapy</i> , 1987 , 67, 1533-6	3-3	7
2	Modified essay question. <i>Physical Therapy</i> , 1985 , 65, 1075-9	3-3	9
1	Electromyography of the quadriceps femoris muscles in subjects with normal knees and acutely effused knees. <i>Physical Therapy</i> , 1982 , 62, 279-83	3-3	56