

Wenli Hu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9561463/wenli-hu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21
papers

241
citations

9
h-index

15
g-index

22
ext. papers

328
ext. citations

3.3
avg, IF

3.03
L-index

#	Paper	IF	Citations
21	Mild encephalitis/encephalopathy with reversible splenial lesion (MERS) in adults-a case report and literature review. <i>BMC Neurology</i> , 2017 , 17, 103	3.1	50
20	Higher blood-brain barrier permeability is associated with higher white matter hyperintensities burden. <i>Journal of Neurology</i> , 2017 , 264, 1474-1481	5.5	35
19	Compromised Blood-Brain Barrier Integrity Is Associated With Total Magnetic Resonance Imaging Burden of Cerebral Small Vessel Disease. <i>Frontiers in Neurology</i> , 2018 , 9, 221	4.1	29
18	Brain Atrophy Correlates with Severe Enlarged Perivascular Spaces in Basal Ganglia among Lacunar Stroke Patients. <i>PLoS ONE</i> , 2016 , 11, e0149593	3.7	21
17	The relationship between blood-brain barrier permeability and enlarged perivascular spaces: a cross-sectional study. <i>Clinical Interventions in Aging</i> , 2019 , 14, 871-878	4	17
16	The Functional Study of a Chinese Herbal Compounded Antidepressant Medicine--Jie Yu Chu Fan Capsule on Chronic Unpredictable Mild Stress Mouse Model. <i>PLoS ONE</i> , 2015 , 10, e0133405	3.7	16
15	Correlation between prefrontal-striatal pathway impairment and cognitive impairment in patients with leukoaraiosis. <i>Medicine (United States)</i> , 2017 , 96, e6703	1.8	10
14	Risk Factors for Multiple Organ Dysfunction Syndrome in Severe Stroke Patients. <i>PLoS ONE</i> , 2016 , 11, e0167189	3.7	10
13	Higher ambulatory systolic blood pressure independently associated with enlarged perivascular spaces in basal ganglia. <i>Neurological Research</i> , 2017 , 39, 787-794	2.7	9
12	Paraneoplastic neuromyelitis optica spectrum disorder associated with breast cancer. <i>Clinical Interventions in Aging</i> , 2019 , 14, 1039-1044	4	8
11	Clinical features and the degree of cerebrovascular stenosis in different types and subtypes of cerebral watershed infarction. <i>BMC Neurology</i> , 2017 , 17, 166	3.1	8
10	Age and recurrent stroke are related to the severity of white matter hyperintensities in lacunar infarction patients with diabetes. <i>Clinical Interventions in Aging</i> , 2018 , 13, 2487-2494	4	8
9	Neurochemical correlates of cognitive dysfunction in patients with leukoaraiosis: a proton magnetic resonance spectroscopy study. <i>Neurological Research</i> , 2012 , 34, 989-97	2.7	5
8	The reliability and validity of a novel Chinese version simplified modified Rankin scale questionnaire (2011). <i>BMC Neurology</i> , 2020 , 20, 127	3.1	5
7	The comorbidity of acute ischemic stroke and splenic infarction resulting from essential thrombocythemia. <i>Neurological Sciences</i> , 2018 , 39, 1787-1790	3.5	3
6	Use of Multimodal Magnetic Resonance Imaging Techniques to Explore Cognitive Impairment in Leukoaraiosis. <i>Medical Science Monitor</i> , 2018 , 24, 8910-8915	3.2	3
5	Early diagnostic value of serum procalcitonin levels for catheter-related blood stream infection in first-ever acute ischemic stroke patients. <i>BMC Neurology</i> , 2020 , 20, 6	3.1	2

4	Dysphasia is associated with diffusion-weighted MRI abnormalities in patients with transient neurological symptoms. <i>Neurological Sciences</i> , 2020 , 41, 1765-1771	3.5	1
3	Poor Sleep Quality Associated With Enlarged Perivascular Spaces in Patients With Lacunar Stroke.. <i>Frontiers in Neurology</i> , 2021 , 12, 809217	4.1	0
2	Association Between Large Numbers of Enlarged Perivascular Spaces in Basal Ganglia and Motor Performance in Elderly Individuals: A Cross-Sectional Study. <i>Clinical Interventions in Aging</i> , Volume 17, 903-913	4	0
1	The Influence of Cerebral Arterial Circle on Prominent Hypointense Vessel Signs in Patients With Internal Carotid Artery Occlusion.. <i>Frontiers in Neurology</i> , 2021 , 12, 753877	4.1	